Computer Vision
Spring 2017
Problem Set #6

Yonathan Lim
yonathan@gatech.edu

1a: Base Shift0 and ShiftR2



Base Shift0 and ShiftR2 pair image **- ps6-1-a-1.png**

1a: Base Shift0 and ShiftR5U5 (cont.)



Base Shift0 and ShiftR5U5 pair image - **ps6-1-a-2.png**

1a: Text Response (cont.)

- Describe your results. Did you blur the images? If so, by how much?
  - Since the shift is relatively small, the method optic_flow_LK is able to detect the movement.
  - For ShiftR5U5, I blurred the base image Shift0 using uniform 7x7 kernel

1b: Base Shift0 and ShiftR10



Base Shift0 and ShiftR10 pair image **- ps6-1-b-1.png**

1b: Base Shift0 and ShiftR20 (cont.)



Base Shift0 and ShiftR20 pair image - **ps6-1-b-2.png**

1b: Base Shift0 and ShiftR40 (cont.)



Base Shift0 and ShiftR40 pair image **- ps6-1-b-3.png**

1b: Text Response (cont.)

- Describe your results. Using the same amount of blurring in 1a, did this still work? Do your results fall apart on any of the pairs?
  - The results do not look as good as 1a. Using the same blurring in 1a did not work. The results fall apart on the ShiftR20 and ShiftR40. I suspect this is because the distance is to far and the LK failed.

2a: Gaussian Pyramid



Gaussian Pyramid Image - **ps6-2-a-1.png**

2b: Laplacian Pyramid



Laplacian Pyramid Image - **ps6-2-b-1.png**

3a: DataSeq1 displacements



DataSeq1 displacement image **- ps6-3-a-1.png**

3a: DataSeq1 Difference (cont.)



DataSeq1 difference image - **ps6-3-a-2.png**

3a: DataSeq2 displacements (cont.)



DataSeq2 displacement image **- ps6-3-a-3.png**

3a: DataSeq2 Difference (cont.)



DataSeq2 difference image **- ps6-3-a-4.png**

4a: TestSeq displacements



TestSeq displacement image - **ps6-4-a-1.png**

4a: TestSeq difference (cont.)



TestSeq1 difference image **- ps6-4-a-2.png**

4b: DataSeq1 displacements



DataSeq1 displacement image - **ps6-4-b-1.png**

4b: DataSeq1 difference (cont.)



DataSeq1 difference image - **ps6-4-b-2.png**

4c: DataSeq2 displacements



DataSeq2 displacement image - **ps6-4-c-1.png**

4c: DataSeq2 difference (cont.)



DataSeq2 difference image - **ps6-4-c-2.png**

5a: Juggle displacement CHALLENGE



Juggle displacement image - **ps6-5-a-1.png**

5a: Juggle Difference (cont.)



Juggle difference image **- ps6-5-a-2.png**

5a: Text response (cont.)

- Describe your results. What did you do to get these results?
  - The results showed that the balls and hands were moving farthest distance. Although the shirt did not move as much, there was a shadow reflection of the ball.
  - For this result, I did not blur the original image. For the LK, I use uniform kernel 25x25.