



Eventvista API 1.0.0 OAS 3.0

AI-driven event planning platform — API Gateway covering authentication, event/vendor management, the 3D layout engine, and the AI pipeline (Groq boundary parsing + Hugging Face TRELIS 3D generation).

Servers

<http://localhost:5000/api/v1> - Local development server

Authorize



Authentication User registration, login, and session identity endpoints.



POST [/users](#) [/register](#) Register a new user



Creates a new user account. The password is hashed with bcrypt before storage (see models/User.js pre-save hook) and a signed JWT is returned immediately so the client can authenticate subsequent requests without a separate login call.

Parameters

Cancel

No parameters

Request body required

application/json

[Edit Value](#) [Schema](#)

```
{
  "name": "Ada Lovelace",
  "email": "ada@eventvista.test",
  "password": "SuperSecure123",
  "role": "organiser"
}
```

Execute**Clear**

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5000/api/v1/users/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "name": "Ada Lovelace",
    "email": "ada@eventvista.test",
    "password": "SuperSecure123",
    "role": "organiser"
  }'
```

Request URL

http://localhost:5000/api/v1/users/register

Server response

Code

Details

500*Undocumented***Error: Internal Server Error**

Response body

```
{
  "success": false,
  "message": "CORS policy does not allow access from origin: http://localhost:5000",
  "details": null,
  "stack": "Error: CORS policy does not allow access from origin: http://localhost:5000\n    at origin (file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/server.js:35:18)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13\n    at optionsCallback (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13)"
}
```

Code

Details

```
p/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:199:9)\n    at corsMiddleware (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:204:7)\n    at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n    at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n    at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n    at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n    at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)"
```

[Download](#)

Response headers

```
connection: keep-alive
content-length: 1494
content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests
content-type: application/json; charset=utf-8
cross-origin-opener-policy: same-origin
cross-origin-resource-policy: same-origin
date: Tue,07 Jul 2026 16:55:34 GMT
etag: W/"5d6-14KEEMKbGrVnD5x6cj30P4ltVio"
keep-alive: timeout=5
origin-agent-cluster: ?1
referrer-policy: no-referrer
strict-transport-security: max-age=15552000; includeSubDomains
x-content-type-options: nosniff
x-dns-prefetch-control: off
x-download-options: noopen
x-frame-options: SAMEORIGIN
x-permitted-cross-domain-policies: none
x-xss-protection: 0
```

Responses

Code

Description

Links

201

User created successfully; returns the public user profile and a JWT.

No links

Media type

application/json[Controls Accept header.](#)

Example Value Schema

```
{
  "success": true,
  "data": {
    "id": "665f1c2e8a1b2c3d4e5f6a7b",
    "name": "Ada Lovelace",
    "email": "ada@eventvista.test",
```

Code	Description	Links
	<pre>"role": "organiser" }, "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..." }</pre>	
400	Validation failed (e.g. password too short, invalid email format). Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>	No links
409	A user with this email already exists. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>	No links

POST	/users	/login	Authenticate an existing user	⤴
Verifies the supplied email/password against the stored bcrypt hash and, on success, returns a signed JWT valid for the duration set by JWT_EXPIRES_IN (default 7 days).				
Parameters				Cancel
No parameters				
Request body required				application/json
Edit Value Schema				

```
{
  "email": "ada@eventvista.test",
  "password": "SuperSecure123"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5000/api/v1/users/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "email": "ada@eventvista.test",
    "password": "SuperSecure123"
  }'
```

Request URL

http://localhost:5000/api/v1/users/login

Server response

Code

Details

500

Undocumented

Error: Internal Server Error

Response body

```
{
  "success": false,
  "message": "CORS policy does not allow access from origin: http://localhost:5000",
  "details": null,
  "stack": "Error: CORS policy does not allow access from origin: http://localhost:5000\n    at origin (file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/server.js:35:18)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13\n    at optionsCallback (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:199:9)\n    at corsMiddleware (/home/infoscience/Desktop/Eventvista-Pr
```

Code

Details

```
object-Development-/backend/node_modules/cors/lib/index.js:204:7)\n    at\n    newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backen\n    d/node_modules/express-async-errors/index.js:16:20)\n    at Layer.handle\n    [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Develo\n    pment-/backend/node_modules/express/lib/router/layer.js:95:5)\n    at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/bac\n    kend/node_modules/express/lib/router/index.js:328:13)\n    at /home/inf\n    oscience/Desktop/Eventvista-Project-Development-/backend/node_modules/e\n    xpress/lib/router/index.js:286:9\n    at Function.process_params (/home/\n    infoscience/Desktop/Eventvista-Project-Development-/backend/node_module\n    s/express/lib/router/index.js:346:12)\n    at next (/home/infoscience/De\n    sktop/Eventvista-Project-Development-/backend/node_modu\n    outer/index.js:280:10)"
```

[Download](#)

Response headers

```
connection: keep-alive
content-length: 1494
content-security-policy: default-src 'self';base-uri 'self';font-src\n'self' https: data:;form-action 'self';frame-ancestors 'self';img-src\n'self' data:;object-src 'none';script-src 'self';script-src-attr\n'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-\nrequests
content-type: application/json; charset=utf-8
cross-origin-opener-policy: same-origin
cross-origin-resource-policy: same-origin
date: Tue,07 Jul 2026 16:56:11 GMT
etag: W/"5d6-14KEEMKbGrVnD5x6cj30P4ltVio"
keep-alive: timeout=5
origin-agent-cluster: ?1
referrer-policy: no-referrer
strict-transport-security: max-age=15552000; includeSubDomains
x-content-type-options: nosniff
x-dns-prefetch-control: off
x-download-options: noopen
x-frame-options: SAMEORIGIN
x-permitted-cross-domain-policies: none
x-xss-protection: 0
```

Responses

Code	Description	Links
200	Login successful; returns the public user profile and a fresh JWT. Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": { "id": "665f1c2e8a1b2c3d4e5f6a7b", "name": "Ada Lovelace", "email": "ada@eventvista.test", "role": "organiser" }, }</pre>	No links

Code	Description	Links
401	<pre>"token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9..."</pre> Invalid email or password. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links

GET `/users` `/me` Get the currently authenticated user  

Returns the profile of the user identified by the Bearer JWT sent in the Authorization header. Used by clients to verify a stored token is still valid and to hydrate the logged-in user's session state.

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  'http://localhost:5000/api/v1/users/me' \  -H 'accept: application/json'
```

Request URL

```
http://localhost:5000/api/v1/users/me
```

Server response

Code	Details
401	Error: Unauthorized Response body <pre>{ "success": false, "message": "Not authorised. No token supplied.", "details": null, "stack": "Error: Not authorised. No token supplied.\n at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/middleware/authMiddleware.js:14:11\n at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/utils/asyncHandler.js:7:19\n at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/route.js:149:13)\n at Route.dispatch (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/route.js:119:3)\n at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:284:15\n at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)"</pre> Download Response headers <pre>access-control-allow-credentials: true connection: keep-alive content-length: 1464 content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests content-type: application/json; charset=utf-8 cross-origin-opener-policy: same-origin cross-origin-resource-policy: same-origin date: Tue,07 Jul 2026 16:57:34 GMT etag: W/"5b8-cWGLUp33YmLNxcQJwFZ3qNbWJI8" keep-alive: timeout=5 origin-agent-cluster: ?1 ratelimit-limit: 300 ratelimit-policy: 300;w=900 ratelimit-remaining: 298 ratelimit-reset: 899 referrer-policy: no-referrer strict-transport-security: max-age=15552000; includeSubDomains vary: Origin x-content-type-options: nosniff x-dns-prefetch-control: off x-download-options: noopen x-frame-options: SAMEORIGIN x-permitted-cross-domain-policies: none x-xss-protection: 0</pre>

Responses

Code	Description	Links
200	The authenticated user's profile. Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": { "id": "665f1c2e8a1b2c3d4e5f6a7b", "name": "Ada Lovelace", "email": "ada@eventvista.test", "role": "organiser" }}</pre>	No links
401	Missing, invalid, or expired token. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links

Events

CRUD operations for event management. All routes require a Bearer JWT.



POST	/events	Create a new event	
Creates an event owned by the authenticated user (organiser is set automatically from the JWT).			
Parameters			Cancel
No parameters			
Request body required		application/json	

Edit Value Schema

```
{
  "title": "Ada's Summer Gala",
  "eventType": "corporate",
  "date": "2026-09-12T18:00:00.000Z",
  "guestCount": 120,
  "budget": {
    "total": 15000,
    "spent": 0
  }
}
```

Execute**Clear**

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:5000/api/v1/events' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "title": "Ada\'\'s Summer Gala",
    "eventType": "corporate",
    "date": "2026-09-12T18:00:00.000Z",
    "guestCount": 120,
    "budget": {
      "total": 15000,
      "spent": 0
    }
  }'
```

Request URL

http://localhost:5000/api/v1/events

Server response

Code**Details**

500

Undocumented

Error: Internal Server Error

Response body

```
{
  "success": false,
```

Code

Details

```
"message": "CORS policy does not allow access from origin: http://localhost:5000",
"details": null,
"stack": "Error: CORS policy does not allow access from origin: http://localhost:5000\n    at origin (file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/server.js:35:18)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13\n    at optionsCallback (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:199:9)\n    at corsMiddleware (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:204:7)\n    at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n    at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n    at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n    at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n    at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)"
```

[Download](#)

Response headers

```
connection: keep-alive
content-length: 1494
content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests
content-type: application/json; charset=utf-8
cross-origin-opener-policy: same-origin
cross-origin-resource-policy: same-origin
date: Tue,07 Jul 2026 16:57:47 GMT
etag: W/"5d6-14KEEMKbGrVnD5x6cj30P4ltVio"
keep-alive: timeout=5
origin-agent-cluster: ?1
referrer-policy: no-referrer
strict-transport-security: max-age=15552000; includeSubDomains
x-content-type-options: nosniff
x-dns-prefetch-control: off
x-download-options: noopen
x-frame-options: SAMEORIGIN
x-permitted-cross-domain-policies: none
x-xss-protection: 0
```

Responses

Code

Description

Links

201

Event created successfully.

No links

Media type

application/json[Controls Accept header.](#)**Example Value** [Schema](#)

Code	Description	Links
	<pre>{ "success": true, "data": { "_id": "665f1c2e8a1b2c3d4e5f6a7b", "organiser": "665f1c2e8a1b2c3d4e5f6a7b", "title": "Ada's Summer Gala", "eventType": "corporate", "date": "2026-09-12T18:00:00.000Z", "guestCount": 120, "venuePhotoUrl": "string", "layout": "665f1c2e8a1b2c3d4e5f6a7c", "budget": { "total": 15000, "spent": 0 }, }, "createdAt": "2026-07-07T17:00:49.445Z", "updatedAt": "2026-07-07T17:00:49.445Z" } }</pre>	
400	Validation failed (e.g. missing title, date, or guestCount).	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>		
401	Missing or invalid authentication token.	No links
Media type		
application/json		
Example Value Schema		
<pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>		

GET

/events

List all events owned by the authenticated user



Returns every event where organiser matches the authenticated user, with the linked Layout populated.

Parameters

[Cancel](#)

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:5000/api/v1/events' \
  -H 'accept: application/json'
```

Request URL

<http://localhost:5000/api/v1/events>

Server response

Code

Details

401

Error: Unauthorized

Response body

```
{
  "success": false,
  "message": "Not authorised. No token supplied.",
  "details": null,
  "stack": "Error: Not authorised. No token supplied.\n    at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/middleware/authMiddleware.js:14:11\n    at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/utils/asyncHandler.js:7:19\n    at new WFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n    at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n    at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n    at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n    at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)\n    at Function.handle (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:175:3)\n    at router (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:47:12)"
}
```

[Download](#)

Response headers

```
access-control-allow-credentials: true
connection: keep-alive
```

Code

Details

```
content-length: 1444
content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests
content-type: application/json; charset=utf-8
cross-origin-opener-policy: same-origin
cross-origin-resource-policy: same-origin
date: Tue,07 Jul 2026 16:58:37 GMT
etag: W/"5a4-zZ0oY6kf70b1xJ9n1ZBp5H5IRPQ"
keep-alive: timeout=5
origin-agent-cluster: ?1
ratelimit-limit: 300
ratelimit-policy: 300;w=900
ratelimit-remaining: 297
ratelimit-reset: 836
referrer-policy: no-referrer
strict-transport-security: max-age=15552000; includeSubDomains
vary: Origin
x-content-type-options: nosniff
x-dns-prefetch-control: off
x-download-options: noopen
x-frame-options: SAMEORIGIN
x-permitted-cross-domain-policies: none
x-xss-protection: 0
```

Responses

Code

Description

Links

200

A list of the user's events.

No links

Media type

application/jsonControls **Accept** header.**Example Value** Schema

```
{
  "success": true,
  "count": 2,
  "data": [
    {
      "_id": "665f1c2e8a1b2c3d4e5f6a7b",
      "organiser": "665f1c2e8a1b2c3d4e5f6a7b",
      "title": "Ada's Summer Gala",
      "eventType": "corporate",
      "date": "2026-09-12T18:00:00.000Z",
      "guestCount": 120,
      "venuePhotoUrl": "string",
      "layout": "665f1c2e8a1b2c3d4e5f6a7c",
      "budget": {
        "total": 15000,
        "spent": 0
      },
      "createdAt": "2026-07-07T17:00:49.457Z",
      "updatedAt": "2026-07-07T17:00:49.457Z"
    }
  ]
}
```

Code	Description	Links
401	Missing or invalid authentication token. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>	No links

GET **/events** **/ {id}** Get a single event by id  

Returns one event with its linked Layout and bookedVendors populated. Not restricted to the owner (read access is open to any authenticated user).

Parameters

Cancel

Name	Description
id * required string (path)	665f1c2e8a1b2c3d4e5f6a7b

Execute

Clear

Responses

Curl

curl -X 'GET' \
 'http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b' \
 -H 'accept: application/json'

Request URL

http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b

Server response

Code	Details
------	---------

401	Error: Unauthorized
-----	---------------------

Undocumented

Response body

```
{
  "success": false,
  "message": "Not authorised. No token supplied.",
  "details": null,
  "stack": "Error: Not authorised. No token supplied.\n    at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/middleware/authMiddleware.js:14:11\n    at file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/utils/asyncHandler.js:7:19\n    at new WFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n    at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n    at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n    at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n    at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n    at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)\n    at Function.handle (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:175:3)\n    at router (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:47:12)"
}
```

[Download](#)

Response headers

```
access-control-allow-credentials: true
connection: keep-alive
content-length: 1444
content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests
content-type: application/json; charset=utf-8
cross-origin-opener-policy: same-origin
cross-origin-resource-policy: same-origin
date: Tue, 07 Jul 2026 17:00:27 GMT
etag: W/"5a4-zZ0oY6kf70b1xJ9n1ZBp5H5IRPQ"
keep-alive: timeout=5
origin-agent-cluster: ?1
ratelimit-limit: 300
ratelimit-policy: 300;w=900
ratelimit-remaining: 296
ratelimit-reset: 726
referrer-policy: no-referrer
strict-transport-security: max-age=15552000; includeSubDomains
vary: Origin
x-content-type-options: nosniff
x-dns-prefetch-control: off
x-download-options: noopen
x-frame-options: SAMEORIGIN
x-permitted-cross-domain-policies: none
x-xss-protection: 0
```

Responses

Code	Description	Links
200	The requested event. Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": { "_id": "665f1c2e8a1b2c3d4e5f6a7b", "organiser": "665f1c2e8a1b2c3d4e5f6a7b", "title": "Ada's Summer Gala", "eventType": "corporate", "date": "2026-09-12T18:00:00.000Z", "guestCount": 120, "venuePhotoUrl": "string", "layout": "665f1c2e8a1b2c3d4e5f6a7c", "budget": { "total": 15000, "spent": 0 }, "createdAt": "2026-07-07T17:00:49.463Z", "updatedAt": "2026-07-07T17:00:49.463Z" }}</pre>	No links
400	The supplied id is not a valid MongoDB ObjectId. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links
404	No event found with this id. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links

PUT **/events /{id}** Update an event  

Updates fields on an event. Only the organiser who created the event may update it.

Parameters

Cancel

Reset

Name	Description
id * required string (path)	665f1c2e8a1b2c3d4e5f6a7b

Request body required

application/json

Edit Value **Schema**

```
{
  "title": "string",
  "eventType": "wedding",
  "date": "2026-07-07T17:00:31.831Z",
  "guestCount": 1,
  "budget": {
    "total": 0,
    "spent": 0
  }
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
```

```
-d '{
  "title": "string",
  "eventType": "wedding",
  "date": "2026-07-07T17:00:31.831Z",
  "guestCount": 1,
  "budget": {
    "total": 0,
    "spent": 0
  }
}'
```

Request URL

http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b

Server response

Code	Details
500 <i>Undocumented</i>	Error: Internal Server Error Response body <pre>{ "success": false, "message": "CORS policy does not allow access from origin: http://localhost:5000", "details": null, "stack": "Error: CORS policy does not allow access from origin: http://localhost:5000\n at origin (file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/server.js:35:18)\n at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13\n at optionsCallback (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:199:9)\n at corsMiddleware (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:204:7)\n at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)"</pre> Download Response headers <pre>connection: keep-alive content-length: 1494 content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests content-type: application/json; charset=utf-8 cross-origin-opener-policy: same-origin cross-origin-resource-policy: same-origin date: Tue, 07 Jul 2026 17:00:39 GMT etag: W/"5d6-14KEEMKbGrVnD5x6cj30P4ltVio" keep-alive: timeout=5 origin-agent-cluster: ?1 referrer-policy: no-referrer</pre>

Code	Details	
	<pre>strict-transport-security: max-age=15552000; includeSubDomains x-content-type-options: nosniff x-dns-prefetch-control: off x-download-options: noopen x-frame-options: SAMEORIGIN x-permitted-cross-domain-policies: none x-xss-protection: 0</pre>	
Responses		
Code	Description	Links
200	Event updated successfully.	No links
Media type application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "data": { "_id": "665f1c2e8a1b2c3d4e5f6a7b", "organiser": "665f1c2e8a1b2c3d4e5f6a7b", "title": "Ada's Summer Gala", "eventType": "corporate", "date": "2026-09-12T18:00:00.000Z", "guestCount": 120, "venuePhotoUrl": "string", "layout": "665f1c2e8a1b2c3d4e5f6a7c", "budget": { "total": 15000, "spent": 0 }, "createdAt": "2026-07-07T17:00:49.471Z", "updatedAt": "2026-07-07T17:00:49.471Z" } }</pre>		
400	The supplied id is not a valid MongoDB ObjectId, or validation failed.	No links
Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string" }</pre>		
404	Event not found, or you do not have permission to edit it.	No links
Media type		

Code	Description	Links
	application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	

DELETE /events /{id} Delete an event  

Permanently deletes an event. Only the organiser who created it may delete it.

Parameters

Cancel

Name	Description
id * required string (path)	665f1c2e8a1b2c3d4e5f6a7b

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \  
  'http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b' \  
  -H 'accept: application/json'
```

Request URL

http://localhost:5000/api/v1/events/665f1c2e8a1b2c3d4e5f6a7b

Server response

Code	Details
------	---------

Code	Details
500 <i>Undocumented</i>	Error: Internal Server Error Response body <pre>{ "success": false, "message": "CORS policy does not allow access from origin: http://localhost:5000", "details": null, "stack": "Error: CORS policy does not allow access from origin: http://localhost:5000\n at origin (file:///home/infoscience/Desktop/Eventvista-Project-Development-/backend/server.js:35:18)\n at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:219:13\n at optionsCallback (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:199:9)\n at corsMiddleware (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/cors/lib/index.js:204:7)\n at newFn (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express-async-errors/index.js:16:20)\n at Layer.handle [as handle_request] (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/layer.js:95:5)\n at trim_prefix (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:328:13)\n at /home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:286:9\n at Function.process_params (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:346:12)\n at next (/home/infoscience/Desktop/Eventvista-Project-Development-/backend/node_modules/express/lib/router/index.js:280:10)"</pre> Download Response headers <pre>connection: keep-alive content-length: 1494 content-security-policy: default-src 'self';base-uri 'self';font-src 'self' https: data:;form-action 'self';frame-ancestors 'self';img-src 'self' data:;object-src 'none';script-src 'self';script-src-attr 'none';style-src 'self' https: 'unsafe-inline';upgrade-insecure-requests content-type: application/json; charset=utf-8 cross-origin-opener-policy: same-origin cross-origin-resource-policy: same-origin date: Tue,07 Jul 2026 17:00:49 GMT etag: W/"5d6-14KEEMKbGrVnD5x6cj30P4ltVio" keep-alive: timeout=5 origin-agent-cluster: ?1 referrer-policy: no-referrer strict-transport-security: max-age=15552000; includeSubDomains x-content-type-options: nosniff x-dns-prefetch-control: off x-download-options: noopen x-frame-options: SAMEORIGIN x-permitted-cross-domain-policies: none x-xss-protection: 0</pre>

Responses

Code	Description	Links
200	Event deleted successfully.	No links
Media type		

Code	Description	Links
	application/json Controls Accept header. Example Value Schema <pre>{ "success": true, "message": "Event deleted successfully."}</pre>	
400	The supplied id is not a valid MongoDB ObjectId. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links
404	Event not found, or you do not have permission to delete it. Media type application/json Example Value Schema <pre>{ "success": false, "message": "A valid eventId is required.", "details": null, "stack": "string"}</pre>	No links

Schemas



```
ErrorResponse  {
  success*      [...]
  message*      [...]
  details       {...}
                nullable: true
                example:
  stack         [...]
}

Vector3  {
  x*          [...]
  y*          [...]
  z*          [...]
}

UserPublic  {
  id          [...]
  name        [...]
  email       [...]
  role        [...]
}

AuthSuccessResponse  {
  success      [...]
  data         UserPublic  {...}
  token        [...]
}
```



```
Event    {
  _id                [...]
  organiser           [...]
  title              [...]
  eventType           [...]
  date               [...]
  guestCount         [...]
  venuePhotoUrl      [...]
  layout             [...]
  budget             {...}
  createdAt          [...]
  updatedAt          [...]
}
```

```
EventCreateRequest  {
  title*              [...]
  eventType           [...]
  date*              [...]
  guestCount*        [...]
  budget             {...}
}
```

EventUpdateRequest