

GUARDIAN · DEPLOYMENT REVIEW

Stellar Deployment Review.

Verification of the USDT0 and XAUTO Stellar deployment, its cross-chain configuration, and the associated Safe transaction payloads.

PROJECT

USDT0 | XAUTO

REVIEW FIRM

Guardian

REVIEW WINDOW

August 3, 2026

FINAL REPORT

August 19, 2026

§ 00

Contents.

11 pages - overview, confidence ranking, scope, 2 findings, disclaimer, and about Guardian.

§ 01	Overview	p. 03
§ 02	Confidence Ranking	p. 04
§ 03	Scope & Classifications	p. 05
	Files in Scope	p. 06
§ 04	Findings	p. 07
	Review · 2 findings	p. 8-9
§ 05	Disclaimer	p. 10
§ 06	About Guardian	p. 11

§ 01

Overview.

Guardian reviewed the USDT0 and XAUTO Stellar deployment and five associated Safe transactions across Ethereum, Polygon, Tempo, Plasma, and Arbitrum. All five transaction payloads replayed successfully, and the supplied test suites passed; the review recorded two informational items requiring confirmation or documentation.

REVIEW FIRM	Guardian	NETWORKS	Stellar · Ethereum · Polygon · Tempo · Plasma · Arbitrum
PROJECT	USDT0 XAUTO	METHODOLOGY	Payload decoding · fork replay · configuration verification · integration testing
REVIEW WINDOW	August 3, 2026	SAFE ADDRESS	0x4DFF9b5b0143E642a3F63a5bcf2d1C328e600bf8
FINAL REPORT	August 19, 2026	REVIEW RECORD	Deployment Reviews - Stellar deployment

1.1 Confidence Ranking

4/5

The supplied evidence includes exact replay success for five Safe payloads, thirty decoded calls, and broad passing test coverage. Confidence remains below the maximum because the transactions were awaiting one additional signature and two configuration values require confirmation or documentation.

High Confidence

1 V. LOW	2 LOW	3 MED	4 HIGH	5 V. HIGH
-------------	----------	----------	-----------	--------------

1.2 Findings at a Glance

SEVERITY	TOTAL	PENDING	IN PROG	DECLINED	ACK	PARTIAL	RESOLVED
Critical	0	0	0	0	0	0	0
High	0	0	0	0	0	0	0
Medium	0	0	0	0	0	0	0
Low	0	0	0	0	0	0	0
Info	2	2	0	0	0	0	0

§ 02

Confidence Ranking.

Guardian assigns a project-level confidence score using the scale below. The ranking combines finding severity, remediation outcome, and the reviewer's assessment of latent risk.

CONFIDENCE RANKING	DEFINITION AND RECOMMENDATION	RISK PROFILE
5 Very High Confidence	Codebase is mature, clean, and secure. No High or Critical vulnerabilities were found. Follows modern best practices with high test coverage and thoughtful design. Recommendation: Code is highly secure at time of audit. Low risk of latent critical issues.	0 High/Critical findings and few Low/Medium severity findings.
4 High Confidence ASSIGNED	Code is clean, well-structured, and adheres to best practices. Only 1 Significant issue was uncovered per week. Design patterns are sound, and test coverage is strong. Recommendation: Suitable for deployment after remediations; consider periodic review with changes.	0-1 High/Critical findings per engagement week and little to no Medium severity issues. Varied Low severity findings.
3 Moderate Confidence	Medium-severity and occasional High-severity issues found. Code is functional, but there are concerning areas such as weak modularity or risky patterns. No critical design flaws were identified, though some patterns could lead to edge-case issues. Recommendation: Address issues thoroughly and consider a targeted follow-up audit depending on code changes.	1-2 High/Critical findings per engagement week.
2 Low Confidence	Code shows frequent emergence of Critical/High vulnerabilities. Audit revealed recurring anti-patterns, weak test coverage, or unclear logic. These characteristics suggest a high likelihood of latent issues. Recommendation: Post-audit development and a second audit cycle are strongly advised.	2-4 High/Critical findings per engagement week, or additional unresolved High/Critical findings uncovered in remediation review.
1 Very Low Confidence	Code has systemic issues. Multiple High/Critical findings (≥ 5 /week), poor security posture, and design flaws that introduce compounding risks. Safety cannot be assured. Recommendation: Halt deployment and seek a comprehensive re-audit after substantial refactoring.	≥ 5 High/Critical findings and overall systemic flaws.

§ 03

Scope & Classifications.

The assessment covered deployment payload integrity, signer and threshold verification, Stellar contract administration, LayerZero pathway configuration, live fee quotations, and replay and integration test evidence.

3.1 Severity Matrix

	IMP · HIGH	IMP · MEDIUM	IMP · LOW	IMPACT · HIGH	Significant loss of assets, harm to a group of users, or core protocol functionality is disrupted.
LIK · HIGH	Critical	High	Medium	IMPACT · MEDIUM	Small amount of funds can be lost, or ancillary functionality is affected. Users may experience reduced or delayed receipt.
LIK · MED	High	Medium	Low	IMPACT · LOW	Unexpected behavior in some functionality that is notable but does not meet the criteria for higher severity.
LIK · LOW	Medium	Low	Low	LIKELIHOOD · HIGH	Possible with reasonable assumptions that mimic on-chain conditions; cost is low compared to amount gained.
				LIKELIHOOD · MEDIUM	Possible only in uncommon cases or requires a large amount of capital relative to disruption caused.
				LIKELIHOOD · LOW	Unlikely to ever occur in production.

§ 03

Deployment Scope.

The review used the supplied deployment record and the referenced production configuration. It did not constitute a source-code audit of the underlying repositories.

REVIEW RECORD

Deployment Reviews - Stellar deployment

REFERENCE
REPOSITORY**Everdawn-Labs/usdt0-of-t-contracts**

REFERENCE COMMIT

ef3db2a637a43f33dc17950afe4873d7c830c793

3.2 Focus Areas

01

Safe Payload Integrity

Five payloads containing thirty calls were decoded and replayed with zero failures. Each payload had two valid signatures against a three-signature threshold and awaited one additional signature.

02

Stellar Deployment

Three Stellar mainnet contracts were checked for deployed WebAssembly hashes, administrative roles, LayerZero endpoint configuration, executor settings, and message-library configuration.

03

Cross-chain Pathways

Peer addresses, send and receive Ultra Light Node settings, enforced execution options, confirmation values, and live send and compose quotations were reviewed for all five connected networks.

04

Verification Evidence

The evidence records 175 passing Foundry fork tests, 55 passing Stellar pathway tests, 67 passing Stellar omnichain fungible token tests, and one passing stateful symmetry test.

§ 04

Findings.

The review recorded two informational findings. Both remain pending because the supplied export does not include a client response or remediation confirmation.

ID	TITLE	CATEGORY	SEVERITY	STATUS	PAGE
REVIEW					
I-01	Arbitrum Atypical Block Confirmations	Informational	INFO	PENDING	p. 8
I-02	Stellar Confirmations Not Documented	Informational	INFO	PENDING	p. 9

Arbitrum Atypical Block Confirmations.

CATEGORY Informational

LOCATION Global

REVIEW Everdawn-Labs/usdt0-offt-contracts

DESCRIPTION

Arbitrum Safe nonce 177, specifically for Stellar endpoint identifier 30600, encodes 4,000 confirmations (0xfa0). The referenced production configuration has historically used 60 confirmations for Arbitrum.

TEXT	Referenced configuration
1	Everdawn-Labs/usdt0-offt-contracts
2	commit ef3db2a637a43f33dc17950afe4873d7c830c793
3	layerzero-prod.config.ts:114

RECOMMENDATION

Confirm that 4,000 block confirmations is the intended requirement for the Arbitrum and Stellar connection.

INFO I-02

PENDING

Stellar Confirmations Not Documented.

CATEGORY Informational LOCATION Global REVIEW Deployment configuration

DESCRIPTION

For every reviewed pathway from Stellar to an Ethereum Virtual Machine-compatible destination, the destination's receive Ultra Light Node configuration requires **320 source-chain confirmations**. The value is consistent across Ethereum, Polygon, Tempo, Plasma, and Arbitrum, but the intended Stellar confirmation requirement is not clearly documented in the repository.

RECOMMENDATION

Confirm that **320** is the intended confirmation requirement for messages originating from Stellar and document it in the repository's deployment or pathway configuration.

§ 05

Disclaimer.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Guardian to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Guardian's position is that each company and individual are responsible for their own due diligence and continuous security. Guardian's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies, and in no way claims any guarantee of security or functionality of the technology we agree to analyze.

The assessment services provided by Guardian is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis.

Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.

Notice that smart contracts deployed on the blockchain are not resistant from internal/external exploit. Notice that active smart contract owner privileges constitute an elevated impact to any smart contract's safety and security. Therefore, Guardian does not guarantee the explicit security of the audited smart contract, regardless of the verdict.

About Guardian.

Founded in 2022 by DeFi experts, Guardian is a leading audit firm in the DeFi smart contract space. With every audit report, Guardian upholds best-in-class security while achieving our mission to relentlessly secure DeFi.