

GUARDIAN · DEPLOYMENT REVIEW

Stellar Deployment Review.

Verification of the USDT0 Stellar deployment, its cross-chain configuration, and the associated Safe transaction payloads.

PROJECT

USDT0

REVIEW FIRM

Guardian

REVIEW WINDOW

August 3, 2026

FINAL REPORT

August 19, 2026

§ 00

Contents.

18 pages - overview, confidence ranking, scope, 2 findings, disclaimer, and about Guardian.

§ 01	Overview	p. 03
§ 02	Confidence Ranking	p. 04
§ 03	Scope & Classifications	p. 05
	Deployment Scope	p. 06
	Deployment Evidence	p. 07-13
§ 04	Findings	p. 14
	Review · 2 findings	p. 15-16
§ 05	Disclaimer	p. 17
§ 06	About Guardian	p. 18

§ 01

Overview.

Guardian reviewed the USDT0 Stellar deployment and five associated Safe transactions across Ethereum, Polygon, Tempo, Plasma, and Arbitrum. All five transaction payloads replayed successfully, and the supplied test suites passed; the review recorded two informational items requiring confirmation or documentation.

REVIEW FIRM	Guardian	NETWORKS	Stellar · Ethereum · Polygon · Tempo · Plasma · Arbitrum
PROJECT	USDT0	METHODOLOGY	Payload decoding · fork replay · configuration verification · integration testing
REVIEW WINDOW	August 3, 2026	SAFE ADDRESS	0x4DFF9b5b0143E642a3F63a5bcf2d1C328e600bf8
FINAL REPORT	August 19, 2026	REVIEW RECORD	Deployment Reviews - Stellar deployment

1.1 Confidence Ranking

5 / 5

The supplied evidence includes exact replay success for five Safe payloads, thirty decoded calls, broad passing test coverage, symmetric pathway verification, and successful live configuration checks. The outstanding signature and two informational configuration questions are clearly recorded as operational conditions.

Very High Confidence

1 V. LOW	2 LOW	3 MED	4 HIGH	5 V. HIGH
-------------	----------	----------	-----------	--------------

1.2 Findings at a Glance

SEVERITY	TOTAL	PENDING	IN PROG	DECLINED	ACK	PARTIAL	RESOLVED
Critical	0	0	0	0	0	0	0
High	0	0	0	0	0	0	0
Medium	0	0	0	0	0	0	0
Low	0	0	0	0	0	0	0
Info	2	2	0	0	0	0	0

§ 02

Confidence Ranking.

Guardian assigns a project-level confidence score using the scale below. The ranking combines finding severity, remediation outcome, and the reviewer's assessment of latent risk.

CONFIDENCE RANKING	DEFINITION AND RECOMMENDATION	RISK PROFILE
5 Very High Confidence ASSIGNED	Codebase is mature, clean, and secure. No High or Critical vulnerabilities were found. Follows modern best practices with high test coverage and thoughtful design. Recommendation: Code is highly secure at time of audit. Low risk of latent critical issues.	0 High/Critical findings and few Low/Medium severity findings.
4 High Confidence	Code is clean, well-structured, and adheres to best practices. Only 1 Significant issue was uncovered per week. Design patterns are sound, and test coverage is strong. Recommendation: Suitable for deployment after remediations; consider periodic review with changes.	0-1 High/Critical findings per engagement week and little to no Medium severity issues. Varied Low severity findings.
3 Moderate Confidence	Medium-severity and occasional High-severity issues found. Code is functional, but there are concerning areas such as weak modularity or risky patterns. No critical design flaws were identified, though some patterns could lead to edge-case issues. Recommendation: Address issues thoroughly and consider a targeted follow-up audit depending on code changes.	1-2 High/Critical findings per engagement week.
2 Low Confidence	Code shows frequent emergence of Critical/High vulnerabilities. Audit revealed recurring anti-patterns, weak test coverage, or unclear logic. These characteristics suggest a high likelihood of latent issues. Recommendation: Post-audit development and a second audit cycle are strongly advised.	2-4 High/Critical findings per engagement week, or additional unresolved High/Critical findings uncovered in remediation review.
1 Very Low Confidence	Code has systemic issues. Multiple High/Critical findings (≥ 5/week), poor security posture, and design flaws that introduce compounding risks. Safety cannot be assured. Recommendation: Halt deployment and seek a comprehensive re-audit after substantial refactoring.	≥ 5 High/Critical findings and overall systemic flaws.

§ 03

Scope & Classifications.

The assessment covered deployment payload integrity, signer and threshold verification, Stellar contract administration, LayerZero pathway configuration, live fee quotations, and replay and integration test evidence.

3.1 Severity Matrix

	IMP · HIGH	IMP · MEDIUM	IMP · LOW	IMPACT · HIGH	Significant loss of assets, harm to a group of users, or core protocol functionality is disrupted.
LIK · HIGH	Critical	High	Medium	IMPACT · MEDIUM	Small amount of funds can be lost, or ancillary functionality is affected. Users may experience reduced or delayed receipt.
LIK · MED	High	Medium	Low	IMPACT · LOW	Unexpected behavior in some functionality that is notable but does not meet the criteria for higher severity.
LIK · LOW	Medium	Low	Low	LIKELIHOOD · HIGH	Possible with reasonable assumptions that mimic on-chain conditions; cost is low compared to amount gained.
				LIKELIHOOD · MEDIUM	Possible only in uncommon cases or requires a large amount of capital relative to disruption caused.
				LIKELIHOOD · LOW	Unlikely to ever occur in production.

§ 03

Deployment Scope.

The review used the supplied deployment record, queued transaction payloads, live configuration checks, fork replays, and test results. It did not constitute a source-code audit.

REVIEW RECORD

Deployment Reviews - Stellar deployment

3.2 Focus Areas

01

Safe Payload Integrity

Five payloads containing thirty calls were decoded and replayed with zero failures. Each payload had two valid signatures against a three-signature threshold and awaited one additional signature.

02

Stellar Deployment

Three Stellar mainnet contracts were checked for deployed WebAssembly hashes, administrative roles, LayerZero endpoint configuration, executor settings, and message-library configuration.

03

Cross-chain Pathways

Peer addresses, send and receive Ultra Light Node settings, enforced execution options, confirmation values, and live send and compose quotations were reviewed for all five connected networks.

04


Verification Evidence

The evidence records 175 passing Foundry fork tests, 55 passing Stellar pathway tests, 67 passing Stellar omnichain fungible token tests, and one passing stateful symmetry test.

§ 03

Review Coverage.

The deployment review covered five queued Safe transactions and the corresponding Stellar pathways.



3.2.1 Networks and reviewed nonces

TEXT					
1	Network	Chain identifier	Endpoint identifier	Safe nonce	Payload coverage
2	Ethereum	1	30101	158	1 payload / 6 calls
3	Polygon	137	30109	130	1 payload / 6 calls
4	Tempo	4217	30410	77	1 payload / 6 calls
5	Plasma	9745	30383	156	1 payload / 6 calls
6	Arbitrum	42161	30110	177	1 payload / 6 calls

3.2.2 Review methods

- **Safe payload validation** — transaction hash, nonce, signatures, trusted MultiSendCallOnly target, and operation types.
- **Exact fork replay** — payload execution against five network forks, including state and nonce transitions.
- **Foundry verification** — deployment invariants, peers, message libraries, Ultra Light Node configuration, quotations, and send and receive behavior.
- **Stellar live checks** — contract references, pathway symmetry, decentralized verifier networks, executor settings, execution options, quotations, and stateful send behavior.

§ 03

Stellar Contracts and Administration.

Stellar mainnet contract references, LayerZero components, and Safe administrative state recorded in the supplied evidence.

STELLAR ENDPOINT IDENTIFIER	SAFE THRESHOLD	VALID SIGNATURES	MAXIMUM MESSAGE SIZE
30600	3	2 / 3	10,000 bytes

3.3.1 Stellar mainnet contracts

TEXT	
1	CB0WOLFSDM5PZXNFIVDMP5NZ7U2GSIHED6H6R446Q0HF266XINKUMMF6
2	CA3GUWLOS3QKN6WNRAELSUDSKLDTVTWEDJ3KLGAIJG3SIWGA5L3KZYWGJ
3	CBCZ5CETG3XR5MZVDC7QBD0TIH6P7M0LUH2SSC52J3NVBYIV45D4QKR6

3.3.2 Verified components and signers

TEXT		
1	Endpoint	CCQLLRE5JBAWYCW3KTW0IWLMFDU0KROQVZNSALQMG05XNW3ERU0WTZGK
2	Message library	CCV4HEII3UC65THWGSRM2DVIJLB6HS6YMUHDTTHUECX2RHTP5FA2GOBA
3	Executor	CCEGV7LM6X736RQBUD4F34HBUUR70ANXLPYUEDQWPTYX36KSPSAJYM
4	Signer 1	0x7D8e979dcC6EC933c70FBe28B2B7700907D2aFEA
5	Signer 2	0x5F0DcA105195Bd58277aa4b4CABC90a791E1b982

§ 03

Safe Transaction Verification.

All queued transactions used the same Safe address and were valid at the reviewed nonce with two of three owner signatures.

TRANSACTIONS	VALID SIGNATURES	OPERATIONS EACH	EXECUTION STATE
5	2 / 3	6	Awaiting 1

3.4.1 Safe address

TEXT	
1	0x4DFF9b5b0143E642a3F63a5bcf2d1C328e600bf8

3.4.2 Transaction hashes and nonces

TEXT			
1	Ethereum	nonce 158	0xc2a17157115fe46f396268b6b4d885744883ce65ce299c63c26a488a0b9515d9
2	Polygon	nonce 130	0xf6c42226f541fcb32940e8cfff4816c290c3c1b15bf92583bb7eadcebb13345c
3	Tempo	nonce 77	0xc9af4acfd64debc5cbcb24573aba1f3fa454b4b953aa7ee7dc6e029fa11d8532
4	Plasma	nonce 156	0x8edd28045c5864ef42eb51c9483ccbd69a9aa95aa174f0b1f31394868b68866b
5	Arbitrum	nonce 177	0x1e141c1c44bee383eee22a7c39b77e96869326b9c81e28b71bb11c22480f3619

Every payload contained six call-only operations. All were valid and remained queued while awaiting one additional Safe signature.

§ 03

Payload Operations and Fork Replay.

Each trusted MultiSendCallOnly payload contained the same six configuration operations and replayed with exact success.

SUCCESSFUL REPLAYS	FOUNDRY TESTS	FAILED TESTS	SKIPPED TESTS
5 / 5	175	0	0

3.5.1 Operations in each payload

- `setSendLibrary` — pin the LayerZero send library.
- `setPeer` — set the Stellar pathway peer.
- `setReceiveLibrary` — pin the LayerZero receive library.
- `setEnforcedOptions` — set plain-send and send-and-call execution options.
- `setConfig` for sending — set outbound Ultra Light Node configuration.
- `setConfig` for receiving — set inbound Ultra Light Node configuration.

3.5.2 Exact replay and invariant suites

TEXT						
1	Network	Port	Nonce transition	Replay gas	Inner calls	Foundry result
2	Ethereum	9000	158 -> 159	585651	6	35 passed
3	Polygon	9001	130 -> 131	618528	6	35 passed
4	Tempo	9002	77 -> 78	618672	6	35 passed
5	Plasma	9003	156 -> 157	618660	6	35 passed
6	Arbitrum	9004	177 -> 178	618672	6	35 passed

§ 03

Cross-chain Configuration.

Peer values, message libraries, executor settings, decentralized verifier networks, and confirmations were checked on both sides of every pathway.

PATHWAY SUITES	TESTS PER NETWORK	REQUIRED VERIFIER NETWORKS	OPTIONAL VERIFIER NETWORKS
55 passed	11	3	0

3.6.1 Stellar peer values

TEXT				
1	Ethereum	30101	00000000000000000000000006c96de32cea08842dcc4058c14d3aaad7fa41dee	
2	Polygon	30109	0000000000000000000000006ba10300f0dc58b7a1e4c0e41f5dabb7d7829e13	
3	Tempo	30410	000000000000000000000000af37e8b6c9ed7f6318979f56fc287d76c30847ff	
4	Plasma	30383	0000000000000000000000002ca37966753bddd11216b73b16c1de756a7cf9	
5	Arbitrum	30110	000000000000000000000000014e4a1b13bf7f943c8ff7c51fb60fa964a298d92	

3.6.2 Confirmation symmetry

TEXT				
1	Pathway	Stellar side	Connected-network side	Result
2	Stellar -> Ethereum	320	320	PASS
3	Stellar -> Polygon	320	320	PASS
4	Stellar -> Tempo	320	320	PASS
5	Stellar -> Plasma	320	320	PASS
6	Stellar -> Arbitrum	320	320	PASS
7				
8	Connected network -> Stellar: Ethereum 65; Polygon 32; Tempo 3000; Plasma 1800; Arbitrum 4000.			

§ 03

Execution Options and Live Quotations.

Execution options were checked for plain and composed messages. Fee quotations are point-in-time values and may fluctuate.

QUOTED AMOUNT	AMOUNT RECEIVED	LAYERZERO FEE TOKEN	FEE DEDUCTION
10,000	10,000	0	None

3.7.1 Gas configuration and live fee quotations

TEXT					
	Network	Plain-send gas	Send-and-call gas	Plain fee	Composed fee
1	Ethereum	80,000	100,000 + 100,000	34,133,814	35,754,740
2	Polygon	150,000	150,000 + 150,000	3,442,790	3,723,986
3	Tempo	550,000	550,000 + 550,000	1,147,819	1,170,265
4	Plasma	80,000	100,000 + 100,000	5,571,037	5,571,042
5	Arbitrum	80,000	100,000 + 100,000	4,471,874	4,738,568

3.7.2 Verified quotation invariants

- Minimum transferable amount: 0 .
- Maximum transferable amount: 18,446,744,073,709,551,615 .
- No omnichain fungible token fee deduction.
- Both plain and composed messages returned valid quotations.

§ 03

Test Coverage and Review Result.

The supplied evidence records complementary replay, fork, pathway, complete-contract, and stateful verification layers.

FOUNDRY FORK TESTS

175 passed

STELLAR PATHWAY TESTS

55 passed

COMPLETE STELLAR TESTS

67 passed

STATEFUL SYMMETRY

1 passed

3.8.1 Coverage recorded in the export

- Exact Safe replay: five payloads and thirty calls with zero failures.
- Foundry fork suites: thirty-five tests on each of five connected networks; zero failed and zero skipped.
- Stellar pathway suites: eleven tests on each of five connected networks.
- Complete Stellar omnichain fungible token suite: sixty-seven passed; zero failed and zero ignored.
- Stateful symmetry test: plain send and send-and-call behavior passed.

3.8.2 Stateful and operational checks

Stateful Stellar send checks covered quotation receipts, nonzero message identifiers, nonce increments, fee consistency, exact balance changes, mint and burn source behavior, recipient credits, and compose queue creation.

All supplied replay and test evidence passed. At review time, the five transactions still required one additional signature, and the two informational configuration questions remained open.

§ 04

Findings.

The review recorded two informational findings. Both remain pending because the supplied export does not include a client response or remediation confirmation.

ID	TITLE	CATEGORY	SEVERITY	STATUS	PAGE
REVIEW					
I-01	Arbitrum Atypical Block Confirmations	Informational	INFO	PENDING	p. 15
I-02	Stellar Confirmations Not Documented	Informational	INFO	PENDING	p. 16

INFO I-01

PENDING

Arbitrum Atypical Block Confirmations.

CATEGORY Informational LOCATION Global

DESCRIPTION

Arbitrum Safe nonce 177, specifically for Stellar endpoint identifier 30600, encodes 4,000 confirmations (0xfa0). The referenced production configuration has historically used 60 confirmations for Arbitrum.

RECOMMENDATION

Confirm that 4,000 block confirmations is the intended requirement for the Arbitrum and Stellar connection.

INFO I-02

PENDING

Stellar Confirmations Not Documented.

CATEGORY Informational LOCATION Global

DESCRIPTION

For every reviewed pathway from Stellar to an Ethereum Virtual Machine-compatible destination, the destination's receive Ultra Light Node configuration requires **320 source-chain confirmations**. The value is consistent across Ethereum, Polygon, Tempo, Plasma, and Arbitrum, but the intended Stellar confirmation requirement is not clearly documented in the repository.

RECOMMENDATION

Confirm that **320** is the intended confirmation requirement for messages originating from Stellar and document it in the repository's deployment or pathway configuration.

§ 05

Disclaimer.

This report is not, nor should be considered, an “endorsement” or “disapproval” of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any “product” or “asset” created by any team or project that contracts Guardian to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Guardian's position is that each company and individual are responsible for their own due diligence and continuous security. Guardian's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies, and in no way claims any guarantee of security or functionality of the technology we agree to analyze.

The assessment services provided by Guardian is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis.

Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.

Notice that smart contracts deployed on the blockchain are not resistant from internal/external exploit. Notice that active smart contract owner privileges constitute an elevated impact to any smart contract's safety and security. Therefore, Guardian does not guarantee the explicit security of the audited smart contract, regardless of the verdict.

About Guardian.

Founded in 2022 by DeFi experts, Guardian is a leading audit firm in the DeFi smart contract space. With every audit report, Guardian upholds best-in-class security while achieving our mission to relentlessly secure DeFi.