

Retrofit Smart-Bike API 1.0.0 OAS 3.1

/openapi.json

API para sistema IoT de motocicletas

Authorize



Auth



POST **/api/v1/auth/register** Register



Registra una nueva cuenta en Supabase Auth.

Request: { "email": "rider@email.com", "password": "moto123", "full_name": "Juan Pérez" }

Response: { "access_token": "eyJ...", "token_type": "bearer", "user": { "id": "uuid", "email": "rider@email.com", "full_name": "Juan Pérez" } }

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "password": "string",
  "full_name": "string"
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "access_token": "string", "token_type": "bearer", "user": { "id": "string", "email": "string", "full_name": "string", "username": "string" }}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

POST

/api/v1/auth/login

Login

Inicia sesión con correo y contraseña y devuelve el token de acceso.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "email": "user@example.com",
  "password": "string"
}
```

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "access_token": "string",
  "token_type": "bearer",
  "user": {
    "id": "string",
    "email": "string",
    "full_name": "string",
    "username": "string"
  }
}
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",

```

Code	Description	Links
	<pre>0], "msg": "string", "type": "string" }]</pre>	

POST

/api/v1/auth/logout

Logout



Cierra la sesión actual del usuario autenticado.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "message": "string", "code": "SUCCESS" }</pre>	No links

GET

/api/v1/auth/me

Me



Obtiene el perfil del usuario autenticado a partir de su token.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": "string", "email": "string", "full_name": "string", "username": "string"}</pre>	No links

POST /api/v1/auth/confirm Confirm Email

Confirma el email de un usuario usando la Service Key de Supabase.

Este endpoint debe usarse solo desde un entorno seguro (backend/admin). Requiere la cabecera **X-Service-Key** con el valor de **SUPABASE_SERVICE_KEY** .

Parameters

Try it out

Name	Description
X-Service-Key * required string (header)	X-Service-Key

Request body required

application/json

Example Value Schema

```
{
  "user_id": "string"
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "message": "string",
  "code": "SUCCESS"
}
```

422Validation ErrorNo links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Telemetría

POST

/api/v1/telemetry/save

Guardar datos de telemetría

Recibe datos de GPS, batería y velocidad desde el ESP32 y los guarda en la base de datos

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "vehicle_id": "string",
  "lat": 0,
  "lng": 0,
  "battery_v": 0,
  "speed_kmh": 0
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "vehicle_id": "string", "lat": 0, "lng": 0, "battery_v": 0, "speed_kmh": 0, }</pre>	No links

Code	Description	Links
	<pre>"recorded_at": "2026-05-05T15:58:37.500Z" }</pre>	
422	Validation Error	No links
	Media type	
	application/json	
	Example Value	Schema
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

GET

/api/v1/telemetry/vehicle/{vehicle_id}

Obtener historial de telemetría

Trae el historial de ubicaciones, batería y velocidad de un vehículo

Parameters

Try it out

Name	Description
vehicle_id * required string (path)	vehicle_id
limit integer (query) maximum: 500 minimum: 1	Número máximo de registros Default value : 50 50

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "vehicle_id": "string",
    "lat": 0,
    "lng": 0,
    "battery_v": 0,
    "speed_kmh": 0,
    "recorded_at": "2026-05-05T15:58:37.501Z"
  }
]
```

422	Validation Error	No links
-----	------------------	----------

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET	/api/v1/telemetry/vehicle/{vehicle_id}/latest	Obtener última posición	⤴
-----	---	-------------------------	---

Trae el último punto de ubicación, batería y velocidad del vehículo

Parameters

Try it out

NameDescription

vehicle_id * required

string

(path)

vehicle_id

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example ValueSchema

```
{
  "id": 0,
  "vehicle_id": "string",
  "lat": 0,
  "lng": 0,
  "battery_v": 0,
  "speed_kmh": 0,
  "recorded_at": "2026-05-05T15:58:37.503Z"
}
```

422Validation ErrorNo links

Media type

application/json

Example ValueSchema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Code	Description	Links
	<pre>] }</pre>	

Vehicles



GET

/api/v1/vehicles

List Vehicles

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>[{ "nickname": "string", "vin": "string", "total_km": 0, "is_neutral": false, "id": "string", "owner_id": "string", "created_at": "2026-05-05T15:58:37.505Z" }]</pre>	No links

POST

/api/v1/vehicles

Create Vehicle

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "nickname": "string",
  "vin": "string",
  "total_km": 0,
  "is_neutral": false
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "nickname": "string", "vin": "string", "total_km": 0, "is_neutral": false, "id": "string", "owner_id": "string", "created_at": "2026-05-05T15:58:37.507Z" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": [</pre>	No links

Code	Description	Links
	<pre> "string", 0], "msg": "string", "type": "string" }]</pre>	

GET

/api/v1/vehicles/{vehicle_id}

Get Vehicle



Parameters

Try it out

Name	Description
vehicle_id * required string (path)	vehicle_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "nickname": "string", "vin": "string", "total_km": 0, "is_neutral": false, "id": "string", "owner_id": "string", "created_at": "2026-05-05T15:58:37.508Z" }</pre>	No links
422	Validation Error	No links

Code	Description	Links
	Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	

PUT

/api/v1/vehicles/{vehicle_id}

Update Vehicle



Parameters

Try it out

Name	Description
vehicle_id ★ required	
string	vehicle_id
(path)	

Request body required

application/json

Example Value Schema

```
{  "nickname": "string",  "vin": "string",  "total_km": 0,  "is_neutral": true}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema <pre>{ "nickname": "string", "vin": "string", "total_km": 0, "is_neutral": false, "id": "string", "owner_id": "string", "created_at": "2026-05-05T15:58:37.510Z"} </pre>	No links
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

DELETE

/api/v1/vehicles/{vehicle_id}

Delete Vehicle



Parameters

Try it out

Name	Description
vehicle_id * required	
string	vehicle_id

Name	Description	
<i>(path)</i>		
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

Maintenance



POST	/api/v1/vehicles/{vehicle_id}/maintenance	Create Maintenance	
------	---	--------------------	--

Parameters

Try it out

NameDescription

vehicle_id * required
string
(path)
vehicle_id

Request body required
application/json

Example Value Schema

```
{
  "component": "string",
  "km_at_service": 0
}
```

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type
application/json
Controls Accept header.

Example Value Schema

```
{
  "id": 0,
  "vehicle_id": "string",
  "component": "string",
  "km_at_service": 0,
  "service_date": "2026-05-05T15:58:37.514Z"
}
```

422Validation ErrorNo links

Media type
application/json

Example Value Schema

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

GET

/api/v1/vehicles/{vehicle_id}/maintenance

List Maintenance



Parameters

Try it out

Name	Description
vehicle_id * required string (path)	vehicle_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "vehicle_id": "string", "component": "string", "km_at_service": 0, "service_date": "2026-05-05T15:58:37.515Z" }]</pre>	No links

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	No links

GET /api/v1/maintenance/{log_id} Get Maintenance

Try it out

Name	Description
log_id * required integer (path)	log_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example ValueSchema <pre>{ "id": 0, "vehicle_id": "string", "component": "string", "km_at_service": 0, "service_date": "2026-05-05T15:58:37.517Z" }</pre>	
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

PUT/api/v1/maintenance/{log_id}Update Maintenance

Try it out

Parameters

Name	Description
log_id * required	
integer	log_id
(path)	

Request body required

application/json

Example ValueSchema

```
{
  "component": "string",
  "km_at_service": 0
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema <pre>{ "id": 0, "vehicle_id": "string", "component": "string", "km_at_service": 0, "service_date": "2026-05-05T15:58:37.519Z" }</pre>	No links
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

Parameters

Try it out

NameDescription

log_id * required

integer

(path)

log_id

Responses

CodeDescriptionLinks

200Successful ResponseNo links

Media type

application/json

Controls Accept header.

Example ValueSchema

"string"

422Validation ErrorNo links

Media type

application/json

Example ValueSchema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

GET

/api/v1/maintenance/life/{vehicle_id}

Get Component Life



Parameters

Try it out

Name	Description
vehicle_id * required string (path)	vehicle_id
component * required string (query)	component
interval_km * required number (query)	interval_km

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "vehicle_id": "string", "component": "string", "total_km": 0, "last_service_km": 0, "life_percent": 0}</pre>	No links
422	Validation Error Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

Commands

^

POST

/api/v1/vehicles/{vehicle_id}/commands

Create Command

 ^

Parameters

Try it out

Name	Description
vehicle_id * required string (path)	vehicle_id

Request body required

application/json

Example Value

Schema

```
{
  "action": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "vehicle_id": "string", "action": "string", "status": "string", "created_at": "2026-05-05T15:58:37.528Z", "executed_at": "2026-05-05T15:58:37.528Z" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

GET

/api/v1/vehicles/{vehicle_id}/commands

List Commands



Parameters

Try it out

Name

Description

vehicle_id * required

string

(path)

status

(query)

vehicle_id

status

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "id": 0, "vehicle_id": "string", "action": "string", "status": "string", "created_at": "2026-05-05T15:58:37.529Z", "executed_at": "2026-05-05T15:58:37.529Z" }]	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], 0 }], 0 }	No links

Code	Description	Links
	<pre>"msg": "string", "type": "string" }] }</pre>	

GET

/api/v1/commands/{command_id}

Get Command



Parameters

Try it out

Name	Description
command_id * required integer (path)	command_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "vehicle_id": "string", "action": "string", "status": "string", "created_at": "2026-05-05T15:58:37.531Z", "executed_at": "2026-05-05T15:58:37.531Z" }</pre>	No links
422	Validation Error Media type application/json	No links

Code	Description	Links
	Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }]}</pre>	

PUT

/api/v1/commands/{command_id}/execute

Execute Command



Parameters

Try it out

Name	Description
command_id * required integer (path)	command_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema <pre>{ "id": 0, "vehicle_id": "string", "action": "string", "status": "string",</pre>	No links

Code	Description	Links
	<pre>"created_at": "2026-05-05T15:58:37.532Z", "executed_at": "2026-05-05T15:58:37.532Z" }</pre>	
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

Alerts



POST /api/v1/vehicles/{vehicle_id}/alerts Create Alert

Parameters

Try it out

Name

Description

vehicle_id * required

string (path)

vehicle_id

Request body required

application/json

Example Value Schema

```
{
  "type": "string",
```

```
"message": "string"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema <pre>{ "id": 0, "vehicle_id": "string", "owner_id": "string", "type": "string", "message": "string", "is_read": true, "created_at": "string" }</pre>	No links
422	Validation Error Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	No links

Parameters

Try it out

Name	Description
is_read (query)	is_read

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema [{ "id": 0, "vehicle_id": "string", "owner_id": "string", "type": "string", "message": "string", "is_read": true, "created_at": "string" }]	No links
422	Validation Error Media type application/json Example ValueSchema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }	No links

Code	Description	Links
	<pre> }] }</pre>	

GET

/api/v1/alerts/{alert_id}

Get Alert



Parameters

Try it out

Name	Description
alert_id * required integer (path)	alert_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example ValueSchema <pre>{ "id": 0, "vehicle_id": "string", "owner_id": "string", "type": "string", "message": "string", "is_read": true, "created_at": "string" }</pre>	No links
422	Validation Error Media type application/json Example ValueSchema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }</pre>	

PUT

/api/v1/alerts/{alert_id}/read

Mark Alert As Read



Parameters

Try it out

Name	Description
alert_id * required integer (path)	alert_id

Responses

Code	Description	Links
200	Successful Response	No links

Media type

application/json

Controls Accept header.

Example Value

Schema

```
{
  "id": 0,
  "vehicle_id": "string",
  "owner_id": "string",
  "type": "string",
  "message": "string",
  "is_read": true,

```

Code	Description	Links
422	"created_at": "string" } Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string" }] }	No links

Schemas

AlertCreate ^ Collapse all object

type* string [1, 30] characters

message > Expand all (string | null)

AlertResponse ^ Collapse all object

id* integer

vehicle_id* string

owner_id* string

type* string

message* > Expand all (string | null)

is_read* boolean

created_at* string

AuthResponse ^ Collapse all object

Representa la respuesta de autenticación con token y datos del usuario.

access_token* **string**

token_type > Expand all **string**

user* > Expand all **object**

CommandCreate ^ Collapse all **object**

action* **string** [1, 20] characters

CommandResponse ^ Collapse all **object**

id* **integer**

vehicle_id* **string**

action* **string**

status* **string**

created_at* **string** date-time

executed_at* > Expand all **(string | null)**

ComponentLifeResponse ^ Collapse all **object**

vehicle_id* **string**

component* **string**

total_km* **number**

last_service_km* > Expand all **(number | null)**

life_percent* > Expand all **(number | null)**

ConfirmEmailRequest ^ Collapse all **object**

Solicitud para confirmar el email de un usuario (admin only).

user_id* **string**

HTTPValidationError ^ Collapse all **object**

detail > Expand all **array<object>**

LoginRequest ^ Collapse all **object**

Representa el cuerpo de la solicitud de inicio de sesión.

email* **string** email

password* **string**

MaintenanceCreate ^ Collapse all **object**

```
component* string [1, 20] characters
km_at_service* number ≥ 0
```

MaintenanceResponse ^ Collapse all **object**

```
id* integer
vehicle_id* string
component* string
km_at_service* number
service_date* string date-time
```

MaintenanceUpdate ^ Collapse all **object**

```
component > Expand all (string | null)
km_at_service > Expand all (number | null)
```

MessageResponse ^ Collapse all **object**

Representa una respuesta simple de confirmación.

```
message* string
code > Expand all string
```

RegisterRequest ^ Collapse all **object**

Representa el cuerpo de la solicitud de registro.

```
email* string email
password* string
full_name* string
```

TelemetryRequest ^ Collapse all **object**

Esquema de solicitud para enviar datos de telemetría desde el ESP32.

```
vehicle_id* > Expand all string
lat* > Expand all number
lng* > Expand all number
battery_v* > Expand all number
speed_kmh > Expand all number
```

TelemetryResponse Collapse all **object**

Esquema de respuesta después de guardar telemetría.

id* integer
vehicle_id* string
lat* number
lng* number
battery_v* number
speed_kmh* number
recorded_at* string date-time

UserResponse Collapse all **object**

Representa el usuario expuesto por la API.

id* string
email* string
full_name  Expand all (string | null)
username  Expand all (string | null)

ValidationError Collapse all **object**

loc*  Expand all array<(string | integer)>
msg* string
type* string

VehicleCreate Collapse all **object**

nickname* string [1, 30] characters
vin* string [1, 17] characters
total_km  Expand all number ≥ 0
is_neutral  Expand all boolean

VehicleResponse Collapse all **object**

nickname* string [1, 30] characters
vin* string [1, 17] characters
total_km  Expand all number ≥ 0
is_neutral  Expand all boolean
id* string
owner_id* string

created_at* **string** **date-time**

VehicleUpdate ^ Collapse all **object**

nickname > Expand all **(string | null)**

vin > Expand all **(string | null)**

total_km > Expand all **(number | null)**

is_neutral > Expand all **(boolean | null)**