



GROUND FLOOR PLAN (0'-0")




SCALING 1/4 INCH = 10 FEET
MEZZANINE FLOOR PLAN

HOUSE FOR ZETA BETA TAU FRATERNITY
GAINESVILLE, FLORIDA
FRANK LLOYD WRIGHT ARCHITECT

MEZZANINE FLOOR PLAN




PENTHOUSE (UPPER) FLOOR



(Basic) Doors and Windows not needed to be modeled.

Could also be opportunity for Blocks here.



Exit

ELECTRICAL WORK

• PROVIDE ALL LABOR AND MATERIALS TO COMPLETE A PERFECTLY OPERATING SYSTEM OF ELECTRICAL WIRING, INCLUDING ALL WIRE TIGHT OR PLANTINGS OR AS SPECIFIED. THE INSTALLATION SHALL COMPLY WITH THE LOCAL ORGANIZATION (THE CODE OF THE NATIONAL ELECTRICAL CODE) AND THE CONTRACTOR SHALL BE RESPONSIBLE FOR APPROVAL BEFORE PROCEEDING WITH HIS WORK.

• CONTRACTOR SHALL SUBMIT BY THE UNDERSIGNED, LATE IN CONSTRUCTION, TO ITS CONTRACTOR, FULLY SUPPORTED BY A BANKROLL OF FORTY-FIVE MILLION DOLLARS, THE CONTRACT FOR APPROVAL BEFORE PROCEEDING WITH HIS WORK.

• CONTRACTOR SHALL PROVIDE ONE (1) MAIN CONTROL CENTER, POWER & CONVENIENCE OUTLETS, PICTURES, SPOTLIGHTS, 2 SWITCHES OVER EACH FLOOR, 1 INSTALL POWER PANEL IN EXTERIOR, RUN CONNECTIONS TO SODLES, ALSO CONTROL WIRING, MAKE CONNECTIONS TO ELECTRIC ALTIMETER, RANGE, OVEN, MEAT GRILL, ETC. AND OTHER EQUIPMENT AS PER PUBLIC TELEGRAPH AND TELEPHONE APPROVED MODEL (SUBJECT TO LOCAL CODE). SWITCHES AND SOCKETS ARE TO BE LOCATED APPROXIMATELY 4'-0" ABOVE FLOOR, WHERE SEVERAL ARE TOGETHER, USE GANG BOXES. OUTLETS & SWITCHES HAVE DEEP COVE PLATES. ALL WIRES SHALL BE GROSGRAIN (THERMOPLASTIC COVERED) SHALL BE USED, BUT ONLY BEST IN MATERIALS. PIPING AND DRAINS SHALL BE SYSTEM 1000 PEEL SERVICE WHITE TO INSULATED OUTLET ENTER-DOORS.


• THIS CONTRACTOR SHALL GUARANTEE THE SATISFACTION OF ELECTRICAL SYSTEM, FREE FROM DEFECTS OR MATERIALS & WORKMANSHIP FOR A PERIOD OF ONE YEAR FOLLOWING COMPLETION & ACCEPTANCE THEREOF.

SYMBOLS

- (A) CHALK LINE, LIGHT, DECOR, SCREEN OR SPONGE
- (B) PLATE, PLATELINE OR WALL-CHALK LINE
- (C) DRAFT, DRAFT LINE, DRAFTING
- (D) DRAFT, DRAFT LINE, DRAFTING
- (E) DRAFT, DRAFT LINE, DRAFTING
- (F) DRAFT, DRAFT LINE, DRAFTING
- (G) DRAFT, DRAFT LINE, DRAFTING
- (H) DRAFT, DRAFT LINE, DRAFTING
- (I) DRAFT, DRAFT LINE, DRAFTING
- (J) DRAFT, DRAFT LINE, DRAFTING
- (K) DRAFT, DRAFT LINE, DRAFTING
- (L) DRAFT, DRAFT LINE, DRAFTING
- (M) DRAFT, DRAFT LINE, DRAFTING
- (N) DRAFT, DRAFT LINE, DRAFTING
- (O) DRAFT, DRAFT LINE, DRAFTING
- (P) DRAFT, DRAFT LINE, DRAFTING
- (Q) DRAFT, DRAFT LINE, DRAFTING
- (R) DRAFT, DRAFT LINE, DRAFTING
- (S) DRAFT, DRAFT LINE, DRAFTING
- (T) DRAFT, DRAFT LINE, DRAFTING
- (U) DRAFT, DRAFT LINE, DRAFTING
- (V) DRAFT, DRAFT LINE, DRAFTING
- (W) DRAFT, DRAFT LINE, DRAFTING
- (X) DRAFT, DRAFT LINE, DRAFTING
- (Y) DRAFT, DRAFT LINE, DRAFTING
- (Z) DRAFT, DRAFT LINE, DRAFTING

SPEC. CONT.: • THE CONTRACTOR SHALL PERFORM INITIAL MOLDING HEIGHTS (ARMCHAIR, SOFA, TABLE, ETC.) IN ADDITION TO ADJUSTMENTS, REPOSITIONS, ETC. • DRAFT, DRAFT LINE, DRAFTING

•



Show item details

 More Items