

## INTALIOIntegrate with other form-manager

Log In

Browse Space



<u>V</u>iew <u>I</u>nfo

Added by  $\underline{\text{Nicolas Modrzyk}}$ , last edited by  $\underline{\text{Nicolas Modrzyk}}$  on Sep 16, 2009

## Integrate with other form-manager

UI-FW supports pluggable form manager out of the box. If your tasks have the proper formURL set at deployment time, it is possible to do configure mappings in the ui-fw config file. The following is set as the default:

```
<entry key="PIPATask">
    <map>
       <entry key=".*xform" value="/xFormsManager/init"/>
   </map>
</entry>
```

The default behavior of the pattern matcher would be to return the formURL as is, if there is one, or the value of the matched pattern.

So far, most of our forms have the xform extension, for examples: "/AbsenceRequest/AbsenceRequest.xform" so it will redirect to the /xFormsManager/init URL on the same server.

## Comments

Site powered by a free Open Source Project / Non-profit License (more) of Confluence - the Enterprise wiki. <u>Learn more</u> or <u>evaluate Confluence for your organisation</u>.

Powered by Atlassian Confluence, the Enterprise Wiki. (Version: 1.4.1 Build: #212 Jun 02, 2005) - Bug/feature request - Contact Administrators