

[Authentication](#) / [Connect with SSH](#) / Generate new SSH key

Free, Pro, & Team ▾

Generating a new SSH key and adding it to the ssh-agent

After you've checked for existing SSH keys, you can generate a new SSH key to use for authentication, then add it to the ssh-agent.

Mac **Windows** Linux

In this article

[About SSH key generation](#)[Generating a new SSH key](#)[Adding your SSH key to the ssh-agent](#)[Generating a new SSH key for a hardware security key](#)[Further reading](#)

About SSH key generation

If you don't already have an SSH key, you must generate a new SSH key to use for authentication. If you're unsure whether you already have an SSH key, you can check for existing keys. For more information, see ["Checking for existing SSH keys."](#)

If you want to use a hardware security key to authenticate to GitHub, you must generate a new SSH key for your hardware security key. You must connect your hardware security key to your computer when you authenticate with the key pair. For more information, see the [OpenSSH 8.2 release notes](#).

If you don't want to reenter your passphrase every time you use your SSH key, you can add your key to the SSH agent, which manages your SSH keys and remembers your passphrase.

Generating a new SSH key

- 1 Open Git Bash.
- 2 Paste the text below, substituting in your GitHub email address.

```
$ ssh-keygen -t ed25519 -C "your_email@example.com"
```

Note: If you are using a legacy system that doesn't support the Ed25519 algorithm, use:

```
$ ssh-keygen -t rsa -b 4096 -C "your_email@example.com"
```

This creates a new SSH key, using the provided email as a label.

> Generating public/private *algorithm* key pair.

- 1 When you're prompted to "Enter a file in which to save the key," press Enter. This accepts the default file location.

> Enter a file in which to save the key (/c/Users/you/.ssh/id_*algorithm*):[Press enter]

- 2 At the prompt, type a secure passphrase. For more information, see "[Working with SSH key passphrases.](#)"

- > Enter passphrase (empty for no passphrase): *[Type a passphrase]*
- > Enter same passphrase again: *[Type passphrase again]*

Adding your SSH key to the ssh-agent

Before adding a new SSH key to the ssh-agent to manage your keys, you should have checked for existing SSH keys and generated a new SSH key.

If you have [GitHub Desktop](#) installed, you can use it to clone repositories and not deal with SSH keys.

- 1 Ensure the ssh-agent is running. You can use the "Auto-launching the ssh-agent" instructions in "[Working with SSH key passphrases](#)", or start it manually:

```
# start the ssh-agent in the background
$ eval "$(ssh-agent -s)"
> Agent pid 59566
```

- 2 Add your SSH private key to the ssh-agent. If you created your key with a different name, or if you are adding an existing key that has a different name, replace *id_ed25519* in the command with the name of

your private key file.

```
$ ssh-add ~/.ssh/id_ed25519
```

- 3 Add the SSH key to your account on GitHub. For more information, see "[Adding a new SSH key to your GitHub account](#)."

Generating a new SSH key for a hardware security key

If you are using macOS or Linux, you may need to update your SSH client or install a new SSH client prior to generating a new SSH key. For more information, see "[Error: Unknown key type](#)."

- 1 Insert your hardware security key into your computer.
- 2 Open Git Bash.
- 3 Paste the text below, substituting in the email address for your account on GitHub.

```
$ ssh-keygen -t ed25519-sk -C "your_email@example.com"
```

Note: If the command fails and you receive the error `invalid format` or `feature not supported`, you may be using a hardware security key that does not support the Ed25519 algorithm. Enter the following command instead.

```
$ ssh-keygen -t ecdsa-sk -C "your_email@example.com"
```

- 4 When you are prompted, touch the button on your hardware security key.
- 5 When you are prompted to "Enter a file in which to save the key," press Enter to accept the default file location.

```
> Enter a file in which to save the key (/c/Users/you/.ssh/id_ed25519_sk):[Press enter]
```

- 6 When you are prompted to type a passphrase, press Enter.

```
> Enter passphrase (empty for no passphrase): [Type a passphrase]  
> Enter same passphrase again: [Type passphrase again]
```

- 7 Add the SSH key to your account on GitHub. For more information, see "[Adding a new SSH key to your GitHub account](#)."

Further reading

- ["About SSH"](#)
- ["Working with SSH key passphrases"](#)
- ["Authorizing an SSH key for use with SAML single sign-on"](#)

© 2021 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)

[Contact GitHub](#) [Pricing](#) [Developer API](#) [Training](#) [Blog](#) [About](#)