Instructions for the administrator

This guide is for the **Admin** role. You operate the PsyLex platform: Mode A rooms, mediator and party accounts, integration keys, test links, AI agent prompts, the RAG legal corpus, and the Help knowledge base.

> **Tip.** The **Help** button at the bottom of the sidebar opens all instructions (overview, parties, mediator, admin). The chat assistant replies in **EN | UA**. Help texts are edited under **Settings** → **Help**. Ask the Help assistant about waits, **Sides**, schedule, or Mode A/B if you need a quick reminder from these texts.

Instructions for parties and mediators: parties.md, mediator.md.

Contents

1. What you can do
2. Signing in
3. Admin Console
4. Negotiation rooms
5. Creating a Mode A room
6. Sides
7. Room card
8. Credentials and Magic Link
9. Mediators
10. Settings: API credentials
11. Settings: tests
12. Settings: agent prompts
13. Settings: RAG
14. Settings: Help
15. Watching analysis and mediation
16. Language and logout
17. Tips and typical situations

1. What you can do

- create **Mode A** rooms (self-guided party mediation with AI) and attach new or **existing** parties;
- view **all** rooms: both yours (admin) and those created by mediators (Mode B);
- manage **all** party accounts under **Sides** (including roomless / orphan accounts);
- edit the room title and description and the parties, and delete rooms;
- copy login/password and generate a **Magic Link** for parties and mediators;
- maintain the mediator registry: add, edit, delete;
- store **OpenAI** and **Airtable** keys;
- set URLs for the external psychological tests;
- edit system prompts for the five AI agents and run test runs (without writing to a live room);
- upload, update, reprocess, and delete RAG legal documents by jurisdiction and category; check search with a test inquiry;
- edit Help texts (Markdown) for all roles and languages — they feed the Help window, the chat assistant, and PDF / DOCX files;
- read the pipeline log and (after start) mediation details, and download the results PDF.

You **do not** run a live Mode B session and **do not** have a calendar in the admin menu. Schedule and session console live in the Mediator Console. On a mediator's room card you see the schedule in view-only form.

2. Signing in

1. Open **/login** (**Login** on the home page).
2. Enter the administrator login (format psylex_...) and password.
3. Click **Sign in**.

After sign-in, **Negotiation Rooms** opens. Party onboarding (welcome, tests) is not shown for an admin.

If the session expired or the role is different — the system returns you to sign-in. Users with a party or mediator role cannot enter the Admin Console.

3. Admin Console

On the left, the label **Admin Console**. Menu:

Item	Where it goes
Rooms	List of all rooms

Sides	All parties, including those without a room
Mediators	Mediator registry
Settings	API, tests, prompts, RAG, Help

Also: **Help**, **EN | UA**, and **Logout**. The content-area heading is **Mediation Portal**.

The **Help** button at the bottom of the sidebar opens the instructions and PDF / DOCX downloads. The notifications icon in the top bar is decorative for now.

4. Negotiation rooms

Two tabs:

Tab	What it is
Admin rooms	Mode A: rooms you created (createdByUserId empty)
Mediator rooms	Mode B: rooms created by mediators

The **New Room** button is only on the admin rooms tab. Mediator rooms are created in the Mediator Console.

Table

Shared columns: **Room title**, **Room description**, **Jurisdiction**, **Status** (**Ready** / **Not ready** / **Complete**).

On the mediators tab, additionally: the mediator's name and **Scheduled time**.

List controls: **Search…**, sorting, **Rows per page**, **Page N of M**, **Previous** / **Next**. Click a row to open the card.

Empty states:

- **No admin rooms yet. Create a room to generate participant credentials.**
- **No mediator rooms yet.**
- **No rooms match your search.**

The admin list has no "Open pre-session lobby / Open live session" buttons — that is the mediator interface.

5. Creating a Mode A room

1. **New Room**.

2. **Room details**:

- **Room title**, **Room description**;
- **Jurisdiction** — **Ukraine** or **United States**.
- For the United States — required field **State / territory / Federal**.

1. For **Party A** and **Party B**, choose either:

- **Create new** — **Title / Name**, **Description** (new login psylex_... and password); or
- **Add existing** — search by login or title and attach a returning participant (tests and personal bot stay; they only fill dispute intake for this room).

1. **Create Room**.

Jurisdiction is fixed permanently: legal RAG search during analysis depends on it. You cannot change it later. The same person cannot fill both party slots in one room.

After creation:

- party slots are filled with new or attached users (party_a / party_b);
- the room runs in **Mode A** (AI leads the dialogue, without a live mediator);
- you are on the room card — copy access and send it to the parties together with their instruction.

Mode A vs Mode B: admin **New Room** is always Mode A. Mode B rooms are created by mediators and appear under **Mediator rooms**.

6. Sides

Menu item **Sides** — the full party registry.

- Admins see **all** parties, including those with **no room** (roomless / orphan accounts).
- Mediators see only parties from their own rooms (see mediator.md).
- Use **Sides** to open a party card, copy credentials, or find accounts to attach when creating a room.

7. Room card

Available for **any** room (admin or mediator).

Block	Administrator actions
Header	Title, creation date, **Jurisdiction: ...**

Mediation details	If a session has already started — a modal with dialogue, votes, agreement, PDF
Mediation schedule	Only for mediator rooms, **view** (date, duration; no save and no lobby entry)
Pipeline & mediation log	Timeline of preparation and the session
Room details	Edit title and description **Save Changes**. Jurisdiction is read-only
Participants	Party A, Party B, and if present — the mediator. Edit name/description, login, password, **Copy Credentials**, **Magic Link**
Delete Room	Confirmation **Delete this room and all its participants? This cannot be undone.**

8. Credentials and Magic Link

On the room card or mediator card:

Copy Credentials

The **Copy Credentials** button puts text like this on the clipboard:

```
Role: Party A
Login: psylex_...
Password: ...
```

Send it to the party through a protected channel. The login always starts with psylex_.

Magic Link

The **Magic Link** button creates a one-time /auth/magic?token=... link:

- valid for **72 hours**;
- the recipient opens a confirmation page and clicks **Continue** to complete sign-in (the link is consumed then);
- after use it becomes invalid;
- the user lands on their next step (onboarding, lobby, and so on).

Success: **Magic link copied to clipboard** (or the system “share” dialog, if the browser supports it). Error: **Could not generate magic link**.

A Magic Link can be generated **only by an administrator**. The mediator copies login/password, but you create the link.

9. Mediators

Menu **Mediators** → **Registry**.

A mediator is a separate account, not “tied” to one room at creation time. After sign-in the mediator creates their own Mode B rooms.

List

Table: **Title**, **Description**, **Actions** (**Copy Credentials**). Search, sorting, pagination. Click a row — mediator card. Button **Add Mediator**.

Empty list: **No mediators yet. Create your first mediator to generate credentials.**

Adding

1. **Add Mediator**.
2. **Title / Name**, **Description**.
3. **Add Mediator** again.

Login and password are generated automatically. The card opens — copy access or a **Magic Link** and send it together with the mediator instruction.

The mediator’s first sign-in starts their onboarding (welcome, consent, tests). Until onboarding is complete, the rooms console is not available to them.

Mediator card

- edit name and description → **Save Changes**;
- login, password, **Copy Credentials**, **Magic Link**;
- **Delete mediator** with confirmation (this cannot be undone).

10. Settings: API credentials

Settings → **Credentials** tab.

Fields:

- **OpenAI API key** — required for analysis agents, mediation, question and option generation;
- **Airtable API key** — for integration with the external tests (completion status).

Buttons **Show key** / **Hide key**. **Save** → **Settings saved**.

Without a valid OpenAI key, the pipeline after the dispute description and the mediation session cannot run.

11. Settings: tests

Tests tab. Four URLs for the external modules:

Field in admin	What the participant sees
What is my personality type	The same module
Face to face with fear	In the portal: **Face to face with fear**
Character traits	Character traits
Personality conflicts	Personality conflicts

Each field is **Test URL**. **Save**.

These are the links opened by **Open test** during party and mediator onboarding. If a URL is empty or wrong, the participant cannot complete the module and will not reach the dispute description / Mediator Console.

12. Settings: agent prompts

Prompts tab. Five agents (sub-tabs):

Agent	Role in the process
Psychodynamic	Personality profile after tests / bot
Interests	What truly matters to the parties from the dispute intake
Emotional Triggers	Escalation risks
Legal Analysis	Norms from RAG for the room's jurisdiction (not legal advice)
Mediation Agent	Opening, dialogue, options, compromise in the session

For each:

1. Edit the **System prompt**.
2. **Save** → **Agent prompt saved**.

Test agent

The **Test agent** block runs a **dry** run: the result is **not** written to a live room.

- for psychodynamic / triggers — select a participant;

- for interests / legal analysis / mediation — select a room.

The screen shows input data (**Personal bot prompt**, **Dispute answers**, **Jurisdiction**, **Response language**). **Run test** → **Result** (structured output). If legal search found nothing: **No relevant legal information found**.

Use this before changing prompts in production, so you do not break live sessions.

---

13. Settings: RAG

RAG tab — the corpus of legal documents for hybrid search during legal analysis.

Jurisdictions

Sub-tabs **Ukraine** and **United States**. United States documents are additionally tied to a state / territory or **Federal** jurisdiction. Federal documents are included in search for every state.

Categories

Filter: **All categories**, or

- Labor, Family, Contract, Property, Consumer, Corporate, Insurance, ODR / International.

Upload

1. **Upload document**.
2. **Document name**, **Source URL**, **Category**, and for the United States — jurisdiction.
3. File **TXT, PDF, or DOCX** — **Choose file**.
4. **Upload**. Indexing runs: **Uploading document…** / text extraction.

Document statuses: **Pending**, **Processing**, **Ready**, **Failed**.

On the document card: editing, **Reprocess**, **Delete** (with confirmation about indexed chunks).

Legal analysis in rooms uses only documents with status **Ready** for the matching jurisdiction. If there is no relevant fragment, the system should say that a provision was not found — not invent a norm.

Test inquiry

Test inquiry block:

- enter a question;
- if needed, choose one document or **Search entire jurisdiction**;
- **Run inquiry**.

This is how you check whether the corpus answers typical questions before loading it into live

rooms.

14. Settings: Help

Help tab. These are the texts that feed the Help window, the chat assistant, and PDF / DOCX files.

For each document (**Overview**, **Parties**, **Mediator**, **Admin**) and each language (**EN**, **UA**):

1. Edit the title and Markdown.
2. **Save** — chat and Help immediately use the new text.
3. If needed, **Reset to file** — restore the text from the instruction/ repository (use this after a deploy if the live DB still has an older edited copy).
4. Regenerating PDF / DOCX exports for Help is done from the repository (npm run help:docs); after deploy, reset live overrides if admins had edited copies so production matches git.

> **Do not confuse this with RAG.** The RAG tab is the legal corpus for dispute analysis. The **Help** tab is user instructions, not legislation.

15. Watching analysis and mediation

Pipeline & mediation log

On every room card. Event sources: **Milestone** and **Pipeline**.

Typical stages: room created, test completed, onboarding completed, dispute intake submitted, profiles generated, legal analysis completed, post-intake pipeline completed, session started, agreement accepted, mediation completed.

Pipeline: triggered / completed, agent started / completed / failed / skipped, mediation phase changed. Incomplete readiness steps may show **Generating…** while AI analysis runs.

Empty log: **No activity recorded yet.**

If a room is “stuck” at **Not ready** — look in the log for which agent shows **Agent failed**, and check the OpenAI key, RAG, and prompts.

Mediation details

The button appears after the session starts. In the window:

- current **Phase** and round;
- **Mediation dialogue** in two columns (the parties);
- **Solution options & votes**;

- compromise vote (**Accepted** / **Rejected** / **No vote**);
- **Agreement & results**;
- **Download results**.

The downloadable results PDF covers legislation / legal information, the agreed solution (or no-agreement note), and the agreement text — **without** a psychodynamic profile chapter. The admin **does not** intervene in voting from this window — only observes and saves artifacts.

16. Language and logout

- **EN | UA** in the sidebar changes the language of the admin UI, the role in copied credentials, log labels, and RAG categories.
- **Logout** → login page.

17. Tips and typical situations

Mode A or B? Admin **New Room** is always Mode A. Mode B appears when a mediator creates the room. Both types are visible on the matching tabs. Create-room can attach existing parties from **Sides**.

The parties cannot sign in. Check the login psylex_..., send **Copy Credentials** or a new **Magic Link** (the old link may have expired after 72 hours or already been used).

Tests are not counted. Check the **Tests** tab (URLs) and the **Airtable** key. Ask the participant to click **Update test status**; processing can take up to two hours.

The pipeline does not finish. Log → agent error. Common causes: no OpenAI key, empty RAG for the room's jurisdiction, a prompt failure. Fix the settings; for an already created room the parties may need to wait for reprocessing, or you may need a new room — depending on the nature of the failure.

A mediator asks for a Magic Link. Generate it from the room card (for parties) or from the mediator card (for the mediator). Link generation is not available in the Mediator Console.

You need to look at a mediator's session. Open **Mediator rooms** → card → log and **Mediation details**. Only the mediator opens the live console and calendar.

Deletion. Deleting a room removes the room and the party participants. Deleting a mediator removes the mediator account. Both actions are irreversible.

Legal ethics. Do not delete RAG sources without replacing them; every legal statement in the product must rest on an uploaded source. The platform deliberately does not give "legal advice"

— this is built into the banners for parties and into the legal agent prompts.