Instructions for the administrator

This guide is for the **Admin** role. You operate the PsyLex platform: Mode A rooms, the **Sides** and mediator registries, integration keys, OpenAI chat models by workload, test URLs, AI agent prompts, the RAG legal corpus, and Help texts.

> **Tip. Help** at the bottom of the sidebar opens all instructions. The chat assistant replies in **EN | UA**. Texts are edited under **Settings** → **Help**. Ask about **Sides**, Mode A/B, or resetting Help to the bundled file.

Instructions for parties and mediators: parties.md, mediator.md.

Contents

1. What you can and cannot do
2. Signing in
3. Admin Console
4. Negotiation rooms
5. Creating a Mode A room
6. Sides
7. Room card
8. Credentials and Magic Link
9. Mediators
10. Settings: API credentials and models
11. Settings: tests
12. Settings: agent prompts
13. Settings: RAG
14. Settings: Help
15. Watching analysis and mediation
16. Language and logout
17. Tips and typical situations

1. What you can and cannot do

- create **Mode A** rooms and attach new or **existing** parties;

- view **all** rooms (admin and mediator);
- manage **all** parties under **Sides** (including roomless): edit, delete, request retests;
- edit room title/description and parties; delete rooms (two modes);
- copy login/password and generate a **Magic Link** for parties and mediators;
- maintain the mediator registry;
- store **OpenAI** and **Airtable** keys and assign **chat models by workload**;
- set test URLs; edit prompts for five agents and run dry-run tests;
- manage RAG; edit Help Markdown for Help UI, chat, and PDF/DOCX;
- read the pipeline log and mediation details; download the results PDF.

You **do not** run a live Mode B session and **do not** have a calendar in the admin menu. Schedule and session console live in the Mediator Console. The top-bar notifications icon is decorative for now.

2. Signing in

1. Open **/login** (**Login**).
2. Enter the administrator login (psylex_...) and password.
3. **Sign in** → **Negotiation Rooms**. Party onboarding is not shown for an admin.

Users with a party or mediator role cannot enter the Admin Console.

3. Admin Console

Left: **Admin Console**. Menu (order):

Item	Where it goes
Rooms	List of all rooms
Sides	All parties, including roomless
Mediators	Mediator registry
Settings	API, models, tests, prompts, RAG, Help

Also: **Help**, **EN | UA**, **Logout**. Content heading: **Mediation Portal**.

4. Negotiation rooms

Tabs:

Tab	What it is
Admin rooms	Mode A: rooms you created
Mediator rooms	Mode B: rooms created by mediators

New Room only on the admin rooms tab.

Columns: title, description, jurisdiction, status (**Ready** / **Not ready** / **Complete**). On the mediators tab also: mediator name, **Scheduled time**.

Controls: **Search…**, sorting, pagination. Click a row room card. No lobby / live session buttons on the admin list.

---

5. Creating a Mode A room

Path: **Rooms** **New Room** (or **Return to rooms** to go back). Subtitle: set up the room and both sides; credentials are generated when you create the room (for **new** participants).

Room details

1. **Room title**, **Room description** (required).
2. **Jurisdiction** — **Ukraine** (Ukrainian law and legal practice) or **United States** (United States law and legal practice). Help text explains that jurisdiction drives which laws apply.
3. If United States: required **State / territory / Federal** (state/territory law or nationwide federal law).
4. Jurisdiction is fixed permanently after creation.

Party A and Party B

For each slot, choose a mode:

Create new participant

- Fields: **Title / Name**, **Description** (required).
- On create, the system generates a new login psylex_… and password.

Add existing participant

Use this to attach a returning party (reuse the same account in another room).

1. Switch to **Add existing participant**.
2. **Search by login or name…** — as an **admin**, the pool includes **all** party accounts: roomless parties, parties already in your rooms, and parties already in mediator rooms.

3. Select a row. The selected card shows title (login) plus:

- **Profile ready** or **Profile not ready**;
- prep badges **T1–T4** (tests) and **BP** (bot prompt), green when ready / red when not.

1. Empty search: **No participants found.**

Reuse rules:

- Tests, personal bot, and onboarding progress are **reused** (no new credentials for that person).
- Dispute intake is **per room membership** — the party must still submit the dispute description for **this** new room.
- The same person cannot fill both Party A and Party B in one room (server rejects it).

Finish

Cancel or **Create Room**. On success you land on the room card. The room runs in **Mode A** (AI leads dialogue, **120-minute** session). Copy access and send the party instruction.

Mode A vs Mode B: admin **New Room** is always Mode A. Mode B rooms are created by mediators.

---

6. Sides

Menu **Sides** — the full party registry for administrators. Subtitle: review test and bot readiness and request selective retests.

> There is **no Add** button on Sides. Parties appear when you create a room (new or existing participant). There are **no Copy Credentials** / **Magic Link** buttons here — those live on the **room card** or **mediator card**.

Tabs and filters

Control	Behavior
Admin rooms	Parties linked to admin (Mode A) rooms; roomless parties show as **No rooms**
Mediator rooms	Parties linked to mediator rooms; extra **Mediator** column
Mediator filter	On the Mediator rooms tab only: **All mediators** or one mediator
Search…	Title, description, login, role, rooms, mediator name

Sort	Click column headers
Pagination	**Rows per page** 10 / 25 / 50; **Previous** / **Next**

Columns

Column	Meaning
Title	Name; description under the title (click title or **Edit** to change)
Login	psylex_…
Role	Badge **A** or **B**
Rooms	Each membership with A/B badge + room title, or italic **No rooms**
Tests	Chips **T1–T4** (green/red) with completion dates when available
Bot prompt	Chip **BP** with date when available
Actions	Edit, Delete, □ redo menu

Edit side

1. **Edit** (or click the title) □ modal **Edit side** (login · role).
2. **Title** and **Description** are required. **Save Changes** stays disabled until something changed and fields are non-empty.
3. Success: **Side updated.** Error: **Could not update side.**

Delete party

Delete party opens a confirm dialog. Meaning:

- The **party account is removed**.
- **Every room** that party belongs to is **permanently deleted**.
- Other parties who were only in those rooms are **kept** as free / roomless accounts (not deleted).
- This **cannot be undone**.

Success: **Party deleted.** Error: **Could not delete party.**

As admin you can delete regardless of which mediator owns related rooms (mediators cannot — see mediator.md).

Redo tests / bot (□ menu)

Action	Effect
Redo T1 … **Redo T4**	Clears that local test result
Redo all tests	Clears all four local tests
Redo bot prompt	Clears the personal AI bot
Redo all	Clears tests, bot, and related profile data (same idea as **Request profile update** on the room card)

Each action asks for confirmation: PsyLex clears **local** progress; the party must complete the external test again so Airtable has a **newer** completion record. Success: **Retest requested.** Error: **Could not request retest.**

Mediator view of Sides

Mediators see the same actions under their own **Sides** menu, but only parties from **their rooms** (no roomless, no other mediators' parties). Details: mediator.md.

7. Room card

Available for **any** room (admin or mediator).

Block	Actions
Header	Title, date, **Jurisdiction**
Mediation details	If a session has started — dialogue, votes, agreement, PDF
Party preparation (Mode A)	Readiness checklist (tests, bot, dispute, AI steps; may show **Generating…**)
Mediation schedule (Mode B)	Date, duration, readiness; admin **can view and edit** schedule fields on the card (save/overlap rules still apply). Lobby / live-session links may appear. The **rooms list** still has no lobby buttons
Pipeline & mediation log	Timeline
Room details	Edit title/description **Save Changes**; jurisdiction read-only
Participants	Edit name/description, login/password, **Copy Credentials** , **Magic Link**, **Request profile update**
Delete room	Two modes (below)

Request profile update

On a party in **Participants**:

1. Confirm — clears tests, personal bot, and related AI profile data; welcome/consent stay so the party returns to the test step.
2. Pending banner: **Profile update requested — waiting for retests.**
3. Error: **Could not request profile update.**

This overlaps with Sides **Redo all**. Prefer the room card when you are already looking at one case; prefer Sides for selective T1–T4 / bot-only redo across many parties.

Delete room

Button	What happens
Delete room only	Removes this room and memberships. Party accounts are **kept** (become free/roomless if they have no other rooms).
Delete room and parties	Deletes this room **and** those party accounts. **Every other room** those parties participate in is also deleted. Other people who were only in those related rooms stay as free accounts.

Both require confirmation and cannot be undone. Toast: **Room deleted.** / **Could not delete the room.**

8. Credentials and Magic Link

On the room card or mediator card:

Copy Credentials

Copy Credentials puts role, login, and password on the clipboard. Send through a protected channel. Login always starts with psylex_.

Magic Link

Magic Link creates a one-time /auth/magic?token=... link:

- valid for **72 hours**;
- the recipient signs in **automatically** (or **Continue** without JS);
- becomes invalid after use.

Success: **Magic link copied to clipboard** (or the system share dialog). Error: **Could not generate magic link**.

A Magic Link can be generated by an **administrator** (anyone) and by a **mediator** (parties in their own rooms).

9. Mediators

Mediators Registry.

A mediator is a separate account; after sign-in they create their own Mode B rooms.

- List: **Title**, **Description**, **Copy Credentials**; **Add Mediator**.
- Create: title, description auto login/password detail card.
- Card: edit **Save Changes**; **Copy Credentials**; **Magic Link**; **Delete mediator**.

First sign-in starts mediator onboarding. Until it completes, the rooms console is unavailable. Send the mediator instruction.

10. Settings: API credentials and models

Settings Credentials.

- **OpenAI API key** — analysis, mediation, generation;
- **Airtable API key** — external test completion status;
- **Show key** / **Hide key**.

Chat models by workload

Section **Chat models by workload**. Empty slots fall back to the previous single-model setting. **Refresh models** / **Loading models...**.

Slot	Purpose
Dialogue	Opening, live questions, summaries, moderation, phrase helper
Artifacts	Options, compromise, draft agreement
Fast	Translation and language detection
Pipeline	Post-intake agents and legal analysis
RAG chat	Legal search query planning and inquiry answers
Help	In-product help chat widget

Save Settings saved.

Without a valid OpenAI key, the pipeline and session cannot run.

11. Settings: tests

Tests tab. Four **Test URL** fields:

- **What is my personality type**
- **Face to face with fear**
- **Character traits**
- **Personality conflicts**

These are the links opened by **Open test** during onboarding. An empty or wrong URL blocks the participant.

12. Settings: agent prompts

Prompts tab. Five agents:

Agent	Role
Psychodynamic	Profile after tests / bot
Interests	What matters from dispute intake
Emotional Triggers	Escalation risks
Legal Analysis	Norms from RAG (not legal advice)
Mediation Agent	Opening, dialogue, options, compromise

System prompt Save Agent prompt saved.

Test agent

Dry run (result is **not** written to a live room):

- **Psychodynamic** / **Emotional Triggers** — select a **participant**;
- **Interests** / **Legal Analysis** / **Mediation Agent** — select a **room**.

The screen may preview personal bot prompt, dispute answers, jurisdiction, and response language. **Run test Result**. If legal search finds nothing: the corresponding “no relevant legal information” message.

13. Settings: RAG

RAG tab — corpus for hybrid search during legal analysis.

- Sub-tabs **Ukraine** / **United States** (US: state / Federal).
- Category filter (Labor, Family, …).
- **Upload document**: name, source URL, category, file TXT/PDF/DOCX.
- Statuses: **Pending**, **Processing**, **Ready**, **Failed**.
- On the card: edit, **Reprocess**, **Delete**.
- **Test inquiry** (+ prepared queries, citations).

Rooms use only documents with status **Ready**. Do not invent a norm if no fragment was found.

> The Credentials hint may mention embeddings on the RAG tab; a dedicated embedding-model UI may not be present — follow the buttons actually shown on screen.

14. Settings: Help

Help tab. Texts that feed the Help window, chat assistant, and PDF/DOCX files.

For each document (**Overview**, **Parties**, **Mediator**, **Admin**) and language (**EN**, **UA**):

1. Title and Markdown.
2. **Save** — chat and Help immediately use the new text.
3. **Reset to bundled file** — restore from instruction/ in the repository.

After deploying updated markdown in git: if the live DB still has older edited copies, run **Reset to bundled file** for each changed document/locale (or re-seed) so production matches the repository. PDF/DOCX exports are refreshed with npm run help:docs in the repo.

> **Do not confuse this with RAG.** RAG is the legal corpus. **Help** is user instructions.

15. Watching analysis and mediation

Pipeline & mediation log

On every room card. Sources: **Milestone** and **Pipeline**. Typical events: room created, tests, intake, agents, session start, votes, compromise/agreement published, completion, agent failures.

If a room is stuck at **Not ready** — look for **Agent failed**; check the OpenAI key, RAG, and prompts.

Mediation details

After the session starts:

- **Phase** and round;
- **Mediation dialogue** (two columns; show original of translations);
- **Solution options & votes**;
- compromise (**Accepted** / **Rejected** / **No vote**);
- **Agreement & results**;
- **Download results**.

PDF: **Legislation** □ **Solution** □ **Agreement** (no psychodynamic). Email is a stub. The admin does **not** intervene in voting from this window.

16. Language and logout

- **EN | UA** changes the admin UI, roles in copied credentials, log labels, and RAG categories.
- **Logout** □ login page.

17. Tips and typical situations

Mode A or B? Admin **New Room** is always A. Mode B is created by a mediator. Both types appear on the matching tabs.

Parties cannot sign in. Check psylex_..., send **Copy Credentials** or a new **Magic Link** (72 hours / one-time).

Tests are not counted. Tests tab (URLs) and **Airtable** key. Participant: **Update test status** (up to two hours).

Pipeline does not finish. Log □ agent error. Common causes: no OpenAI key, empty RAG, prompt/model failure.

A mediator asks for a Magic Link. They can generate it themselves for their parties; you can also generate from the room or mediator card.

You need to look at a mediator's session. Mediator rooms □ card □ log and **Mediation details**. Only the mediator opens the live console.

Deletion. Choose between "room only" and "room and parties". Actions are irreversible.

Legal ethics. Do not delete RAG sources without replacing them. The platform deliberately does not give “legal advice”.