admixture

2024-11-14

```
res_dir <- "../results/s05_admixture/"
```

Load gt

```
mad_bor_g1000_sum <-
  gt_load("../data/intermediate/rbind_data/mad_bor_g1000_sum_neo_clean_ld.gt",
    reattach_to = "../data/intermediate/rbind_data/mad_bor_g1000_sum_neo_clean_ld"
  )
mad_bor_g1000_sum <- mad_bor_g1000_sum %>% group_by(population)
```

Loci and sample count

```
nrow(mad_bor_g1000_sum)
```

```
## [1] 2744
```

```
count_loci(mad_bor_g1000_sum)
```

```
## [1] 198196
```

ADMIXTURE was run on the full, cleaned dataset of 2744 individuals and 198196 SNPs.

```
tictoc::tic()
k <- c(2:10)
qmats <- gt_admixture(mad_bor_g1000_sum,
  k,
  n_runs = 1,
  crossval = TRUE,
  seed = c(1),
  n_cores = n_cores,
  outdir = "../data/intermediate/admixture/unsupervised"
)
saveRDS(qmats, "../data/intermediate/admixture/unsupervised/admixture_m.RDS")
time <- tictoc::toc()
```

```
## 71053.38 sec elapsed
```

ADMIXTURE was run unsupervised for k values `min(range(unique(qmats$k)))` to 10, with 1 repeats.

Recording R environment