

What's New in MidPoint 4.11

Pavol Mederly, October 2026
Interim Chief Product Officer

Agenda … Or, What Have We Been Working on for Last 18 Months?

- Rapid **application onboarding** with AI
- **Security, security, security!**
- **Usability** improvements


- … plans for 4.12



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum


Application Onboarding



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Application Onboarding




Focus of midPoint 4.11

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Technical connection ~ Sharing and Creating Connectors

- **Goal:** communicate with an application at a technical level
  - **Protocols:** SCIM, REST, SQL, CSV, LDAP, custom SDK, messaging, …
  - Application data model → logical view (object classes, attributes, references)
- Embodied in ConnId **connectors**
- **Sharing connectors**
  - Connector (Integration) **catalog**
- **Creating connectors**
  - No-code/low-code **connector frameworks**
  - AI-supported **wizards for creating connectors**




© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Integration Catalog

- **Share** integration knowledge and code
- **Ready-to-use** open-source connectors with usage recipes (“integration methods”)
- **Free to use**, free to publish with clear responsibility for the artifacts
- **integrations.evolveum.com**
  - Uses the same login/password as other Evolveum services (e.g., support portal)
  - Self-registration at **iam.evolveum.com**.



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

No-Code / Low-Code Connector Frameworks

- **SCIM**, **REST**, **SQL** (including **ITSM**)
- Little code:
  - **Rapid connector creation** (and easier review + maintenance)
  - Less bugs
  - Better **security** – especially with AI
- Both human- and AI-friendly
  - Designed along with **midPoint wizards**
  - … but usable with manual coding or with **other (generic) AI tools** as well




© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

AI-Supported Wizards for Creating Connectors

- Starts with the **application name** and integration type
- Obtains **documentation**
- Extracts relevant **API information**
- Suggests **configuration** / fragments of **code**
- After **human review**, tries the **execution**
- Results in **fully-functional connector**



- **Safe** & usable for **less experienced people**

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Summary

Basic settings

Application identification

In progress

Identify the Target Application

Tell us which application you want to connect to. Based on this information, midPoint will identify the target system and locate the appropriate documentation to prepare everything needed for connector generation.

Application name *

OpenProject

Description

Version of application

Intended integration type *

- SCIM — Integration using the SCIM 2.0 protocol.
- REST — Integration using the REST protocol. (selected)
- SQL — Integration using SQL database connectivity.

Deployment type

Undefined

API Version

Next →

Summary

Basic settings

Application identification

Complete

Documentation

In progress

Provide Integration Documentation

Documentation helps the AI understand how your system communicates, which endpoints it exposes, and what data structures it uses. By analyzing this information, the AI can generate a more accurate and tailored connector for your integration.

Documentation found

AI has found matching documentation or configurations. Please review them to ensure they fit your needs..

Add URL | Upload file

Authentication - OpenProject AI

How other systems connect to OpenProject. OpenProject itself can act as an identity and authorization source for other applications such as OAuth, and can receive automated user provisioning from your identity provider through SCIM.

https://www.openproject.org/docs/system-admin-guide/authentication/

API documentation AI

Please note that we intend to keep this specification as accurate and stable as possible, however work on APIs is still ongoing and not all resources and actions in OpenProject are yet accessible through the APIs. This document will be subject to changes as we add more endpoints and functionality.

https://www.openproject.org/docs/api/

Back

Next

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Basic settings

Application identification

Complete

Documentation

Complete

Connector identification

In progress

Set Basic Information About the Connector

On this panel you can enter the fundamental details that describe the connector, providing the necessary context before adding more specific configuration.

Group id *

com.evolveum.polygon.community

Artifact id *

openproject

Display name

Description

Version *


1.0-SNAPSHOT

Implementation type *

- SCIM — Integration using the SCIM 2.0 protocol.
- REST — Integration using the REST protocol. (selected)
- SQL — Integration using SQL database connectivity.


Intent

- Identity Management & Governance — Identity Management and Governance. The current default lens for object class detection.
- ITSM (ticketing) — ITSM (ticketing) lens for object class detection.
- ITSM + Identity Management — Both the ITSM and Identity Management domains are treated as primary.



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum


Back
Connector generator
Summary
Basic settings
Complete
Connection
Base URL specification
Complete
Auth method support
In progress
Select Supported Authentication Methods
Choose which authentication methods your connector should support. Users will be able to authenticate via any of the selected options when using this integration.
API token through Basic Auth
Recommended
Basic authorization using username and password
Bearer token authentication
Recommended
Authorization using Bearer token.
JWT bearer authentication
Recommended
Authorization using JWT Bearer token.
OAuth 2.0 client credentials
Recommended
Authorization using OAuth2 client credentials flow.
Show all options
Back
Next

Summary

Basic settings

Complete

Connection

Base URL specification

Complete

Auth method support

Complete

Authentication script validation

In progress

Authentication Script Validation

This step involves examining the authentication script to ensure it functions correctly and securely. You c
to the script if anything seems incorrect or could be improved.

```
authentication:
  rest:
    bearer:
      implementation: |
        request.header("Authorization", "Bearer " + decrypt(configuration.restTokenValue))
    preference:
      - bearer
```

← Back

Help

Authentication Script

The **Authentication Script** screen customizes how the connector authenticates. The methods chosen on the previous screen are already implemented by the framework, so a script is an **optional refinement** on top of the built-in behavior — not a requirement. You need it when the target system deviates from the standard: extra headers, non-standard token handling, custom request signing, …

Authentication is customized per protocol namespace:

- `rest` — the REST API (scripts `authorization { rest { … } }`)
- `scim` — the SCIM API (scripts `authorization { scim { … } }`)

Supported methods


Nine authentication methods are implemented per protocol namespace. The most common ones first:

`basic { … }`
HTTP Basic authentication — `Authorization: Basic base64(user:pass)`. The workhorse for internal systems and many SaaS APIs.


`bearer { … }`
A static bearer token — `Authorization: <tokenName> <tokenValue>` (the token name defaults to `Bearer`). Typical for API-token based systems.


`apiKey { … }`
An API key — sent as a header (`<name>: <key>`, e.g. `X-API-Key`) or as a query parameter.

`oauth2ClientCredentials { … }`
OAuth 2.0 client credentials (RFC 6749 §4.4) — the standard machine-to-machine grant: the connector obtains an access token from a token endpoint and attaches it to the requests.


Back
Connector generator
Summary
Basic settings
Complete
Connection
Base URL specification
Complete
Auth method support
Complete
Authentication script validation
Complete
Credentials
In progress
Authentication Method for Testing
Choose an authentication method for this connector and fill in the corresponding credential fields for testing. The fields below will update based on the selected method.
Method
Bearer token authentication
Credentials
Token
Use clear value
Use secret provider
Hide empty fields
Back
Next

©


Back
Connector generator
Summary
Basic settings
Complete
Connection
Base URL specification
Complete
Auth method support
Complete
Authentication script validation
Complete
Credentials
Complete
Test connection
In progress
Provide Endpoint for Connection Test
Determine the best endpoint for running a test operation. This helps validate that the connector can communicate with the target system and start discovering available data structures.
/.well-known/openproject-metadata
/my_preferences
/
/configuration
/capabilities
Enter URL manually
Back
Test connection


Back
Connector generator
Summary
Basic settings
Complete
Connection
Base URL specification
Complete
Auth method support
Complete
Authentication script validation
Complete
Credentials
Complete
Test connection
Complete
Connecting
In progress
Connection Successful
The connector successfully reached the system and received a valid response.
Back
Next

Summary

Basic settings
Complete

Connection
Complete

Object class
Complete

Object class

Object classes
In progress

Select Object Class to Be Configured

The midPilot analyzed your documentation and found object classes that might be available for integration. Select one to begin it's configuration.

Not seeing what you expected?
Try checking the list of other object classes using the 'More classes' button..


Recommended Object Classes

More classes

- Principal — A generic identity entity representing users, groups, or other security principals in the system.
- User — Represents an individual identity or principal that can authenticate and be assigned to groups, roles, and memberships.
- Group — A collection of users representing a group/team. Provides its own CRUD endpoints and can contain member users.
- Role — Defines a set of permissions or entitlements that can be granted to users or groups via memberships.
- Membership — A link assigning a principal (user, group, or placeholder) to a project, portfolio, or program with specific roles.
- PlaceholderUser — A non-human principal used as a stand-in for a user, typically for attribution or automation.
- Project — Top-level workspace entity that groups work packages, budgets, and other resources; can have a parent project forming a hierarchy.
- Workspace — Top-level container that groups projects, types, versions and other resources; serves as an organizational unit.
- UserModel — Represents an identity/person in the system with properties like id, login, name, email, avatar and status, together with relevant hypermedia links.
- GroupModel — Represents a group (team) container used for grouping users/members, exposing its identifier and core attributes.
- RoleModel — Represents a role that can be assigned to users, defining a set of permissions within the system.

Review Schema Attributes

View the object schema attributes which were extracted from the schema script. Check if everything matches your expectations.



Evolveum

Select List Objects Endpoints

Select endpoint to be used in search operation. The assistant may suggest default search endpoints or parameters based on available documentation. If no suggestion fits, you can specify a custom search endpoint manually.

Select	Method	URL	Source
○	GET	/placeholder_users	Documentation
◉	GET	/users	Documentation
○	GET	/users/{id}/non_working_times	Documentation
○	GET	/users/{id}/working_hours	Documentation
○	GET	*e.g. /Groups/{id}*	

← Back

Next →

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

List objects Script Validation

This step validates the List objects script to ensure it correctly retrieves and processes all available objects from the target system.

YAML

```yaml
objectClasses:
  user:
    search:
      endpoints:
        - path: /users
          method: GET
          emptyFilterSupported: true
          objectExtractor:
            value: $._embedded.elements
          pagingSupport:
            parameters:
              pageSize:
                in: query
              offset:
                in: query
```

← Back

✓ Yes, this script is correct

Summary

Basic settings
Complete

Connection
Complete

Object class: User
Complete

Object class: User

Object classes
Complete

Schema script validation
Complete

Schema validation
Complete

List Objects endpoints
Complete

Validate Search Results

Below is a table with data retrieved using the generated search script. Review the results to ensure the correct attributes are present and values are returned as expected. If everything looks good, you can proceed and validate to finalize the configuration.

	Name	Identifiers	Situation	Owner	Pending operations
	dave	login: dave id: 8			
	carol	login: carol id: 7			
	bob	login: bob id: 6			
	alice	login: alice id: 5			
	admin	login: admin id: 4			

Rows per page 20 Displaying 1 to 20, unknown number of matching results. << < 1 2 3 4 5 > >>

← Back

✓ Result is OK

Summary

Basic settings
Complete

Connection
Complete

Object classes
Complete

Connector summary

Connector readiness
Essential requirements for a functional connector

Read-only ready

Basic information

Configure

OpenProject

Version	2.0
Integration type	REST
Deployment type	Unknown

Connection

Configure

Connected

BaseUrl	https://localhost:8443/api/v3/
Test endpoint	/my_preferences
Auth method	Basic auth

Documentation

Configure

Good coverage

Files	Links
0	1

Object classes

1

View all object classes

Relationships

0

View all relationships

Connector actions


Create resource
Creates a new resource that uses this connector for its operations.

Upload connector
Packages the connector, without its bundled dependencies, into …

Export connector
Packages the connector into a downloadable JAR file for use…


Add new object class
Start configuration for a different object class which allows you to…

Add relationship
Set up relation between object classes which is useful for creati…


Connector Generator
Application Identification
Complete
Documentation
In progress
Identify the target application
Tell us which application you want to connect to. Based on this information, the system will identify the target and locate appropriate documentation.
Documentation found
AI has found matching documentation or configurations. Please review them to ensure they fit your needs..
All
+ Add URL
Upload File
openproject/docs/enterprise-guide/README.md at dev · opf/openproject
All from Premium + Corporate Enterprise add-ons: - Storage single sign-on for Nextcloud - Nextcloud Hub integration - openDesk integration - XWiki integration - SCIM API integration - Antivirus scanning
https://github.com/opf/openproject/blob/dev/docs/enterprise-guide/README.md
Authentication - OpenProject
How other systems connect to OpenProject. OpenProject itself can act as an identity and authorization source for other applications such as OAuth, and can receive automated user provisioning from your identity provider through SCIM.
https://www.openproject.org/docs/system-admin-guide/authentication/
openproject/docs/api/apiv3/openapi-spec.yml at dev · opf/openproject
You're looking at the current **stable** documentation of the OpenProject APIv3.
https://github.com/opf/openproject/blob/dev/docs/api/apiv3/openapi-spec.yml
OpenProject API v3 Endpoints
The APIv3 can be grouped by the resources it supports.
https://www.openproject.org/docs/api/endpoints/
OAuth applications - OpenProject
{ "access_token": "Ize6vvCIeENQ_suzd9kBJ6BxDNpxcumfTfweZQaOoJc", "token_type": "Bearer", "expires_in": 7200, "refresh_token": "kDQ5pxzOE_4kCSKzONZaIlogcyjcXk97_KhBS0JfCw4", "scope": "scim_v2 api_v3", "created_at": 1652112852 } The response contains the bearer token (“access_token”) and a refresh token that you will need when working with the API. Please copy the tokens for reference.
https://www.openproject.org/docs/system-admin-guide/authentication/oauth-applications/
openproject/docs/api/README.md at dev · opf/openproject
API v3 (OpenProject's general purpose HATEOAS API) SCIM (System for Cross-domain Identity
Cancel
Previous
Next

Evolveum

Application Onboarding



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Connecting the Data

1

Classification

how to classify identities

2

Correlation

how to match identities

3

Mappings

how to translate identity data

Safe AI + heuristics

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Execution Safety

Safety is achieved by **avoiding code generation** altogether or using **safe expression language** and limiting custom code to **little snippets**.

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Select object type to review

Review the suggested object types generated based on your resource data. Select the one that best matches the kind of objects you want to manage. You can discard and refresh to possibly find new suggestions to review.

Service Accounts

Service accounts are stored under the OU 'service-accounts' in LDAP. These accounts typically have uid ending with '-svc' and are used by applications for automated processes.

Kind: account | Intent: service | Object class: inetOrgPerson | Focus type: UserType

Show filter

Administrative Accounts

Administrative accounts are stored under the OU 'administrators' in LDAP. These accounts often have uid ending with '-admin' and have elevated privileges.

Kind: account | Intent: admin | Object class: inetOrgPerson | Focus type: UserType

Show filter

User Accounts

Regular user accounts are stored under the OU 'users' in LDAP. These are typical employee accounts.

Kind: account | Intent: user | Object class: inetOrgPerson | Focus type: UserType

Hide filter

Base context filter:

```
c:attributes/ri:dn = "ou=users,dc=example,dc=com"
```

AI


Base context object class:

organizationalUnit

Exit suggestions

Refresh suggestions

Review selected



© 2026 Evolveum s.r.o. All rights reserved.

Mappings

Map data from your source to midPoint (Inbound mappings) and from midPoint to your target (Outbound mappings).

Generation of suggestions finished.
12 suggestions have been generated. Review and apply them.


Re-generate
Last run: Sep 29, 2026, 12:01:19 PM • Elapsed time: 0m 23s

Inbound mappings (to MidPoint) | Outbound mappings (to Resource)

On | Suggestions Enabled | Legend: Purple = AI-powered suggestions | Blue = System suggestions

Settings | Add outbound | Search

Name	MidPoint property	Expression	Resource attribute *	Lifecycle state	
Mapping suggestions 2 for: cn			cn		Accept selected
fullName-to-cn	fullName	Script	cn		
fullName-to-cn	fullName	As is	cn		
Only one suggestion per cn can be applied. Others will be discarded upon accepting.					
fullName-to-displayName	fullName	As is	displayName		Accept Discard
Mapping suggestions 2 for: dn			dn		Show suggestion
personalNumber-to-employeeNumber	personalNumber	As is	employeeNumber		Accept Discard
givenName-to-givenName	givenName	Script	givenName		Accept Discard
locality-to-l	locality	As is	l		Accept Discard
organization-to-o	organization	As is	o		Accept Discard
familyName-to-sn	familyName	As is	sn		Accept Discard


Mappings
Map data from your source to midPoint (Inbound mappings) and from midPoint to your target (Outbound mappings).
Generation of suggestions finished.
12 suggestions have been generated. Review and apply them.
Inbound mappings (to MidPoint)
On
Suggestions Enabled
Legend:
Purple = AI-powered suggestions
Blue = System suggestions
Preview mapping (basic)
Mapping name
fullName-to-cn
Strong
Source
fullName
Target
cn
Expression
Script
CN: fullName + iterationToken
Language
MEL
1
fullName + iterationToken
Iteration settings
Definition of iteration properties for a resource account or other resource objects.
Object type-level setting
Changing these values affects every mapping script in this object type that uses iterationToken.
The first non-conflicting attempt is also considered an iteration, and its value is equal to the start property.
Start
1
End
10
Use token only on conflict
True
Show empty fields
Resource attri
cn
displayName
dn
employeeNumber
givenName
l
o
sn
Accept
Discard

Mappings

Map data from your source to midPoint (Inbound mappings) and from midPoint to your target (Outbound mappings).

Generation of suggestions finished.
12 suggestions have been generated. Review and apply them.


Re-generate
Last run: Sep 29, 2026, 12:01:19 PM • Elapsed time: 0m 23s

Inbound mappings (to MidPoint) | Outbound mappings (to Resource)

On | Suggestions Enabled | Legend: Purple = AI-powered suggestions | Blue = System suggestions


Settings | Add outbound | Search

Name	MidPoint property	Expression	Resource attribute *	Lifecycle state	
Mapping suggestions 2 for: cn			cn		Accept selected
fullName-to-cn	fullName	Script	cn		
fullName-to-cn	fullName	As is	cn		
Only one suggestion per cn can be applied. Others will be discarded upon accepting.					
fullName-to-displayName	fullName	As is	displayName		Accept Discard
Mapping suggestions 2 for: dn			dn		Show suggestion
personalNumber-to-employeeNumber	personalNumber	As is	employeeNumber		Accept Discard
givenName-to-givenName	givenName	Script	givenName		Accept Discard
locality-to-l	locality	As is	l		Accept Discard
organization-to-o	organization	As is	o		Accept Discard
familyName-to-sn	familyName	As is	sn		Accept Discard



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Statistical data for "ACCOUNT/user" object type

Sample size
38 of 38

Attribute count
51

- cn
  38 values
- displayName
  38 values
- dn
  38 values
- employeeNumber
  38 values
- entryUUID
  38 values
- givenName
  38 values
- initials
  38 values
- l
  38 values

Total values
38

Unique values
38


Empty values
0

Value Counts | Value Patterns

Value	Count	Percentage
Geena Green	1	2.63%
John Smith	1	2.63%
Peter Hunter	1	2.63%
Ellen Jones	1	2.63%
Josef Zimmer	1	2.63%
David Iverson	1	2.63%
Laura Shepherd	1	2.63%
Ricardo Pedroso	1	2.63%
Eva Mendez	1	2.63%
Jonathan Taylor	1	2.63%

Rows per page 10 1 to 10 of 38 << < 1 2 3 4 > >>

©



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Deployment Options


All components are **open source**, therefore you can utilize:




self-hosted



existing cloud services



public AI services



Evolveum AI services

Balancing **privacy, cost, and performance.**


© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Quick Start

https://docs.evolveum.com/midpoint/get-started/quick-start/

API keys for Evolveum AI services available at **integrations.evolveum.com**



Manual (ITSM) Resources

- Creating **tickets** instead of executing operations directly
- Available since 3.6 (2017), yet requiring **custom development** for external ITSM systems
- Now treating external ITSM systems as **ordinary resources**
  - accessed via standard connector with mapping definitions
  - support for generating ITSM flavours of connectors is already present in the wizard



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Methodology and Training Update

- Updated **First steps** training is being released today
- **Other trainings** – Group sync, Intermediate, Connector development ones – and related **methodologies** are to be released in following months



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Security

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

MidPoint Expression Language (MEL)

- Groovy, JS, Python, ... are inherently **unsafe to execute**
  - Allow to do **anything** in JVM and in the OS
  - We are trying to improve this since 4.0 (2019)
- In 4.11 we adopted the **Common Expression Language**
  - **Limited by design**
  - Still **powerful enough for writing expressions**, in particular because of midPoint-specific extensions (hence MEL)
- Unsafe languages are now **disabled by default for new installations**
  - only MEL and safe Velocity variant are enabled
  - configurable from the **platform** only (config.xml / Java props)



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum


Complete Expression Profile Implementation


Evaluator	Profile `prohibitive`	Profile `safe`	Profile `reporting`	Profile `configuration`	Profile `permissive`
literal (`value`)	-	Yes	Yes	Yes	Yes
No value (`null`)	-	Yes	Yes	Yes	Yes
`asIs`	-	Yes	Yes	Yes	Yes
`path`	-	Yes	Yes	Yes	Yes
`const`	-	Yes	Yes	Yes	Yes
`filter`	-	Yes	Yes	Yes	Yes
`generate`	-	Yes	Yes	Yes	Yes
`proportional`	-	Yes	Yes	Yes	Yes
`script` for MEL	-	only basic modules	more modules	all modules	Yes
`script` for Safe Velocity	-	-	Yes	Yes	Yes
`script` for other languages	-	-	-	-	Yes
`assignmentTargetSearch`	-	-	-	Yes	Yes
`associationTargetSearch`	-	-	-	Yes	Yes
`referenceSearch`	-	-	-	Yes	Yes
`shadowOwnerReferenceSearch`	-	-	-	Yes	Yes
`associationFromLink`	-	-	-	Yes	Yes
`sequentialValue`	-	-	-	Yes	Yes
`associationConstruction`	-	-	-	Yes	Yes
`associationSynchronization`	-	-	-	Yes	Yes
`function`	-	-	-	-	Yes
`javaMethodReference`	-	-	-	-	Yes

Object type	Profile used
ResourceType	configuration
ObjectTemplateType	configuration
FunctionLibraryType	configuration
MarkType	configuration
SystemConfigurationType	configuration
ReportType	reporting
MessageTemplateType	reporting
ObjectCollectionType	safe
DashboardType	safe
RoleType	safe
ServiceType	safe
OrgType	safe
PolicyType	safe
ArchetypeType	safe
ValuePolicyType	safe
AccessCertificationDefinitionType	safe
AccessCertificationCampaignType	safe

Multi-Factor Authentication

- Support for **MFA** (Cisco Duo) is in midPoint since 4.8
- Now we add built-in support for **time-based one-time passwords** (TOTP)





© 2026 Evolveum s.r.o. All rights reserved.

... and more

© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Other Changes

- Continuing with **WCAG 2.2 AA support** for end-user GUI
  - Since 4.10.2
  - Assessed by independent audit
- **Focus policy rules for activities**
  - Rules for tasks since 4.0; now available for individual activities
- Working in **multiple tabs**
- Active Directory password agent
- Changes in **container images** distribution
- We encourage our community to **share their connectors**
  - Private connectors can be used **in production** only with MidPoint Support Subscription (with a grace period of 90 days)



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Plans for 4.12 (Autumn 2027)

- **Non-human identities (AI agents)**
- Continuing with **application onboarding** improvements
- **Cyber Resilience Act (CRA)** compliance
  - Including easy upgrades and secure-by-default
- Post-quantum cryptography preparation
- **Performance / scalability** improvements
- Various improvements and stabilization due to **LTS**
  - For end users, engineers, administrators, and developers
- **Integrations ecosystem expansion**



© 2026 Evolveum s.r.o. All rights reserved.

Evolveum

Thank you for your attention

Do you have any **questions**? Feel free to contact us at **info@evolveum.com**

Follow us on social media or **join us** at GitHub or Gitter!

 /Evolveum

 /Evolveum

 /Evolveum

 /Evolveum

 /Evolveum

Evolveum

© 2026 Evolveum s.r.o. All rights reserved.