Audit Delivery Summary

This audit package for Example Customer contains 4 recommendation(s), including 3 generated from package evidence and 1 analyst-authored overlay(s). It includes 1 immediate action item(s), 3 quick win(s), and 1 recommendation(s) approved for delivery. 4 rule(s) failed during collection across 20 executed rule(s). The busiest assessment area is Other with 4 recommendation(s).

Engagement Context

Field	Value
Label	Proper Audit Model Demo
Customer	Example Customer
Environment	Example Environment
Analyst	Example Analyst
Visibility	Client
Approved Only	Yes
Generated	2026-04-11 22:32:51 +00:00

Overview

- Recommendations: 4
- Generated recommendations: 3
- Analyst recommendations: 1
- Excluded by approval gate: 0
- Approved: 1
- Reviewed: 3
- Draft: 0
- Failed rules: 4
- Immediate actions: 1
- Quick wins: 3
- Assessment areas: 1

Audit Review Workflow

Use this section during delivery review to capture decisions that are not part of the raw audit package.

Review Step	Notes
Auditor review notes	Add consultant observations, caveats, and discussion points.
Client response	Capture accepted actions, rejected actions, and questions raised during review.
Risk decision	Document accepted risk, exception owner, expiry date, or remediation commitment.
Evidence request	List screenshots, exports, tickets, or validation evidence requested from the client.
Reassessment plan	Capture target reassessment date and validation approach.

Planning Workbook

Use remediation-matrix.xlsx as the project planning companion for this delivery summary.

Worksheet	Purpose
Action Plan	Sequence recommendations, review owner/workstream, confirm acceptance criteria, and set the next planning step.
Workstream Plan	Review ownership groups, critical/immediate pressure, generated-vs-analyst mix, and the first action to triage.
Overlay Drafts	Convert generated rows or spreadsheet feedback into overlay-add or overlay-update command templates.
Validation Plan	Define rerun scope, expected outcome, evidence collection, and sign-off notes.
Review Tracker	Capture client response, target date, evidence notes, and validation status using stable RecommendationId/FindingId/RuleId values.

Immediate Actions

Domain Controller – Credential Posture (Local) finding #1

- Recommendation: rec_4fe8b88776511543
- Source: AnalystOverlay
- Overlay: ovr_20260411192008_9c8bade94b4943928185f3f472d21068
- Assessment area: Other
- Review status: Approved
- Priority: High
- Phase: Immediate
- Effort: Medium
- Owner: Directory Services
- Technical status: open

Meaning: AD0 exposes a credential posture weakness that should be treated as a priority domain-controller hardening item.

Recommended action: Review the affected AD0 credential posture evidence, remove unsafe credential material or delegation, then rerun the credential posture rule to confirm the finding is closed.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Quick Wins

Domain Controller – Credential Posture (Local) finding #1 (DC01.example.test)

- Recommendation: rec_1c87fc958ea00906
- Source: Generated
- Overlay: -

- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (ADRODC.example.test)

- Recommendation: rec_b2588cff2db8b12d
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (DC1.example.test)

- Recommendation: rec_5c7229212a39f58c
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Roadmap

Immediate (1)

Domain Controller – Credential Posture (Local) finding #1

- Recommendation: rec_4fe8b88776511543
- Source: AnalystOverlay
- Overlay: ovr_20260411192008_9c8bade94b4943928185f3f472d21068
- Assessment area: Other
- Review status: Approved
- Priority: High
- Phase: Immediate
- Effort: Medium
- Owner: Directory Services
- Technical status: open

Meaning: AD0 exposes a credential posture weakness that should be treated as a priority domain-controller hardening item.

Recommended action: Review the affected AD0 credential posture evidence, remove unsafe credential material or delegation, then rerun the credential posture rule to confirm the finding is closed.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

ShortTerm (3)

Domain Controller – Credential Posture (Local) finding #1 (DC01.example.test)

- Recommendation: rec_1c87fc958ea00906
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (ADRODC.example.test)

- Recommendation: rec_b2588cff2db8b12d
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (DC1.example.test)

- Recommendation: rec_5c7229212a39f58c
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Assessment Areas

Other

- Recommendations: 4
- Critical/High: 4
- Immediate: 1

Domain Controller – Credential Posture (Local) finding #1

- Recommendation: rec_4fe8b88776511543
- Source: AnalystOverlay
- Overlay: ovr_20260411192008_9c8bade94b4943928185f3f472d21068
- Assessment area: Other
- Review status: Approved
- Priority: High
- Phase: Immediate

- Effort: Medium
- Owner: Directory Services
- Technical status: open

Meaning: AD0 exposes a credential posture weakness that should be treated as a priority domain-controller hardening item.

Recommended action: Review the affected AD0 credential posture evidence, remove unsafe credential material or delegation, then rerun the credential posture rule to confirm the finding is closed.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (DC01.example.test)

- Recommendation: rec_1c87fc958ea00906
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	

Delivery Worksheet	Response
Evidence and validation notes	

Domain Controller – Credential Posture (Local) finding #1 (ADRODC.example.test)

- Recommendation: rec_b2588cff2db8b12d
- Source: Generated
- Overlay: -
- Assessment area: Other
- Review status: Reviewed
- Priority: High
- Phase: ShortTerm
- Effort: Small
- Owner: -
- Technical status: open

Meaning: Tier-0 hosts should minimize credential exposure surfaces such as WDigest, LM hash storage, relaxed RDP settings, and saved credentials. Some signals in this rule, especially Credential Guard, can still be environment- or platform-dependent, so findings should be reviewed against the supported baseline rather than treated as blind universal failures.

Recommended action: Enforce hardened credential settings via DC OU baseline policy (WDigest disabled, NoLMHash enabled, NLA required), remove unnecessary saved credentials, and validate Credential Guard deployment strategy only on supported hosts where it fits the operational model.

Impact: Weak credential posture enables credential theft, replay, and lateral-movement paths. Domain controllers deserve strict defaults because they process high-value authentication traffic and are often the first systems attackers target for credential material.

Delivery Worksheet	Response
Auditor notes	
Client response	
Decision	Open / Accepted / Deferred / Risk accepted / Not applicable
Owner and target date	
Evidence and validation notes	

Delivery Sign-Off

Use this table to record who reviewed the delivery package and the agreed next action.

Role	Name	Decision	Date	Notes
Lead auditor				
Client owner				
Technical owner				
Risk owner				