SPECIFIC REGULATIONS FOR PREPARING FINAL DESIGN REPORTS USING LaTeX

I. REPORT STRUCTURE

Required order of the report

The Final Design report shall be prepared using the official LaTeX template provided by the Department. Students shall not modify the document structure, page layout, heading styles, numbering system, or other predefined formatting settings unless approved by the supervisor.

The report shall be arranged in the following order:

1. Outer cover page;
2. Inner cover page;
3. Final Design Assignment Form;
4. Supervisor's Evaluation Form;
5. Acknowledgements (if applicable);
6. Table of Contents;
7. List of Symbols and Abbreviations (if applicable);
8. List of Figures;
9. List of Tables;
10. Abstract;
11. Main chapters of the Final Design;
12. Conclusions and Recommendations;
13. References;
14. Appendices (if applicable).

The preliminary pages shall not be numbered as chapters. The main content shall be organized into consecutively numbered chapters, beginning with Chapter 1.

What belongs in each part

The outer and inner covers identify the student, project, supervisor, program, and academic year. Official assignment and evaluation forms shall be completed using the forms supplied by the Department. The abstract briefly states the problem, approach, principal results, and conclusion; it is not a second introduction. The conclusion should answer the stated objectives, while recommendations should identify reasonable next steps or limitations.

Example. A typical technical report may use the following chapter sequence: project background and objectives; theoretical foundation and related work; design or methodology; implementation and results; discussion; and conclusions and recommendations. Adapt the chapter titles and sequence to the assigned project rather than copying this outline mechanically.

II. CONTENT OF THE FINAL DESIGN

- The report shall contain only information directly related to the assigned project topic.
- The content shall demonstrate the student's own work, understanding, analysis, design, calculation, simulation, implementation, and evaluation as appropriate to the project.
- Information obtained from books, journal papers, conference papers, standards, websites, technical documents, or other sources must be properly cited.
- Chapters, sections, and subsections shall be generated automatically using the standard LaTeX commands:

```
\chapter{...}
\section{...}
\subsection{...}
```

- Chapter, section, and subsection numbers shall not be manually entered.
- The recommended hierarchy is Chapter – Section – Subsection. Excessive subdivision of the report should be avoided.
- Unless otherwise specified by the Faculty or supervisor, the main report should normally contain between 30 and 80 pages, excluding large appendices.

Write for a technical reader

Introduce a problem before presenting its solution. Define the objective, assumptions, method, evidence, and interpretation so a reader can follow how the results support the conclusions. Distinguish measured or simulated results from estimates, and state important limitations. Do not use a figure, table, or equation as a substitute for explaining its meaning in the surrounding text.

Example. Instead of writing only "The result is shown below," identify the result and explain its significance: "`Figure~\ref{fig:response}` shows that the settling time decreases after the controller is updated; this supports the design objective stated in `Section~\ref{sec:objectives}`."

III. PAGE LAYOUT AND TEXT FORMATTING

The report shall be formatted on A4 paper and printed on one side of each sheet. The page margins shall be:

Left margin:	3.5 cm
Right margin:	2.0 cm
Top margin:	2.5 cm
Bottom margin:	2.5 cm

The main text shall use a font size of 13 pt with 1.3-line spacing. A Times New Roman or equivalent Times-family typeface shall be used.

The text shall be fully justified. Students shall not use repeated spaces, manual line breaks, or repeated blank lines to position text.

Page layout and general formatting shall be controlled by the official template. Students shall not manually alter margins, font sizes, line spacing, heading spacing, or paragraph formatting for individual pages.

Practical formatting rules

Use the template's paragraph and heading commands; do not align text with repeated spaces or force page breaks merely to make a page look full. Keep the supplied A4 paper size, 13 pt body text, 1.3 line spacing,

Times-family typeface, and margins (left 3.5 cm, right 2.0 cm, top and bottom 2.5 cm). These values describe the required output; students should not recreate them with local formatting commands. Use italic, bold, and quotation marks sparingly and consistently.

Example. Put emphasis in the source with a semantic command such as `\emph{important term}`, not with manual spacing or a series of font-size changes. Let LaTeX wrap paragraphs and place floating figures and tables.

IV. CHAPTERS, SECTIONS, AND SUBSECTIONS

- Chapter titles shall be generated using:

  ```
  \chapter{Chapter Title}
  ```

- Section titles shall be generated using:

  ```
  \section{Section Title}
  ```

- Subsection titles shall be generated using:

  ```
  \subsection{Subsection Title}
  ```

- Numbers such as Chapter 1, 1.1, 1.1.1, etc. shall be generated automatically by LaTeX.
- Students shall not manually reproduce heading styles using commands such as `\textbf`, `\fontsize`, or `\centering` instead of the appropriate structural command.

Choose a clear hierarchy

Use a chapter for a major stage or subject in the report, a section for a coherent topic within that chapter, and a subsection for a necessary component of that topic. A heading should describe the content that follows it. Avoid a heading followed immediately by another heading with no explanatory text, and avoid creating a subsection when it would contain only one short sentence.

Example. The template generates headings such as “3”, “3.1”, and “3.1.1” automatically. Write only the title in the command; never type the number yourself.

V. PAGE NUMBERING

Cover pages and official forms at the beginning of the report shall not display page numbers.

The main body of the report shall use Arabic page numbers beginning from Chapter 1.

Page numbers shall be generated automatically by LaTeX. Students shall not manually enter page numbers.

VI. TABLE OF CONTENTS AND LISTS

The Table of Contents shall be generated automatically using:

```
\tableofcontents
```

The List of Figures shall be generated using:

```
\listoffigures
```

The List of Tables shall be generated using:

```
\listoftables
```

Students shall not manually create or edit page numbers in the Table of Contents, List of Figures, or List of Tables.

The document shall be compiled sufficiently to ensure that all page numbers, references, and lists are correctly updated.

Keep captions informative

Every listed figure and table needs a concise caption that makes its subject clear. Use the optional short caption when the full caption is too long for the List of Figures or List of Tables:

```
\caption[Short list entry]{Full caption with context and details}
```


Do not edit generated list files or type page numbers by hand.

VII. FIGURES, DIAGRAMS, AND GRAPHS

- Figures shall be clear, legible, and directly relevant to the report content.
- Figures shall be inserted using the standard `figure` environment.
- Figure captions shall be placed below the figure.
- Figures shall be numbered automatically according to the numbering system defined in the template.
- Each figure that is referenced in the text shall be assigned a unique label.

Example:

Example. Rendered output:



Example image: Faculty emblem


Source code to place an image as a numbered figure:

```
\begin{figure}[H]
    \centering
    \includegraphics[width=0.28\textwidth]{figures/fit.jpg}
    \caption{University emblem}
    \label{fig:university-emblem}
\end{figure}
```

Two figures side by side

When two related figures should be compared, place them in adjacent minipages. Use short labels below the images and one caption for the combined figure. Keep each image large enough to read and explain the comparison in the text.

Example. Rendered output:



(a) Faculty emblem



(b) University emblem

Example pair: two related images aligned in one figure


Source code for the rendered pair:

```
\begin{figure}[H]
    \centering
    \begin{minipage}{0.48\textwidth}
        \centering
        \includegraphics[width=\linewidth]{figures/fit.jpg}
        \par\smallskip (a) University emblem
    \end{minipage}\hfill
    \begin{minipage}{0.48\textwidth}
        \centering
        \includegraphics[width=\linewidth]{figures/tnut.jpg}
        \par\smallskip (b) Faculty emblem
    \end{minipage}
    \caption{Comparison of two related institutional emblems}
    \label{fig:emblem-comparison}
\end{figure}
```

Wide or full-page figures

For a figure that needs nearly the full text area, use a width no greater than `\textwidth`. If a detailed drawing cannot be read at that size, place it on a dedicated page or in an appendix rather than shrinking it until labels are illegible. Follow the template's orientation and page-layout rules; do not rotate or change page dimensions without approval.

Example. Full-page visual example:



Example: a figure given a dedicated page

Source code for a wide figure placed on a float page:

```
\begin{figure}[p]
    \centering
    \includegraphics[width=\textwidth,height=0.68\textheight,
                     keepaspectratio]{figures/fit.jpg}
    \caption{University emblem shown as a full-page figure example}
    \label{fig:full-system}
\end{figure}
```

Image quality and attribution

Prefer vector output (PDF) for diagrams and plots. For photographs, use a sufficiently high-resolution raster image (such as PNG or JPEG). Check that axes, units, legends, and labels remain readable in the compiled PDF. Cite the source in the caption or nearby text when a figure is reproduced or adapted.

Figures shall be referenced in the text using:

```
Figure~\ref{fig:system-model}
```

Students shall not manually type figure numbers.

Figures reproduced or adapted from other sources shall include an appropriate citation.

Whenever possible, vector graphics or high-resolution images should be used. Low-quality screenshots should be avoided.

VIII. TABLES

Tables shall be prepared using appropriate LaTeX environments such as `table`, `tabular`, `tabularx`, or `longtable`.

Table captions shall be placed above the table.

Example:

Example. Rendered output:

System parameters

Parameter	Symbol	Value
Resistance	R	$0.7\,\Omega$
Inductance	L	$2.72\,\mathrm{mH}$

Source code that creates the table above:

```
\begin{table}[H]
    \centering
    \caption{System parameters}
    \label{tab:system-parameters}

    \begin{tabular}{ccc}
        \hline
        Parameter & Symbol & Value \\
        \hline
        Resistance & $R$ & 0.7 $\Omega$ \\
```

```
        Inductance & $L$ & 2.72 mH \\
        \hline
    \end{tabular}
\end{table}
```

Short tables

Use a normal `table` float for a table that fits on one page. Keep column headings concise, use consistent units, and avoid unnecessary vertical rules. The template may provide packages such as `booktabs` or `tabularx`; use only commands supported by its preamble.

Long tables spanning pages

Use `longtable` when a table genuinely spans multiple pages. It continues across pages and is not placed inside a `table` float. Repeat the heading row so readers can identify columns on each page.

Example. Rendered output (the repeated heading appears when the table continues onto the next page):

Example: measurements across multiple tests

Test	Condition	Value
01	Nominal load	12.4
02	Nominal load	12.7
03	Low input	11.9
04	Low input	12.0
05	High input	13.1
06	High input	13.0
07	Nominal load	12.5
08	Nominal load	12.6
09	Low input	11.8
10	Low input	11.9
11	High input	13.2
12	High input	13.1
13	Nominal load	12.4
14	Nominal load	12.5
15	Low input	11.7
16	Low input	11.9
17	High input	13.0
18	High input	13.2
19	Nominal load	12.6
20	Nominal load	12.5
21	Low input	11.8
22	Low input	11.9
23	High input	13.1
24	High input	13.2
25	Nominal load	12.4
26	Nominal load	12.6
27	Low input	11.8

Example: measurements (continued)

Test	Condition	Value
28	Low input	11.9
29	High input	13.1
30	High input	13.0
31	Nominal load	12.5
32	Nominal load	12.7
33	Low input	11.7
34	Low input	12.0
35	High input	13.2
36	High input	13.1
37	Nominal load	12.4
38	Nominal load	12.5
39	Low input	11.8
40	Low input	11.9
41	High input	13.0
42	High input	13.2
43	Nominal load	12.5
44	Nominal load	12.6
45	Low input	11.9
46	Low input	11.8
47	High input	13.1
48	High input	13.2

Source code for a multi-page table:

```
\begin{longtable}{|c|l|r|}
\caption{Measurements across multiple tests}\label{tab:measurements}\\
\hline
\textbf{Test} & \textbf{Condition} & \textbf{Value} \\
\hline
\endfirsthead
\multicolumn{3}{l}{\textit{Measurements (continued)}}\\
\hline
\textbf{Test} & \textbf{Condition} & \textbf{Value} \\
\hline
\endhead
01 & Nominal load & 12.4 \\
02 & Nominal load & 12.7 \\
% Continue the remaining rows in the same format. The headings
% between \endfirsthead and \endhead repeat on subsequent pages.
\end{longtable}
```

Wide tables

First shorten headings, wrap text, or use a template-supported column type. If the table still exceeds the

text width, use the provided `adjustbox` package to constrain it to the page's text area; do not reduce it below a readable size. A landscape page or appendix should be considered for exceptionally wide data.

Example. Rendered output (the table is constrained to the text width so it stays within the page margins):

Comparison of system configurations

Config.	Vin (V)	I (A)	n (rpm)	T (N m)	eta (%)
Baseline	220	1.8	1450	2.4	82
Revised controller	220	1.6	1500	2.6	87
Reduced voltage	200	1.7	1370	2.3	84

Source code for the wide table:

```
\begin{table}[H]
    \centering
    \caption{Wide comparison of system configurations}
    \label{tab:wide-comparison}
    \begin{adjustbox}{max width=\textwidth}
        \begin{tabular}{lrrrrr}
            \hline
            Config. & Vin (V) & I (A) & n (rpm) & T (N m) & eta (\%) \\
            \hline
            Baseline & 220 & 1.8 & 1450 & 2.4 & 82 \\
            Revised controller & 220 & 1.6 & 1500 & 2.6 & 87 \\
            Reduced voltage & 200 & 1.7 & 1370 & 2.3 & 84 \\
            \hline
        \end{tabular}
    \end{adjustbox}
\end{table}
```

Never use a screenshot of a table when the data can be typeset. If a table is adapted from another source, cite that source.

Tables shall be referenced using:

```
Table~\ref{tab:system-parameters}
```

Students shall not manually enter table numbers.

Tables should be created directly in LaTeX rather than inserted as screenshots whenever practicable.

IX. EQUATIONS AND MATHEMATICAL EXPRESSIONS

Mathematical expressions shall be typeset directly using LaTeX. Images or screenshots of equations shall not be used.

Short mathematical expressions appearing within a sentence shall use inline mathematical mode.

Example. Rendered inline expression: the resistance is $R = 0.7\,\Omega$.

Source code:

```
$R = 0.7\,\Omega$
```

Important equations shall be placed in a numbered equation environment.

Example. Rendered display equation:

$$J\frac{d\omega}{dt} = T_e - T_L - B\omega$$

The display above is unnumbered for illustration. In the report, use the numbered form below when the equation will be referenced:

```
\begin{equation}
    J\frac{d\omega}{dt}
    = T_e - T_L - B\omega
    \label{eq:mechanical-model}
\end{equation}
```

Equations shall be referenced using:

```
Equation~\eqref{eq:mechanical-model}
```

Equation numbers shall not be manually entered.

Mathematical notation shall be consistent throughout the entire report.

Explain equations and define variables

Introduce an equation in the text, define each new symbol at first use, and state assumptions and units where relevant. Use punctuation as part of the sentence containing the equation. Do not insert an equation image or manually type its number.

Example. After the equation, explain what the variables represent and how the expression is used in the analysis. A numbered equation is appropriate when it is referenced later; a short expression used once can remain inline.

X. SYMBOLS, UNITS, AND ABBREVIATIONS

- SI units shall be used wherever applicable.
- Symbols and units shall be written consistently throughout the report.
- The `siunitx` package should be used for physical quantities and units where appropriate.

Example. Rendered quantities and their units:

Supply voltage: $220\,\mathrm{V}$

Inductance: $2.72\,\mathrm{mH}$

Angular speed: $450\,\mathrm{rad/s}$

Source code for the quantities above:

```
\SI{220}{\volt}
\SI{2.72}{\milli\henry}
\SI{450}{\radian\per\second}
```

Rendered symbol-list example:

Symbol	Meaning	Unit
R	Resistance	Ω
L	Inductance	H
ω	Angular speed	rad/s

Source code for the symbol list:

```
\begin{tabular}{|c|l|c|}
    \hline
    Symbol & Meaning & Unit \\
    \hline
    $R$ & Resistance & $\si{\ohm}$ \\
    $L$ & Inductance & $\si{\henry}$ \\
    $\omega$ & Angular speed & $\si{\radian\per\second}$ \\
    \hline
\end{tabular}
```

Rendered abbreviation example: “The proportional-integral (PI) controller is evaluated first. The PI controller is then compared with the reference design.” Define an abbreviation at first use, then use it consistently.

Source text:

```
The proportional-integral (PI) controller is evaluated first.
The PI controller is then compared with the reference design.
```

Symbols and abbreviations frequently used in the report shall be included in the List of Symbols and Abbreviations.

Each abbreviation should normally be defined when it first appears in the text.

Use symbols consistently

Use italic Latin or Greek symbols for variable quantities and upright SI unit symbols. Leave a proper space between a number and its unit; do not pluralize or add a full stop to unit symbols. Keep a symbol’s meaning consistent across chapters and include frequently used symbols in the corresponding list.

Example. The `siunitx` commands keep number and unit spacing consistent. For example:

```
\SI{5}{\kilo\ohm}
```

This is preferable to manually typing inconsistent spacing or spelling unit symbols as words.

XI. SOURCE CODE

Source code that is necessary for explaining an algorithm, controller, simulation, or implementation may be included in the main report.

The `listings` environment, or another environment defined by the official template, shall be used.

Example:

```
\begin{lstlisting}[language=Matlab]
A = [-R/L 0;
      0  -R/L];

K = hinfsyn(P,nmeas,ncont);
\end{lstlisting}
```

Long source-code listings that are not essential to the immediate discussion should be placed in the appendices.

Source code should not normally be inserted as screenshots.

XII. CROSS-REFERENCING

Chapters, sections, figures, tables, equations, and other numbered elements shall be cross-referenced using the standard LaTeX mechanism.

The following commands shall be used where appropriate:

```
\label{...}
\ref{...}
\eqref{...}
```

For example:

```
As shown in \verb|Figure~\ref{fig:response}|, ...
```

Students shall not manually type a reference number such as "Figure 3.2" when the number can be generated automatically.

Cross-referencing ensures that all numbers remain correct when figures, tables, equations, or sections are added or removed.

What cross-references look like

After compilation, a sentence with cross-references may appear as follows:

> Figure 2.3 shows the measured response. The test conditions are listed in Table 2.1, and the model is defined by Equation (2.4).

The numbers above are illustrative. In the report, labels and cross-reference commands generate the actual numbers and update them when content is moved or added.

Source code for the sentence above:

```
Figure~\ref{fig:response} shows the measured response. The test
conditions are listed in Table~\ref{tab:conditions}, and the model
is defined by Equation~\eqref{eq:model}.
```

Place each `\label` after the command that creates its number, usually immediately after `\caption` for figures and tables. Use descriptive, unique prefixes such as `ch:`, `sec:`, `fig:`, `tab:`, and `eq:` to make labels easy to maintain. Compile again when LaTeX reports that references changed.

XIII. REFERENCES AND CITATIONS

All sources used in preparing the Final Design shall be properly cited.

References shall be managed using the bibliography system provided with the official template. Bibliographic information shall normally be stored in the file:

```
References.bib
```

A reference may be cited in the text using:

```
\cite{reference-key}
```

Students shall not manually enter reference numbers such as “[1]”, “[2]”, etc.

Bibliographic entries shall contain sufficient information to identify the original source.

What a citation looks like in the text

The exact punctuation depends on the bibliography style. In a numeric style, a citation may appear as follows:

> The proposed method follows an established design approach [1].

The bracketed number above is a visual example of the rendered result; do not type it manually. Let the citation command and bibliography style generate the number:

```
The proposed method follows an established design approach
\cite{author2024example}.
```

What a reference-list entry looks like

In a numeric bibliography style, an article entry may render like this:

> [1] A. Author and B. Writer, “Title of the Research Article,” *Journal Name*, vol. 12, no. 3, pp. 100–110, 2024.

This is a visual example; the selected bibliography style controls punctuation, ordering, and formatting. Store the source details in `References.bib` and let BibTeX generate the final reference list.

Titles of books, journal articles, conference papers, standards, and other publications in foreign languages shall be retained in their original language and shall not be translated solely for the reference list.

All ideas, data, figures, tables, equations, algorithms, or results obtained from another source shall be appropriately acknowledged.

Maintain the bibliography database

Use a stable citation key and provide enough metadata for a reader to locate the source. A BibTeX entry can be organized as follows; adapt the entry type and fields to the actual publication and to the bibliography style supplied by the template.

```
@article{author2024example,
  author  = {Author, First and Writer, Second},
  title   = {Title of the Research Article},
  journal = {Journal Name},
  year    = {2024},
  volume  = {12},
  number  = {3},
  pages   = {100--110},
  doi     = {10.xxxx/example}
}
```

Use the key in the text, for example `\cite{author2024example}`. Verify that every citation has a matching bibliography entry and that every listed item is actually cited where required by the chosen bibliography style. Follow the department’s citation requirements if they specify a different style.

XIV. APPENDICES

Supporting material that is useful but too extensive for the main body of the report should be placed in the appendices.

Appendices may include:

- complete source code;
- detailed calculation sheets;
- large data tables;
- technical drawings;
- additional simulation results;
- equipment specifications;
- supplementary design documents.

Appendices shall be created using the appendix environment defined in the official template.

Example:

```
\begin{appendices}

\chapter{MATLAB SOURCE CODE}

...

\chapter{SYSTEM PARAMETERS}

...

\end{appendices}
```

Verbatim: preserve text exactly

The `verbatim` environment prints its contents literally. It is useful for short terminal output, configuration text, or source fragments where LaTeX commands should not be interpreted.

Rendered output:

```
controller: enabled
sampling time: 0.01 s
status: verified
```

Source structure: `\begin{verbatim}`, the literal lines, then `\end{verbatim}`. Avoid placing long code listings in this environment when syntax highlighting or line wrapping is needed.

Listings: display source code with formatting

Use `lstlisting` for program code. The template configures its font, line numbers, frame, and line breaking. Choose a language recognized by the template or use the language definition provided for the project.

Rendered MATLAB listing:

```
gain = 2.5;
output = gain * input;
fprintf('Output: %.2f\n', output);
```

Source code that produces the listing:

```
\begin{lstlisting}[language=Matlab]
gain = 2.5;
output = gain * input;
fprintf('Output: %.2f\n', output);
\end{lstlisting}
```

For extensive code, include the listing in an appendix or a separate source file as supported by the template. Do not use a screenshot of code when selectable, searchable text can be provided.

Appendix titles and numbering shall not be manually entered.

XV. LaTeX PROJECT ORGANIZATION

Students shall use the official LaTeX template provided by the Faculty.

The main formatting commands contained in the document preamble shall not be modified unless approval is obtained from the supervisor.

A recommended project structure is:

```
FinalDesign/
|
|-- main.tex
|-- References.bib
|
|-- figures/
|   |-- figure01.pdf
|   |-- figure02.png
|   `-- ...
|
|-- chapters/
|   |-- chapter1.tex
|   |-- chapter2.tex
|   `-- ...
|
`-- appendix/
    `-- ...
```

File and folder names should preferably contain Latin letters, numbers, hyphens, or underscores.

Spaces, Vietnamese diacritics, and unnecessary special characters in file names should be avoided where possible.

Recommended examples include:

```
motor_model.pdf
```

```
chapter_01.tex
simulation_result.png
```

Keep every referenced image and included chapter file inside the submitted project. Check filename capitalization: some systems treat `Figure01.png` and `figure01.png` as different files.

XVI. DOCUMENT COMPILATION AND FINAL CHECK

Before submission, the complete LaTeX project shall compile successfully and produce the final PDF report.

The final document shall not contain unresolved references such as:

```
??
[?]
```

Before generating the final PDF, students shall check:

- the Table of Contents;
- page numbering;
- chapter and section numbering;
- figure numbering;
- table numbering;
- equation numbering;
- cross-references;
- citations;
- bibliography;
- appendices;
- font display;
- mathematical symbols;
- image quality.

The document may be compiled using TeX Live, MiKTeX, or another compatible LaTeX environment. Regardless of the compilation environment, the resulting PDF shall conform to the official Department template. Students are not allowed to use Overleaf or other online LaTeX editors to protect the knowledge and intellectual property of the project.

XVII. SUBMISSION REQUIREMENTS

The printed report shall satisfy the following requirements:

- A4 paper;
- single-sided printing;
- one bound copy, unless otherwise specified;
- soft cover;

- formatting in accordance with the official template.

The electronic submission should include:

- the final PDF report;
- the complete LaTeX source files;
- the `References.bib` file;
- all figures and graphics;
- all additional files required to compile the document.

The submitted source project shall be complete and capable of being recompiled to produce a PDF corresponding to the submitted report.

XVIII. ELIGIBILITY FOR FINAL DESIGN DEFENSE


A student shall be eligible to defend the Final Design when the following requirements have been satisfied:

1. The Final Design has been completed within the specified period.
2. The report satisfies the academic and technical requirements of the assigned project.
3. The report complies with the official LaTeX template issued by the Faculty.
4. The complete LaTeX source compiles successfully without errors affecting the document content or presentation.
5. The final PDF and required source files have been completed and submitted.
6. All external sources have been appropriately cited and the reference list has been properly generated.
7. The supervisor has approved the student to proceed to the Final Design defense.

Note: Students are responsible for the academic and technical content of the report. The official LaTeX template is responsible for the standardized document formatting. Students should therefore focus on entering and organizing the content correctly rather than manually modifying the predefined formatting parameters.
Note: This section is provided for guidance only and is included in the main document using the command `\input{Regulations.tex}`. Students shall remove or comment out this command before submitting the final report and shall prepare the report content in accordance with the requirements specified in this template.

THAI NGUYEN UNIVERSITY OF TECHNOLOGY
FACULTY OF INTERNATIONAL TRAINING
ENGINEERING AND TECHNOLOGY DEPARTMENT





FINAL DESIGN

Major: . . . . . .

Project Title: . . . . . .

Thai Nguyen - 2026

THAI NGUYEN UNIVERSITY OF TECHNOLOGY
FACULTY OF INTERNATIONAL TRAINING
ENGINEERING AND TECHNOLOGY DEPARTMENT

FINAL DESIGN

Project Title: . . . . . .

Author: . . . . . .

. . . . . .

Class: . . . . . .

Supervisor: . . . . . .

Thai Nguyen - 2026

THAI NGUYEN UNIVERSITY OF TECHNOLOGY

Faculty of International Training

SOCIALIST REPUBLIC OF VIETNAM

Independence – Freedom – Happiness

FINAL DESIGN

COURSE: .....

DEPARTMENT: Engineering and Technology

Student: .....

.....

Class: .....

Major: .....

Assignment date: dd/mm/yyyy

Completion date: dd/mm/yyyy

1. Project title

.....

.....

HEAD OF FACULTY	**VICE HEAD OF DEPARTMENT**	**SUPERVISOR**
(Signature and full name)	*(Signature and full name)*	*(Signature and full name)*

Composition of the committee:

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

……

ACKNOWLEDGEMENTS

TABLE OF CONTENTS

Acknowledgements . . . .

List of Symbols and Abbreviations . . . .

List of Figures . . . .

List of Tables . . . .

Abstract . . . .

CHAPTER 1. Title of Chapter 1 . . . . **1**

1.1 Section 1.1 1

1.1.1 Subsection 1.1.1 1

1.1.2 Subsection 1.1.2 1

1.1.3 Subsection 1

1.2 Section 1.2 1

1.2.1 Subsection 1.2.1 1

1.2.2 Subsection 1.2.2 1

1.2.3 Subsection 1

1.3 Section 1

1.3.1 Subsection 1

1.3.2 Subsection 1

1.3.3 Subsection 1

CHAPTER 2. Title of Chapter 2 . . . . **2**

CHAPTER 3. Title of Chapter 3 . . . . **3**

Bibliography **4**

LIST OF SYMBOLS AND ABBREVIATIONS

(Example of the table of symbols and abbreviations)

No	Symbol / Abbreviation	Unit	Definition
1	AC	-	Alternating Current
2	DC	-	Direct Current
3	V_{dc}	V	Direct Current Voltage
4	R	Ω	Resistance
5	L	H	Inductance
6	ω	rad/s	Angular velocity
7	T_e	N.m	Electromagnetic torque
8	J	kg.m^2	Moment of inertia
9	i	A	Current

List of Figures

List of Tables

ABSTRACT

CHAPTER 1. TITLE OF CHAPTER 1

1.1. Section 1.1

1.1.1. Subsection 1.1.1

1.1.2. Subsection 1.1.2

1.1.3. Subsection ....

1.2. Section 1.2

1.2.1. Subsection 1.2.1

1.2.2. Subsection 1.2.2

1.2.3. Subsection ....

1.3. Section ...

1.3.1. Subsection ...

1.3.2. Subsection ...

1.3.3. Subsection ....

CHAPTER 2. TITLE OF CHAPTER 2

CHAPTER 3. TITLE OF CHAPTER 3

BIBLIOGRAPHY