WATER-BACTERIA PROJECT

Group 1

Alm Robert, Lavdim Imeri, Singh Vipin

REVISION HISTORY

Date	Version	Description	Author
30/03/2022	0.1	Initiating the project artefact. Wrote a draft of Vision and Introduction.	Alm Robert, Lavdim Imeri, Singh Vipin
11/04/2022	0.2	Updating Introduction. Initiating Requirements, Risks and Tests.	Alm Robert, Lavdim Imeri, Singh Vipin
20/04/2022	0.3	Updating Introduction, Requirements, Risks and Tests. Fixing the tables.	Alm Robert, Lavdim Imeri, Singh Vipin

Contents

Vision

(Write shortly what this document includes – as an abstract)

Our vision is to offer a cheap, automatic, safe, and ongoing improved method of analyzing water, using flow cytometry, producing in that way an output that can be used to draw useful conclusions about the safeness or the purity of the water and if it is possible to be used for further research, (other methods of analysis).

As a deeper goal we aim to the possibility to isolate characteristics that can indicate things like hazardless of a bacteria or clear indicators if the water is contaminated or not, to be able to analyze the water faster and more efficiently with a lower computational cost.

Introduction

Water is one of the most essential elements for the preservation of life, the survival of humankind and the development of human civilization. In modern era, while water still can't be considered yet as a something granted for everyone, human civilization is at ongoing effort to make access to water safer, easier, and cheaper. One way to make water safer and cheaper, improving that way the access to water, is by improving the method of analyzing the safeness of the water.

That is a goal of great importance as the access to clean water is one of the major goals of the 2030 Agenda and its 17 Sustainable Development Goals, (SDGs), with SDG 16 being called "Clean Water and Sanitation" and at least other 4 of the 17 SDGs being affected by the availability and access to clean water. For example, the access to clean water is essential to the production of food, thing that calls for SDG 2, (Zero Hunger), and it is an integrated part for the goal to build sustainable cities, a matter that is addressed by SDG 11, (Sustainable Cities and Communities).

A solution to the challenge of analyzing water efficiently comes from a process that is called "Flow Cytometry" and it is a process that contains of a water sample are beamed with a laser beam in order to take measurements from the illuminance and the color that several particles emit due to their fluorescent agents. This methodology was used in the past for the analysis of blood samples but now is introduced to the field of water analysis.

Unsafe Water

Water is essential for economic growth, food and energy production, ecological sustainability, and even human survival. Water is also crucial to climate change adaptation as a vital link between people and the environment.

Freshwater is also a matter of rights. As the world's population rises, the need to balance competing economic demands on water resources develops, ensuring that communities have enough to meet their needs. Women and children, in particular, require clean, private sanitary facilities to handle menstruation and maternity in dignity and safety.

"Ensure availability and sustainable management of water and sanitation for all," says Sustainable Development Goal 6 (SDG 6). The goals involve every area of the water cycle and sanitation systems, and their success will help advance several other SDGs, including health, education, economics, and the environment. Contaminated water and a lack of basic sanitation are jeopardising efforts in the world's poorest countries to overcome severe poverty and disease.

In 2017, 2 billion people worldwide lacked access to basic sanitation like toilets and latrines. Six hundred seventy-three million individuals still practised open defecation. According to the WHO/UNICEF Joint Monitoring Programme for Water Supply and Sanitation, at least 1.2 billion people globally drink water that has not been treated to prevent faecal contamination. Even more drinkable water is distributed through a system that lacks proper sanitary protection.

A primary cause of child mortality is contaminated water and poor sanitation. Inadequate water supply, inadequate sanitation, water polluted with infectious disease agents, and poor hygiene habits are linked to childhood diarrhoea. Diarrhoea is projected to kill 1.5 million children each year, most of whom are under the age of five and live in underdeveloped nations.

When dangerous substances—often chemicals or microorganisms—contaminate a stream, river, lake, ocean, aquifer, or other body of water, the water quality deteriorates, and the water becomes toxic to humans or the environment.

Water is very susceptible to pollution. Water, also known as a "universal solvent," can dissolve more chemicals than any other liquid. We have Kool-Aid and vivid blue waterfalls because of it. It's also the reason why water is so easily contaminated. Toxic compounds from farms, cities, and factories quickly dissolve and combine with it, polluting the water.

What Are the Effects of Water Pollution?

In terms of human health

To put it clearly, contamination of water kills. According to research published in The Lancet in 2015, it was responsible for 1.8 million fatalities. Water that has been contaminated can also make you sick. Every year, nearly 1 billion people become ill due to contaminated water. Low-income groups are particularly vulnerable because their dwellings are frequently located near polluting enterprises.

Concerning the environment

Healthy ecosystems rely on a complex web of animals, plants, microbes, and fungus to exist, interacting with one another, either directly or indirectly. Any harm to these organisms can set off a chain reaction that puts entire aquatic ecosystems at risk.

Flow cytometry

Flow cytometry is a technique for detecting and quantifying the physical and chemical properties of a population of cells or particles. A sample, including particles, is suspended in a fluid and injected into a flow cytometer equipment during this procedure. The flow cytometry method is used for identifying to assessing peripheral blood, bone marrow, and other bodily fluids in solution.

A flow cytometer is comparable to a microscope, except instead of creating a picture of the cell, it provides high-throughput, automated quantification of specified optical characteristics on a cell-by-cell basis. A single-cell suspension must first be created before solid tissue analysis can begin.

Process of flow cytometry

A cell or particle sample is suspended in a fluid and injected into a flow cytometer equipment.

The sample is concentrated such that it flows through a laser beam one cell at a time, with the light dispersed being unique to the cells and their components.

Fluorescent markers are frequently used to label cells, causing light to be absorbed and subsequently released in a spectrum of wavelengths.

Thousands of cells may be analyzed fast, and the information acquired is processed by a computer.

A flow cytometer is comprised of five key aspects:

1. Flow cell
2. Measurement system
3. Detector
4. Amplification system,
5. Computer for signal processing.

A liquid stream (sheath fluid) runs through the flow cell, carrying and aligning the cells such that they pass a single file through the light beam for sensing.

Measurement of impedance (or conductivity) and optical systems are often used in the measuring system. - mercury and xenon lamps; high-power water-cooled lasers (argon, krypton, dye laser); low-power air-cooled lasers (argon (488 nm), red-HeNe (633 nm), green-HeNe, HeCd (UV)); diode lasers (blue, green, red, violet).

Analog measurements of forward-scattered light (FSC) and side-scattered light (SSC), as well as dye-specific fluorescence signals, are converted into digital signals by the detector and analogue-to-digital conversion (ADC) system. A linear or logarithmic amplification mechanism can be used.

The word "acquisition" refers to gathering data from samples using a flow cytometer. A computer physically linked to the flow cytometer and software that handles the digital interface with the cytometer is used to facilitate the acquisition.

The program may alter settings for the sample being tested (e.g., voltage, compensation) and show initial sample information while obtaining data to check that parameters are set appropriately. Flow cytometers were first considered experimental equipment, but

technological advancements have allowed them to be widely used for therapeutic and scientific objectives.

As a result of these discoveries, a sizable industry for instruments, analytic software, and acquisition reagents such as fluorescently tagged antibodies has emerged.

Requirements

Requirement items	Priority
R1. User registration: Register new user to the system.	Essential
R2. User login: Log the user into the system.	Essential
R3. Admin login: Log the admin into the system.	Essential
R4. Upload FCS files in batch mode.	Essential
R5. Visualize the pre-processed results through web application.	Desirable
R6. Filter out the noise in the FCS files.	Essential
R7. Store pre-processed data in cloud database.	Essential
R8. Analysing the fcs files at the server and parse .FCS to .CSV.	Essential
R9. Clustering the data by using different clustering methods.	Essential
R10. Providing a Report of the session.	Desirable
R11. Full CRUD on Users, (and Admins)	Essential
R12. Full CRUD on FCS files	Essential
R13. Full CRUD on Reports	Desirable

Requirement 1. User registration: Register new user to the system.

Description: A new User shall be able to register to the system. Logically they will be 2 different types of registration. The one that is made by the users themselves for themselves, and a

secondary that is applicable from the panel of the admin, (as a "Create a User" action). When the registration happens through the admin panel, the admin can give the Admin property to the user with the privileges that an Admin has. This Requirement is described by Requirement 11 as well.

Requirement 2. User login: Log the user into the system.
Description: The User shall be able to log in to the system. It is the act when the user, (or the admin), provides the correct credentials to the system and gains access to the system. The login credentials are expected to be the email and the password that the user has defined for their account.

Requirement 3. Admin login: Log the admin into the system.
Description: The Admin shall be able to log in to the system. It is the act when the admin, (admins are users with more privileges), provides the correct credentials to the system and gains access to the system. The login credentials are expected to be the email and the password that the user has defined for their account.

Requirement 4. Upload FCS files in batch mode.
Description: FCS files shall be uploaded from the user interface to a Google Storage Service. In this process the user chooses the files that needs to be uploaded. While uploading, a status bar will show the progress of upload for each file.

Requirement 5. Visualize the pre-processed results through web application.
Description: The User should be able to choose the file that needs to be shown. A scatter plot will show the cells in the sample using two values FL1-A, Fl2-A as the two coordinates.

Requirement 6. Filter out the noise in the FCS files.
Description: The FCS files' data shall be filtered to clear possible noise from them. The uploaded by the user data is expected to contain unnecessary information and impurities that can affect the results of the analysis. A user defined gating process will be used define the useful data and omit the data that does not contribute to the analysis.

Requirement 7. Store pre-processed data in cloud database.
Description: The pre-processed data shall be stored to a cloud database. The collected and filtered data, is useful to be stored into a database so it will be available for processing or analysis. Understandably the data on the database needs to be mapped with the corresponding FCS file.

Requirement 8. Analyzing the fcs files at the server and parse .FCS to .CSV.
Description: It is necessary for our system and for any further analysis to have a conversion from FCS to CSV especially when the data is processed and analyzed properly.

Requirement 9. Clustering the data by using different clustering methods.
Description: Clustering is an important analysis tool that our system wish to utilize. To make the system more effective, the use should have the option to select between different clustering algorithms.

Requirement 10. Providing a written report of the session.
Description: The user should have the analyzed data in a human readable report, so the system is should be able to deliver a structured documentation of the analysis and its results.

Requirement 11. Full CRUD on Users.
Description: The system shall be able to Create, Read, Update and Delete the Users and the Admins of the System, through the admin panel.

Requirement 12. Full CRUD on FCS files.
Description: The system shall be able to Create, Read, Update and Delete the FCS files of the System, through the user dashboard and the admin panel.

Requirement 13. Full CRUD on Users.
Description: The system should be able to Create, Read, Update and Delete the reports of the System, through the user dashboard and the admin panel.

Supplementary Requirements

Supplementary requirements	Priority
SR1. Availability	**Essential**
SR2. Robustness	**Essential**
SR3. Graciousness	**Desirable**
SR4. Scalability	**Essential**
SR5. User Friendliness	**Desirable**
SR6. Efficiency	**Essential**

Supplementary Requirement 1. Availability
Description: The system shall be available to the users 24/7.

Supplementary Requirement 2. Robustness
Description: The code shall be well written and documented with as few bugs or errors as possible.

Supplementary Requirement 3. Graciousness
Description: The system should have a smooth progress without sudden activity spikes or unexplained behavior.

Supplementary Requirement 4. Scalability
Description: The system shall be able to handle large amounts of workload.

Supplementary Requirement 5. User Friendliness
Description: The user interface should be intuitive and easy to use.

Supplementary Requirement 6. Efficiency
Description: The system shall perform as efficiently as possible and to consume as less resources as possible.

Risks

Risk items	Priority
R1. Excessive Workload	High
R2. Compromised Personal Productivity	High
R3. Git Related Issues	High
R4. New Technologies	High
R5. External Factors	High
R6. Third Party Services	High
R7. Bugs and Vulnerabilities	High
R8. Compromised Performance	High

Risk 1. Excessive Workload

Description: Even if we are confident that we can proceed to the completion of the project without difficulties, it is clear to us that it is a complicated project that requires high standards of quality, and a lot of effort. The possibility of assign to ourselves too many tasks and an amount of workload that we can't deliver, it is a factor that we should be very aware of.

Mitigation Strategy: we need to be aware about the size of workload, and how long time it will take us to complete each task

Risk 2. Compromised Personal Productivity

Description: We are really confident that everyone in the team will do their very best while working on the project, but we should always be aware of the unforeseen factors that can affect someone's productivity, like sickness, personal life problems, exhaustion, external factors, etc.

Mitigation Strategy: Each task should involve the three of us, with one of us doing the task the two serving as consultants. That tactic increases our knowledge pool, and ensures that if someone of us is unable to complete the task, someone else will jump and take over from the spot the other person stopped.

Risk 3. Git Related Issues

Description: Git is an important part of our programming culture, and we are highly trained on the use of Git/GitHub, but factors like, external promoted strategies, third party integrations, and

the typical "human mistake" factor can lead to conflicts, that are not going to compromise our project but they are capable to delay us, sometimes even for days.

Mitigation Strategy: Ownership of our own strategy, even if our strategy will have to conform to other strategies. We have the be the rulers of our repositories at all times.

Risk 4. New Technologies
Description: New technologies is a common point of failure, as we are not fully educated them about them, we are not fully aware of all the issues that may be hidden behind the new technology, and of course there is a whole set of unforeseen factor behind each new technology.

Mitigation Strategy: Avoid new technologies. Study extensively the documentation behind each new technology that we tend to use.

Risk 5. External Factors
Description: From Dramatic global events, like pandemics or wars to more subtle events like incosistencies on the past research or change of the requirements, can affect our project in various ways.

Mitigation Strategy: A good documentation and good cooperation between the team members can assure that whatever happens the team will be consistent towards the completion of the project.

Risk 6. Third Party Services
Description: Depedency on third party products or services is always something negative because of the depedency to their contribution. If a third party service change or cease to exist, it is expected that they will not take into consideration the needs of our project.

Mitigation Strategy: Avoidance of third party services if possible. Usage of the most reliable third part services. Study throughly the documentation of the use third party services, (or products).

Risk 7. Bugs and Vulnerabilities
Description: Software Bugs can compromise the performance of a system dramatically or even damage the system and its reliability. System vulnerabilities, when not detected or fixed can compromize the security of the system.

Mitigation Strategy: Extensive Testing, andlysis of the results, patching, and of course peer review.

Risk 8. Compromised Performance
Description: There are many reasons why a performance of a system is compromized. Sometimes it can be a software bug, a badly designed component of the system, faulty hardware, or simply inadquate design.

Mitigation Strategy: The understanding of the reasons why systems perform badly sometimes can help us having ways to mitigate the issue. Access to several experts and various technical support services can mitigate this risk drastically. Algorithmic analysis and data structures need to be taken into serious consideration as they are usually the number one reason for bad perfomance.

Design

Design items	Priority
D1. Front-End	**Essential**
D2. Back-End	**Essential**
D3. File Storage	**Essential**
D4. Database	**Essential**

The basic design idea
Text

Design Item 1. Front-End
Description: It is clear that the front end will be On React.js Instance, and a special attention will be given to the responsive design, possibly with the use of responsive design.

Design Item 2. Back-End
Description: Back End is expected to be A Python instance with utilization of the Django Framework, in order to be able to serve as a standalone backend server with the ability to receive, process and return large amounts of data in different forms.

It is expected that the Python instance will be formatted inside a GitHub repository, so it will be able to be cloned inside a VM, (Linux probably), and with the support of Server Software that is not specified yet.

Design Item 3. File Storage

Description: While, for the file storage, we will not have to implement a special instance, The google cloud storage instance has to be set up correctly, and 2 different interfaces, (backend and frontend), will have to have specific functionality implemented to be able to communicate and interact with the google cloud storage image.

Design Item 4. Database

Description: Database has to have 2 different functionalities, namely the storage of the processed data, and the storage of user credentials. Because the different functionalities have different requirements for reliability and performance, the use of two different databases may be recommended. The Database component need to have interface on both front- and backend.

Features

Features	Parent Requirement	Implementation
F1. User Registration	R1, R11	**Not Implemented**
F2. User Login	R2	**Not Implemented**
F3. Admin Login	R3	**Not Implemented**
F4. Upload FCS files, (in batch mode)	R4, R12	**Not Implemented**
F5. FCA Result Visualization	R5	**Not Implemented**
F6. Noise Filtering from the FCS data	R6	**Not Implemented**
F7. Store preprocessed Data to Cloud Database	R7	**Not Implemented**
F8. FCS file analysis	R8	**Not Implemented**
F9. FCS to CSV parsing	R8	**Not Implemented**
F10. Clustering of the preprocessed data	R9	**Not Implemented**
F11. Generating a report object	R10, R13	**Not Implemented**

F12. Create User	R1, R11	**Not Implemented**
F13. Read, (Display), the Users	R11	**Not Implemented**
F14. Update, (Edit), a User.	R11	**Not Implemented**
F15. Delete a User.	R11	**Not Implemented**
F16. Read, (Display), The FCS files.	R12	**Not Implemented**
F17. Rename a FCS file.	R12	**Not Implemented**
F18. Delete an FCS file.	R12	**Not Implemented**
F19. Display the Reports	R13	**Not Implemented**
F20. Rename a Report.	R13	**Not Implemented**
F21. Delete a Report.	R13	**Not Implemented**
F22. Display the details of a User.	R11	**Not Implemented**
F23. Display the contents of an FCS file.	R12	**Not Implemented**
F24. Display the contents of a Report.	R13	**Not Implemented**

Feature 1. User Registration

Description: The User shall be able to perform a registration to the system from his end.

Requirement: R1, R11

Corresponded Test: T1

Feature 2. User Login

Description: The User shall be able to log in to the system by providing the necessary credentials.

Requirement: R2

Corresponded Test: T2

Feature 3. Admin Login

Description: The Admin shall be able to log in to the system by providing the necessary credentials.

Requirement: R3

Corresponded Test: T3

Feature 4. Upload FCS files, (in batch mode)

Description: FCS files shall be uploaded from the user interface to a Google Storage Service.

Requirement: R4, R12

Corresponded Test: T4

Feature 5. FCA Result Visualization

Description: The User should be able to choose the file that needs to be shown. A scatter plot will show the cells in the sample using two values FL1-A, Fl2-A as the two coordinates.

Requirement: R5

Corresponded Test: T5

Feature 6. Noise Filtering from the FCS data

Description: The FCS files' data shall be filtered to clear possible noise from them. The uploaded by the user data is expected to contain unnecessary information and impurities that can affect the results of the analysis. A user defined gating process will be used define the useful data and omit the data that does not contribute to the analysis.

Requirement: R6

Corresponded Test: T6

Feature 7. Store preprocessed Data to Cloud Database

Description: The pre-processed data shall be stored to a cloud database. The collected and filtered data, is useful to be stored into a database so it will be available for processing or analysis. Understandably the data on the database needs to be mapped with the corresponding FCS file.

Requirement: R7

Corresponded Test: T7

Feature 8. FCS file analysis

Description: Analyzing the fcs files at the server

Requirement: R8

Corresponded Test: T8

Feature 9. FCS to CSV parsing
Description: Parsing the analyzed data from the FCS files to CSV file format.

Requirement: R8

Corresponded Test: T9

Feature 10. Clustering of the preprocessed data
Description: Clustering is an important analysis tool that our system wishes to utilize. To make the system more effective, the use should have the option to select between different clustering algorithms.

Requirement: R9

Corresponded Test: T10

Feature 11. Generating a report object
Description: A report object contain the results of the analysis need to be generated.

Requirement: R10, R13

Corresponded Test: T11

Feature 12. Create User
Description: The system shall be able to Create, the Users and the Admins of the System, through the admin panel or the registration feature.

Requirement: R1, R12

Corresponded Test: T12

Feature 13. Read, (Display), the Users.
Description: The system shall be able to display the Users and the Admins of the System, through the admin panel.

Requirement: R11

Corresponded Test: T13

Feature 14. Update, (Edit), a User.

Description: The system shall be able to edit, (Update), the Users and the Admins of the System, through the admin panel.

Requirement: R11

Corresponded Test: T14

Feature 15. Delete a User.

Description: The system shall be able to Delete the Users and the Admins of the System, through the admin panel.

Requirement: R11

Corresponded Test: T15

Feature 16. Read, (Display), The FCS files.

Description: The system shall be able to display, (Read), the FCS files of the System, through the user dashboard and the admin panel.

Requirement: R12

Corresponded Test: T16

Feature 17. Rename a FCS file.

Description: The system shall be able to rename, (Update), the FCS files of the System, through the user dashboard and the admin panel.

Requirement: R12

Corresponded Test: T17

Feature 18. Delete an FCS file.

Description: The system shall be able to Delete the FCS files of the System, through the user dashboard and the admin panel.

Requirement: R12

Corresponded Test: T18

Feature 19. Display the Reports.

Description: The system should be able to display, (Read), the reports of the System, through the user dashboard and the admin panel.

Requirement: R13

Corresponded Test: T19

Feature 20. Rename a Report.

Description: The system should be able to rename, (Update), the reports of the System, through the user dashboard and the admin panel.

Requirement: R13

Corresponded Test: T20

Feature 21. Delete a Report.

Description: The system should be able to Delete the reports of the System, through the user dashboard and the admin panel.

Requirement: R13

Corresponded Test: T21

Feature 22. Display the details of a User.

Description: The system shall be able to display the details of a User through the Admin panel, or the User's account page.

Requirement: R11

Corresponded Test: T22

Feature 23. Display the contents of an FCS file.

Description: The system shall be able to display the details of an FCS file through the Admin panel, or the User's dashboard.

Requirement: R12

Corresponded Test: T23

Feature 24. Display the contents of a Report.

Description: The system should be able to display the details of a report file through the User's dashboard, (or the admin panel).

Requirement: R13

Corresponded Test: T25

Tests

Tests	Parent Feature	Parent Requirement	Passed/Failed
T1. User Registration	F1	R1, R11	**Not Tested Yet.**
T2. User Login	F2	R2	**Not Tested Yet.**
T3. Admin Login	F3	R3	**Not Tested Yet.**
T4. Upload FCS files, (in batch mode)	F4	R4, R12	**Not Tested Yet.**
T5. FCA Result Visualization	F5	R5	**Not Tested Yet.**
T6. Noise Filtering from the FCS data	F6	R6	**Not Tested Yet.**
T7. Store preprocessed Data to Cloud Database	F7	R7	**Not Tested Yet.**
T8. FCS file analysis	F8	R8	**Not Tested Yet.**
T9. FCS to CSV parsing	F9	R8	**Not Tested Yet.**
T10. Clustering of the preprocessed data	F10	R9	**Not Tested Yet.**
T11. Generating a report object	F11	R10, R13	**Not Tested Yet.**
T12. Create User	F12	R1, R11	**Not Tested Yet.**
T13. Read, (Display), the Users	F13	R11	**Not Tested Yet.**
T14. Update, (Edit), a User.	F14	R11	**Not Tested Yet.**
T15. Delete a User.	F15	R11	**Not Tested Yet.**
T16. Read, (Display), The FCS files.	F16	R12	**Not Tested Yet.**
T17. Rename a FCS file.	F17	R12	**Not Tested Yet.**
T18. Delete an FCS file.	F18	R12	**Not Tested Yet.**
T19. Display the Reports	F19	R13	**Not Tested Yet.**

T20. Rename a Report.	F20	R13	**Not Tested Yet.**
T21. Delete a Report.	F21	R13	**Not Tested Yet.**
T22. Display the details of a User.	F22	R11	**Not Tested Yet.**
T23. Display the contents of an FCS file.	F23	R12	**Not Tested Yet.**
T24. Display the contents of a Report.	F24	R13	**Not Tested Yet.**
T25. Handshake with a remote database, (firebase).	F1, F2, F3, F7, F10, F11, F12, F14, F15, F19, F20. F21, F22 F24	R1, R2, R3, R7.R9, R10, R11, R13	**Passed.**

Test 1. User Registration

Requirement: R1, R12

Feature: F1

Testing Procedure: It can be tested by a user through the graphical user interface or by script running on the frontend, either way is legit. The test is performed if the user or the script is capable to create a new account without being an admin, and without having direct access to the backend or the database.

Expected Results: True if the registration is successful of false if the registration is unsuccessful.

Test 2. User Login

Requirement: R2

Feature: F2

Testing Procedure: It can be tested by a user through the graphical user interface or by script running on the frontend, either way is legit. The test is performed if the user or the script is capable to login. That means to give credentials that correspond to a specific user from the database and gain the status of "logged in", and to try one more time with false credentials in order to fail to acquire the statuse of "logged in". Testing script may be more successful as it can check more cases but through the user interface, it is more realistic.

Expected Results: True if the login is successful of false if the login is unsuccessful. At the same time true if a faulty login is unsuccessful, and false if a faulty login is successful.

Test 3. Admin Login

Requirement: R3

Feature: F3

Testing Procedure: It can be tested by a user through the graphical user interface or by script running on the frontend, either way is legit. The test is performed if the user or the script is capable to login as an admin. That means to give credentials that correspond to a specific user with admin privileges from the database and gain the status of "logged in" and "admin", and to try one more time with false credentials in order to fail to acquire the status of "logged in" or "admin". Testing script may be more successful as it can check more cases but through the user interface, it is more realistic.

Expected Results: True if the login is successful of false if the login is unsuccessful. At the same time true if a faulty login is unsuccessful, and false if a faulty login is successful.

Test 4. Upload FCS files, (in batch mode)
Requirement: R4, R12

Feature: F4

Testing Procedure: The test is performed if the user is able to select several files from his computer and upload them successful to a specific remote storage location through the frontend of the system

Expected Results: True if the user is capable to send multiple selected files from his computer through the frontend of the system to specific file storage destination that is determined by the system.

Test 5. FCA Result Visualization
Requirement: R5

Feature: F5

Testing Procedure: The system takes the selected preprocessed data and generates a dotplot of 2 dimensions from it.

Expected Results: If a dotplot is generated that corresponds to the give data, then the result is true.

Test 6. Noise Filtering from the FCS data
Requirement: R6

Feature: F6

Testing Procedure: As a part of the processing. The data from the FCS files is filtered from any noise.

Expected Results: True if the noise is below the acceptable level.

Test 7. Store preprocessed Data to Cloud Database

Requirement: R7

Feature: F7

Testing Procedure: The test controls if the system, (the backend), is capable to upload the selected preprocessed data to a specific database.

Expected Results: True if the data is uploaded successfully, false if the data fail to be uploaded.

Test 8. FCS file analysis

Requirement: R8

Feature: F8

Testing Procedure: Not Defined Yet

Expected Results: Not Defined Yet

Test 9. FCS to CSV parsing

Requirement: R8

Feature: F9

Testing Procedure: We test here if the system is capable to parse the data of and FCS file to a CSV format.

Expected Results: True if the system can parse data from FCS to CSV. False otherwise.

Test 10. Clustering of the preprocessed data

Requirement: R9

Feature: F10

Testing Procedure: This test confirms the ability of the system to cluster the preprocessed data, by using at least on clustering mechanism.

Expected Results: True, if a successful clustering occurs.

Test 11. Generating a report object

Requirement: R10, R13

Feature: F11

Testing Procedure: Not Defined Yet

Expected Results: Not Defined Yet

Test 12. Create User
Requirement: R1, R12

Feature: F12

Testing Procedure: We test the ability of the system to create new user accounts. As the registration is tested at other point. This test will test the ability to create a new user account through the admin panel.

Expected Results: True if the system can create a new user account, through the admin panel.

Test 13. Read, (Display), the Users
Requirement: R11

Feature: F13

Testing Procedure: We test the ability of the system to display the registered user through the admin panel.

Expected Results: True if the system is capable to display the registered users through the admin panel.

Test 14. Update, (Edit), a User.
Requirement: R11

Feature: F14

Testing Procedure: We test if the admin is capable to edit the details of a registered user. To pass this test the admin should be able to edit at least the majority of the user details, through the admin panel.

Expected Results: True if the admin is capable to change the details of a user through the admin panel.

Test 15. Delete a User.
Requirement: R11

Feature: F15

Testing Procedure: We test if the admin has the option to delete a user.

Expected Results: Pass if the admin can delete a registered user. Fail otherwise.

Test 16. Read, (Display), The FCS files.
Requirement: R12

Feature: F16

Testing Procedure: We test the ability of the system to display the titles of the FCS files that are stored on the remote storage location of the system.

Expected Results: Pass if the system successfully displays the list of the fcs files that are stored in its predefined storage location.

Test 17. Rename a FCS file.
Requirement: R12

Feature: F17

Testing Procedure: We test if the system can change the name of a stored fcs file, through the frontend.

Expected Results: Pass if the user can change the name of a stored FCS file through the frontend.

Test 18. Delete an FCS file.
Requirement: R12

Feature: F18

Testing Procedure: We test if the system is capable to delete a stored FCS file from the defined storage location.

Expected Results: Pass if the system is capable to delete an FCS file from the ones that are stored in the predefined storage location.

Test 19. Display the Reports
Requirement: R13

Feature: F19

Testing Procedure: The system should be able to display the generated reports.

Expected Results: Pass if there is a way to display the generated reports.

Test 20. Rename a Report.
Requirement: R13

Feature: F20

Testing Procedure: We test if the system is capable to rename one of the generated reports.

Expected Results: Pass if the system is capable to rename a report.

Test 21. Delete a Report.
Requirement: R13

Feature: F21

Testing Procedure: We test if the system is capable to delete a report.

Expected Results: Pass if the system is able to delete one of the generated reports.

Feature 22. Display the details of a User.
Requirement: R11

Feature: F22

Testing Procedure: The system should be able to display the details of user account through the front end.

Expected Results: Pass if the details of a user account are displayed on the frontend.

Test 23. Display the contents of an FCS file.
Requirement: R12

Feature: F23

Testing Procedure: FCS files are files that contain large amounts of data. Displaying their data is both challenging and essential. A way to overcome the difficulty to display the contents, if to display the head or the tail lines, or simple metadata about the FCS file.

Expected Results: Pass if the details of the FCS file are displayed on the frontend of the system.

Test 24. Display the contents of a Report.
Requirement: R13

Feature: F24

Testing Procedure: A generated report serves a role, if its contents are displayed to the frontend of the system.

Expected Results: Pass if the details of the report are displayed successfully on the front end of the system.

Test 25. Handshake with a remote database, (firebase).
Requirement: R1, R2, R3, R7.R9, R10, R11, R13

Feature: F1, F2, F3, F7, F10, F11, F12, F14, F15, F19, F20. F21, F22 F24

Testing Procedure: while there is no feature that describes the connection of the system with a remote database, it is clear that a connection with a remote database is essential., and while we

describe the test as a handshake, the truth is that this test includes more than a handshake. This procedure tests not only the connection with a remote database, (google firebase in our case), but also tests the ability of the system to send data back and forward to the database.

Expected Results: Pass if the system is able to send and fetch data from and to the remote database, (Google Firebase).

Evaluation or Analysis of Test Results

Conclusion

References

(Use IEEE reference system. It is in-built in Word.)

(Books)

(Articles and Journals)

(WWW)