

Instructions for Cloning 'Employee Phonebook' Repo to JetBrains Apps

Go to Project Homepage on GitLab:

The screenshot shows the GitLab project homepage for 'Lewis-Team-2'. The browser address bar displays the URL: `https://gitlab.com/msoe.edu/sdl/y26-senior-design/lewis-team-2`. The page layout includes a left sidebar with navigation options like 'Project', 'Pinned', 'Issues', 'Merge requests', and 'Issue boards'. The main content area features the project name 'Lewis-Team-2' with a lock icon, a dropdown for the 'main' branch, and a 'Find file' button. Below this is a commit summary for 'Adding Relational Schema' by GavinJones44, followed by a table of files and their commit history. The 'README.md' file is selected, showing the project description and core features. The right sidebar provides project information, including commit and branch counts, tags, storage usage, and links to add various configurations like LICENSE, CHANGELOG, CONTRIBUTING, and integrations.

Project information

- 24 Commits
- 6 Branches
- 0 Tags
- 250 KiB Project Storage

Project information

- README
- CI/CD configuration
- + Add LICENSE
- + Add CHANGELOG
- + Add CONTRIBUTING
- Auto DevOps enabled
- + Add Kubernetes cluster
- + Add Wiki
- + Configure Integrations

Created on
September 14, 2025

Name	Last commit	Last update
Docs	Adding Relational Schema	1 day ago
UX	Add new directory	2 days ago
Workflow	File reorganization	2 days ago
backend	Add new directory	2 days ago
frontend	Add new directory	2 days ago
.gitignore	Add .gitignore	2 days ago
.gitlab-ci.yml	Configure SAST in '.gitlab-ci.yml', creat...	2 days ago
README.md	Edit README.md	1 day ago

README.md

Lewis-Team-2: Secure Cloud-Based Employee Phonebook

Project Description

This project is a secure, cloud-based internal employee directory and organizational structure web application. The tool is designed to improve visibility into company hierarchy, support collaboration, and provide efficient access to employee details.

Core Features

- Interactive organizational tree displaying company hierarchy.

Instructions for Cloning 'Employee Phonebook' Repo to JetBrains Apps

Select Settings -> Access Tokens in the Left-Hand Menu:

The screenshot shows the GitLab web interface for a repository named 'Lewis-Team-2'. The left-hand navigation menu is open, and the 'Settings' option is highlighted. A sub-menu is displayed, showing 'Access tokens' as the selected option. The main content area displays the repository's file structure, including directories like 'Docs', 'UX', 'Workflow', 'backend', and 'frontend', and files like '.gitignore', '.gitlab-ci.yml', and 'README.md'. The right-hand sidebar shows project information, including 24 commits, 6 branches, and 0 tags. The repository description states: 'Lewis-Team-2: Secure Cloud-Based Employee Phonebook'. The project description mentions it is a secure, cloud-based internal employee directory and organizational structure web application. The core features listed are: 'This project is a secure, cloud-based internal employee directory and organizational structure web application. The tool is designed to improve visibility into company hierarchy, support collaboration, and provide efficient access to employee details.'

Project information

- 24 Commits
- 6 Branches
- 0 Tags
- 250 KiB Project Storage


Project Description

This project is a secure, cloud-based internal employee directory and organizational structure web application. The tool is designed to improve visibility into company hierarchy, support collaboration, and provide efficient access to employee details.

Core Features

Instructions for Cloning ‘Employee Phonebook’ Repo to JetBrains Apps

Access Tokens Page should look like:



The screenshot shows the GitLab 'Access tokens' page for a project. The sidebar on the left contains the following navigation items: Project, Plan, Automate, Code, Build, Secure, Deploy, Operate, Monitor, Analyze, Settings, General, Integrations, Webhooks, Access tokens (highlighted), Repository, Merge requests, CI/CD, Packages and registries, and Monitor. The main content area has a search bar and a heading 'Project access tokens'. Below the heading is a description: 'Generate project access tokens scoped to this project for your applications that need access to the GitLab API. You can also use project access tokens with Git to authenticate over HTTP(S). [Learn more.](#)'

There are two sections of access tokens:

- Active project access tokens** (1 token):

Token name	Description	Scopes	Created	Last Used	Last Used IPs	Expires	Role	Action
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	7 minutes ago	155.92.15.25	in 11 months	Owner	Delete Refresh
- Inactive project access tokens** (2 tokens):

Token name	Description	Scopes	Created	Last Used	Expired	Role
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner

Instructions for Cloning 'Employee Phonebook' Repo to JetBrains Apps

Click Add new token:

The screenshot shows the GitLab interface for the 'Project access tokens' page. The left sidebar contains a navigation menu with 'Access tokens' highlighted. The main content area has a search bar and a description of project access tokens. Below this, there are two sections: 'Active project access tokens' and 'Inactive project access tokens'. The 'Active' section contains one token named 'phonebook_access'. The 'Inactive' section contains two tokens, both named 'phonebook_access', which have been revoked. The 'Add new token' button is circled in red.

Project access tokens

Generate project access tokens scoped to this project for your applications that need access to the GitLab API. You can also use project access tokens with Git to authenticate over HTTP(S). [Learn more.](#)

Active project access tokens 1

[Add new token](#)


Token name	Description	Scopes	Created	Last Used	Last Used IPs	Expires	Role	Action
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	7 minutes ago	155.92.15.25	in 11 months	Owner	

Inactive project access tokens 2

Token name	Description	Scopes	Created	Last Used	Expired	Role
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner
phonebook_access		api, read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner

Instructions for Cloning ‘Employee Phonebook’ Repo to JetBrains Apps

Create your access token with the following settings :



https://gitlab.com/msoe.edu/sdl/y26-senior-design/lewis-team-2/-/settings/access_tokens

msoe.edu / Software Development / Y26 Senior Design / Lewis-Team-2 / Access tokens

Search or go to...

Project

- Lewis-Team-2
- Pinned
- Issues 35
- Merge requests 0
- Issue boards

Manage

Plan

Automate

Code

Build

Secure

Deploy

Operate

Monitor

Analyze

Settings

- General
- Integrations
- Webhooks
- Access tokens
- Repository
- Merge requests
- CI/CD
- Packages and registries
- Monitor
- Usage quotas

What's new 6

Help

Revoked access token myName-Token!

Add a project access token

Token name

myName-Token

For example, the application using the token or the purpose of the token. Do not give sensitive information for the name of the token, as it will be visible to all project members.

Token description

Access to repo

Expiration date

2026-09-17

An administrator has set the maximum expiration date to 2026-09-17. [Learn more.](#)

Select a role

Owner

Select scopes

Scopes set the permission levels granted to the token. [Learn more.](#)

- ☒ api
Grants complete read and write access to the scoped project API, including the container registry, the dependency proxy, and the package registry.
- ☒ read_api
Grants read access to the scoped project API, including the Package Registry.
- ☒ create_runner
Grants create access to the runners.
- ☒ manage_runner
Grants access to manage the runners.
- ☒ k8s_proxy
Grants permission to perform Kubernetes API calls using the agent for Kubernetes.
- ☒ self_rotate
Grants permission for token to rotate itself.
- ☒ mcp
Mcp
- ☒ read_repository
Grants read access (pull) to the repository.
- ☒ write_repository
Grants read and write access (pull and push) to the repository.
- ☒ read_registry
Grants read access (pull) to the Container Registry images if a project is private and authorization is required.
- ☒ write_registry
Grants write access (push) to the Container Registry. You need both read and write access to push images.
- ☒ ai_features
Grants access to GitLab Duo related API endpoints.

Create project access token Cancel

Press ‘Create Project Access Token’. Copy down the token now (reveal it using the eyeball). It is only displayed once:

Instructions for Cloning ‘Employee Phonebook’ Repo to JetBrains Apps

←

↻

📄

https://gitlab.com/msoe.edu/sdl/y26-senior-design/lewis-team-2/-/settings/access_tokens?page=1

🔍

🔍

🌟

⚙️

🔄

🔔

👤

⋮

🦊

+

🌱

msoe.edu / Software Development / Y26 Senior Design / Lewis-Team-2 / Access tokens

🔍 Search or go to...

📁 3

👤 1

📧 3

Project

L Lewis-Team-2

📌 Pinned

🔍 Issues 35

🔄 Merge requests 0

📊 Issue boards

⚙️ Manage

📅 Plan

🤖 Automate

📄 Code

🔧 Build

🔒 Secure

📦 Deploy

⚙️ Operate

📺 Monitor

🔍 Analyze

⚙️ Settings

General

Integrations

Webhooks

Access tokens

Repository

🔄 Merge requests

CI/CD

Packages and registries

Monitor

Usage quotas

📄 What's new 8

📖 Help

📢 Your new project access token has been created.

🔍 Search page

Project access tokens

Generate project access tokens scoped to this project for your applications that need access to the GitLab API. You can also use project access tokens with Git to authenticate over HTTP(S). [Learn more.](#)

🟢 Your new project access token

Click to reveal

.....

🔍

📄

Make sure you save it - you won't be able to access it again.

Active project access tokens 2

Add new token


Token name	Description	Scopes	Created	Last Used	Last Used IPs	Expires	Role	Action
phonebook_access		api_read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	7 minutes ago	155.92.15.25	in 11 months	Owner	🗑️ 🔄
myName-Token	Access to repo	api_read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 17, 2025	Never	-	in 11 months	Developer	🗑️ 🔄

Inactive project access tokens 2

Token name	Description	Scopes	Created	Last Used	Expired	Role
phonebook_access		api_read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner
phonebook_access		api_read_api, create_runner, manage_runner, k8s_proxy, self_rotate, mcp, read_repository, write_repository, read_registry, write_registry, ai_features	Sep 15, 2025	Never	Revoked	Owner

Instructions for Cloning 'Employee Phonebook' Repo to JetBrains Apps

Take that Access token to a JetBrains IDE of your choice. Go to File -> Project from Version Control. Go to the 'GitLab' tab. (In this one I am showing a GitHub tab but the logins are identical).



Instructions for Cloning 'Employee Phonebook' Repo to JetBrains Apps

Insert the https link to the GitLab website. Insert your token. (If you did not copy your token, go back and repeat the steps.) Press login. Then, insert your repository link and clone.

