



# Technical Service Information

## MAZDA/FORD GF4A-EL HARSH UPSHIFTS (ELECTRICAL)

**COMPLAINT:** Vehicles equipped with GF4A-EL transmissions may exhibit harsh shifts, accompanied by a trouble code 56 or OBDII code P0710, Transmission Temperature Sensor Fault. **NOTE:** *These trouble codes may or may not flash the M.I.L.*


**CAUSE:** The cause may be, a faulty Transmission Temperature Sensor. **WHY:** Vehicles equipped with GF4A-EL transmissions have a computer strategy that **commands** line pressure to be maximum when fluid temperature is at or below 10°F. Therefore if the temperature sensor is faulty it may indicate that temperature is at or below 10°F at all times.

**CORRECTION:** Refer to Figure 1 for the location of the Transmission Oil Temperature Sensor. Refer to Figure 2 for the Ohm value and testing procedure to check the sensor. Refer to Figure 3 for the testing procedure of the sensor at the 10 pin connector. Repair or replace temperature sensor as necessary.

### SERVICE INFORMATION:

Transmission Oil Temperature Sensor (**MAZDA**)..... FU2B-19-012B


### GF4A-EL TRANSMISSION OIL TEMPRATURE SENSOR LOCATION



Copyright © 2001 ATSG

Figure 1

## BENCH TESTING TEMPERATURE SENSOR




**TEMPERATURE SENSOR  
RESISTANCE CHART**

TEMPERATURE	RESISTANCE (k/ohms)
32° F (0°C)	5.45-6.68
68° F (20°C)	2.44-2.89
104° F (40°C)	1.19-1.37
140° F (60°C)	.63-.70
176° F (80°C)	.35-.39
212° F (100°C)	.21-.22
248° F (120°C)	.13-.14
266° F (130°C)	.10-.11

**CONNECT OHM METER TO THE 2 TERMINALS SHOWN ABOVE  
AND VERIFY THAT THE RESISTANCE VALUES MATCH THE TEMPERATURE**

## 10 PIN HARNESS CONNECTOR TERMINAL IDENTIFICATION



<i>TERMINAL</i>	<i>IDENTIFICATION</i>	<i>INTERNAL WIRE COLOR</i>
1	TEMP.SENSOR	WHITE
2	LINE PRESSURE	BLUE
3	3-2 DOWNSHIFT	BLACK
4	3-4 SHIFT	BROWN
5	1-2 SHIFT	BLACK
6	TEMP.SENSOR	WHITE
7	N / A	N / A
8	LOCKUP	YELLOW
9	LOCKUP CONTROL	WHITE
10	2-3 SHIFT	GREEN

### TEMPERATURE SENSOR RESISTANCE CHART

<i>TEMPERATURE</i>	<i>RESISTANCE (k/ohms)</i>
32° F (0°C)	5.45-6.68
68° F (20°C)	2.44-2.89
104° F (40°C)	1.19-1.37
140° F (60°C)	.63-.70
176° F (80°C)	.35-.39
212° F (100°C)	.21-.22
248° F (120°C)	.13-.14
266° F (130°C)	.10-.11

***DIS-CONNECT 10 PIN CONNECTOR AND CONNECT OHM METER TO TERMINALS 1 AND 6 TO VERIFY THAT RESISTANCE VALUES MATCH THE TEMPRATURES LISTED ABOVE***

***BACK PROBE TERMINALS 1 AND 6, WITH 10 PIN CONNECTOR CONNECTED, VOLT METER SET TO DC VOLTS, TO VERIFY VOLTAGE.  
68°F (20°C) IS EQUAL TO APPROXIMATELY 3.5 VOLTS  
266°F (130°C) IS EQUAL TO APPROXIMATELY 0.6 VOLTS***