SC2006 Software Engineering

Lab 4 Deliverables: Demo Script

Lab group	SCSL, Group 4
Product	CleanCravings: find clean, nearby hawker stalls and dishes that suit your health
Members	Rafael, Albin, Samrithi, Jovan, Jun Ren
Author(s) of this document	Rafael, Jovan, Jun Ren
Used for	The Lab 5 live demo (about 20 minutes) and the 5-minute demo video (section 7)

Contents

1. Plan and roles
2. Before the demo
3. Live demo run sheet (13 to 15 minutes)
4. SE practices, design and traceability (5 minutes)
5. If something goes wrong
6. What not to demo or claim
7. 5-minute demo video script

1. Plan and roles

We present CleanCravings as a prototype to a client choosing which product to invest in: show that it meets the client's requirements, that it is built on real government data, and that its design can grow. The demo follows the **scenarios of two end users**, a guest who has not signed in and a signed-in diner with a health condition, then covers SE practices and traceability with slides.

Part	Content	Time	Who
0	Opening: the problem and the use case diagram	1:30	Narrator
A	Guest journey: find a clean centre and stall, check dishes	4:30	Driver + narrator
B	Signed-in journey: health profile, tailored picks, dish ratings, bookmarks and closure alerts, visit log	5:30	Driver + narrator
C	Accessibility, mobile and data trust	1:30	Driver + narrator
D	SE practices and system design (slides 2 to 4)	2:30	[presenter]
E	Traceability for UC-3.0 and UC-6.0, shown in the IDE (slides 5 to 7)	2:30	[presenter]
F	Close and questions	1:00	All
	Total	**about 19:00**	

Driver: at the laptop, clicks only what the run sheet says. **Narrator**: speaks the lines in *italics* (a guide, not a script to read word for word). Assign the roles and the parts D and E presenters before rehearsal.

2. Before the demo

The day before

- Run the full data sync so the app shows live data, not the "Sample data" banner: in `backend/`, `python -m etl.run_all` (drop the latest SFA export into `etl/inbox/` first if you have one).
- Check the Supabase project is active (free projects pause after a week without use) and open it once.
- Rehearse the whole run sheet with a timer at least once, on the demo laptop.
- Prepare the **demo account**: a Google account the team can use on stage. Sign in once and leave its health profile **empty**, so part B can show the profile setup. Delete its old bookmarks and visits if it was used in rehearsal.
- Prepare a **backup browser profile** that is already signed in with a completed profile (see section 5).
- Have the slides (*CleanCravings: SE Practices & Traceability*) and the IDE ready, with these files open in tabs: `hygiene_controller.py`, `badges.tsx`, `classification_rules.csv`, `rules/engine.py`, `healthier_eating_controller.py`, `labels.ts`, `tests/test_lab4.py`.

One hour before

- Start the backend (`uvicorn app.main:app`) and the frontend (`npm run dev`). Wait about 15 seconds for the backend to warm its caches.
- Open Home, Finder & Map, Dishes and three or four centre pages once, so centre photos and map tiles are cached.
- In Finder & Map, note one centre whose card shows an orange **"Closes in N days"** pill (for step B5) and one stall with a **NEW** grade (for step A7). They change over time, so pick them on the day.
- Turn off notifications; set the browser zoom so text is readable from the back of the room; close other tabs.

Five minutes before

- Sign out of the demo account, open `http://localhost:5173`, light theme, normal text size.

- Have the use case diagram (`lab3/1_use_case_model`) open for the opening.

3. Live demo run sheet

> Times are cumulative. Requirement IDs (FR, NFR, UC) are listed so the narrator can name them; mentioning a few is enough.

Part 0: Opening (0:00 to 1:30)

#	Screen and action	What to say	Shows
0.1	Title slide or the app's Home page	*Hawker food is where most of Singapore eats. But when you choose a stall you can't easily see how clean it is, whether the centre is closed for cleaning this week, or whether a dish suits your blood pressure. CleanCravings brings the official answers together: SFA hygiene grades, NEA closure dates and HPB's Healthier Dining Programme.*	Problem
0.2	Use case diagram	*Our main actor is the diner, as a guest or signed in. Guests can browse everything; signing in adds a health profile, bookmarks, closure alerts and a visit log. The external actors are our data sources and Google sign-in. Let's start as a guest.*	UC model

Part A: Guest journey (1:30 to 6:00)

#	Screen and action	What to say	Shows
A1	**For you** (Home). In the location bar type a postal code (e.g. `639798`, NTU) and press **Go**	*Without signing in, I get clean, nearby picks: stalls from centres that are open today, ordered by SAFE grade and distance. The note at the bottom says how many stalls we hid because their centre is closed today, and that these are suggestions, not guarantees.*	FR-5.6, FR-3.3, NFR-6
A2	**Finder & Map**. Point at the list of 123 centres with photos and grade counts	*Here are all 123 NEA hawker centres. Each card shows the centre's photo, today's status, how many stalls have each SAFE grade, and how many are in the Healthier Dining Programme.*	FR-1.1, FR-2.1
A3	Set **Region** to a region, **Hygiene** to "A or B", then use **Use my location** or the postal code and drag the **Within … km** slider	*I can filter by region and by a minimum hygiene grade, and limit the distance. The list updates instantly as I drag, because it filters in the browser instead of asking the server again.*	FR-1.4, FR-2.5
A4	Switch to **Map**, then back to **List**. Type a dish such as `laksa` in the search box	*The same results on a map, using OneMap, Singapore's official base map. Search also finds stalls and dishes, not just centres.*	FR-1.2, FR-1.3
A5	Open a centre. Point at the photo, status pill and stall list. Change **Any grade** to "A only", tick **Healthier Dining only**, then untick it	*A centre page: NEA's photo, its status, upcoming cleaning closures, and every cooked-food stall with its SAFE grade. I can narrow it to grade A only, or to Healthier Dining stalls. Open in Maps hands over to Google Maps or OneMap for directions.*	FR-1.5, FR-1.6, FR-3.1, FR-4.1
A6	Tick **Confirmed halal only** and read the note	*Halal works differently: we only show stalls whose halal status is published by HPB. A hidden stall hasn't published a status; we never assume it isn't halal.*	FR-5.1, NFR-6

A7	Open a stall. Point at the grade badge and its explanation, **Grade history** and the source line	*The stall page explains the grade in plain words, shows its history from SFA's records, whether the licence was suspended in the past year, and where and when the data came from. NEW is shown differently from C: it means the stall is new, not that it failed.*	FR-2.1 to FR-2.4, NFR-2, NFR-4
A8	**Dishes**. Scroll the groups; open one dish card	*Common hawker dishes rated against HPB guidance. Each rating says why: which rule fired, with its source. The wording is deliberately soft: "Have occasionally", never "unhealthy". Photos are freely licensed and credited.*	UC-6.0, NFR-6

Part B: Signed-in journey (6:00 to 11:30)

#	Screen and action	What to say	Shows
B1	**Sign in** → **Continue with Google** with the demo account	*Now as a signed-in diner. Sign-in is Google only, so we never store passwords.*	FR-0.1, FR-0.2, NFR-8
B2	Health profile setup: tick **High blood pressure**, preference **Lower sodium first**, minimum SAFE grade **A or B**, one preferred region. Save	*The profile is optional and can be changed any time. Our diner has high blood pressure and only wants grade A or B stalls.*	UC-1.0, FR-5.1 to FR-5.5
B3	**For you** again. Point at the reason chips and the note at the bottom	*The picks now follow the profile: each stall says why it's here, for example the distance or the preferred region, and the note shows how many stalls the hygiene threshold hid.*	FR-5.4, FR-5.6
B4	**Dishes**. Find a dish rated "Have occasionally" and open it. Then tick **Diabetes** at the top and untick it	*With high blood pressure, high-sodium dishes move down; the card shows the exact rule and threshold. Conditions can be tried live. If we're missing a nutrient value, the app says "Not enough data" instead of guessing.*	UC-6.0, NFR-6
B5	Open the centre noted earlier with **"Closes in N days"** and press **Save**. Open **Alerts** (bell)	*Saving a centre also subscribes me to its closures. This one closes within a week, so the alert appears straight away; the daily sync creates new ones as NEA announces dates.*	UC-7.0, UC-8.0, FR-3.4
B6	**Saved**	*Bookmarked centres, stalls and dishes in one place.*	FR-5.7
B7	Open a stall → **Log a visit**: 5 stars, choose a dish, short note, **Save visit**. Then **Profile** → **Visit history**	*I can log what I ate and rate it. It stays private to me, and stalls I rate highly get a small boost in my picks.*	UC-4.0, FR-5.8, FR-5.9

Part C: Accessibility, mobile and data trust (11:30 to 13:00)

#	Screen and action	What to say	Shows
C1	**Profile** → **Accessibility**: Theme **dark**, then a larger **Text size**. Open Finder & Map on the map	*Dark mode and larger text, available to guests too; the map switches to OneMap's night tiles.*	UC-10.0
C2	Browser developer tools → device toolbar (or a real phone), Home page	*It's one responsive web app, so it works on Android and iPhone browsers without an app store.*	NFR-11

C3	Point at a "Source: … last updated" line on a stall page	*Every piece of data comes from an official source, through our own server, with a last-updated date. If a source is down, we keep showing the last good data with a warning instead of breaking.*	NFR-2, NFR-5, NFR-9

Switch back to light theme and normal text size before part D.

4. SE practices, design and traceability (13:00 to 18:00)

Use the slide deck *CleanCravings: SE Practices & Traceability*; its speaker notes have the full talking points.

Slide	Topic	Key points	Time
2	System design at a glance	Boundary (React pages, FastAPI routers) → control (controllers) → entity (models, Supabase Postgres). Data sync runs nightly outside the request path; a failed run keeps the last good data.	0:50
3	SE practices we applied	Layered design; rules as data; independent data sync; typed API contract; automated tests and CI on every push; secure by default (Google sign-in, row-level security).	1:00
4	Ready for the next version	New health condition = rows in a CSV; new data source = one sync module; native app = new client on the same API; push notifications; PostGIS if we outgrow simple distance.	0:40
5	Traceability: UC-3.0 hygiene grades	FR-2.1, 2.2, 2.5 → UC-3.0 → HygieneController in the class diagram → `GRADE_RANK` and `passes_threshold()` in the IDE → `GradeBadge` → Lab 4 black-box tests. Run `pytest tests/test_lab4.py -k blackbox` live.	1:15
6	Traceability: UC-6.0 dish recommendation	FR-5.6, NFR-6 → UC-6.0 → HealthierEatingController → one row of `classification_rules.csv` → `evaluate()` → `labels.ts` wording → generated boundary tests and the Lab 4 basis path tests. Run `pytest tests/test_rules.py -q` live.	1:15
7	Closing slide	Requirements, design, code and tests stay linked.	0:10

5. If something goes wrong

Problem	What to do
Google sign-in fails or is slow	Switch to the backup browser profile that is already signed in, and continue from B3 (say the profile was set up earlier).
A page shows "Request failed" or loads very slowly	The backend has stopped or Supabase is unreachable. Check the backend terminal; restart it. If Supabase is down, set `DATABASE_URL=sqlite:///./cleancravings.db` in `backend/.env` (a local copy of the real data) and restart; sign in with the dev sign-in.
"Use my location" is blocked	Type the postal code instead.
No centre is closing within 7 days	Skip the live alert in B5; show the **Alerts** page of the backup profile, or explain the rule using a centre's **Upcoming closures**.
No internet at all	Play the recorded demo video (section 7) and do parts D and E from the slides and IDE.

6. What not to demo or claim

- **Not built yet** (say they're planned if asked): in-app routing (UC-2.1; we hand over to Google Maps or OneMap), the weekly health digest (UC-4.1), exporting a health summary (UC-4.2), stall-to-dish reports (UC-9.0), public ratings and comments (UC-11.0; visit ratings are private), voice search.
- **Data no open dataset provides**: operating hours, prices, a stall's own dishes, SFA demerit points (the stall page says "not published"). Don't suggest we have them.
- **Health claims**: say "suits your profile" or "within HPB guidance", never "healthy" or "safe to eat". Ratings are for typical recipes, not a particular stall.
- **Hygiene**: a SAFE grade is SFA's assessment of a licensee's track record, not a guarantee.

7. 5-minute demo video script

Screen recording with voice-over (for example OBS or the Windows Snipping Tool's recorder), 1080p, with the app in light theme. Record each scene separately and join them, so a mistake only costs one scene. Same preparation as section 2.

Time	On screen	Voice-over
0:00–0:25	Title, then Home page	*This is CleanCravings, by SCSL Group 4. It helps you find clean, nearby hawker stalls and dishes that suit your health, using official data from SFA, NEA and HPB.*
0:25–1:15	Finder & Map: list with photos, Hygiene "A or B", distance slider, map view, search "laksa"	*All 123 hawker centres, with today's status and their stalls' SAFE grades. Filter by region, minimum grade and distance, see them on OneMap, or search for a stall or dish.*
1:15–2:00	A centre page, then a stall page: grade, grade history, source line	*Each centre lists its cooked-food stalls with their grades, Healthier Dining partners and upcoming closures. A stall shows its SAFE grade explained in plain words, its history, and where the data comes from. NEW means new, not failing.*
2:00–2:40	Sign in with Google, health profile: high blood pressure, "A or B", preferred region	*Signing in lets you set a health profile: conditions, dietary restrictions, a minimum hygiene grade and preferred regions.*
2:40–3:30	For you with reason chips; Dishes: open a "Have occasionally" dish, toggle Diabetes	*Picks now follow your profile and explain why each stall is there. Dishes are rated against HPB guidance for your conditions, showing the exact rule and its source, in careful wording. Missing data is labelled, never guessed.*
3:30–4:10	Save a centre that closes soon → Alerts; Log a visit → Visit history	*Save a centre to get alerts when it closes for cleaning or repairs, and log your visits to keep a private food diary that also improves your picks.*
4:10–4:40	Dark mode, larger text, phone-sized view	*It's accessible, with dark mode and larger text, and works in any phone browser.*
4:40–5:00	Architecture slide, then the test run passing	*Behind it: a layered FastAPI and React design, nightly syncs from official sources, health rules stored as data, and over a hundred automated tests on every change. CleanCravings: eat well, eat safe.*