

The Marvelous and the Uncomputable: Surrealism as an Aesthetic Theory of Super-Turing Computation

Toni Huhtiniemi

Abstract

Surrealism and super-Turing computation seem to belong to different universes: one is an avant-garde movement born in Paris in the 1920s, the other a branch of theoretical computer science concerned with machines that exceed the limits of the Turing machine. This paper argues that the two are structurally analogous. Each begins by identifying a closed system of procedure (bourgeois rationalism for the surrealists, effective calculability for the computability theorist) and then asks what lies beyond it and how that beyond might be reached without collapsing into noise. I examine four correspondences: the oracle and the unconscious, the continuum and the dream, the limit process and the convulsive image, and interaction and the open work. I then press on the analogy's weak points, which are the problems of randomness, physical realizability, and verification, because these are exactly where it becomes philosophically interesting. I conclude that both projects share a single epistemological problem, which I call the problem of *disciplined excess*: a surplus beyond a formal system can only be accessed through an interface, and the design of that interface determines whether the surplus is meaningful or merely random.

Keywords: surrealism, hypercomputation, Church–Turing thesis, oracle machines, automatism, analog computation, philosophy of mind

1. Introduction: Two Refusals

In 1924, André Breton published the first *Manifesto of Surrealism*. Its central gesture is a refusal. Breton rejects the idea that reason, logic, and the realistic attitude exhaust what thought can do, and he defines surrealism as a method for expressing the real functioning of thought free from the supervision of reason and from aesthetic or moral concern (Breton 1924). Twelve years later, in 1936, Alan Turing published "On Computable Numbers," which offered an exact definition of what it means to follow a mechanical procedure. Together with Church's work, this became the Church–Turing thesis: whatever can be calculated by an effective method can be calculated by a Turing machine.

These look like opposite gestures. Breton wants to break out of rational procedure; Turing wants to define it exactly. But the history of the second gesture contains a surprising echo of the first. Turing himself, in his 1939 doctoral work on ordinal logics, introduced the *oracle machine*, a Turing machine equipped with access to an external source of answers that no algorithm can supply (Turing 1939). He also wrote, in a 1948 report, about "unorganized machines" and the role of something like intuition in intelligent behavior, and in 1950 he took seriously a list of objections to machine intelligence, including one from extrasensory perception. The man who drew the border of the computable was also curious about what lay across it.

Since the 1990s, a field sometimes called *hypercomputation* or *super-Turing computation* has explored that territory. Siegelmann (1995) showed that recurrent neural networks with real-valued weights can compute functions no Turing machine can. Others have studied machines that perform infinitely many steps in finite time, machines that revise their outputs indefinitely, and machines that interact continuously with an environment. These proposals are contested, and some of their critics argue that they confuse mathematical abstraction with physical possibility (Davis 2004). Nevertheless, they make up a coherent family of ideas about what a "beyond of computation" might be.

This paper proposes that the family resemblance between these ideas and surrealist practice is not merely a pleasing metaphor. It is a structural analogy that clarifies both sides. Surrealism can be read as an experimental aesthetics of the uncomputable: a set of techniques for producing outputs that no rational procedure would produce, together with a theory of why such outputs matter. Super-Turing computation can be read, conversely, as a formal theory of the marvelous: a specification of what a system would have to be like in order to produce results that exceed its own rules.

I proceed as follows. Section 2 describes the closure that both movements target. Section 3 gives a short taxonomy of super-Turing models. Section 4 reconstructs surrealist method as an architecture. Section 5 develops four correspondences. Section 6 examines where the analogy fails. Section 7 offers a synthesis around the idea of disciplined excess.

A note on method. This is a philosophical essay, not a proof. I use "analogy" in the sense of Gentner's structure mapping: what matters is the preservation of relations between elements, not similarity of surface features. A good analogy should license inferences, and it should be possible to say precisely where it breaks.

2. The Closure of the Rational

2.1 The Church–Turing thesis as a closure claim

Turing's 1936 paper did something unusual in the history of mathematics: it took an informal notion, "what a human computer could do with pencil and paper following rules," and gave it a precise mathematical form. The Turing machine is a finite-state controller reading and writing symbols on an unbounded tape. The thesis that this model captures all effective procedures is not a theorem, since "effective procedure" is not formally defined independently of the thesis. It is a claim of closure: there is no procedure, in the intuitive sense of the word, that falls outside the formal class.

Closure claims have a distinctive logical character. They are strongest when every attempt to extend the class (lambda calculus, recursive functions, register machines, Post systems) converges on the same set of functions. That convergence is the main evidence for the thesis. But the thesis is also a claim about *procedures*, and so it leaves open whether there might be physical or cognitive processes that are not procedures at all. Gandy (1980) tried to derive the thesis from principles about discrete, local, deterministic mechanisms; his result is conditional on those principles, and the interest of hypercomputation lies precisely in relaxing them.

2.2 The surrealist target

Breton's target in 1924 was likewise a kind of closure. He attacked the "realistic attitude," the conviction that experience can be exhausted by what is observable, logical, and useful. He argued that this attitude had impoverished imagination and reduced the adult to a functionary of habit. Logic, he says, is applicable only to problems of secondary interest. What is notable is that he does not simply reject logic. He argues that it has been given jurisdiction over areas where it has no authority, and that other faculties (dream, madness, chance, desire) have been unjustly excluded.

This is structurally parallel to the position of a computability theorist who says that the Turing machine captures the *algorithmic*, while remaining open about whether the algorithmic exhausts the *cognitive* or the *physical*. In both cases, the closure is not denied within its domain. What is denied is its universality.

2.3 Why the parallel matters

The parallel matters because it shows that "going beyond" is not one idea but two, and the confusion between them is the source of much bad writing about both topics. There is the claim that the closure is *wrong* (the Turing machine does not capture algorithms) and the claim that the closure is *incomplete* (it captures algorithms but not everything). Surrealism and hypercomputation both make the second claim. Neither says that logic or algorithms are invalid. Both say they are a proper part of something larger, and both then face the question of how access to the larger thing is possible.




Figure 1. A closed system of procedure and its conjectured beyond. The surplus can be reached only through a narrow interface.

3. Super-Turing Computation: A Brief Taxonomy

I will distinguish four families of models. The distinctions are not exhaustive, but they correspond to the four analogies drawn in Section 5.

3.1 Oracle machines. An oracle machine is a Turing machine with an additional capacity: it may query an external set, such as the set of halting programs, and receive a yes-or-no answer in one step (Turing 1939). Oracle machines generate the Turing degrees, an infinite hierarchy of increasingly powerful notions of relative computability. Crucially, the oracle is a *black box*: the machine does not know how the answers are generated. The theory studies what can be done *given* the oracle, remaining silent about whether any oracle could exist.

3.2 Analog and real-weight systems. Siegelmann and Sontag showed that recurrent neural networks with rational weights have exactly the power of Turing machines, while networks with arbitrary real-valued weights can compute non-recursive functions (Siegelmann and Sontag 1995; Siegelmann 1995). The extra power comes from the infinite information that a single real number can encode: its binary expansion can contain, for example, the answers to infinitely many halting problems. The result is a mathematical theorem about idealized networks. It is not a claim that such networks can be built, a point I return to in Section 6.

3.3 Infinite-time and relativistic models. Some proposals allow infinitely many computational steps to occur in finite time. Zeno machines do so by halving the duration of each step. Hogarth (1992) and later authors studied spacetimes in which an observer could receive the results of an infinite computation along a worldline of finite length. These models show that the Turing bound depends on assumptions about time and space, and that changing the assumptions changes the bound.

3.4 Limit and interactive models. Putnam (1965) and Gold (1965) independently introduced "trial and error" predicates and limiting recursion: a procedure that may revise its output indefinitely, with the answer defined as the value it eventually settles on. Such a process never announces that it has halted, yet it determines a function that no ordinary halting computation can. Wegner (1997) and Goldin and Wegner (2005) argued, along related lines, that computation in the presence of an ongoing stream of inputs from an environment is not captured by the input-output function model of the Turing machine.

What unifies these four families is that each exceeds the Turing bound by *relaxing a specific assumption*: closure of the data source (oracles), finiteness of the information in a parameter (reals), finiteness of time (Zeno and relativistic machines), or the requirement of halting and of a fixed input (limit and interactive models). The surrealists, I will argue, relax the same four assumptions in aesthetic form.

4. Surrealist Method as an Architecture

It is common to treat surrealism as a style, characterized by melting clocks and juxtaposed objects. This is misleading. The movement's own self-understanding was methodological. Its members developed *procedures* that generated works, and the procedures are of interest here because they reveal an implicit model of the creative mind as a system with an input channel, a processing stage, and an interface.

4.1 Automatism. Automatic writing, the movement's founding technique, asks the writer to produce text as fast as possible without conscious revision. The assumption is that speed bypasses the censoring function and allows the unconscious to speak. As a technique, it has a clear architecture: suppress a filter, accept whatever the underlying process emits.

4.2 The exquisite corpse. In this collaborative game, several participants add to a drawing or a sentence, each seeing only a fragment of the previous contribution. The result is a composite that no single participant intended. As an architecture, it is a distributed system with deliberately restricted information sharing.

4.3 Frottage and decalcomania. Max Ernst's frottage, rubbing a pencil over a textured surface, and the related technique of decalcomania generate raw material from physical processes, which the artist then interprets. The pattern is: *generate with an external process, then read meaning into the result.*

4.4 The paranoiac-critical method. Dalí described a method of cultivating systematic delusional interpretation in order to see one image as another, as in the double images that are both a face and a landscape (Dalí 1935). It is a technique of controlled over-interpretation, in which a coherent reading is imposed on ambiguous data.

4.5 Objective chance. In *Nadja* (1928) and *L'Amour fou* (1937), Breton developed the notion of *hasard objectif*, objective chance: the sense that coincidences are not arbitrary but express a hidden necessity that links the inner and outer worlds. It is less a technique than a sensitivity, an attitude of attentive reading toward the accidents of experience.

4.6 The juxtaposition. Breton inherited from the Comte de Lautréamont the aesthetic of the unexpected encounter, whose emblem is the chance meeting of a sewing machine and an umbrella

on a dissecting table (Lautréamont 1869). The surrealist image is valued for the distance between its terms: the greater the gap, the greater the spark.

Two features of this architecture matter for what follows. First, the surrealists consistently separate a *generator* from an *interpreter*. The generator (the unconscious, the texture, the game) produces something the conscious mind could not have produced. The interpreter (the artist, the reader) selects, frames, and gives meaning. Second, the movement was always insistent that the generator is not simply random. Breton distinguished automatism from mere noise, claiming that the products of the unconscious have a structure and a necessity of their own. Whether he was right is a question for psychology; what matters here is that the surrealist *model* of creativity posits a structured source of information that is not available to deliberate reasoning.

5. Four Correspondences




Figure 2. The four relaxed assumptions and their surrealist counterparts.

5.1 The oracle and the unconscious

The simplest analogy is between the oracle and the unconscious. An oracle machine is a computation augmented with access to a source of answers whose workings are opaque. The surrealist mind is a conscious process augmented with access to a source of images whose workings are likewise opaque. In both cases, three things hold.

First, the source is treated as a black box. The theory of Turing degrees says nothing about how an oracle obtains its answers; it studies the *structure* of relative computability. Surrealist theory, similarly, is largely agnostic about the mechanism of the unconscious (Breton drew selectively on Freud but did not commit to Freudian doctrine), and focuses on the *techniques of access*.

Second, the source contains information that cannot be derived from the system's own resources. A halting oracle answers questions about programs that no algorithm can answer. The unconscious, as the surrealists conceive it, answers with images that no deliberate procedure would have produced. Here the analogy has real inferential content: in both cases, the surplus is defined *negatively*, as whatever the closed system cannot produce.

Third, access is mediated by a restricted interface. An oracle machine does not absorb the oracle's full content; it asks questions through a designated query tape and receives answers one bit at a time. Automatic writing, frottage, and the exquisite corpse are interfaces of the same kind. They are narrow channels through which the larger source is sampled, and the narrowness is not a defect but a design feature. Without the discipline of the channel, the output is either nothing or chaos.




Figure 3. The architecture of the oracle machine and of the surrealist mind side by side: a computer, an interface, an opaque source, and an output.

There is also a significant formal parallel in how the two traditions think about *degrees*. Turing degrees form a rich hierarchy, where one oracle can be strictly more powerful than another. The surrealists, too, distinguished kinds of access: automatism, dream narration, the hypnotic trance, and the paranoiac-critical method were treated as different modes with different yields. Neither tradition thought "beyond" was a single place.

5.2 The continuum and the dream

The second analogy concerns *precision*. Siegelmann's networks exceed Turing power because a real number carries infinite information in a single parameter. This is a statement about the difference between the discrete and the continuous. A Turing machine's configuration is always a finite object, a finite string over a finite alphabet. A real-valued weight is not finite in this sense: it is a point on a continuum, and it may encode infinitely much.

The surrealist critique of rationalism can be read as a critique of discretization. The rational attitude, as Breton describes it, divides experience into fixed categories: dream versus waking, object versus image, sense versus nonsense. The dream, by contrast, is a medium in which these boundaries blur. A single dream image can be simultaneously a body, a landscape, and a memory. Dalí's double images are exact visual demonstrations: one set of marks supports two complete readings. The image carries more than any single categorization can extract from it.

The analogy has a precise structure. In both cases:

- a *discrete* system (the Turing machine; categorical, rational thought) can only represent a finite, countable set of distinctions;

- a *continuous* system (real weights; dream-thought) can carry a surplus of information that is not recoverable by any finite reading;
- the surplus is *real but inaccessible* to the discrete system, which can only approximate it.

The last point deserves emphasis. A Turing machine can approximate a real weight to any finite precision, and for many purposes the approximation is adequate. Siegelmann's result depends on the claim that for *certain* computations, finite precision is not enough: the infinite tail of the real number does real work. The surrealists make an analogous claim about meaning: for certain experiences, no finite paraphrase is enough. The image does not mean *something*; it means *more than any something*.




Figure 4. Finite precision versus the infinite information of a real number. Each added bit narrows the interval, but only the limit of infinite precision is a point.

There is an irony worth recording. Siegelmann's construction typically works by encoding a non-computable sequence in the digits of a weight. Such a weight is specified by fiat, not constructed. This is exactly the situation of the surrealist who claims that the unconscious contains a determinate message while conceding that it can never be fully read. In both cases the surplus is posited as a precondition of the theory and cannot be exhibited independently of it.

5.3 The limit process and the convulsive image

The third analogy concerns *time and halting*. A Turing computation succeeds by halting: it produces an output and stops. Limit computations, by contrast, define an answer as the value an unending process eventually stabilizes on. At any finite stage, the machine's current guess may be wrong, and there is no algorithmic way to know whether it has stabilized.

This structure has a recognizable aesthetic counterpart. Breton's famous formulation in *Nadja* is that beauty will be convulsive or it will not exist. The surrealist image is not a conclusion; it is an event that destabilizes the interpreter and sets off a process of reinterpretation. Magritte's *The Treachery of Images*, which shows a painted pipe beneath the words "this is not a pipe," is the paradigm case. It does not offer an answer. It sets the viewer into a process: it is a pipe, it is *not* a pipe, it is a painting of a pipe, it is a sentence about a painting. Foucault's extended commentary (1973) tracks the way the image refuses to settle into a single reading.




Figure 5. Limit computation and the interpretation of an image: in neither is there an internal signal that the result has settled.

The structure mapped is:

Limit computation	Surrealist image
Output revised indefinitely	Interpretation revised indefinitely
Answer defined only in the limit	Meaning defined only in the trajectory of readings
No internal signal of convergence	No point at which the work "is understood"
Strictly more powerful than halting computation	Strictly richer than a statement

What does the analogy buy us? It suggests a reinterpretation of an old complaint about modern art: that it "does not finish." The complaint assumes that a work should be a halting computation, with a determinate output at the end of the process of viewing. The limit model suggests that some works are better understood as *trial-and-error predicates*: they produce a sequence of provisional readings, and what the work "means" is a property of the limit of that sequence, something to which no finite stage of viewing has privileged access.

The same point connects to Gödel. Gödel's first incompleteness theorem exhibits a sentence that is true but unprovable in a given consistent formal system, and which the system can nonetheless "see" the force of from outside. Penrose (1989) famously argued that human mathematicians can recognize the truth of such sentences, and therefore that mind exceeds algorithm. Whether this argument succeeds is highly disputed, and I do not rely on it. But the *structure* of the claim is suggestive: there are truths that a rule-governed system cannot reach from inside, yet which are recognizable from a position that is not wholly outside the system either. The surrealist image occupies a similar position: it is made out of ordinary materials (a pipe, a word, a clock) but arranged so that the ordinary rules of reading fail to close.

5.4 Interaction and the open work

The fourth analogy is the most practically important. Wegner (1997) argued that a computation which responds to a continuing stream of external inputs is not adequately modeled by a function from finite inputs to finite outputs. The Turing machine is a closed-world model: the input is given at the start, the computation proceeds in isolation, the output is read at the end. An interactive system, such as a server, a robot, or an operating system, never has a "final" input or "final" output, and its behavior depends on the history of its interaction with an environment that it does not control.

Surrealist practice is thoroughly interactive in this sense. The exquisite corpse is an interaction among participants, each of whom responds to a partial view of the others' contributions. The *Dictionnaire abrégé du surréalisme* and the movement's journals were collective and dialogical projects. More importantly, the surrealist object does not exist apart from the viewer's response: the juxtaposition has no spark without a reader who is surprised by it. The surrealist work is an incomplete system that requires an environment to function.

This is close to what Eco later called the "open work," and it connects to a major philosophical issue. If computation is interaction, then what a system can do is partly a function of what its environment is like. The question "what is the computational power of the surrealist mind?" cannot be answered by examining the mind in isolation; one must also specify the world it is coupled to. The same holds for the interactive machine: its power is relative to a class of environments. This yields a possible deflationary reading of the whole analogy. The "super-Turing" aspect of both systems may lie not in any hidden inner resource but in the *coupling* to an open, non-algorithmic world. The mind is more than a Turing machine because it is not a closed system, not because it contains an infinite-precision register.

5.5 A fifth, semantic, correspondence

There is a further correspondence, which I mention without full development. A Turing machine is a purely syntactic device: it manipulates symbols according to rules and has no access to what they mean. Searle's Chinese Room argument targets this feature. An oracle, by contrast, delivers *answers*, which are semantic items: "this program halts" is true or false of the world of programs. The oracle thus functions as a bridge between syntax and truth.

Magritte's painting dramatizes the syntax–semantics gap. The word "pipe," the picture of the pipe, and the pipe itself belong to three different registers, and the painting makes the viewer feel the gap. On this reading, the surrealist image is a device for *exposing* the layer between symbol and referent, which the ordinary rational use of language hides. The super-Turing oracle, in the same vein, is a device for *crossing* that layer. Exposing and crossing are different operations, but both treat the layer as a boundary and not as a seamless continuity.

6. Where the Analogy Breaks

An analogy that cannot fail teaches nothing. Here are the three places where, in my judgment, the mapping is under the most strain.

6.1 Randomness is not hypercomputation

It is tempting to say that the surrealists used chance and chance exceeds algorithm, so the surrealists were doing hypercomputation. This is a mistake. A source of random bits, by itself, does not allow a machine to compute any function that a Turing machine cannot. A probabilistic Turing machine computes only computable functions, in the sense that for any such machine the set of outputs obtained with high probability remains within the computable. Randomness gives *variety*, not *power*.

What gives hypercomputational power is *structured* information: an oracle must answer correctly, and a real weight must encode a specific non-computable sequence. A random real number, with probability one, encodes an unhelpful sequence. This distinction maps precisely onto the surrealist insistence, noted in Section 4, that automatism is not noise. Breton's claim is not that random output is valuable, but that the unconscious produces *structured* output that conscious reasoning cannot. If this claim is false, and the unconscious is merely noisy, then the surrealists' techniques generate randomness, and the analogy to hypercomputation fails. If the claim is true, then the analogy holds, and the empirical question of whether it is true remains open. The analogy is thus *conditional*, and its truth depends on a claim about the mind that neither tradition can settle on its own terms.

6.2 Physical realizability and noise

The standard objection to real-weight networks is that no physical system can maintain a parameter to infinite precision. Any real device is subject to noise, and Maass and Orponen (1998) showed that in the presence of even small amounts of analog noise, such systems lose their extra power and collapse to the capabilities of much weaker models. The infinite information in the weight is washed out. Davis (2004) argues more broadly that hypercomputation is a "myth," in that it relies on idealizations that are unavailable in nature.

The surrealist counterpart is the objection that the unconscious is not a pristine source but a noisy and culturally contaminated one. The images that arise in automatic writing are shaped by the writer's reading, habits, and expectations. Critics from the 1920s onward noted that surrealist automatism tended to produce recognizably "surrealist" content, which suggests that the filter was never fully removed. If so, then the access to a pristine beyond was illusory, and what the surrealists produced was a new convention.

Both objections express the same worry: that the beyond, once reached for through an actual medium, is degraded by the medium. I do not think this refutes either project, but it should discipline them. The proper response in each case is to treat the beyond as a *limit concept* that guides inquiry, not as an achieved fact. The mathematician can still study the structure of oracle computation without claiming to have built an oracle. The art critic can still study the surrealist's *intention* to bypass control without claiming it succeeded.

6.3 The verification problem

A deeper problem concerns how one could know that a putative oracle is correct. If the oracle answers questions that no algorithm can answer, then no algorithm can check its answers either, at least not in general. We could verify finitely many answers by independent means, but this would not establish its reliability on the rest. An oracle is, epistemically, a *trusted authority*, and trust cannot be derived from within the system it serves.

The surrealists faced the same difficulty. How does one distinguish a genuine eruption of the unconscious from a clever imitation, or a profound coincidence from a merely curious one? Breton's *objective chance* is especially exposed here, because it depends on the observer's sense that a coincidence is *meaningful*, which is a verdict that cannot be checked against anything outside the observer's own reaction. The movement's history of excommunications and splits, in which Breton expelled members for insufficient purity, may be read as an attempt to solve institutionally a verification problem that had no theoretical solution.

I think this is the most interesting site of the analogy, because it generalizes: *any* claim to access a source beyond a formal system will confront a verification problem, and the manner in which the claim handles that problem is a key test of its seriousness. Hypercomputation theorists handle it by making their claims conditional ("if such a device existed, then..."). The surrealists, at their best, handled it by making their claims aesthetic and experiential, abandoning the demand for external validation in favor of the evidence of the work's effect. The worst cases in both traditions are those that smuggle in a verification claim without supporting it.

7. Synthesis: Disciplined Excess

I now draw the threads together. My claim is that surrealism and super-Turing computation are both responses to the same structural situation, and that the situation has a characteristic problem and a characteristic solution.

The situation. A system defined by explicit rules (the rational mind, the Turing machine) has a boundary. The boundary is not arbitrary: within it the system is powerful and reliable. But there is reason to think that something lies outside it. For the surrealist, that reason is the experience of dreams, desire, and uncanny coincidence. For the computability theorist, it is the proof that the halting problem is undecidable and the suspicion that physical processes may not be bound by the same limits.

The problem. The beyond cannot be specified in the system's own terms, since by definition the system cannot represent it. It is therefore defined negatively: as whatever the rules cannot produce. But negative definition has a notorious weakness. It cannot distinguish the *meaningful beyond* from the *merely random*. A Turing machine cannot produce a halting oracle's outputs; it also cannot produce arbitrary noise. Both are "outside" the computable. What distinguishes them?

The solution. In both traditions, the answer is the *interface*. What distinguishes a meaningful surplus from noise is not a property of the surplus itself, which is by hypothesis inaccessible, but of the way it is coupled to the system: the question put to the oracle, the frame placed around the automatic text, the title given to the painting, the rule restricting what each participant of the exquisite corpse may see. The beyond becomes meaningful only when it is *asked a question*. An oracle that answers questions we cannot formulate is useless; an unconscious that produces images we cannot frame is silent.




Figure 6. Disciplined excess: the same source yields structure through an interface and noise without one.

This yields what I call the principle of **disciplined excess**: a surplus beyond a formal system can be accessed only through constraint, and the quality of the constraint determines whether the surplus is informative. It explains why the surrealists, who proclaimed liberation from control, in fact developed a repertoire of rigorous techniques, and why they were often deeply suspicious of undisciplined self-expression. It explains why Turing, in defining the oracle machine, took pains to define the *query mechanism* precisely, and why the theory of relative computability is mostly a theory of reductions, that is, of how questions can be translated into questions. The oracle's power is useless without the reduction, and the unconscious's power is useless without the technique.

The principle has an inverse, which suggests a diagnostic. Where we find a claim of access to a beyond with *no* interface, with no account of how questions are asked and how answers are read, we should be suspicious. This applies to both camps. A hypercomputation proposal that does not specify how its output can be read, and a surrealist manifesto that celebrates "pure" spontaneity without attention to form, are making the same error.

7.1 A deflationary alternative

I should record the strongest alternative reading, which rejects the synthesis. On this view, the analogy is an artifact of vagueness. "Beyond" is doing all the work in my argument, and when we specify what "beyond" means in each domain the parallel dissolves: in computability theory it is a precise mathematical notion (non-recursive functions); in aesthetics it is an evocative, possibly empty, gesture. The structural similarities I have identified, the critic says, are the generic features of any attempt to talk about limits.

I have two responses. First, genericity is not a vice if the generic structure is informative. The recognition that *any* negative specification of a beyond needs an interface to separate signal from noise is a substantive point, and it is illuminated by seeing it appear in two distant domains. Second, the analogy generates testable differences. It predicts, for example, that surrealist techniques that tightened the interface (the exquisite corpse, with its explicit rules) should have been more productive and more reproducible than those that loosened it, and that hypercomputation proposals with a clear query protocol should be easier to evaluate than those without. These are modest

predictions, but they are not trivial, and one could in principle examine them historically.

7.2 What each side gains

What does computability theory gain from the analogy? Chiefly, a vocabulary for the *phenomenology of the oracle*. The formal theory is silent about what it would be like to use a non-algorithmic source of answers, and the surrealist record is a century-long case study in the practical problems of doing so: fatigue of technique, contamination by convention, the temptation to treat any surprising output as a revelation. Anyone who proposes to build or reason about devices that exceed the Turing bound can learn from the history of attempts to do the equivalent with human minds.

What does aesthetics gain? A sharper notion of what *kind* of claim the surrealists were making. Much criticism treats surrealism as an expression of irrationality or as an assault on meaning. The computational reading suggests something more precise: surrealism is a theory of *relative* computability, an investigation of what the mind can do when augmented with a source it cannot control, and of how such augmentation changes the class of reachable outputs. On this reading, the movement is closer to an experimental science than its own rhetoric of revolt suggests.

8. Conclusion

I have argued that surrealism and super-Turing computation instantiate a common structure: a closed system of rule-governed procedure, a conjectured surplus beyond it, and the problem of accessing that surplus without losing it to noise. Four correspondences supported the analogy: the oracle and the unconscious, the continuum and the dream, the limit process and the convulsive image, and interaction and the open work. Three disanalogies, concerning randomness, physical realizability, and verification, showed where the mapping strains and why it remains conditional on contested claims about the mind and about physics.

The central lesson, I suggested, is the principle of disciplined excess: whatever lies beyond a formal system can be reached only through a constrained interface, and the character of that interface determines whether what comes back is meaning or static. If this is right, then the surrealists' obsession with technique was not a betrayal of their ideal of freedom but its necessary condition, and the computability theorist's careful attention to query mechanisms is not pedantry but the heart of the matter.

There is a final thought. Turing's 1936 paper established that no algorithm can decide whether an arbitrary program halts. It thereby proved that rational procedure has a horizon, and that the horizon can be precisely located. Breton, with no mathematics at all, said much the same thing about the rational mind. Neither could say what lay beyond. Both, however, drew the line sharply enough that the question could be asked, and each in its own way made the unanswerable question into a place from which to work. That, perhaps, is the deepest affinity between the two: not that they found the beyond, but that they made it a precise and productive absence.

References

- Breton, A. (1924). *Manifeste du surréalisme*. Paris: Éditions du Sagittaire.
- Breton, A. (1928). *Nadja*. Paris: Gallimard.
- Breton, A. (1937). *L'Amour fou*. Paris: Gallimard.
- Copeland, B. J. (2002). Hypercomputation. *Minds and Machines*, 12(4), 461–502.
- Dalí, S. (1935). *La Conquête de l'irrationnel*. Paris: Éditions surréalistes.
- Davis, M. (2004). The myth of hypercomputation. In C. Teuscher (Ed.), *Alan Turing: Life and Legacy of a Great Thinker* (pp. 195–212). Berlin: Springer.
- Eco, U. (1962). *Opera aperta*. Milan: Bompiani. (English: *The Open Work*, 1989, Harvard University Press.)
- Foucault, M. (1973). *Ceci n'est pas une pipe*. Montpellier: Fata Morgana.
- Gandy, R. (1980). Church's thesis and principles for mechanisms. In J. Barwise, H. J. Keisler, & K. Kunen (Eds.), *The Kleene Symposium* (pp. 123–148). Amsterdam: North-Holland.
- Gentner, D. (1983). Structure-mapping: A theoretical framework for analogy. *Cognitive Science*, 7(2), 155–170.
- Gödel, K. (1931). Über formal unentscheidbare Sätze der *Principia Mathematica* und verwandter Systeme I. *Monatshefte für Mathematik und Physik*, 38, 173–198.
- Gold, E. M. (1965). Limiting recursion. *Journal of Symbolic Logic*, 30(1), 28–48.
- Goldin, D., & Wegner, P. (2005). The Church–Turing thesis: Breaking the myth. In *New Computational Paradigms (CiE 2005)*, Lecture Notes in Computer Science 3526 (pp. 152–168). Berlin: Springer.
- Hogarth, M. (1992). Does general relativity allow an observer to view an eternity in a finite time? *Foundations of Physics Letters*, 5(2), 173–181.
- Lautréamont, Comte de (1869). *Les Chants de Maldoror*. Paris.
- Maass, W., & Orponen, P. (1998). On the effect of analog noise in discrete-time analog computations. *Neural Computation*, 10(5), 1071–1095.
- Penrose, R. (1989). *The Emperor's New Mind*. Oxford: Oxford University Press.
- Putnam, H. (1965). Trial and error predicates and the solution to a problem of Mostowski. *Journal of Symbolic Logic*, 30(1), 49–57.
- Searle, J. R. (1980). Minds, brains, and programs. *Behavioral and Brain Sciences*, 3(3), 417–424.
- Siegelmann, H. T. (1995). Computation beyond the Turing limit. *Science*, 268(5210), 545–548.
- Siegelmann, H. T., & Sontag, E. D. (1995). On the computational power of neural nets. *Journal of Computer and System Sciences*, 50(1), 132–150.
- Turing, A. M. (1936). On computable numbers, with an application to the Entscheidungsproblem. *Proceedings of the London Mathematical Society*, s2-42(1), 230–265.
- Turing, A. M. (1939). Systems of logic based on ordinals. *Proceedings of the London Mathematical Society*, s2-45(1), 161–228.
- Turing, A. M. (1948). Intelligent machinery. National Physical Laboratory report.
- Turing, A. M. (1950). Computing machinery and intelligence. *Mind*, 59(236), 433–460.
- Wegner, P. (1997). Why interaction is more powerful than algorithms. *Communications of the ACM*, 40(5), 80–91.