

Get all the Products

HTTP

http://localhost:30090/products

Save

</>

GET

http://localhost:30090/products

Send

Params

Authorization

Headers (6)

Body

Pre-request Script

Tests

Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (5)

Test Results

200 OK

29 ms

274 B

Save as Example

...

Pretty

Raw

Preview

Visualize

JSON

```
1  [
2    {
3      "id": 1,
4      "name": "Sample 1",
5      "quantity": 10,
6      "price": 10.1
7    },
8    {
9      "id": 2,
10     "name": "Sample 2",
11     "quantity": 200,
12     "price": 200.2
13   }
14 ]
```

Get Product by ID

HTTP <http://localhost:30090/productById/1> Save

GET <http://localhost:30090/productById/1> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body Cookies Headers (5) Test Results 200 OK 110 ms 216 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "name": "Sample 1",
4   "quantity": 10,
5   "price": 10.1
6 }
```

Get Product By Name

HTTP <http://localhost:30090/product/Sample%201> Save

GET <http://localhost:30090/product/Sample%201> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body Cookies Headers (5) Test Results 200 OK 72 ms 216 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "name": "Sample 1",
4   "quantity": 10,
5   "price": 10.1
6 }
```

Add Product

HTTP **POST** http://localhost:30090/addProduct

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies Beautify

● none ● form-data ● x-www-form-urlencoded ● **raw** ● binary ● GraphQL **JSON** ▼

```
1 { "name": "Sample 3", "quantity": 30, "price": 33.33 }
```

Body Cookies Headers (5) Test Results 200 OK 287 ms 218 B Save as Example

Pretty Raw Preview Visualize **JSON** ▼

```
1 {
2   "id": 52,
3   "name": "Sample 3",
4   "quantity": 30,
5   "price": 33.33
6 }
```

Update Product

HTTP **PUT** http://localhost:30090/update

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings Cookies Beautify

● none ● form-data ● x-www-form-urlencoded ● **raw** ● binary ● GraphQL **JSON** ▼

```
1 { "id": 52, "name": "Sample 3 Updated", "quantity": 30, "price": 33.33 }
```

Body Cookies Headers (5) Test Results 200 OK 78 ms 226 B Save as Example

Pretty Raw Preview Visualize **JSON** ▼

```
1 {
2   "id": 52,
3   "name": "Sample 3 Updated",
4   "quantity": 30,
5   "price": 33.33
6 }
```

Delete Product

The screenshot displays a REST client interface with the following components:

- URL Bar:** Shows the URL `http://localhost:30090/delete/52` and a `DELETE` method dropdown.
- Request Body:** A JSON object: `{ "id": 52, "name": "Sample 3 Updated", "quantity": 30, "price": 33.33 }`.
- Response Body:** A plain text response: `product removed !! 52`.
- Status Bar:** Indicates a `200 OK` status, `97 ms` response time, and `184 B` response size.