

Extend Language Final Report

Ishaan Kolluri

isk2108

Project Manager

Jared Samet

jss2272

Language Guru

Nigel Schuster

ns3158

System Architect

Kevin Ye

ky2294

Tester

December 15, 2016

Contents

1	Introduction	2
1.1	Inspiration & Use Cases	2
	Inspiration	2
	Complex Calculations Across Many Inputs	2
	Flexibility	2
2	Project Plan	4
2.1	Meetings	4
2.2	Development Workflow	4
	Github & Travis CI	4
2.3	Team Member Responsibilities	5
3	Git Logs	6
4	Extend Code Listing	83
4.1	scanner.mll	83
4.2	parser.mly	85
4.3	ast.ml	90
4.4	transform.ml	95
4.5	codegen.ml	106
4.6	linker.ml	129
4.7	main.ml	129
4.8	lib.c	130
4.9	runtime.c	134
4.10	stdlib.xtnd	143

1. Introduction

Extend is a declarative programming language meant to support spreadsheet-like functionality. It contains features such as complex calculations on large inputs of data, side-effect free and immutable values, and automatic formula adjustments relative to rows and columns. Extend is compiled to the LLVM (Low Level Virtual Machine) intermediate representation, which in turn is reduced to machine assembly. Extend takes inspiration from software such as Microsoft Excel, which allows users to link several formulae on dependent groups of data together, but takes this technology a step further by allowing users to encapsulate such calculations as functions.

1.1 Inspiration & Use Cases

Inspiration

The design goal of our language was to be "a spreadsheet you can compile". Extend was conceptualized to address the limitations that prevented the spreadsheet environment from evolving into a compiled, flexible programming language. To create this, there were three main things that needed to be changed about the way interactive spreadsheets work:

- The language needs reusable functions as opposed to having to copy & paste a block of cells.
- Cell ranges need to be created with dynamic runtime-determined decisions.
- In order to support more complex data structures, we must allow complex content within cells as opposed to single numbers or strings.

With these changes in mind, we attempted to keep the semantics as similar as possible to traditional spreadsheet programs; this meant implementing a dynamically typed language that is fairly forgiving to the user.

Microsoft Excel and Google Sheets find issues at scale when users need to process more and more complicated calculations on several different sets of data, sometimes at scheduled intervals. Extend was conceptualized as a standalone application that removes the manual element of entering new inputs. It brings the best of spreadsheets and computation into one product.

Complex Calculations Across Many Inputs

Extend is spiritually closer in behavior to Microsoft Excel than other conventional programming languages. Extend can nest basic operations in cells of a range, Extend's proprietary data type, and apply mathematical operations on both individual cells of a range and the entire range itself. A dependency graph is evaluated at runtime to optimize and execute these calculations.

Flexibility

Extend, as a declarative language, allows you to keep dimensional values potentially variable until runtime, and handles some errors with the "empty" keyword, which persists throughout calculation instead of crashing

the program. It supports a range of standard library functions that are additionally supported in conventional spreadsheet technology as well.


2. Project Plan

2.1 Meetings

Our goals were outlined by weekly meetings. We regularly met with Jacob Graff, our advisor throughout the development of Extend. Jacob served as a sounding board whenever Extend’s fundamental design philosophy was debated, and as a guide as we determined whether we were on track. We used any leftover time on those days to set goals for the upcoming week and pair program if time permitted.

Our team also met weekly on Fridays to further discuss the progression of Extend. In the first half of the semester, the discussions were primarily philosophical, as decisions had to be made about the language grammar and behavior of certain Extend artifacts prior to development. In the second half, time was devoted to ironing out the development timeline, discussing bugs, and making compiler implementation decisions.

2.2 Development Workflow



Github & Travis CI

Our development and documentation were all done entirely through version control to maximize independent productivity. New features were introduced to the master branch through pull requests, and the team used this as a platform to peer review code to maximize code quality before such features entered production.

An important aspect of development for us was continuous integration. We used Travis CI to trigger project builds on each pull request, which kept us informed regarding unexpected hiccups that sometimes arose during development. Travis CI ensured that new features were implemented with protecting the code base in mind, and provided quick visibility as to whether a new feature would break the existing build.

2.3 Team Member Responsibilities

Team Member	Responsibilities	GitHub Profile
Jared Samet	design philosophy, semantic transformations, code generation	oracleofnj
Nigel Schuster	development protocol, code generation, scripting	Neitsch
Ishaan Kolluri	initial LRM, Final Report, regression tests, stdlib functions, scripting	ishaankolluri
Kevin Ye	initial scanner, regression tests, stdlib functions	kevinye1

3. Git Logs

```
1 *   commit 8e6e9ba23e7d8f401efc0d9e6fc52ca15eac78bc
2 |\  Merge: 8146d04 a483282
3 |   Author: Jared Samet <jared.samet@aya.yale.edu>
4 |   Date:    Tue Dec 13 18:42:05 2016 -0500
5 |
6 |       Merge pull request #78 from ExtendLang/unop-unary-minus
7 |
8 |       Unop TypeOf
9 |
10 *   commit a4832821fbe532bbf2fcbc38270c9821bcf44ec0
11 |\  Merge: f8c9b43 8146d04
12 |   Author: oracleofnj <jared.samet@aya.yale.edu>
13 |   Date:    Tue Dec 13 16:13:30 2016 -0500
14 |
15 |       Merge branch 'master' into unop-unary-minus
16 |
17 *   commit 8146d046adbf93a34157048b3c4b1777207334fc
18 |\ \ Merge: dcd5766 94afc93
19 |   Author: Jared Samet <jared.samet@aya.yale.edu>
20 |   Date:    Tue Dec 13 16:12:17 2016 -0500
21 |
22 |       Merge pull request #75 from ExtendLang/fix-more-tc
23 |
24 |       Fix more tc
25 |
26 *   commit 94afc93afdbe4eb32322f9e8951ef250f1870263
27 |   Author: Nigel Schuster <nigel.schusters@googlemail.com>
28 |   Date:    Tue Dec 13 16:02:06 2016 -0500
29 |
30 |       Corrected expected TC
31 |
32 *   commit f6f82767ec790d01dd5b6e7e05509fceaec322ec
33 |   Author: Nigel Schuster <nigel.schusters@googlemail.com>
34 |   Date:    Tue Dec 13 16:00:59 2016 -0500
35 |
36 |       Fixed string.xtnd file
37 |
38 *   commit dcd5766e9b71ae3445135a1c731dd35cdafd24d3
39 |\ \ Merge: 23328f1 d9abfc0
40 |   Author: Nigel Schuster <Neitsch@users.noreply.github.com>
41 |   Date:    Tue Dec 13 15:44:38 2016 -0500
42 |
43 |       Merge pull request #74 from ExtendLang/fix-tc
44 |
```

```

45 | | | Fixed ternary testcase
46 | | |
47 | * | commit d9abfc09658cf505f5f9b9239953cb7b1347bef7
48 | |\ | Merge: 324779a 23328f1
49 | | / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
50 | / | Date: Tue Dec 13 15:38:38 2016 -0500
51 | | |
52 | | | Merge branch 'master' into fix-tc
53 | | |
54 | * | commit 324779a30d19b74050584d4ef2bd536d3f1b4943
55 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
56 | | | Date: Tue Dec 13 15:32:26 2016 -0500
57 | | |
58 | | | Corrected expected value
59 | | |
60 | * | commit fafe2e602f3a091d77ddbb90887680bcefc9bd95
61 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
62 | | | Date: Tue Dec 13 15:29:00 2016 -0500
63 | | |
64 | | | Fixed string tc
65 | | |
66 | * | commit 022f05c5b303b6c567d38393517803276c90b157
67 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
68 | | | Date: Tue Dec 13 15:23:59 2016 -0500
69 | | |
70 | | | Fixed testcase
71 | | |
72 | * | commit f8c9b435857d699209cfe033171f124ce78e3dae
73 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
74 | | | Date: Tue Dec 13 16:13:09 2016 -0500
75 | | |
76 | | | Make TypeOf work
77 | | |
78 | * | commit bfe1c07e3b3ec6d5237043eb50ce73f2fac80fb9
79 | | | Merge: 50ed49c 23328f1
80 | | - / | Author: oracleofnj <jared.samet@aya.yale.edu>
81 | / | Date: Tue Dec 13 15:39:45 2016 -0500
82 | | |
83 | | | Merge branch 'master' into unop-unary-minus
84 | | |
85 | * | commit 23328f10c3bf28e27a7e6a081fa91eea27611b5b
86 | |\ | Merge: 6ad8512 b12fe37
87 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
88 | | | Date: Tue Dec 13 15:37:18 2016 -0500
89 | | |
90 | | | Merge pull request #73 from ExtendLang/and-or-xor
91 | | |
92 | | | And or xor
93 | | |
94 | * | commit b12fe378c00d0782b36cc270a1388b2bb9094a52
95 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
96 | | | Date: Tue Dec 13 15:18:57 2016 -0500
97 | | |
98 | | | Implemented and, or and xor
99 | | |
100 | * | commit 90cbaa089e26f712bdb0321c66604d5ab83d4a75

```



```

101 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
102 | | | Date: Tue Dec 13 15:16:31 2016 -0500
103 | | |
104 | | | Added left and right shift
105 | | |
106 | * | | commit 571ee7e663823d3cdcc388c11c3ef4903cc07625
107 | | \ \ Merge: aeab40d e377567
108 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
109 | | | Date: Tue Dec 13 14:56:05 2016 -0500
110 | | |
111 | | | Merge branch 'power' of https://github.com/ExtendLang/Extend into power
112 | | |
113 | * | | commit e377567e16ab447e156073e63e80ddd17545de28
114 | | \ \ Merge: 71f395d 6ad8512
115 | | - / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
116 | / | / / Date: Tue Dec 13 14:53:28 2016 -0500
117 | | / /
118 | | | Merge branch 'master' into power
119 | | |
120 | * | | commit 6ad85121a7782e13817dfd58a7b7308cccf9bf0d
121 | | \ \ Merge: 668a0eb 6a04209
122 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
123 | | | Date: Tue Dec 13 14:53:11 2016 -0500
124 | | |
125 | | | Merge pull request #69 from ExtendLang/unop-unary-minus
126 | | |
127 | | | Unop unary minus
128 | | |
129 | * | | commit aeab40daf88e72d6bd61d80553c17c0c2db73930
130 | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
131 | | | Date: Tue Dec 13 14:55:57 2016 -0500
132 | | |
133 | | | Removed unnecessary level of indirection
134 | | |
135 | * | | commit 71f395dcefc8f064d9cd0700da3345fc9658e083
136 | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
137 | / | | Date: Tue Dec 13 14:46:27 2016 -0500
138 | | |
139 | | | Power to the people of Extend
140 | | |
141 | * | | commit 50ed49cab80e64801ddef4b2242de0aabf886912
142 | | / Author: oracleofnj <jared.samet@aya.yale.edu>
143 | | | Date: Tue Dec 13 15:38:04 2016 -0500
144 | | |
145 | | | Merging in main
146 | | |
147 | * | | commit 6a04209cc7ebdb2a96fc67b66fed983b10c44c8
148 | | \ Merge: edb0ecc 668a0eb
149 | | / Author: oracleofnj <jared.samet@aya.yale.edu>
150 | / | | Date: Tue Dec 13 14:45:46 2016 -0500
151 | | |
152 | | | Fix merge conflict
153 | | |
154 | * | | commit 668a0eb548dbab171c854c1e08c24628cc5f268c
155 | | \ Merge: f873242 866b68f
156 | | | Author: Jared Samet <jared.samet@aya.yale.edu>

```

```

157 | | | Date: Tue Dec 13 14:37:19 2016 -0500
158 | | |
159 | | | Merge pull request #68 from ExtendLang/mod-div
160 | | |
161 | | | Modulo and division
162 | | |
163 | * | commit 866b68f65b6e94cb063a1fb88918f62ebba68bb6
164 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
165 | | | Date: Tue Dec 13 14:32:18 2016 -0500
166 | | |
167 | | | Added modulo and division operation
168 | | |
169 | * | commit 84dfc3315078447c8df4b64a2f00cda7bef47cf1
170 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
171 | | | Date: Tue Dec 13 14:26:25 2016 -0500
172 | | |
173 | | | Crunched some code
174 | | |
175 | * | commit f4d5a8114d50acf5683d58629eca82a776c32480
176 | \| \ Merge: fc94112 f873242
177 | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
178 | / | Date: Tue Dec 13 14:22:12 2016 -0500
179 | | |
180 | | | Merge branch 'master' into simplification
181 | | |
182 | * | commit fc941122a7b42a66c6db83c23e9f8abfce9c5a25
183 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
184 | | | Date: Tue Dec 13 14:20:35 2016 -0500
185 | | |
186 | | | Added multiplication
187 | | |
188 | * | commit edb0eccb71dc27ceacae7362802b9d3562dd1f9b
189 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
190 | | | Date: Tue Dec 13 14:43:32 2016 -0500
191 | | |
192 | | | Add unary minus
193 | | |
194 | * | commit 46d5aa6b0827bf684873459b2ea347f43294c488
195 | | \| Merge: 76210eb f873242
196 | | - / Author: oracleofnj <jared.samet@aya.yale.edu>
197 | / | Date: Tue Dec 13 14:26:35 2016 -0500
198 | | |
199 | | | Merge branch 'master' into unop-typeof
200 | | |
201 | * | commit f873242d23ab48c0e4230881d4524d53bdca5b52
202 | \| \ Merge: 4afd78e 6c26c2c
203 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
204 | | | Date: Tue Dec 13 14:21:26 2016 -0500
205 | | |
206 | | | Merge pull request #65 from ExtendLang/subtraction
207 | | |
208 | | | Addition of Subtraction
209 | | |
210 | * | commit 6c26c2cae72e3780299f447d1258e27dc799e1a3
211 | \| \ Merge: bd90241 4afd78e
212 | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>

```

```

213 | / | | | | Date: Tue Dec 13 14:19:07 2016 -0500
214 | | | | |
215 | | | | | Merge branch 'master' into subtraction
216 | | | | |
217 | * | | | | commit bd90241ce837eb554b67204b86d9db76c9888a0f
218 | | \ \ \ \ Merge: 4042259 c7d4162
219 | | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
220 | | | | | Date: Tue Dec 13 14:14:17 2016 -0500
221 | | | | |
222 | | | | | Merge branch 'master' into subtraction
223 | | | | |
224 | * | | | | commit 4042259e9960bc7d4e9fd50a45c8f94231770339
225 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
226 | | | | | Date: Tue Dec 13 14:13:09 2016 -0500
227 | | | | |
228 | | | | | Added subtraction
229 | | | | |
230 | * | | | | commit 82a3db27594ad2acc9f8a275a26b8fd01937adde
231 | | \ \ \ \ Merge: 1elf973 cc40008
232 | | | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
233 | | | / / Date: Tue Dec 13 14:11:31 2016 -0500
234 | | | | |
235 | | | | | Merge branch 'master' into subtraction
236 | | | | |
237 | * | | | | commit 1elf9734f1e8b482c8cd7074014aa4e5c506e19c
238 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
239 | | | | | Date: Tue Dec 13 13:44:36 2016 -0500
240 | | | | |
241 | | | | | Subtraction
242 | | | | |
243 | | | | * commit 76210ebd86f466b3e2c3e837b5aa9d1c4776d56b
244 | | - - / Author: oracleofnj <jared.samet@aya.yale.edu>
245 | / | | | Date: Tue Dec 13 14:26:18 2016 -0500
246 | | | | |
247 | | | | | Start on it
248 | | | | |
249 | * | | | | commit 4afd78e4535d88d3c131af4c4dfd5a1812ec17e9
250 | | \ \ \ \ Merge: c7d4162 d4d4388
251 | | - - / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
252 | / | | | Date: Tue Dec 13 14:18:55 2016 -0500
253 | | | | |
254 | | | | | Merge pull request #64 from ExtendLang/refactor-boolean-binops
255 | | | | |
256 | | | | | Change Lt, Lte in grammar; implement GTE
257 | | | | |
258 | * | | | | commit d4d4388775ad5c1ce66fa729f5161d324c0da91c
259 | | \ \ \ \ Merge: 663f399 c7d4162
260 | | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
261 | / | | | Date: Tue Dec 13 14:15:58 2016 -0500
262 | | | | |
263 | | | | | Merge branch 'master' into refactor-boolean-binops
264 | | | | |
265 | * | | | | commit c7d41623a82f3819c7a2104a8dabd1ca17c2a5d6
266 | | \ \ \ \ Merge: cc40008 97821c8
267 | | - - / Author: Jared Samet <jared.samet@aya.yale.edu>
268 | / | | | Date: Tue Dec 13 14:02:13 2016 -0500

```

```

269 | | |
270 | | | Merge pull request #63 from ExtendLang/more-binops
271 | | |
272 | | | More binops
273 | | |
274 | | * | commit 663f399e023f753acalc87d758cf4cbdd167e466
275 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
276 | | | | Date: Tue Dec 13 14:12:57 2016 -0500
277 | | |
278 | | | Remove wildcard from BinOp pattern match
279 | | |
280 | | * | commit 1bf6bedffc1776bc66e7dbc413bd74d293778ead
281 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
282 | | | | Date: Tue Dec 13 14:09:47 2016 -0500
283 | | |
284 | | | Add TransformedAway exception for LogAnd and LogOr
285 | | |
286 | | * | commit 952778e9205d92208cfb48b6b8c92c2c697cfb40
287 | | / / | Author: oracleofnj <jared.samet@aya.yale.edu>
288 | | | | Date: Tue Dec 13 14:01:54 2016 -0500
289 | | |
290 | | | Change Lt, Lte in grammar; implement GTE
291 | | |
292 | | * | commit 97821c8291bc07c3607f98179832fb05a89f6e8d
293 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
294 | | | | Date: Tue Dec 13 13:47:52 2016 -0500
295 | | |
296 | | | GT
297 | | |
298 | | * | commit e0a883a96e63eea084f350d58e12a8d56be8e157
299 | | / / | Author: oracleofnj <jared.samet@aya.yale.edu>
300 | | | | Date: Tue Dec 13 13:37:57 2016 -0500
301 | | |
302 | | | Remove NotEq from AST since != is parsed to UnOp(LogNot,BinOp(Eq,...))
303 | | |
304 | | * | commit cc40008a9c11d7b084feb72657cf2a69fb5dea62
305 | | \ \ | Merge: a656f57 7123ebc
306 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
307 | | | | Date: Tue Dec 13 12:49:33 2016 -0500
308 | | |
309 | | | Merge pull request #60 from ExtendLang/addition2
310 | | |
311 | | | String concatenation
312 | | |
313 | | * | commit 7123ebcb45ebe8a8dc4a924a17760a8eaf016473
314 | | \ \ | Merge: eb134b3 a656f57
315 | | / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
316 | | / | | Date: Tue Dec 13 12:41:09 2016 -0500
317 | | |
318 | | | Merge branch 'master' into addition2
319 | | |
320 | | * | commit a656f57efd95a86d97de787aa6694f65f39e265a
321 | | \ \ | Merge: 81533f4 a64cc15
322 | | - / | Author: Jared Samet <jared.samet@aya.yale.edu>
323 | | / | | Date: Tue Dec 13 12:38:12 2016 -0500
324 | | |

```

```

325 | | | Merge pull request #61 from ExtendLang/debug-unop
326 | | |
327 | | | Add Debug expr
328 | | |
329 | * | commit a64cc15c6f95beaf1f4fe85112c4869a2b9b12fb
330 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
331 | | Date: Tue Dec 13 12:14:45 2016 -0500
332 | | |
333 | | | Add Debug expr
334 | | |
335 | * | commit eb134b35a63c3f58eb744c921a9235b11399fba3
336 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
337 | | Date: Tue Dec 13 12:29:53 2016 -0500
338 | | |
339 | | | Moved testcases
340 | | |
341 | * | commit 044c6bdda6cba9100614b3c20ed355bdecbbf2095
342 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
343 | | Date: Tue Dec 13 12:29:07 2016 -0500
344 | | |
345 | | | Fixed off by one error
346 | | |
347 | * | commit 59858a0952c52893b5b5245b158b426bbb5c4a4d
348 | | Author: oracleofnj <jared.samet@aya.yale.edu>
349 | | Date: Tue Dec 13 11:33:12 2016 -0500
350 | | |
351 | | | Whoops no space
352 | | |
353 | * | commit 0426f3411166f44f628bcb94bdde53ec4a6bb5ba
354 | | Author: oracleofnj <jared.samet@aya.yale.edu>
355 | | Date: Tue Dec 13 11:30:26 2016 -0500
356 | | |
357 | | | Add test case
358 | | |
359 | * | commit 49ffa8688e78b8add3b67dbb36fe505f759eac17
360 | | \ Merge: 3cdaa5a 81533f4
361 | | / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
362 | / Date: Tue Dec 13 11:19:14 2016 -0500
363 | | |
364 | | | Merge branch 'master' into addition2
365 | | |
366 | * | commit 81533f4fc65b6303d3bc21bf755814053e9212ec
367 | | \ Merge: 200b8b6 64d1760
368 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
369 | | | Date: Tue Dec 13 11:13:44 2016 -0500
370 | | |
371 | | | Merge pull request #59 from ExtendLang/equal-rights
372 | | |
373 | | | Equal rights
374 | | |
375 | * | commit 64d1760ba8810a2d57de49736980530e5d803441
376 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
377 | | | Date: Tue Dec 13 11:04:55 2016 -0500
378 | | |
379 | | | Wake up please, GitHub
380 | | |

```

```

381 | * | commit 840aeaf2a7afdlb88756ad9bb391d7763921c76e
382 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
383 |   | Date:   Tue Dec 13 10:48:03 2016 -0500
384 |   |
385 |   | Remove usage demonstration
386 |   |
387 | * | commit 61ff4395ca4fef30147df4e8a7733f3eb07d3ed3
388 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
389 |   | Date:   Tue Dec 13 03:26:35 2016 -0500
390 |   |
391 |   | Add string equality and test cases
392 |   |
393 | * | commit f3112e98f1a16888694bae635e3c2d8707c83469
394 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
395 |   | Date:   Tue Dec 13 01:57:10 2016 -0500
396 |   |
397 |   | Reduce cut & paste
398 |   |
399 | * | commit 08ce677a9c4db365fefdf59a91c89b8c8bae5d73
400 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
401 |   | Date:   Tue Dec 13 01:35:46 2016 -0500
402 |   |
403 |   | Remove obsolete testing file
404 |   |
405 | * | commit ae8a07e0ccd6e9959d83a800af7e68ef7267e39c
406 | \ \ Merge: 862b38c 6090713
407 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
408 |   | Date:   Tue Dec 13 01:23:26 2016 -0500
409 |   |
410 |   | Merge branch 'print_value_p' into equal-rights
411 |   |
412 | * | commit 6090713b9c7b49a8a58308cb4caaaef6a1817aa9
413 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
414 |   | Date:   Tue Dec 13 01:22:47 2016 -0500
415 |   |
416 |   | Use correct printf specifier
417 |   |
418 | * | commit 862b38c5f0190732e311a967863ff8862e92490c
419 | \ \ \ Merge: 50281b1 5e913ad
420 | | / / Author: oracleofnj <jared.samet@aya.yale.edu>
421 |   | Date:   Tue Dec 13 01:19:14 2016 -0500
422 |   |
423 |   | Merge branch 'print_value_p' into equal-rights
424 |   |
425 | * | commit 5e913ad2d9e42cc06417b1de641cb812d712e52a
426 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
427 | / | Date:   Tue Dec 13 01:16:07 2016 -0500
428 |   |
429 |   | Add debug_print; remove print statement that was causing us to falsely
    |   | pass test cases from to_string; show usage in UnOp(Neg)
430 |   |
431 | * | commit 50281b1d3047296e7f3c5ed362bd4126a37dd0a2
432 |   | Author: oracleofnj <jared.samet@aya.yale.edu>
433 |   | Date:   Tue Dec 13 00:47:28 2016 -0500
434 |   |
435 |   | Numeric equality

```

```

436 | | |
437 | * | commit 0f76aa4eac383b95c8c9b05c7a1073b18c4e53b4
438 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
439 | | Date: Mon Dec 12 22:30:15 2016 -0500
440 | |
441 | | Remove print flags
442 | |
443 | * | commit 200b8b6bf132a7d80f6545ab1a8063b95f8b8477
444 | \ \ Merge: 8834635 7e7276b
445 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
446 | | Date: Mon Dec 12 22:16:15 2016 -0500
447 | |
448 | | Merge pull request #57 from ExtendLang/addition2
449 | |
450 | | Addition
451 | |
452 | * | commit 3cdaa5a45e4644004a3cb274fd43c0c56ecd38a4
453 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
454 | | Date: Tue Dec 13 11:12:41 2016 -0500
455 | |
456 | | String addition
457 | |
458 | * | commit da7c5433dc305f65f46f6bacec96c351aeaef60c
459 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
460 | | Date: Mon Dec 12 12:43:31 2016 -0500
461 | |
462 | | Setting flag for addition
463 | |
464 | * | commit 7e7276ba7b8c816cc7c3c3d8af46948e96b14a16
465 | \ Merge: 8aa125f 8834635
466 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
467 | / Date: Mon Dec 12 12:37:35 2016 -0500
468 | |
469 | | Merge branch 'master' into addition2
470 | |
471 | * | commit 88346350bff1466a192f24dbb77f572a329c7204
472 | \ \ Merge: 6ed303e 53ae9e0
473 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
474 | | Date: Mon Dec 12 10:18:51 2016 -0500
475 | |
476 | | Merge pull request #55 from ExtendLang/runtime
477 | |
478 | | Extracted runtime into seperate file
479 | |
480 | * | commit 53ae9e05b3affda0148b3112b8b6362d15cabbc0
481 | \ \ Merge: d1e196d 6ed303e
482 | / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
483 | / Date: Mon Dec 12 10:06:24 2016 -0500
484 | |
485 | | Merge branch 'master' into runtime
486 | |
487 | * | commit 6ed303e17033f6525a77d6640b2da8c6bf806f7b
488 | \ \ Merge: ecc620e ae49ce6
489 | | Author: Jared Samet <jared.samet@aya.yale.edu>
490 | | Date: Mon Dec 12 09:43:57 2016 -0500
491 | |

```

```

492 | | | Merge pull request #56 from ExtendLang/truthy-fix
493 | | |
494 | | | Truthy fix
495 | | |
496 | * | commit ae49ce6bba03f66e939fb33bdb7b6a9af58f1696
497 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
498 | | | Date: Mon Dec 12 01:15:29 2016 -0500
499 | | |
500 | | | Remove extra file
501 | | |
502 | * | commit 7fe6a2234a976d5d85333147b0016d4099f71f5d
503 | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
504 | | | Date: Mon Dec 12 01:11:53 2016 -0500
505 | | |
506 | | | Falsey fix
507 | | |
508 | * | commit ecc620eba7af7a55e6da7a222e6ef6a2a08c461d
509 | \ \ \ Merge: a875b41 4c8caa5
510 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
511 | | | Date: Mon Dec 12 00:17:06 2016 -0500
512 | | |
513 | | | Merge pull request #54 from ExtendLang/final-draft-for-real
514 | | |
515 | | | Final draft for real
516 | | |
517 | * | commit 4c8caa516cd2dbf01475669aalca048ee1c90130
518 | \ \ \ Merge: 04d3b57 a875b41
519 | / / / Author: Jared Samet <jared.samet@aya.yale.edu>
520 | / | | Date: Mon Dec 12 00:09:16 2016 -0500
521 | | |
522 | | | Merge branch 'master' into final-draft-for-real
523 | | |
524 | * | commit 04d3b57dd8f38dafb9edb7999ed203e2c9921f26
525 | \ \ \ Merge: 718ecd3 39025b0
526 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
527 | | | Date: Mon Dec 12 00:00:29 2016 -0500
528 | | |
529 | | | Merge pull request #39 from ExtendLang/more-lrm-ed
530 | | |
531 | | | More lrm edits
532 | | |
533 | * | commit 39025b056938eb96d3643228d86ff1fc93a9ce24
534 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
535 | | | Date: Sun Dec 11 23:59:18 2016 -0500
536 | | |
537 | | | Fixed examples, made small corrections
538 | | |
539 | * | commit a0ed757bb534a010db452bef1409ec536cb17637
540 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
541 | | | Date: Sat Dec 10 23:31:38 2016 -0500
542 | | |
543 | | | Edited explanation for row() and column()
544 | | |
545 | * | commit 7c50ef28d766680fd30067187d01d27fda12e7fa
546 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
547 | | | Date: Sat Dec 10 23:27:07 2016 -0500

```



```

548 | | | | |
549 | | | | | Added info for strings
550 | | | | |
551 | | * | | commit 738e41b433a38008360696f2ece253a91fafdbe6
552 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
553 | | | | | Date: Sat Dec 10 23:24:20 2016 -0500
554 | | | | |
555 | | | | | Added boolean example
556 | | | | |
557 | | * | | commit 5377fdff3f9824062de5a599b59ea07f5e2d2d4b
558 | / / / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
559 | | | | | Date: Sat Dec 10 23:19:26 2016 -0500
560 | | | | |
561 | | | | | Added arithmetic example
562 | | | | |
563 | | * | | commit 718ecd3b1c641c7b5816718c142423fa900d07ca
564 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
565 | | | | | Date: Sat Dec 10 03:09:18 2016 -0500
566 | | | | |
567 | | | | | Some changes to LRM; add if(a,b,c)
568 | | | | |
569 | | * | | commit d1e196da9518ddc18fd6df57a52c91aef3e71fe8
570 | / / | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
571 | / | | | Date: Mon Dec 12 00:23:13 2016 -0500
572 | | | | |
573 | | | | | Extracted runtime into seperate file
574 | | | | |
575 | * | | | commit a875b4172c1d79172be671c297c09718b244dbdb
576 | \ \ \ | | Merge: b95d14f 616dd34
577 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
578 | | | | | Date: Sun Dec 11 23:51:30 2016 -0500
579 | | | | |
580 | | | | | Merge pull request #53 from ExtendLang/truthy
581 | | | | |
582 | | | | | Truthy
583 | | | | |
584 | | * | | commit 616dd34bebf74dfb7b74191141880b7cb68a7019
585 | \ \ \ | | Merge: 0fa8255 b95d14f
586 | / / / | | Author: oracleofnj <jared.samet@aya.yale.edu>
587 | / | | | | Date: Sun Dec 11 23:15:54 2016 -0500
588 | | | | |
589 | | | | | Merge branch 'master' into truthy
590 | | | | |
591 | * | | | commit b95d14f5dd690433f23be5a71e0affebce6b1829
592 | \ \ \ | | Merge: 2a905c7 6dea96f
593 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
594 | | | | | Date: Sun Dec 11 21:02:28 2016 -0500
595 | | | | |
596 | | | | | Merge pull request #50 from ExtendLang/builder-hotfix
597 | | | | |
598 | | | | | So many builders
599 | | | | |
600 | | * | | commit 0fa8255b29077c769514973ad17fa7eb7fec9351
601 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
602 | | | | | Date: Sun Dec 11 23:14:42 2016 -0500
603 | | | | |

```

```

604 | | | | | Apparently still needs some work
605 | | | | |
606 | | * | | commit 78584d7808785b7a8e7253788bdfc0240e96cfd9
607 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
608 | | | | | Date: Sun Dec 11 23:09:07 2016 -0500
609 | | | | |
610 | | | | | Thanks a lot Travis
611 | | | | |
612 | | * | | commit b5673d22f67f84f159cd1c28288a195be81aada3
613 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
614 | | | | | Date: Sun Dec 11 22:51:52 2016 -0500
615 | | | | |
616 | | | | | TERRRRRRRRR NARRRRRRR EEEEEEEEEEEEEEEEEEE
617 | | | | |
618 | | * | | commit b81bc1bab064a134c831685c9d76c47a4b2cd69c
619 | | / / / | | Author: oracleofnj <jared.samet@aya.yale.edu>
620 | | | | | Date: Sun Dec 11 22:04:25 2016 -0500
621 | | | | |
622 | | | | | Maybe Truthy
623 | | | | |
624 | | * | | commit 6dea96f0c2d42f131990b37e515f2e6df198d2e0
625 | | / / / | | Author: oracleofnj <jared.samet@aya.yale.edu>
626 | | | | | Date: Sun Dec 11 20:40:47 2016 -0500
627 | | | | |
628 | | | | | So many builders
629 | | | | |
630 | | * | | commit 2a905c7b5b89a9a2d490bda9782e1e0e54fb8cb3
631 | | \ \ \ | | Merge: 18fclbe 2bc6c85
632 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
633 | | | | | Date: Sun Dec 11 19:15:47 2016 -0500
634 | | | | |
635 | | | | | Merge pull request #47 from ExtendLang/function-parameter
636 | | | | |
637 | | | | | Function parameter
638 | | | | |
639 | | * | | commit 2bc6c85a240f72c3bc040bb2d54e4bb375b1720b
640 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
641 | | | | | Date: Sun Dec 11 19:11:33 2016 -0500
642 | | | | |
643 | | | | | Add combined test case
644 | | | | |
645 | | * | | commit 860a11b3e4368c6f21337ccd055df4c00f502b0f
646 | | \ \ \ | | Merge: 8c3499e 18fclbe
647 | | / / / | | Author: oracleofnj <jared.samet@aya.yale.edu>
648 | | / | | | | Date: Sun Dec 11 19:04:35 2016 -0500
649 | | | | |
650 | | | | | Merge branch 'master' into function-parameter
651 | | | | |
652 | | * | | commit 8c3499e3dd670ff1e16911b823cff1933452c71f
653 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
654 | | | | | Date: Sun Dec 11 19:03:39 2016 -0500
655 | | | | |
656 | | | | | Remove extraneous printlines
657 | | | | |
658 | | * | | commit 99418c0215673e964074547dced2e0f69a432b06
659 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

660 | | | Date: Sun Dec 11 19:02:31 2016 -0500
661 | | |
662 | | | Make function parameters work
663 | | |
664 | * | commit 387559b44107284c1056db47378bf9b79458cb93
665 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
666 | | | Date: Sun Dec 11 18:39:00 2016 -0500
667 | | |
668 | | | First attempt
669 | | |
670 | | | * commit 8aa125f1d5292eb3f7aa41be186d761248134535
671 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
672 | | | Date: Sun Dec 11 20:15:52 2016 -0500
673 | | |
674 | | | Made som rpgroess
675 | | |
676 | | | * commit 6c00a72a2912c7f38af73fc49070f63e05243ca6
677 | | -/ | Author: Nigel Schuster <nigel.schusters@googlemail.com>
678 | / | | Date: Sun Dec 11 18:45:46 2016 -0500
679 | | |
680 | | | Some progress
681 | | |
682 | * | | commit 18fc1beab2196a2a45d6ce4cdf2b528f2545c03e
683 | \ \ \ | Merge: f1dd8a5 f7e9be8
684 | | / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
685 | / | | Date: Sun Dec 11 18:08:11 2016 -0500
686 | | |
687 | | | Merge pull request #45 from ExtendLang/empty
688 | | |
689 | | | Implemented empty, small flag setting fix
690 | | |
691 | * | | commit f7e9be8c20044c73ea00ce076bd075a24e809dfa
692 | \ \ \ | Merge: 18db166 f1dd8a5
693 | | / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
694 | / | | Date: Sun Dec 11 16:30:05 2016 -0500
695 | | |
696 | | | Merge branch 'master' into empty
697 | | |
698 | * | | commit f1dd8a5ca9976def254e61530ed91c650c09070b
699 | \ \ \ | Merge: 3c4681d 50366f4
700 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
701 | | | | Date: Sun Dec 11 16:18:44 2016 -0500
702 | | | |
703 | | | | Merge pull request #46 from ExtendLang/actually-make-global-scope
704 | | | |
705 | | | | Actually make global scope
706 | | | |
707 | * | | commit 50366f43d98220a48d90a6faa884c70e68778627
708 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
709 | | | | Date: Sun Dec 11 15:38:05 2016 -0500
710 | | | |
711 | | | | Make sure locals are properly masking globals
712 | | | |
713 | * | | commit 046c7cc0ca4ad773ac83b7677dd7f14e3d8c9337
714 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
715 | | | | Date: Sun Dec 11 15:30:53 2016 -0500

```

```

716 | | | |
717 | | | | Make globals work, fix bug
718 | | | |
719 | * | | | commit a844a4635358aeba7edd4f6faa83871036c1fee4
720 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
721 | | | | Date: Sun Dec 11 15:14:09 2016 -0500
722 | | | |
723 | | | | So close
724 | | | |
725 | * | | | commit 67849f0177f0c67cd19a61121b9d971bab6a0474
726 | / / / | Author: oracleofnj <jared.samet@aya.yale.edu>
727 | | | | Date: Sun Dec 11 15:01:52 2016 -0500
728 | | | |
729 | | | | Make the global scope object
730 | | | |
731 | * | | | commit 18db1667adb6a80ccd0bbb4b6b657ec6db0200e
732 | | \ \ | Merge: 393d02c 3c4681d
733 | | / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
734 | / | | | Date: Sun Dec 11 15:05:42 2016 -0500
735 | | | |
736 | | | | Merge branch 'master' into empty
737 | | | |
738 | * | | | commit 3c4681d6a7aaf164d403b3148822d8992783754d
739 | \ \ \ \ | Merge: abcffd0 7be1001
740 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
741 | | | | Date: Sun Dec 11 13:31:12 2016 -0500
742 | | | |
743 | | | | Merge pull request #44 from ExtendLang/float-display-hotfix
744 | | | |
745 | | | | Floating point math hotfix
746 | | | |
747 | * | | | commit 7be1001d43b1082b4cc2fa6801f619f99f0679c8
748 | | \ \ \ | Merge: 556da44 abcffd0
749 | | / / / | Author: Jared Samet <jared.samet@aya.yale.edu>
750 | / | | | Date: Sun Dec 11 13:26:55 2016 -0500
751 | | | |
752 | | | | Merge branch 'master' into float-display-hotfix
753 | | | |
754 | * | | | commit abcffd04216b35160b67c1f7ca29de8020a57774
755 | \ \ \ \ \ | Merge: d65aad4 0ad195e
756 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
757 | | | | Date: Sun Dec 11 13:19:05 2016 -0500
758 | | | |
759 | | | | Merge pull request #42 from ExtendLang/encapsulate-build-scope
760 | | | |
761 | | | | Encapsulate a little more of building the scope
762 | | | |
763 | * | | | commit 0ad195e79e1bce957f7d265e7365de0ffc718988
764 | | \ \ \ \ | Merge: 9caf464 d65aad4
765 | | / / / / | Author: oracleofnj <jared.samet@aya.yale.edu>
766 | / | | | | Date: Sun Dec 11 12:42:42 2016 -0500
767 | | | | |
768 | | | | | Merge branch 'master' into encapsulate-build-scope
769 | | | | |
770 | * | | | | commit 9caf4645cf9a747101bed8801917dda953b3df5e
771 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

772 | | | | | Date: Sun Dec 11 12:41:40 2016 -0500
773 | | | | |
774 | | | | | Encapsulate a little more of building the scope
775 | | | | |
776 | | * | | commit 556da44ef36ec5b4b93aade0ef2bb2372f0cd0a4
777 | | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
778 | / | | | Date: Sun Dec 11 13:18:15 2016 -0500
779 | | | | |
780 | | | | | Floating point math hotfix
781 | | | | |
782 | | * | | commit 393d02c61efdaa9e246509fef8b3b61303bf0b96
783 | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
784 | / | | | Date: Sun Dec 11 14:25:02 2016 -0500
785 | | | | |
786 | | | | | Implemented empty, small flag setting fix
787 | | | | |
788 | * | | | commit d65aad46b60dde24fdc2740ec1e26676fa03a2e0
789 | \ \ \ Merge: 9cee2fc 0f5a6ba
790 | | / / Author: Jared Samet <jared.samet@aya.yale.edu>
791 | | | | | Date: Sun Dec 11 12:09:28 2016 -0500
792 | | | | |
793 | | | | | Merge pull request #40 from ExtendLang/make-global-scope
794 | | | | |
795 | | | | | Make global scope
796 | | | | |
797 | * | | | commit 0f5a6ba3e6c1e3e29a4ed02f70cf418ce059bd4b
798 | \ \ \ Merge: 56b58d9 9cee2fc
799 | | / / Author: oracleofnj <jared.samet@aya.yale.edu>
800 | / | | | Date: Sun Dec 11 12:04:05 2016 -0500
801 | | | | |
802 | | | | | Merge branch 'master' into make-global-scope
803 | | | | |
804 | * | | | commit 9cee2fc6bb72ad0cf074bbeb16faa4759778f5d1
805 | | | | | Author: kevinyel <kevinyel@users.noreply.github.com>
806 | | | | | Date: Sun Dec 11 10:07:36 2016 -0500
807 | | | | |
808 | | | | | Testcases (#38)
809 | | | | |
810 | | | | | * Updated testcases with to-string method
811 | | | | |
812 | | | | | * Merged with master
813 | | | | |
814 | * | | | commit 56b58d9b121d5b8e26a25bdb45572b9de5ed89bb
815 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
816 | | | | | Date: Sun Dec 11 12:01:28 2016 -0500
817 | | | | |
818 | | | | | Encapsulate build_var_defns
819 | | | | |
820 | * | | | commit f25e5b377975ab5473d0592720ded03b7bce259f
821 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
822 | | | | | Date: Sun Dec 11 11:43:19 2016 -0500
823 | | | | |
824 | | | | | Only construct var_defns once
825 | | | | |
826 | * | | | commit f3f4bef9eb2db0313d80dfbe6bdbf83f3a42076d
827 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

828 | | | Date: Sun Dec 11 00:45:44 2016 -0500
829 | | |
830 | | | Make global variable to hold vardefs
831 | | |
832 | * | commit a8f4ad93aa0dd3365b6661a16035f40a8a1c5587
833 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
834 | | | Date: Sat Dec 10 21:28:18 2016 -0500
835 | | |
836 | | | Isolate the part of building a scope for reuse with global variables
837 | | |
838 | * | commit 58f7a4d3c4aece7e9f12809f50479a2b8267f01d
839 | / / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
840 | | | Date: Sat Dec 10 18:05:01 2016 -0500
841 | | |
842 | | | Performing copy before returning, so that memory can be freed with alloca
843 | | |
844 | * | commit c0e56aa3b9853d9e44a27109f8c2666d752afe7b
845 | \ \ | Merge: ef0e5e7 a4b35df
846 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
847 | | | Date: Sat Dec 10 17:07:00 2016 -0500
848 | | |
849 | | | Merge pull request #37 from ExtendLang/dereference
850 | | |
851 | | | Dereferencing 1x1 subrange
852 | | |
853 | * | commit a4b35df069c5c5243c499cd7aaeda27973678cb6
854 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
855 | | | Date: Sat Dec 10 16:42:17 2016 -0500
856 | | |
857 | | | Removed obsolete methods
858 | | |
859 | * | commit cf08a8cc461f1aa54f7f408c78bbf0e20269ccca
860 | \ \ | Merge: ce833d4 ef0e5e7
861 | / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
862 | / | | Date: Sat Dec 10 16:36:20 2016 -0500
863 | | |
864 | | | Merge branch 'master' into dereference
865 | | |
866 | * | commit ef0e5e7bc6c971c65c8f48460b27479aebb56075
867 | \ \ \ | Merge: 0177dc2 38ba6e6
868 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
869 | | | | Date: Sat Dec 10 16:36:03 2016 -0500
870 | | | |
871 | | | | Merge pull request #36 from ExtendLang/comp-warn
872 | | | |
873 | | | | Suppressing compiler warnings
874 | | | |
875 | * | commit 38ba6e64fbc18f17f1611c695655b96670cda5b2
876 | | / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
877 | | / | Date: Sat Dec 10 13:18:39 2016 -0500
878 | | | |
879 | | | | Suppressing compiler warnings
880 | | | |
881 | * | commit 0177dc290c5e56e428fa135e0b0b9a4495c1e05f
882 | \ \ \ | Merge: 127f99d e259556
883 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>

```

```

884 | | | Date: Sat Dec 10 16:35:50 2016 -0500
885 | | |
886 | | | Merge pull request #35 from ExtendLang/linker
887 | | |
888 | | | Linker
889 | | |
890 | * | commit e2595560863fe9fff107818f713b5e8508d0c768
891 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
892 | | | Date: Sat Dec 10 13:53:12 2016 -0500
893 | | |
894 | | | Removed nodefaultlibs directive
895 | | |
896 | * | commit 09c39619d89f65a19d537336c3b3680553f732a0
897 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
898 | | | Date: Sat Dec 10 13:50:19 2016 -0500
899 | | |
900 | | | Modified linker to work for travis
901 | | |
902 | * | commit 36d662a599754648d00c4d773fbl6eala59d335f
903 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
904 | | | Date: Sat Dec 10 13:37:27 2016 -0500
905 | | |
906 | | | Attempt to link math
907 | | |
908 | * | commit 2d4564a4f9aae99f67f72baf514b7095b452ee08
909 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
910 | | | Date: Sat Dec 10 13:22:14 2016 -0500
911 | | |
912 | | | Linking math library
913 | | |
914 | * | commit 9deac9bbd385607cbd5d80a97e929bc52f7f9633
915 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
916 | | | Date: Sat Dec 10 13:06:17 2016 -0500
917 | | |
918 | | | Modified compile script. Removed debug output
919 | | |
920 | * | commit d35607b7b7830c502d4af4d1d9c65c70bfa37d96
921 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
922 | | | Date: Sat Dec 10 13:04:30 2016 -0500
923 | | |
924 | | | Simpler testscript
925 | | |
926 | * | commit d37dac2f40ea9f0013dd69b6ce40197fe4ec82ab
927 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
928 | | | Date: Sat Dec 10 12:36:45 2016 -0500
929 | | |
930 | | | Fixed duplicate import issue
931 | | |
932 | * | commit 31c26bccd855332e33505e8f887727069a450a00
933 | | / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
934 | | | Date: Sat Dec 10 12:30:29 2016 -0500
935 | | |
936 | | | Added cmd args to link file
937 | | |
938 | * | commit 127f99dc5c44b0cc673b7c254847c54b8a23610b
939 | \ \ \ Merge: b2e881d a350720

```

```

940 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
941 | | | Date: Sat Dec 10 16:35:41 2016 -0500
942 | | |
943 | | | Merge pull request #34 from ExtendLang/rel-import
944 | | |
945 | | | Import path switch
946 | | |
947 | * | commit a350720f73027f0b5d99b73492d4326081324d84
948 | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
949 | | | Date: Sat Dec 10 11:40:50 2016 -0500
950 | | |
951 | | | Switched import style from root directory to relative path
952 | | |
953 | * | commit b2e881df8c2d033bbe299575b6d9092ba7ab51ea
954 | \ \ \ Merge: 6a8f836 90e39b0
955 | / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
956 | / | Date: Sat Dec 10 16:35:31 2016 -0500
957 | | |
958 | | | Merge pull request #33 from ExtendLang/ts-fix
959 | | |
960 | | | Testscript fix
961 | | |
962 | * | commit 90e39b0ba32729808fa7f835ce8adf9784ec5fb4
963 | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
964 | | | Date: Sat Dec 10 11:24:19 2016 -0500
965 | | |
966 | | | Fixed issue in testscript that might report false results when it fails
    | | | early
967 | | |
968 | * | commit ce833d4433f8b0e2ea4782478a3b6d61e85ec0d5
969 | / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
970 | | | Date: Sat Dec 10 16:14:34 2016 -0500
971 | | |
972 | | | Dereferencing 1x1 subrange
973 | | |
974 | * | commit 6a8f8363850840afc597a0b97853ae66a8709683
975 | \ \ Merge: eac9e77 fc886a9
976 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
977 | | | Date: Fri Dec 9 18:29:22 2016 -0500
978 | | |
979 | | | Merge pull request #24 from ExtendLang/final-draft-lrm
980 | | |
981 | | | Almost the final draft!
982 | | |
983 | * | commit fc886a96416ec9513edbelafac1c94d39b41ae02
984 | \ \ Merge: eac9e77 cda63cb
985 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
986 | | | Date: Fri Dec 9 18:23:52 2016 -0500
987 | | |
988 | | | Merge branch 'final-draft-lrm'
989 | | |
990 | * | commit cda63cb3e7aeb7efa06b4af110a9064709b384ac
991 | \ \ Merge: fb18949 eac9e77
992 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
993 | | | Date: Fri Dec 9 18:23:24 2016 -0500
994 | | |

```



```

995 | | | Fix merge conflict
996 | | |
997 * | | commit eac9e77c743d4730ef72b6fa7f4a72304808e35d
998 |\ | Merge: 90fc58e fe825f4
999 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1000 | | | Date: Fri Dec 9 18:04:08 2016 -0500
1001 | | |
1002 | | | Merge pull request #29 from ExtendLang/refactor
1003 | | |
1004 | | | Made new execution strategy work
1005 | | |
1006 * | | commit fe825f42d95f8d620d082764118657e3791b33ff
1007 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1008 | | | Date: Fri Dec 9 17:55:39 2016 -0500
1009 | | |
1010 | | | Compact last bit
1011 | | |
1012 * | | commit b02dbbe930e7ef9bf5a4e454a2e367aa0b50fce1
1013 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1014 | | | Date: Fri Dec 9 17:49:00 2016 -0500
1015 | | |
1016 | | | Give formula functions names
1017 | | |
1018 * | | commit edd7aa40ee048a31d84a1f14c73a96d0722c242b
1019 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
1020 | | | Date: Fri Dec 9 17:40:57 2016 -0500
1021 | | |
1022 | | | Removed artifcats
1023 | | |
1024 * | | commit 9b49e202be310550b9391dc6de3adlaee961f53a
1025 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
1026 | | | Date: Fri Dec 9 17:37:59 2016 -0500
1027 | | |
1028 | | | Fixed I/O testcases
1029 | | |
1030 * | | commit a4ad4b19eae1f9bfaeae27c3a6810b26da856fee
1031 |\ | Merge: b07398b ed01567
1032 | | | Author: Nigel Schuster <nigel.schusters@gmail.com>
1033 | | | Date: Fri Dec 9 17:18:13 2016 -0500
1034 | | |
1035 | | | Merge
1036 | | |
1037 * | | commit ed01567417fae9a616e32e1d08614fa08424a6bd
1038 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1039 | | | Date: Fri Dec 9 17:17:06 2016 -0500
1040 | | |
1041 | | | Make sizeof not break tests
1042 | | |
1043 * | | commit b07398bd13daed37fc65f0317100f816940257c9
1044 | / / Author: Nigel Schuster <nigel.schusters@gmail.com>
1045 | | | Date: Fri Dec 9 17:17:19 2016 -0500
1046 | | |
1047 | | | Added macro for function definition
1048 | | |
1049 * | | commit a0a7054e9ce6d82ee760a64a0e3cac3d1ae89c85
1050 | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

1051 | | | Date: Fri Dec 9 17:01:20 2016 -0500
1052 | | |
1053 | | | Use symbol table
1054 | | |
1055 | * | commit 56fd61b31aa673bc532a40300d61349e0205bb53
1056 | \| \ Merge: 38aedba dfb702e
1057 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1058 | | | Date: Fri Dec 9 16:11:10 2016 -0500
1059 | | |
1060 | | | Merge branch 'refactor' of https://github.com/ExtendLang/Extend into
      | | | refactor
1061 | | |
1062 | * | commit dfb702e023849665c7fc46b0488c85cc8c46c26f
1063 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1064 | | | Date: Fri Dec 9 16:01:08 2016 -0500
1065 | | |
1066 | | | Converted more to value_p from subrange_p
1067 | | |
1068 | * | commit e963186b1712b1531c8982c35e2ead98e2da3907
1069 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1070 | | | Date: Fri Dec 9 15:42:35 2016 -0500
1071 | | |
1072 | | | Made example TC work
1073 | | |
1074 | * | commit 38aedba9bfcd2f48a1868fe8f256d9e512dcc0cc
1075 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
1076 | | | Date: Fri Dec 9 16:10:35 2016 -0500
1077 | | |
1078 | | | Create symbol table
1079 | | |
1080 | * | commit eb76234747c9b70a41891853ddfd4730f1950a2c
1081 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1082 | | | Date: Fri Dec 9 11:14:58 2016 -0500
1083 | | |
1084 | | | Made Hello World work again
1085 | | |
1086 | * | commit 08aeb70eac43c1fd2e1b8e9f6ead7be11fbc9c12
1087 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1088 | | | Date: Fri Dec 9 02:13:09 2016 -0500
1089 | | |
1090 | | | Done for the night
1091 | | |
1092 | * | commit cb39114298fe29c6652e422d86d663482b2d2961
1093 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1094 | | | Date: Fri Dec 9 01:35:36 2016 -0500
1095 | | |
1096 | | | More refactoring
1097 | | |
1098 | * | commit 7974bbdf6d9be11657ebf61e534f331efd920ff2
1099 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1100 | | | Date: Thu Dec 8 23:53:31 2016 -0500
1101 | | |
1102 | | | Banish the term extern
1103 | | |
1104 | * | commit 49af9724790d0c38ccfcf336c07014f2165948ed
1105 | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

1106 | | | Date: Thu Dec 8 23:45:30 2016 -0500
1107 | | |
1108 | | | Add a couple comments
1109 | | |
1110 | * | commit 0fbf461200018cf1345a9b3ee2b5efd37189c2ce
1111 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1112 | | | Date: Thu Dec 8 21:52:24 2016 -0500
1113 | | |
1114 | | | Get my bearings
1115 | | |
1116 | * | commit 5ecb59941a875361553eb25544f92aaaf5231ca0
1117 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1118 | | | Date: Thu Dec 8 19:47:51 2016 -0500
1119 | | |
1120 | | | Added some documentation
1121 | | |
1122 | * | commit 65066fc265e8c4e89272ce050c4424a4873b0674
1123 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1124 | | | Date: Thu Dec 8 12:18:57 2016 -0500
1125 | | |
1126 | | | Added name display for variable
1127 | | |
1128 | * | commit f985cc8022350d02fd0c3091aa8e10b85f334c38
1129 | \| \ Merge: 4b58ce9 a65c24e
1130 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1131 | | | Date: Wed Dec 7 12:14:59 2016 -0500
1132 | | |
1133 | | | Merge branch 'finish-transformations' into get-val-rev
1134 | | |
1135 | * | commit a65c24ed8b30ed639f67913bdd1ffef1b31b0437
1136 | \| \ Merge: 29d02d9 90fc58e
1137 | -|/ / Author: oracleofnj <jared.samet@aya.yale.edu>
1138 | /| | Date: Tue Dec 6 16:14:10 2016 -0500
1139 | | |
1140 | | | Merge branch 'master' into finish-transformations
1141 | | |
1142 | * | commit 29d02d923ffa6af98aacbd2375d6e533f6035ccf
1143 | \| \ Merge: 0e8398f 52e7a8a
1144 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1145 | | | Date: Mon Dec 5 13:34:27 2016 -0500
1146 | | |
1147 | | | Fix merge conflict - keep expr.loc
1148 | | |
1149 | * | commit 0e8398f46809eb8f11d393a663f0096966d2573e
1150 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1151 | | | Date: Sun Dec 4 13:23:27 2016 -0500
1152 | | |
1153 | | | Transform all LHS expressions including integers to IDs; check for
1154 | | | strings or range literals and disallow
1155 | * | commit 36f5848cd9bd8421e6a61e5b79553c5b0aeeac8e
1156 | \| \ Merge: 330bec3 2ae2b83
1157 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1158 | | | Date: Sat Dec 3 14:07:39 2016 -0500
1159 | | |
1160 | | | Merge branch 'master' into finish-transformations

```

```

1161 | | | | |
1162 | | * | | | | commit 330bec3fea9d441236961977886b8c8e7d09df75
1163 | | | \ \ \ \ Merge: 9702e5b 8a60995
1164 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1165 | | | | | Date: Fri Dec 2 13:49:34 2016 -0500
1166 | | | | |
1167 | | | | | Merge branch 'master' into finish-transformations
1168 | | | | |
1169 | | * | | | | commit 9702e5b56018c6187cb0e9421889369f9c867bd6
1170 | | | \ \ \ \ Merge: 047cfec 5bdd52c
1171 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1172 | | | | | Date: Thu Dec 1 21:14:35 2016 -0500
1173 | | | | |
1174 | | | | | Merge branch 'master' into finish-transformations
1175 | | | | |
1176 | | * | | | | commit 047cfec9cf0a8e645b8b61d52238a107a479db38
1177 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1178 | | | | | Date: Thu Dec 1 18:42:04 2016 -0500
1179 | | | | |
1180 | | | | | Add short circuiting test cases
1181 | | | | |
1182 | | * | | | | commit 6acd7f624a1db65cba846ea8745a6457f638ce7c
1183 | | | \ \ \ \ Merge: 5762112 72360f4
1184 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1185 | | | | | Date: Thu Dec 1 18:31:33 2016 -0500
1186 | | | | |
1187 | | | | | Merge remote-tracking branch 'origin/fail-silent' into finish-
1188 | | | | | transformations
1189 | | * | | | | commit 57621128490ab146c2c82339fe3edfde4fdb0029
1190 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1191 | | | | | Date: Thu Dec 1 16:04:06 2016 -0500
1192 | | | | |
1193 | | | | | Get rid of wildcard pattern match in interpreter
1194 | | | | |
1195 | | * | | | | commit a90a34323a7fe253998bbffb3eee8e8212017587
1196 | | | \ \ \ \ Merge: 85bc21d 7abb394
1197 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1198 | | | | | Date: Thu Dec 1 15:59:40 2016 -0500
1199 | | | | |
1200 | | | | | Merge branch 'master' into finish-transformations
1201 | | | | |
1202 | | * | | | | commit 85bc21d8c88af6bdce2a7ca4eec8939dad0783a2
1203 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1204 | | | | | Date: Thu Dec 1 15:59:05 2016 -0500
1205 | | | | |
1206 | | | | | Remove unnecessary file
1207 | | | | |
1208 | | * | | | | commit 81fe5654c032c936924bc103c97d1ae4cd23409c
1209 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1210 | | | | | Date: Thu Dec 1 15:58:40 2016 -0500
1211 | | | | |
1212 | | | | | Finish range literals
1213 | | | | |
1214 | | * | | | | commit da41520e92a27c3ceeaf63b6fb32bda57d16baf0
1215 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

1216 | | | | | | | | | | Date: Thu Dec 1 14:54:21 2016 -0500
1217 | | | | | | | | | |
1218 | | | | | | | | | | So close
1219 | | | | | | | | | |
1220 | | * | | | | | | | | commit 2cabadcf4a488b40a33944794bebe5a3afec6344
1221 | | | \ \ \ \ \ \ \ \ Merge: cf36f70 13cd317
1222 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1223 | | | | | | | | | | Date: Thu Dec 1 11:58:03 2016 -0500
1224 | | | | | | | | | |
1225 | | | | | | | | | | Merge branch 'master' into finish-transformations
1226 | | | | | | | | | |
1227 | | * | | | | | | | | commit cf36f702053bdb168c51d2ae78d62a013f73cc4d
1228 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1229 | | | | | | | | | | Date: Thu Dec 1 09:47:38 2016 -0500
1230 | | | | | | | | | |
1231 | | | | | | | | | | Sample digits function
1232 | | | | | | | | | |
1233 | | * | | | | | | | | commit febcff889be83fe6edc63cbffdaefc0d7b02d519
1234 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1235 | | | | | | | | | | Date: Wed Nov 30 15:54:45 2016 -0500
1236 | | | | | | | | | |
1237 | | | | | | | | | | Add oddball formula test case and try out theory for range
1238 | | | | | | | | | | literal
1239 | | * | | | | | | | | commit 4a1ff4f66645eed55713a02b5d13d330cf65a054
1240 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1241 | | | | | | | | | | Date: Wed Nov 30 14:54:05 2016 -0500
1242 | | | | | | | | | |
1243 | | | | | | | | | | Finish reducing Ternary to ReducedTernary
1244 | | | | | | | | | |
1245 | | * | | | | | | | | commit 8f0a9816dcc979fcfa348e9e7923b6fa685e1ef7
1246 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1247 | | | | | | | | | | Date: Wed Nov 30 12:35:43 2016 -0500
1248 | | | | | | | | | |
1249 | | | | | | | | | | Working on reducing ternaries
1250 | | | | | | | | | |
1251 | | * | | | | | | | | commit d3c581201b653c520d2a95b66e59d59dc88684e3
1252 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1253 | | | | | | | | | | Date: Wed Nov 30 02:39:58 2016 -0500
1254 | | | | | | | | | |
1255 | | | | | | | | | | Finish desugaring switch
1256 | | | | | | | | | |
1257 | | * | | | | | | | | commit 0a22713d988acc28c1e41b556370bcb076782a57
1258 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1259 | | | | | | | | | | Date: Wed Nov 30 00:09:10 2016 -0500
1260 | | | | | | | | | |
1261 | | | | | | | | | | Getting ready to ternarize switch
1262 | | | | | | | | | |
1263 | | * | | | | | | | | commit 84f016a72cf8ddfc8c1603a8914a7d130a23e7d9
1264 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1265 | | | | | | | | | | Date: Tue Nov 29 21:54:15 2016 -0500
1266 | | | | | | | | | |
1267 | | | | | | | | | | Fix bug in switch() with default case
1268 | | | | | | | | | |
1269 | | * | | | | | | | | commit d331b7a827290f92b327a315f79a57a294c65185
1270 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```



```

1324 | | | | | | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1325 | | | | | | | | | | Date: Tue Dec 6 21:10:11 2016 -0500
1326 | | | | | | | | | |
1327 | | | | | | | | | | Minor fix
1328 | | | | | | | | | |
1329 | * | | | | | | | | | commit 174a7b81a25ac76e94faf513c34700d30e444c01
1330 | | | | | | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1331 | | | | | | | | | | Date: Tue Dec 6 11:09:31 2016 -0500
1332 | | | | | | | | | |
1333 | | | | | | | | | | Made partial progress on implementing variable instantiation
    | | | | | | | | | | and such
1334 | | | | | | | | | |
1335 | * | | | | | | | | | commit 767851d3edbbba7585c625da901489d6a51380ab6
1336 | | | | | | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1337 | | | | | | | | | | Date: Mon Dec 5 16:18:17 2016 -0500
1338 | | | | | | | | | |
1339 | | | | | | | | | | Finished C side implementation of getVal
1340 | | | | | | | | | |
1341 | * | | | | | | | | | commit 6b837d41af7b3872e8d4c3e20da83ce95baf0280
1342 | \| \| \| \| \| \| \| \| Merge: 1ce7f83 910bd01
1343 | | | | | | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1344 | | | | | | | | | | Date: Mon Dec 5 16:06:34 2016 -0500
1345 | | | | | | | | | |
1346 | | | | | | | | | | Merge branch 'master' into get-val
1347 | | | | | | | | | |
1348 | * | | | | | | | | | commit 1ce7f83e9cc542daba3b0395f2bebbc8c779e473
1349 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1350 | | | | | | | | | | Date: Mon Dec 5 14:18:41 2016 -0500
1351 | | | | | | | | | |
1352 | | | | | | | | | | Create patch file
1353 | | | | | | | | | |
1354 | * | | | | | | | | | commit flb1lee94f4792ff5a6ddf2e837fffela3396dbe
1355 | | | | | | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1356 | | | | | | | | | | Date: Mon Dec 5 12:46:35 2016 -0500
1357 | | | | | | | | | |
1358 | | | | | | | | | | Skeleton for get_val
1359 | | | | | | | | | |
1360 | | | | | | | | | | * commit fb1894999d655ab960f63a01c0c820373b6d8c1a
1361 | | | | | | | | | | \| Merge: 4aab3dc 90fc58e
1362 | | -| -| -| -| -| -| -| / Author: oracleofnj <jared.samet@aya.yale.edu>
1363 | /| | | | | | | | | Date: Wed Dec 7 23:44:17 2016 -0500
1364 | | | | | | | | | |
1365 | | | | | | | | | | Merge branch 'master' into final-draft-lrm
1366 | | | | | | | | | |
1367 | * | | | | | | | | | commit 90fc58e52cb1bdec2ea03f5b81c0bbda9c0f954b
1368 | \| \| \| \| \| \| \| \| Merge: 910bd01 04c2c65
1369 | | -| / / / / / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
1370 | /| | | | | | | | | Date: Mon Dec 5 22:14:41 2016 -0500
1371 | | | | | | | | | |
1372 | | | | | | | | | | Merge pull request #23 from ExtendLang/read-empty
1373 | | | | | | | | | |
1374 | | | | | | | | | | Read empty
1375 | | | | | | | | | |
1376 | * | | | | | | | | | commit 04c2c655bfel33f98aa03b93739a0545a8dc8e37
1377 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1378 | | | | | | | | | | Date: Mon Dec 5 15:53:35 2016 -0500

```



```

1435 | | | | | | | | | | WIP
1436 | | | | | | | | | |
1437 | | | | | | | | | | * commit 18bb1821e80b81c4ec98f834e28f48c838216de8
1438 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1439 | | | | | | | | | | Date: Wed Dec 7 00:35:06 2016 -0500
1440 | | | | | | | | | |
1441 | | | | | | | | | | Still work in progress
1442 | | | | | | | | | |
1443 | | | | | | | | | | * commit af69b92ab6338b061bf9d8b767b3e2e8blab50a4
1444 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1445 | | | | | | | | | | Date: Tue Dec 6 17:23:45 2016 -0500
1446 | | | | | | | | | |
1447 | | | | | | | | | | More updates
1448 | | | | | | | | | |
1449 | | | | | | | | | | * commit 85a4ccb27d496fbe4c377941e024d0088fae8d1b
1450 | | -|-|-|-|-|-|/ Author: oracleofnj <jared.samet@aya.yale.edu>
1451 |/| | | | | | | | Date: Tue Dec 6 16:12:31 2016 -0500
1452 | | | | | | | | | |
1453 | | | | | | | | | | LRM update part 1
1454 | | | | | | | | | |
1455 * | | | | | | | | | | commit 910bd01aacd801d145b0dde2f55a92827c691ae4
1456 |\ \ \ \ \ \ \ \ \ Merge: 52e7a8a 88480fb
1457 | -|-|-|-|-|-|/ Author: Jared Samet <jared.samet@aya.yale.edu>
1458 |/| | | | | | | | Date: Mon Dec 5 14:27:07 2016 -0500
1459 | | | | | | | | | |
1460 | | | | | | | | | | Merge pull request #21 from ExtendLang/fileio
1461 | | | | | | | | | |
1462 | | | | | | | | | | File IO Stdlib functions
1463 | | | | | | | | | |
1464 * | | | | | | | | | | commit 88480fbc58a8931e54098dc99ba74f96c9d780bb
1465 |\ \ \ \ \ \ \ \ \ Merge: bfa906b 52e7a8a
1466 |/ / / / / / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1467 |/| | | | | | | | Date: Mon Dec 5 13:36:28 2016 -0500
1468 | | | | | | | | | |
1469 | | | | | | | | | | Merge branch 'master' into fileio
1470 | | | | | | | | | |
1471 * | | | | | | | | | | commit 52e7a8a8aa3c5b38ca324a24fa4f0ce15059ab2f
1472 |\ \ \ \ \ \ \ \ \ Merge: a5b9066 e4e5e26
1473 | -|/ / / / / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
1474 |/| | | | | | | | Date: Mon Dec 5 13:32:54 2016 -0500
1475 | | | | | | | | | |
1476 | | | | | | | | | | Merge pull request #22 from ExtendLang/rm-micro
1477 | | | | | | | | | |
1478 | | | | | | | | | | Removed microc
1479 | | | | | | | | | |
1480 * | | | | | | | | | | commit e4e5e264cf4369c696f0259c1825552aaee13bc2
1481 / / / / / / / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1482 | | | | | | | | | | Date: Mon Dec 5 09:25:17 2016 -0500
1483 | | | | | | | | | |
1484 | | | | | | | | | | Removed microc reference implementation
1485 | | | | | | | | | |
1486 * | | | | | | | | | | commit bfa906b7661ba27c0f28bed535033a0f4b5eff06
1487 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1488 | | | | | | | | | | Date: Mon Dec 5 13:28:03 2016 -0500
1489 | | | | | | | | | |
1490 | | | | | | | | | | Fix off-by-one bug

```

```

1491 | | | | | | | | | |
1492 | * | | | | | | | | | commit eb8dd71e3eb2f92d1a82dd19d03b1e090176bbef
1493 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1494 | | | | | | | | | | Date: Mon Dec 5 13:20:03 2016 -0500
1495 | | | | | | | | | |
1496 | | | | | | | | | | Address issues
1497 | | | | | | | | | |
1498 | * | | | | | | | | | commit 270da2b340e5f3f2e8240495ff32c4e31e58456b
1499 | \| \| \| \| \| \| \| Merge: b928e98 a5b9066
1500 | / / / / / / / / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
1501 | / | | | | | | | | | Date: Mon Dec 5 02:40:59 2016 -0500
1502 | | | | | | | | | |
1503 | | | | | | | | | | Merge branch 'master' into fileio
1504 | | | | | | | | | |
1505 | * | | | | | | | | | commit a5b9066a498c16d2c10664d59e42d71f731959ea
1506 | \| \| \| \| \| \| \| Merge: 2ae2b83 35e9471
1507 | | - - - - - - - / Author: Jared Samet <jared.samet@aya.yale.edu>
1508 | / | | | | | | | | | Date: Sun Dec 4 14:00:30 2016 -0500
1509 | | | | | | | | | |
1510 | | | | | | | | | | Merge pull request #20 from ExtendLang/lhs-all-ids
1511 | | | | | | | | | |
1512 | | | | | | | | | | Lhs all ids
1513 | | | | | | | | | |
1514 | * | | | | | | | | | commit 35e947123ee5d51957a79780b78e2cfc816ae0e3
1515 | | | | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1516 | | | | | | | | | | Date: Sun Dec 4 13:38:44 2016 -0500
1517 | | | | | | | | | |
1518 | | | | | | | | | | Put back Id(s) as it was
1519 | | | | | | | | | |
1520 | * | | | | | | | | | commit 641d4546969477380744cdec08904ca7fa061f73
1521 | / / / / / / / / Author: oracleofnj <jared.samet@aya.yale.edu>
1522 | | | | | | | | | | Date: Sun Dec 4 13:36:36 2016 -0500
1523 | | | | | | | | | |
1524 | | | | | | | | | | Always transform to ID on LHS, even for LitInts
1525 | | | | | | | | | |
1526 | * | | | | | | | | | commit b928e9826f816e841ee2ba0a7a59d33a0e1daf0f
1527 | | | | | | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1528 | | | | | | | | | | Date: Mon Dec 5 02:40:10 2016 -0500
1529 | | | | | | | | | |
1530 | | | | | | | | | | Remove bloat
1531 | | | | | | | | | |
1532 | * | | | | | | | | | commit 894b511acf6e592bbe552b9cf639bc764e2a2342
1533 | | | | | | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1534 | | | | | | | | | | Date: Mon Dec 5 02:32:49 2016 -0500
1535 | | | | | | | | | |
1536 | | | | | | | | | | Added testcase
1537 | | | | | | | | | |
1538 | * | | | | | | | | | commit 62b8e83bf20e352b8c6ce5523b519e12371b88f5
1539 | | | | | | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1540 | | | | | | | | | | Date: Mon Dec 5 02:30:16 2016 -0500
1541 | | | | | | | | | |
1542 | | | | | | | | | | Added fwrite implementation
1543 | | | | | | | | | |
1544 | * | | | | | | | | | commit 77a23ae8b083fba49a27adb2a9fdb479258c2b1b
1545 | | | | | | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1546 | | | | | | | | | | Date: Mon Dec 5 01:39:30 2016 -0500

```

[illegible]

```

1602 | | | | | | | Working on fopen
1603 | | | | | | |
1604 | * | | | | | | commit 2ae2b839a88fad0ed90c1b4b6666e9c37c54a911
1605 | \| \| \| \| \| \| Merge: 8a60995 7c78a23
1606 | | - - - - - / Author: Jared Samet <jared.samet@aya.yale.edu>
1607 | / | | | | | | Date: Sat Dec 3 14:06:40 2016 -0500
1608 | | | | | | |
1609 | | | | | | | Merge pull request #15 from ExtendLang/stdlib-fun
1610 | | | | | | |
1611 | | | | | | | Stdlib fun
1612 | | | | | | |
1613 | * | | | | | | commit 7c78a2359f174dd9d3d68a02a23c587186b3e20d
1614 | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1615 | | | | | | | Date: Sat Dec 3 14:02:51 2016 -0500
1616 | | | | | | |
1617 | | | | | | | Move test_fabs out of regression test suite
1618 | | | | | | |
1619 | * | | | | | | commit 0a8055b8851a60af3e6f23d19ebd24f126f1bdf9
1620 | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1621 | | | | | | | Date: Sat Dec 3 13:48:19 2016 -0500
1622 | | | | | | |
1623 | | | | | | | make test | grep REGRESSION
1624 | | | | | | |
1625 | * | | | | | | commit a24742bca26352fb2f9a255ca1abf4036b975a9d
1626 | \| \| \| \| \| \| Merge: 5243c5a 8a60995
1627 | / / / / / / / Author: Kevin <kevinye1113@gmail.com>
1628 | / | | | | | | Date: Fri Dec 2 22:50:43 2016 -0500
1629 | | | | | | |
1630 | | | | | | | Merged stdlib with master
1631 | | | | | | |
1632 | * | | | | | | commit 8a60995f5d9e25c950066478d4b6f451f0c17a16
1633 | \| \| \| \| \| \| Merge: 96a3028 f0d33e2
1634 | | | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
1635 | | | | | | | Date: Thu Dec 1 23:38:54 2016 -0500
1636 | | | | | | |
1637 | | | | | | | Merge pull request #18 from ExtendLang/parser-error
1638 | | | | | | |
1639 | | | | | | | Parser error
1640 | | | | | | |
1641 | * | | | | | | commit f0d33e292b39aab8e6d615cb28d6a011697a4115
1642 | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1643 | | | | | | | Date: Thu Dec 1 23:18:39 2016 -0500
1644 | | | | | | |
1645 | | | | | | | Move error handling
1646 | | | | | | |
1647 | * | | | | | | commit 3b24c3a9570d8c03150bf405fcb3c15a407083fd
1648 | | | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1649 | | | | | | | Date: Thu Dec 1 23:16:53 2016 -0500
1650 | | | | | | |
1651 | | | | | | | Adjust test script
1652 | | | | | | |
1653 | * | | | | | | commit 60a732fe464f53cb119d5a5d0dca2e10202baf27
1654 | \| \| \| \| \| \| Merge: 5dec6a2 96a3028
1655 | / / / / / / / Author: oracleofnj <jared.samet@aya.yale.edu>
1656 | / | | | | | | Date: Thu Dec 1 22:55:28 2016 -0500
1657 | | | | | | |

```

```

1658 | | | | | Merge branch 'master' into parser-error
1659 | | | | |
1660 | * | | | | commit 96a30280911892931866a653d3271e1c8a8eb085
1661 | \| \| \| \| \| Merge: 5bdd52c 7912d5a
1662 | | - - - - - / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1663 | / | | | | Date: Thu Dec 1 22:19:21 2016 -0500
1664 | | | | |
1665 | | | | | Merge pull request #16 from ExtendLang/fail-silent
1666 | | | | |
1667 | | | | | Reduce testscript output
1668 | | | | |
1669 | * | | | | commit 7912d5ad15e53af8b7fd5d4fa50086489683abe5
1670 | \| \| \| \| \| Merge: 72360f4 5bdd52c
1671 | | / / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1672 | / | | | | / Date: Thu Dec 1 21:26:03 2016 -0500
1673 | | - - - - - /
1674 | / | | | | Merge branch 'master' into fail-silent
1675 | | | | |
1676 | * | | | | commit 72360f4eb9c1dcf6ef01987c5a3764bb3ffda0d8
1677 | | - - - - - / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1678 | / | | | | Date: Thu Dec 1 17:09:08 2016 -0500
1679 | | | | |
1680 | | | | | Minified error output for outputs that have not passed yet
1681 | | | | |
1682 | * | | | | commit 5dec6a2973176e9aa664adec96fae44e28b8a30b
1683 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1684 | | | | | Date: Thu Dec 1 22:55:05 2016 -0500
1685 | | | | |
1686 | | | | | Thank you Nigel!!!
1687 | | | | |
1688 | * | | | | commit 6c3696ce28a857d6cbdca227677d454b0dbd280b
1689 | | / / / / / Author: oracleofnj <jared.samet@aya.yale.edu>
1690 | / | | | | Date: Thu Dec 1 21:59:40 2016 -0500
1691 | | | | |
1692 | | | | | Figure out why test is failing
1693 | | | | |
1694 | * | | | | commit 5bdd52cc31c181789388acdafba2eb69709658f0
1695 | \| \| \| \| \| Merge: 8c7b6ce 8893255
1696 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
1697 | | | | | Date: Thu Dec 1 21:13:45 2016 -0500
1698 | | | | |
1699 | | | | | Merge pull request #17 from ExtendLang/lexbuf-pos
1700 | | | | |
1701 | | | | | Lexbuf pos
1702 | | | | |
1703 | * | | | | commit 889325556f4f0f43d4a6048fb15ea0b59e02b0fc
1704 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
1705 | | | | | Date: Thu Dec 1 20:35:04 2016 -0500
1706 | | | | |
1707 | | | | | Add a couple test cases
1708 | | | | |
1709 | * | | | | commit 2868653773273d33ce8d4a5ddb12c02086d7e037
1710 | / / / / / Author: oracleofnj <jared.samet@aya.yale.edu>
1711 | | | | | Date: Thu Dec 1 20:23:01 2016 -0500
1712 | | | | |
1713 | | | | | Use lexbuf.lex_curr_p to calculate position

```

```

1714 | | | | |
1715 * | | | | | commit 8c7b6cea2bb4fd797d7dda9e2cdccb819890f23c
1716 |\ \ \ \ \ Merge: 7abb394 2885ac7
1717 | / / / / / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
1718 | / | | | | Date: Thu Dec 1 18:59:49 2016 -0500
1719 | | | | |
1720 | | | | | Merge pull request #11 from ExtendLang/parse_error
1721 | | | | |
1722 | | | | | Add line numbers to Syntax Errors
1723 | | | | |
1724 * | | | | | commit 2885ac7e0d21ca4132922e5e5215155e6bf4c137
1725 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1726 | | | | | Date: Thu Dec 1 18:56:15 2016 -0500
1727 | | | | |
1728 | | | | | Added test case for string
1729 | | | | |
1730 * | | | | | commit e9fb1c2dca7114154c79f31f534da8e5cc1d0f7f
1731 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1732 | | | | | Date: Thu Dec 1 15:03:29 2016 -0500
1733 | | | | |
1734 | | | | | Added increment to string buffer and tests
1735 | | | | |
1736 * | | | | | commit eb7c1e843628a9714a50a847fca26ce8e4be75c4
1737 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1738 | | | | | Date: Thu Dec 1 03:50:53 2016 -0500
1739 | | | | |
1740 | | | | | Add partial character indexing
1741 | | | | |
1742 * | | | | | commit df09aeaa3fb16283f652ab549ab2e246c4d79464
1743 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1744 | | | | | Date: Thu Dec 1 00:41:07 2016 -0500
1745 | | | | |
1746 | | | | | Add expected parse testcase intermediate
1747 | | | | |
1748 * | | | | | commit 712a71006cf73e566676393cb09cca2cd84e311e
1749 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
1750 | | | | | Date: Wed Nov 30 16:42:32 2016 -0500
1751 | | | | |
1752 | | | | | Added tentative scanner-level line number
1753 | | | | |
1754 * | | | | | commit bf4ee6c3bc017d4d2a7140526717edfc6c70a896
1755 | / / / / / Author: Ishaan <ishaankolluri@gmail.com>
1756 | | | | | Date: Wed Nov 30 15:53:43 2016 -0500
1757 | | | | |
1758 | | | | | Added SyntaxError Exception at scan level
1759 | | | | |
1760 * | | | | | commit 7abb39400db2ebc10312943f011b363532dbd872
1761 |\ \ \ \ \ Merge: 13cd317 e0b7fdb
1762 | | _ _ / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1763 | / | | | | Date: Thu Dec 1 14:07:58 2016 -0500
1764 | | | | |
1765 | | | | | Merge pull request #14 from ExtendLang/sinner
1766 | | | | |
1767 | | | | | Sinner
1768 | | | | |
1769 * | | | | | commit e0b7fdbea24db1a5d6606dfc19848d8755cb931c

```

```

1770 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1771 | | | Date: Thu Dec 1 14:05:38 2016 -0500
1772 | | |
1773 | | | Rename empty to new.val
1774 | | |
1775 | * | commit 6ea8cff367f1465f7903fc249fdd65a94e5fed27
1776 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1777 | | | Date: Thu Dec 1 10:10:26 2016 -0500
1778 | | |
1779 | | | Using define instead of magic numbers
1780 | | |
1781 | * | commit cd7d261cc0f4faf9f3fb3178228fce7e81ac551c
1782 | | \ \ Merge: 3986f38 13cd317
1783 | | / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1784 | / | | Date: Thu Dec 1 10:07:10 2016 -0500
1785 | | |
1786 | | | Merge branch 'master' into sinner
1787 | | |
1788 | * | commit 13cd31794ee3313e0b87a106100fe4e752969a45
1789 | | \ \ \ Merge: effc20b 4eed07
1790 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1791 | | | Date: Thu Dec 1 10:06:25 2016 -0500
1792 | | |
1793 | | | Merge pull request #13 from ExtendLang/value_p
1794 | | |
1795 | | | Moved all function signatures to value_p return value
1796 | | |
1797 | * | commit 4eed0719d5cee5cae27e2debfla26572a2a96ad
1798 | | | Author: Ishaan <ishaankolluri@gmail.com>
1799 | | | Date: Thu Dec 1 01:02:56 2016 -0500
1800 | | |
1801 | | | Change print return type to empty
1802 | | |
1803 | | * | commit 5243c5a654a69cc7b5239e0236c3318b132fec8e
1804 | | | Author: Kevin <kevinyell113@gmail.com>
1805 | | | Date: Fri Dec 2 18:16:36 2016 -0500
1806 | | |
1807 | | | Removed magic numbers and add fabs test
1808 | | |
1809 | | * | commit fa42f2718eada7ac73302690aac7a4982e20da4f
1810 | | | Author: Kevin <kevinyell113@gmail.com>
1811 | | | Date: Thu Dec 1 00:41:47 2016 -0500
1812 | | |
1813 | | | Fixed acos function
1814 | | |
1815 | | * | commit 53d34adc07f06d185d57de7d3ed3901706eeb4f3
1816 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1817 | | | Date: Thu Dec 1 00:29:32 2016 -0500
1818 | | |
1819 | | | Moved double values type to numeric
1820 | | |
1821 | | * | commit f769c61b5da538e4934721de651d2772359fa2c5
1822 | | | \ \ Merge: 7f0bc86 3986f38
1823 | | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1824 | | | / Date: Thu Dec 1 00:18:07 2016 -0500
1825 | | |

```

```

1826 | | | | Merge branch 'sinner' into stdlib-fun
1827 | | | |
1828 | * | | commit 3986f38a3fe7b5cbe849af80e5c00fc7881dc13e
1829 | | \ \ \ Merge: 4604545 5bd87f9
1830 | | / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1831 | / | | Date: Thu Dec 1 00:17:21 2016 -0500
1832 | | | |
1833 | | | | Merge branch 'value_p' into sinner
1834 | | | |
1835 | * | | commit 5bd87f9233c2b4be9f60cecd0bbab3792df5d8b7
1836 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1837 | | | | Date: Wed Nov 30 23:37:58 2016 -0500
1838 | | | |
1839 | | | | Explicitly declaring to link math library
1840 | | | |
1841 | * | | commit 4604545c905e2a9a77524cbaeb54a93a9adfb249
1842 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1843 | | | | Date: Thu Dec 1 00:12:08 2016 -0500
1844 | | | |
1845 | | | | Consistently using floats
1846 | | | |
1847 | * | | commit 38b9824041ecc7c1b9985cf44436a31f5daa90f3
1848 | | \ \ \ Merge: e085977 3303575
1849 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1850 | | | | Date: Wed Nov 30 23:46:14 2016 -0500
1851 | | | |
1852 | | | | Merge branch 'value_p' into sinner
1853 | | | |
1854 | | * | | commit 330357567faf2c6fc8b1c3e769d7aa3e047629de
1855 | | / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1856 | / | | Date: Wed Nov 30 23:37:58 2016 -0500
1857 | | | |
1858 | | | | Explicitly declaring to link math library
1859 | | | |
1860 | * | | commit 31a74ecd91861165dfdcfed780a8d59ba99042e7
1861 | | \ \ \ Merge: 206ee5a effc20b
1862 | | / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1863 | / | | Date: Wed Nov 30 23:35:34 2016 -0500
1864 | | | |
1865 | | | | Merge branch 'master' into value_p
1866 | | | |
1867 | * | | commit effc20bd8f99f841b0ae5a0af19042599db89345
1868 | \ \ \ \ Merge: 3a8efbc 3b6d7b7
1869 | | - - - / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
1870 | / | | Date: Wed Nov 30 18:45:52 2016 -0500
1871 | | | |
1872 | | | | Merge pull request #12 from ExtendLang/easy-compile
1873 | | | |
1874 | | | | Added script to compile and link
1875 | | | |
1876 | * | | commit 3b6d7b740336c5fef9a60be7f77351f04ab46de
1877 | / / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1878 | | | | Date: Wed Nov 30 17:51:19 2016 -0500
1879 | | | |
1880 | | | | Added script to compile and link
1881 | | | |

```



```

1882 | | | * commit 7f0bc8650a1d6d89ac6ddd1d4862c245e7dfbc7e
1883 | | | Author: Kevin <kevinye1113@gmail.com>
1884 | | | Date: Wed Nov 30 23:04:34 2016 -0500
1885 | | |
1886 | | | Finished remainder of stdlib
1887 | | |
1888 | | | * commit cd160df84fff7fceb7340b5fad27fe9360c436cd
1889 | | / Author: Kevin <kevinye1113@gmail.com>
1890 | | Date: Wed Nov 30 22:50:18 2016 -0500
1891 | | |
1892 | | | Added more c functions to stdlib
1893 | | |
1894 | | * commit e085977d3edd3785dc682c42161601b6b975cc41
1895 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1896 | Date: Wed Nov 30 19:59:57 2016 -0500
1897 | | |
1898 | | | Made sin function work
1899 | | |
1900 | * commit 206ee5ab0f46bc5411cc3834f8107134c6e6e80b
1901 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1902 | Date: Wed Nov 30 19:07:28 2016 -0500
1903 | | |
1904 | | | Moved all function signatures to value_p return value
1905 | | |
1906 | * commit 3a8efbc6575cb2d73b305c087b6f2294cf1c3511
1907 | \ Merge: 5b3edb0 7a2af49
1908 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1909 | | Date: Mon Nov 28 23:05:28 2016 -0500
1910 | | |
1911 | | | Merge pull request #9 from ExtendLang/func-calls
1912 | | |
1913 | | | Function calls work now
1914 | | |
1915 | * commit 7a2af4937e6abf0621cfabad4ee463dfa7b64e20
1916 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1917 | | Date: Mon Nov 28 20:33:53 2016 -0500
1918 | | |
1919 | | | Removed another ocaml 4.3 dep
1920 | | |
1921 | * commit 468e79f88bcecd2d60c822799c353bc00ee11099
1922 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1923 | | Date: Mon Nov 28 19:50:53 2016 -0500
1924 | | |
1925 | | | Added ocaml 4.3 as dep for travis (hopefully this works)
1926 | | |
1927 | * commit a40876103c19a444466a07019854cf508ccfe276
1928 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1929 | | Date: Mon Nov 28 19:35:49 2016 -0500
1930 | | |
1931 | | | Fixed String.equal
1932 | | |
1933 | * commit 90c3cafldc0ebf18d2e8709df39be6333266bc56
1934 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1935 | | Date: Sun Nov 27 22:52:14 2016 -0500
1936 | | |
1937 | | | Fixed interpreter for now

```

```

1938 | |
1939 | * commit a18da787c64c95ed8cc31f8f188bb1ef9507453b
1940 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1941 | | Date: Sun Nov 27 22:42:27 2016 -0500
1942 | |
1943 | | Added accidentally created file
1944 | |
1945 | * commit 5647312ef3939b7417783c3ff7620a90d3b002fe
1946 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1947 | | Date: Sun Nov 27 22:41:22 2016 -0500
1948 | |
1949 | | Made extern function calls work
1950 | |
1951 | * commit 872aa8c4c287ddb35dd5d529df2122e1b38a0fb9
1952 | | \ Merge: 26ef1cc 877336f
1953 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1954 | | | Date: Sun Nov 27 13:52:44 2016 -0500
1955 | | |
1956 | | | Merge branch 'func-calls' of https://github.com/ExtendLang/Extend into func-
1957 | | | calls
1958 | | * commit 877336f09f10848092540a3349bb1a42c9a6ebd9
1959 | | | \ Merge: 374273f 5b3edb0
1960 | | | -/ Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1961 | | | / Date: Sun Nov 27 12:15:11 2016 -0500
1962 | | |
1963 | | | Merge branch 'master' into func-calls
1964 | | |
1965 | * | | commit 5b3edb0d0b6e8764cadd9290eab3c9dad7fb782d
1966 | | \ \ \ Merge: 442ae91 952aab8
1967 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
1968 | | | | Date: Sun Nov 27 12:14:43 2016 -0500
1969 | | | |
1970 | | | | Merge pull request #8 from ExtendLang/stdlib-template
1971 | | | |
1972 | | | | Stdlib template
1973 | | | |
1974 | * | commit 26ef1cc506931d6771cf950fdae016f9f3874bbe
1975 | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1976 | | | Date: Sun Nov 27 13:51:06 2016 -0500
1977 | | |
1978 | | | Merging list of functions
1979 | | |
1980 | * commit 374273f2ceb3b69ee489c39c0f3767ab4748f246
1981 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
1982 | | Date: Sun Nov 27 12:13:52 2016 -0500
1983 | |
1984 | | Function calls work now
1985 | |
1986 | * commit 952aab83190eb5b8e3be609fe44fa0fc0cbe8f2b
1987 | | \ Merge: ac6268f 554fbb2
1988 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
1989 | | | Date: Sun Nov 27 09:54:12 2016 -0500
1990 | | |
1991 | | | Merge extern
1992 | | |

```

```

1993 | * commit 554fbb28bf7e995117790bd17770af810b1caa37
1994 | | Author: oracleofnj <jared.samet@aya.yale.edu>
1995 | | Date:   Wed Nov 23 22:28:29 2016 -0500
1996 | |
1997 | |     Better error message for WrongNumberArgs
1998 | |
1999 | * commit f09e40e405befe48f3b2310c6f4a0aec48dbcf7
2000 | | Author: oracleofnj <jared.samet@aya.yale.edu>
2001 | | Date:   Wed Nov 23 12:47:39 2016 -0500
2002 | |
2003 | |     Make sequence work
2004 | |
2005 | * commit 053980bc62d59316a73fe42efaf1706d8f8d813c
2006 | | Author: oracleofnj <jared.samet@aya.yale.edu>
2007 | | Date:   Tue Nov 22 16:02:27 2016 -0500
2008 | |
2009 | |     Actually commit all the extern stuff
2010 | |
2011 | * commit ac6268fd89de976aa5d355e09215f5bab22d128f
2012 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2013 | | Date:   Sat Nov 26 23:06:00 2016 -0500
2014 | |
2015 | |     Boxing ints, added unop sizeof, actually returning subrange not dummy object
2016 | |
2017 | * commit ca07be3d9e79a9398b1da5fbc30a22976fbe2246
2018 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2019 | | Date:   Sat Nov 26 21:27:19 2016 -0500
2020 | |
2021 | |     Unboxing hello world to and from subrange
2022 | |
2023 | * commit aef6c1964b6e8ca2b0d05d3a5e1efb8a5b0f8159
2024 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2025 | | Date:   Sat Nov 26 16:55:48 2016 -0500
2026 | |
2027 | |     Made Hello World somewhat workable
2028 | |
2029 | * commit cfb637efdc1747331c83e6ccfe9f417fb8fc3c1d
2030 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2031 | | Date:   Fri Nov 25 18:27:37 2016 -0500
2032 | |
2033 | |     Fixed faulty setup on call
2034 | |
2035 | * commit ebf926a2c3cd85309b6dfac4febc166d381c8ca2
2036 | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2037 | | Date:   Fri Nov 25 17:48:57 2016 -0500
2038 | |
2039 | |     Added template in C
2040 | |
2041 | * commit 0e0fa23bclb0fb0bc039fa0d1cbcb5f617f0cc9c
2042 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2043 | | Date:   Tue Nov 22 14:36:54 2016 -0500
2044 | |
2045 | |     Added extern in Ast
2046 | |
2047 | * commit aac63be5941852ff37036e5a69d1347ba7744a82
2048 | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

2049 | Date:   Mon Nov 21 23:52:25 2016 -0500
2050 |
2051 |     Better duplicate definition checking
2052 |
2053 | * commit 08e2d073c08f1b2067f9e8a130595114815091ae
2054 | Author: oracleofnj <jared.samet@aya.yale.edu>
2055 | Date:   Mon Nov 21 23:29:28 2016 -0500
2056 |
2057 |     Check assertions before evaluating fn return expression
2058 |
2059 | * commit 69fa332091dfb61848a9c7b47092c31244e74153
2060 | Author: oracleofnj <jared.samet@aya.yale.edu>
2061 | Date:   Mon Nov 21 18:01:23 2016 -0500
2062 |
2063 |     Add size assertions
2064 |
2065 | * commit 22541c427b7883b6fc89841b077ec8c1c9d41c80
2066 | Author: oracleofnj <jared.samet@aya.yale.edu>
2067 | Date:   Mon Nov 21 12:48:34 2016 -0500
2068 |
2069 |     Fix bug in Call()
2070 |
2071 | * commit 9ald24bb89721d76c3987f50d3095b16c182f38e
2072 | Author: oracleofnj <jared.samet@aya.yale.edu>
2073 | Date:   Mon Nov 21 12:39:41 2016 -0500
2074 |
2075 |     Working on crazy bug
2076 |
2077 | * commit a485ceef7e987cdef7cd4321d01849bc73342e78
2078 | Author: oracleofnj <jared.samet@aya.yale.edu>
2079 | Date:   Sun Nov 20 22:13:46 2016 -0500
2080 |
2081 |     Add test case for foo([m, n] arg)
2082 |
2083 | * commit 10afe9a2fdb645fbb146c724d6281d34d4ba3f8a
2084 | Author: oracleofnj <jared.samet@aya.yale.edu>
2085 | Date:   Sun Nov 20 22:07:17 2016 -0500
2086 |
2087 |     Expand function signature
2088 |
2089 | * commit 325e9ba5b275d2d312953e02eb1abca561a31a74
2090 | Author: oracleofnj <jared.samet@aya.yale.edu>
2091 | Date:   Sun Nov 20 18:53:52 2016 -0500
2092 |
2093 |     Well, this is awkward
2094 |
2095 | * commit 0a76dc987d319e86ab1e342c5d96bbc624c4bbdb
2096 | Author: oracleofnj <jared.samet@aya.yale.edu>
2097 | Date:   Sun Nov 20 18:41:12 2016 -0500
2098 |
2099 |     Add check of return value
2100 |
2101 | * commit 488e34ea0aeebc91443a355a94e9586351d57049
2102 | Author: oracleofnj <jared.samet@aya.yale.edu>
2103 | Date:   Sun Nov 20 18:31:39 2016 -0500
2104 |

```

```

2105 | | Add sample #1
2106 | |
2107 | * commit 93eebc5c3442929d4d2f2a1f99c199538009d707
2108 | | Author: oracleofnj <jared.samet@aya.yale.edu>
2109 | | Date: Sun Nov 20 18:27:23 2016 -0500
2110 | |
2111 | | Add semantic checking to make sure functions and variables on RHS exist
2112 | |
2113 | * commit 881f164a15251a781692045ce602dc5153adddb7
2114 | / Author: oracleofnj <jared.samet@aya.yale.edu>
2115 | | Date: Sun Nov 20 17:22:40 2016 -0500
2116 | |
2117 | | Check RHS slice to ensure end > start, otherwise evaluate to empty
2118 | |
2119 | * commit 442ae9121c99adeb30215e524022e1dd046e0e66
2120 | \ Merge: 367bc2b f7f701d
2121 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2122 | | Date: Sun Nov 20 11:42:54 2016 -0500
2123 | |
2124 | | Merge pull request #73 from Neitsch/interpreter-global
2125 | |
2126 | | Added use of global variables to interpreter
2127 | |
2128 | * commit f7f701d56f6e553742adcf396bffd7d0d2021cd2
2129 | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2130 | | Date: Sun Nov 20 11:30:06 2016 -0500
2131 | |
2132 | | Added use of global variables to interpreter, fixed specs for logical or and
2133 | | and testcases with empty
2134 | * commit 367bc2b3b07ed593eba6475aa42d3d66bada93c9
2135 | \ Merge: e956238 bdca834
2136 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2137 | | Date: Sun Nov 20 00:33:17 2016 -0500
2138 | |
2139 | | Merge pull request #72 from Neitsch/codegen-part-app-fix
2140 | |
2141 | | Fixed partial function application warning
2142 | |
2143 | * commit bdca8349c823e69a9065ca2f7efd24d8ba3d3482
2144 | \ Merge: 9b742d1 e956238
2145 | / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2146 | / Date: Sun Nov 20 00:31:04 2016 -0500
2147 | |
2148 | | Merge branch 'master' into codegen-part-app-fix
2149 | |
2150 | * commit e956238e31b3811552c0c4fblab6ea10f00107e1
2151 | \ \ Merge: f87cb94 32f2989
2152 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2153 | | | Date: Sun Nov 20 00:28:49 2016 -0500
2154 | | |
2155 | | | Merge pull request #71 from Neitsch/tc-fixes
2156 | | |
2157 | | | Tc fixes
2158 | | |
2159 | * commit 32f2989ad2a169fe36509509b8bf8aeb61e7d8f4

```

```

2160 | | \ Merge: 05f317a f87cb94
2161 | | / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2162 | / | Date: Sun Nov 20 00:20:51 2016 -0500
2163 | | |
2164 | | | Merge branch 'master' into tc-fixes
2165 | | |
2166 * | | commit f87cb946eff0389be01d20ba5e62ff9882b6b94f
2167 | \ \ Merge: 6d73717 842ee5a
2168 | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2169 | | | Date: Sun Nov 20 00:20:35 2016 -0500
2170 | | |
2171 | | | Merge pull request #69 from Neitsch/regression-tests
2172 | | |
2173 | | | Regression tests
2174 | | |
2175 * | | commit 842ee5aa0e12f721fc985689fa2bflbfff66a167b
2176 | \ \ Merge: 214ab9d 6d73717
2177 | / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2178 | / | Date: Sun Nov 20 00:18:56 2016 -0500
2179 | | |
2180 | | | Merge branch 'master' into regression-tests
2181 | | |
2182 * | | commit 6d73717a9152d479ecee1778f90baaaca6a9083
2183 | \ \ Merge: 36f72a1 04e5c4a
2184 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2185 | | | Date: Sat Nov 19 23:55:35 2016 -0500
2186 | | |
2187 | | | Merge pull request #66 from Neitsch/fix-test-cases
2188 | | |
2189 | | | Fix test cases
2190 | | |
2191 * | | commit 214ab9d5df7fa62828bbb0d1284e761365885a23
2192 | \ \ Merge: fb31505 5e39ba7
2193 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2194 | | | Date: Sat Nov 19 22:10:33 2016 -0500
2195 | | |
2196 | | | Merge
2197 | | |
2198 | | * | commit 5e39ba7b6f490b9f810c37e8157056ab31151b4c
2199 | | \ \ Merge: 25263fe 36f72a1
2200 | | - / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2201 | / | Date: Sat Nov 19 21:55:03 2016 -0500
2202 | | |
2203 | | | Merge
2204 | | |
2205 | | * | commit 25263fe599515a7bc97a37f874d5995371f77b2c
2206 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2207 | | | Date: Sat Nov 19 21:50:21 2016 -0500
2208 | | |
2209 | | | Removed travis from build, removed super verbose output
2210 | | |
2211 | | * | commit 0554ad9c6ceb85f2f30929b4b63f1476b9e52780
2212 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2213 | | | Date: Sat Nov 19 21:42:28 2016 -0500
2214 | | |
2215 | | | Using precise lli version

```

2216					
2217			*		commit 2825ada0022a5df1aeac7d1871904a16f676cb9c
2218					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2219					Date: Fri Nov 18 12:51:33 2016 -0500
2220					
2221					Added branch to build
2222					
2223			*		commit aafabb2f0b48af7e1961740edccd63c676fb2595
2224					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2225					Date: Fri Nov 18 12:50:56 2016 -0500
2226					
2227					Verbose output for travis debug
2228					
2229			*		commit fb315051683e9323f494ec9b4cd42a87103f7ea9
2230	/	/	/	/	Author: Nigel Schuster <nigel.schusters@googlemail.com>
2231	/				Date: Sat Nov 19 22:08:42 2016 -0500
2232					
2233					Passing testcases are in separate directory. Output of stats
2234					
2235			*		commit 05f317a8560e8cc6f59af840b3e5d97581fec1be
2236					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2237					Date: Sat Nov 19 22:37:36 2016 -0500
2238					
2239					Fixed output on TCs
2240					
2241			*		commit aald974fec852f9d6c2c524eb4e0e585c000d2a8
2242					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2243					Date: Sat Nov 19 22:33:40 2016 -0500
2244					
2245					Fixed expected value for ternary
2246					
2247			*		commit ab7653af94b6eb3c441ab2aa4cb1a0238cb0103f
2248					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2249					Date: Sat Nov 19 22:32:27 2016 -0500
2250					
2251					Fixed import testcases
2252					
2253			*		commit 848066cd1ea2e7e580ec4710181b5e36273ea9a8
2254					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2255					Date: Sat Nov 19 22:24:55 2016 -0500
2256					
2257					Moved testcase asset to asset folder
2258					
2259			*		commit 53c920628b8283b501dd70df16b76c1b668b5a66
2260					Author: Nigel Schuster <nigel.schusters@googlemail.com>
2261					Date: Sat Nov 19 22:21:48 2016 -0500
2262					
2263					Corrected use of global variable in test_globals
2264					
2265			*		commit 5fe74a8c9883277c3ef1df944623a54f6782030c
2266	/	/			Author: Nigel Schuster <nigel.schusters@googlemail.com>
2267	/				Date: Sat Nov 19 22:19:47 2016 -0500
2268					
2269					Fixed expected output for test_access_column_cells
2270					
2271	*				commit 04e5c4a7bc3ea9d79a2cbdf9e03011df96b5af6f

```

2272 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2273 | | | | Date: Sat Nov 19 18:30:32 2016 -0500
2274 | | | |
2275 | | | | Add more operators to interpreter
2276 | | | |
2277 | * | | | commit e4a190c32f50362cae49e27679e8860a1b95f49b
2278 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2279 | | | | Date: Sat Nov 19 17:14:04 2016 -0500
2280 | | | |
2281 | | | | Add argument to main and remove _expected from filenames
2282 | | | |
2283 | * | | | commit 7cd2b3ae0741a05e19d1f0dc39afb4f3d6be3bfff
2284 | | \ \ \ Merge: d1fddfd 36f72a1
2285 | | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
2286 | / | | | Date: Sat Nov 19 16:53:12 2016 -0500
2287 | | | |
2288 | | | | Merge branch 'master' into fix-test-cases
2289 | | | |
2290 | * | | | commit d1fddfd7bf6ba8190ff38aaed5a22cd3b3f85ef4
2291 | | \ \ \ Merge: a9320f3 7b6b79e
2292 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2293 | | | | Date: Sat Nov 19 16:52:48 2016 -0500
2294 | | | |
2295 | | | | Merge branch 'fix-test-cases' of https://github.com/Neitsch/plt into fix
2296 | | | | -test-cases
2297 | | * | | | commit 7b6b79ed80d9356bfe1a038757c746788c41fee
2298 | | | \ \ \ Merge: 24a3625 de262b4
2299 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2300 | | | | | Date: Sat Nov 19 14:31:39 2016 -0500
2301 | | | | |
2302 | | | | | Merge branch 'master' into fix-test-cases
2303 | | | | |
2304 | * | | | | commit a9320f3f249e2b2a342add2c750ee9beb4bec2de
2305 | | \ \ \ \ \ Merge: 24a3625 de262b4
2306 | | / / / / / Author: oracleofnj <jared.samet@aya.yale.edu>
2307 | / | / / / Date: Sat Nov 19 14:29:51 2016 -0500
2308 | | / / /
2309 | | | | | Merge branch 'master' into fix-test-cases
2310 | | | | |
2311 | * | | | | commit 24a3625ee0a2ebe90f49563eb355549fe6938905
2312 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2313 | | | | | Date: Sat Nov 19 14:27:48 2016 -0500
2314 | | | | |
2315 | | | | | Add switch tests
2316 | | | | |
2317 | * | | | | commit 75e3f71b55e8f57c4092924b1294a6c717bd223e
2318 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2319 | | | | | Date: Fri Nov 18 20:39:23 2016 -0500
2320 | | | | |
2321 | | | | | Fix parsing errors in test cases
2322 | | | | |
2323 | | | | * commit 9b742d16a14b81215a51612eb237875017320a97
2324 | | - - / Author: Nigel Schuster <nigel.schusters@gmail.com>
2325 | / | | | Date: Sun Nov 20 00:24:39 2016 -0500
2326 | | | |

```



```

2327 | | | | Fixed partial function application warning
2328 | | | |
2329 * | | | | commit 36f72a190820385610b63dd1c8e9e94a0fc564a9
2330 |\ \ \ \ Merge: de262b4 c46c87b
2331 | | - / / Author: Jared Samet <jared.samet@aya.yale.edu>
2332 | / | | | Date: Sat Nov 19 16:49:34 2016 -0500
2333 | | | |
2334 | | | | Merge pull request #67 from Neitsch/test_cases
2335 | | | |
2336 | | | | Test cases
2337 | | | |
2338 * | | | | commit c46c87bef9282aae0e4d754d74e77cd1c5399a13
2339 |\ \ \ \ Merge: 642ce76 de262b4
2340 | / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
2341 | / | | | Date: Sat Nov 19 16:47:26 2016 -0500
2342 | | | |
2343 | | | | Merge branch 'master' into test_cases
2344 | | | |
2345 * | | | | commit de262b4bbe84505ef0dc460afe5fa4fea8da6ba3
2346 |\ \ \ \ Merge: 7146dce 4e38757
2347 | | - / / Author: Jared Samet <jared.samet@aya.yale.edu>
2348 | / | | | Date: Sat Nov 19 14:24:39 2016 -0500
2349 | | | |
2350 | | | | Merge pull request #60 from Neitsch/box-args
2351 | | | |
2352 | | | | Box args
2353 | | | |
2354 * | | | | commit 4e3875716c30388817c66fad2df038141b89ca51
2355 |\ \ \ \ Merge: faecfal 7146dce
2356 | / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
2357 | / | | | Date: Fri Nov 18 16:00:10 2016 -0500
2358 | | | |
2359 | | | | Merge branch 'master' into box-args
2360 | | | |
2361 * | | | | commit 7146dce9e2cc8dc459dc51e0dbfeb7dd426551a0
2362 |\ \ \ \ Merge: 124d61e 09cb42f
2363 | | - / / Author: Jared Samet <jared.samet@aya.yale.edu>
2364 | / | | | Date: Fri Nov 18 15:59:54 2016 -0500
2365 | | | |
2366 | | | | Merge pull request #64 from Neitsch/reorg-test
2367 | | | |
2368 | | | | Reorg test
2369 | | | |
2370 * | | | | commit 09cb42f8e184a376bc7a00f69ed57d1d60a30737
2371 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2372 | | | | Date: Fri Nov 18 14:07:39 2016 -0500
2373 | | | |
2374 | | | | Fix parse difference
2375 | | | |
2376 * | | | | commit 39634bbf216c4eb75ed7653687739f3d22bf68a4
2377 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2378 | | | | Date: Fri Nov 18 14:01:21 2016 -0500
2379 | | | |
2380 | | | | Remove unnecessary files
2381 | | | |
2382 * | | | | commit d772725d15628dd48f6542cd70bd234c5d157304

```

```

2383 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2384 | | | | Date:   Fri Nov 18 14:01:02 2016 -0500
2385 | | | |
2386 | | | |     Make inputs work with interpreter
2387 | | | |
2388 | | * | | commit faecfa1905804786fa0fc08086ef32e37b811964
2389 | | | \ | Merge: 6f63e89 41a81ce
2390 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2391 | | | | | Date:   Fri Nov 18 01:48:44 2016 -0500
2392 | | | |
2393 | | | |     Fix merge conflict in box_args
2394 | | | |
2395 | | * | | commit 41a81cead3637dc09da80d33ba04ee453d873b88
2396 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2397 | | | | | Date:   Fri Nov 18 01:40:11 2016 -0500
2398 | | | |
2399 | | | |     Move argument boxing into a function
2400 | | | |
2401 | | * | | commit 642ce765c175416879ca7d17f68f31966a027710
2402 | | | | | Author: Kevin <kevinyell113@gmail.com>
2403 | | | | | Date:   Sat Nov 19 16:39:50 2016 -0500
2404 | | | |
2405 | | | |     Fixed helloworld bug
2406 | | | |
2407 | | * | | commit ac3d7fa3ff769a6b987e3837a05652be00b1057b
2408 | | | | | Author: Kevin <kevinyell113@gmail.com>
2409 | | | | | Date:   Sat Nov 19 16:10:53 2016 -0500
2410 | | | |
2411 | | | |     Added corresponding AST result for gcd function
2412 | | | |
2413 | | * | | commit f483ac7bc551d831ef314f07ecf51eb3c571b184
2414 | | | | | Author: Kevin <kevinyell113@gmail.com>
2415 | | | | | Date:   Fri Nov 18 14:10:32 2016 -0500
2416 | | | |
2417 | | | |     Updated print statement for each test
2418 | | | |
2419 | | * | | commit f4456f8815d6e4d181920a4800da3257d75edbf7
2420 | | | \ | Merge: 00aafb7 124d61e
2421 | | | - | | Author: kevinyel <kevinyel@users.noreply.github.com>
2422 | | / | | | Date:   Fri Nov 18 13:17:25 2016 -0500
2423 | | | |
2424 | | | |     Merge branch 'master' into test-cases
2425 | | | |
2426 | * | | | | commit 124d61e803cd209a0b7edf977473240falb450f5
2427 | \ | \ | \ | Merge: 6f63e89 82cf599
2428 | | / / / / | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2429 | | / / / | | Date:   Fri Nov 18 12:44:50 2016 -0500
2430 | | / / / |
2431 | / | | | | Merge pull request #61 from Neitsch/reorg-test
2432 | | | |
2433 | | | |     Modify test script to compare interpreter and compiler with expected
2434 | | | |
2435 | * | | | | commit 82cf59904f569175b2dcd4de51e4faf5ff925d7d
2436 | / / / | | Author: oracleofnj <jared.samet@aya.yale.edu>
2437 | | | | | Date:   Fri Nov 18 12:34:57 2016 -0500
2438 | | | |

```

```

2439 | | | Modify test script to compare interpreter and compiler with expected
2440 | | |
2441 | * | | commit 6f63e898f49513139ab852300ee219aad742020b
2442 | \| \| Merge: 012caaa 088dc45
2443 | | / / Author: Jared Samet <jared.samet@aya.yale.edu>
2444 | / | | Date: Fri Nov 18 00:48:07 2016 -0500
2445 | | |
2446 | | | Merge pull request #59 from Neitsch/hello-hello
2447 | | |
2448 | | | Hello world
2449 | | |
2450 | * | | commit 088dc45e0b59702e41d2a3d4e13ef6eb11f580dc
2451 | \| \| Merge: f84757b 012caaa
2452 | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2453 | / | | Date: Fri Nov 18 00:29:45 2016 -0500
2454 | | |
2455 | | | Merge
2456 | | |
2457 | * | | commit 012caaaf689c35d226b447301bb847b14d645cab
2458 | \| \| Merge: 5e63cee 9463afa
2459 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2460 | | | Date: Fri Nov 18 00:12:40 2016 -0500
2461 | | |
2462 | | | Merge pull request #58 from Neitsch/copy-argv
2463 | | |
2464 | | | Copy argv
2465 | | |
2466 | * | | commit 9463afa08811674f462b4a52b8433c8a7c19a7e9
2467 | \| \| Merge: 54858ab bb11d6d
2468 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2469 | | | Date: Thu Nov 17 23:12:41 2016 -0500
2470 | | |
2471 | | | Merge branch 'copy-argv' of https://github.com/Neitsch/plt into copy-
    | | | argv
2472 | | | |
2473 | * | | commit 54858ab5bbcc0b1879f4b4d7387d9e7e839e0677
2474 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2475 | | | Date: Thu Nov 17 23:11:29 2016 -0500
2476 | | |
2477 | | | Add => infix operator to cut down on all the build.struct.gep calls
2478 | | |
2479 | | | * commit f84757bec65346775db43303f5b02754aa155e29
2480 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2481 | | | Date: Fri Nov 18 00:02:34 2016 -0500
2482 | | |
2483 | | | Removed unnecessary files
2484 | | |
2485 | | | * commit 18fbff1163bf5660839cc7f2d03ab00299fbec29
2486 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2487 | | | Date: Fri Nov 18 00:01:49 2016 -0500
2488 | | |
2489 | | | Removed dummy arg reading, added printing to interpreter - helloworld TC
    | | | passes
2490 | | | |
2491 | | | * commit b866da35db69204510000fd87c33cb6aade0532d
2492 | | | / / Author: Nigel Schuster <nigel.schusters@googlemail.com>

```

```

2493 | | | | Date: Thu Nov 17 23:31:42 2016 -0500
2494 | | | |
2495 | | | | Made hello world work
2496 | | | |
2497 | | * | commit bb11d6dfa4ba716dfd50347645619d8f79321a66
2498 | | \| \ Merge: e123652 5e63cee
2499 | | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2500 | | / / Date: Thu Nov 17 23:10:24 2016 -0500
2501 | | / /
2502 | / | | Merge branch 'master' into copy-argv
2503 | | | |
2504 | * | | commit 5e63ceebeaf8664dfdedb23271f70769609eb4b2
2505 | \| \ \ Merge: cafe20e 4a4a806
2506 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2507 | | | | Date: Thu Nov 17 17:40:31 2016 -0500
2508 | | | |
2509 | | | | Merge pull request #54 from Neitsch/operation_tests
2510 | | | |
2511 | | | | Operation tests.
2512 | | | |
2513 | * | | commit 4a4a8063c0da95694f00b7683f9985f40877cbda
2514 | | \| \ \ Merge: 4b28df2 cafe20e
2515 | | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2516 | / | | Date: Thu Nov 17 17:19:13 2016 -0500
2517 | | | |
2518 | | | | Merge branch 'master' into operation_tests
2519 | | | |
2520 | * | | commit cafe20e6e0f4dfe020f2c34caafa3f8879a944ee
2521 | \| \ \ \ Merge: d43a87b b728e2e
2522 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2523 | | | | Date: Thu Nov 17 17:19:11 2016 -0500
2524 | | | |
2525 | | | | Merge pull request #52 from Neitsch/one-main-arg
2526 | | | |
2527 | | | | Call main() with first argument <empty> in interpreter
2528 | | | |
2529 | * | | commit b728e2e80558871009f78e188adaea92ff9826af
2530 | | \| \ \ Merge: e490548 d43a87b
2531 | | / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2532 | / | | | Date: Thu Nov 17 17:16:20 2016 -0500
2533 | | | |
2534 | | | | Merge branch 'master' into one-main-arg
2535 | | | |
2536 | * | | commit e490548c499782a30071fb192311adea1711422f
2537 | | \| \ \ \ Merge: 79ee3de a4cf367
2538 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2539 | | | | Date: Thu Nov 17 15:50:35 2016 -0500
2540 | | | |
2541 | | | | Merge branch 'master' into one-main-arg
2542 | | | |
2543 | * | | commit 79ee3dea137cf7fd4ace406716195cf758cabd75
2544 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2545 | | | | Date: Thu Nov 17 15:18:58 2016 -0500
2546 | | | |
2547 | | | | Call main() with first argument <empty> in interpreter
2548 | | | |

```

```

2549 | | | * | | | commit 4b28df26b724eccc92829ca84bd1ccdbc84c6729
2550 | | | | \ \ \ Merge: 3255e1b d43a87b
2551 | | | _ / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2552 | / | | | | Date: Thu Nov 17 17:17:44 2016 -0500
2553 | | | | |
2554 | | | | | Merge branch 'master' into operation_tests
2555 | | | | |
2556 | * | | | | commit d43a87b8ab2c8e52d42c16af44d90a48301752c7
2557 | \ \ \ \ \ Merge: a4cf367 b1238a0
2558 | | | _ / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2559 | / | | | | Date: Thu Nov 17 17:15:28 2016 -0500
2560 | | | | |
2561 | | | | | Merge pull request #55 from Neitsch/shell-fix
2562 | | | | |
2563 | | | | | Using bourne shell style redirection:
2564 | | | | |
2565 | * | | | | commit b1238a0145da88327094dd2fa59a243cc72856c2
2566 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2567 | | | | | Date: Thu Nov 17 17:08:56 2016 -0500
2568 | | | | |
2569 | | | | | Shell is not my strength
2570 | | | | |
2571 | * | | | | commit a6cc0eafe87931aa48498436441c6351ealbfe0c
2572 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2573 | | | | | Date: Thu Nov 17 17:05:09 2016 -0500
2574 | | | | |
2575 | | | | | Screw you bourne shell
2576 | | | | |
2577 | * | | | | commit 51fbe679918ad80440986f53208c9d393a98f2bb
2578 | / / / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2579 | | | | | Date: Thu Nov 17 16:59:50 2016 -0500
2580 | | | | |
2581 | | | | | Using bourne shell style redirection:
2582 | | | | |
2583 | * | | | | commit 3255e1b771252f98fbbfffc2067744e7761ee4a2e
2584 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
2585 | | | | | Date: Thu Nov 17 16:32:12 2016 -0500
2586 | | | | |
2587 | | | | | Modify test suite specs
2588 | | | | |
2589 | * | | | | commit f0ab4d8880196a8f693891ef5ab6c8510e9a305d
2590 | | | | | Author: Ishaan <ishaankolluri@gmail.com>
2591 | | | | | Date: Thu Nov 17 16:30:42 2016 -0500
2592 | | | | |
2593 | | | | | Moved expected output text files to directory
2594 | | | | |
2595 | * | | | | commit 06d330c8e0470daaeefa0c06ad7b89a31f2ea4e5
2596 | | / / / Author: Ishaan <ishaankolluri@gmail.com>
2597 | / | | | Date: Thu Nov 17 16:07:02 2016 -0500
2598 | | | | |
2599 | | | | | 75% through operator cases
2600 | | | | |
2601 | * | | | | commit e123652c39885430a3ae0d6773b186cd102d37ac
2602 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2603 | | | | | Date: Thu Nov 17 22:28:12 2016 -0500
2604 | | | | |

```

```

2605 | | | | Add byte for zero
2606 | | | |
2607 | | * | commit 26a03b7e32173ed2ef947084d16e25eaa82ff921
2608 | | / / Author: oracleofnj <jared.samet@aya.yale.edu>
2609 | / | | Date: Thu Nov 17 22:24:17 2016 -0500
2610 | | | |
2611 | | | | Add new_string function
2612 | | | |
2613 | * | | commit a4cf367633dd1dba496a2ec83472d8f513f56aaf
2614 | \ \ \ Merge: 7af929a c4f7437
2615 | | / / Author: Jared Samet <jared.samet@aya.yale.edu>
2616 | / | | Date: Thu Nov 17 15:50:29 2016 -0500
2617 | | | |
2618 | | | | Merge pull request #51 from Neitsch/test-script
2619 | | | |
2620 | | | | Test script
2621 | | | |
2622 | * | | commit c4f74379a669e99fa7941712f9d5f3406bd2a390
2623 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2624 | | | Date: Thu Nov 17 14:39:38 2016 -0500
2625 | | | |
2626 | | | | Removed version specific lli
2627 | | | |
2628 | * | | commit 7b2236b3671a30fe5c49dcd15de8e1d7ec40fd7d
2629 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2630 | | | Date: Thu Nov 17 14:35:55 2016 -0500
2631 | | | |
2632 | | | | Fixed if no flag is given
2633 | | | |
2634 | * | | commit e10f6566f1d0a786eb103f542bd5572a7dc049b1
2635 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2636 | | | Date: Thu Nov 17 14:24:20 2016 -0500
2637 | | | |
2638 | | | | Outputting diff only if -p flag is given
2639 | | | |
2640 | * | | commit 2d2959718512cd1c4ab4d8618595e0fbf5a1afb2
2641 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2642 | | | Date: Thu Nov 17 14:19:30 2016 -0500
2643 | | | |
2644 | | | | Added it as build target
2645 | | | |
2646 | * | | commit 7af929a4a10c0b447752ddb02b189ff74e48c7ed
2647 | \ \ \ Merge: 7feb392 6ea43f6
2648 | | / / Author: Jared Samet <jared.samet@aya.yale.edu>
2649 | | | Date: Thu Nov 17 14:12:19 2016 -0500
2650 | | | |
2651 | | | | Merge pull request #50 from Neitsch/test-script
2652 | | | |
2653 | | | | Test script
2654 | | | |
2655 | * | | commit 6ea43f63f5e0e05287b1b7c85d60b25a3fa471d9
2656 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2657 | | | Date: Thu Nov 17 13:54:55 2016 -0500
2658 | | | |
2659 | | | | Added more env variables to avoid copy paste
2660 | | | |

```

```

2661 | * | commit 05f27a219ca18a846664c65754bf682a6bc3c58d
2662 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2663 | | | Date: Thu Nov 17 12:45:11 2016 -0500
2664 | | |
2665 | | | Made simple testscript
2666 | | |
2667 | * | commit aca43c139c3b3a1c925473669f664b41acc7c0df
2668 | / / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2669 | | | Date: Thu Nov 17 11:08:11 2016 -0500
2670 | | |
2671 | | | Removed accidentally added files
2672 | | |
2673 | * | commit 00aafb71be96f422170e12cd38bd29a624cae40f
2674 | | | Author: Kevin <kevinye1113@gmail.com>
2675 | | | Date: Fri Nov 18 13:16:08 2016 -0500
2676 | | |
2677 | | | Renamed inputs folder
2678 | | |
2679 | * | commit 99db652ae157dce96aa01290d6a492e4467e63ed
2680 | | | Author: Kevin <kevinye1113@gmail.com>
2681 | | | Date: Fri Nov 18 12:51:40 2016 -0500
2682 | | |
2683 | | | Renamed expected output extension and created input folder for test cases
2684 | | |
2685 | * | commit b8028f9b923d3cdd5600088f2582c8b29bc9bc5b
2686 | | | Author: Kevin <kevinye1113@gmail.com>
2687 | | | Date: Thu Nov 17 20:27:37 2016 -0500
2688 | | |
2689 | | | Removed files from test folder
2690 | | |
2691 | * | commit c85d9b71b9b5073e2f2e2b2ecaf5253c2ffc1203
2692 | | | Author: Kevin <kevinye1113@gmail.com>
2693 | | | Date: Thu Nov 17 20:25:21 2016 -0500
2694 | | |
2695 | | | Move testcases to testcases directory
2696 | | |
2697 | * | commit f17c6b67700996588a2696886faba09bc5484880
2698 | | | Author: Kevin Ye <kevinye1113@gmail.com>
2699 | | | Date: Thu Nov 17 20:21:38 2016 -0500
2700 | | |
2701 | | | Complete testcases for List/Range/Function/Expression with expected outputs
2702 | | |
2703 | * | commit 9228eacadf83a6c901ce34947cad67eceb1dabca
2704 | / | Author: Kevin Ye <kevinye1113@gmail.com>
2705 | | | Date: Thu Nov 17 04:52:31 2016 -0500
2706 | | |
2707 | | | Test cases for List of Tests and Range/Function/Expression Tests
2708 | | |
2709 | * | commit 7feb392e1193b63f71f99995db0981330668253a
2710 | \ | Merge: 41ef578 6e42afa
2711 | | | Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
2712 | | | Date: Thu Nov 17 00:28:53 2016 -0500
2713 | | |
2714 | | | Merge pull request #48 from Neitsch/testing_list
2715 | | |
2716 | | | Added initial testing list

```

```

2717 | |
2718 | * | commit 6e42afa596a96286149edacb4a44a0ff0c6f2a47
2719 | | \ Merge: e40734b 41ef578
2720 | | / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
2721 | / | Date: Thu Nov 17 00:27:13 2016 -0500
2722 | |
2723 | | Merge branch 'master' into testing_list
2724 | |
2725 | * | commit 41ef57814b0e03cb890a26a11021150a1cb6793f
2726 | | \ Merge: 1570836 3cbf089
2727 | | \ Author: Jared Samet <jared.samet@aya.yale.edu>
2728 | | \ Date: Wed Nov 16 17:50:03 2016 -0500
2729 | |
2730 | | Merge pull request #49 from Neitsch/consume-command-line-args
2731 | |
2732 | | Consume command line args
2733 | |
2734 | * | commit 3cbf089e698f117fe7c093c0ad965ae75f7f5060
2735 | | \ Merge: 2fa73be 1570836
2736 | | / Author: oracleofnj <jared.samet@aya.yale.edu>
2737 | / | Date: Wed Nov 16 17:45:58 2016 -0500
2738 | |
2739 | | Fix merge conflict
2740 | |
2741 | * | commit 1570836bf3643d233e52d1ceb1d46e072e37222a
2742 | | \ Merge: 4a1fcac a8fbced
2743 | | \ Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2744 | | \ Date: Wed Nov 16 16:51:05 2016 -0500
2745 | |
2746 | | Merge pull request #45 from Neitsch/doc
2747 | |
2748 | | Added a little documentation
2749 | |
2750 | * | commit a8fbcedf43a46b3e398838e15b1f713ba5874ad3
2751 | | \ Author: Nigel Schuster <nigel.schusters@gmail.com>
2752 | | \ Date: Wed Nov 16 16:38:49 2016 -0500
2753 | |
2754 | | Fixed minor syntax error
2755 | |
2756 | * | commit c2f37c8a801eda2b33c09d24ab762e10c0336168
2757 | | \ Merge: 92fb7a3 4a1fcac
2758 | | / Author: Nigel Schuster <nigel.schusters@gmail.com>
2759 | / | Date: Wed Nov 16 16:30:43 2016 -0500
2760 | |
2761 | | Merge
2762 | |
2763 | * | commit 92fb7a326d3811b20ca2f64938fc46e3879dc090
2764 | | \ Author: Nigel Schuster <nigel.schusters@gmail.com>
2765 | | \ Date: Tue Nov 15 23:57:37 2016 -0500
2766 | |
2767 | | Added a little documentation
2768 | |
2769 | * | commit 2fa73be6cebe75a58364148689a0b496940cccd9
2770 | | \ Author: oracleofnj <jared.samet@aya.yale.edu>
2771 | | \ Date: Wed Nov 16 16:05:37 2016 -0500
2772 | |

```



```

2773 | | | Set return code to length of argv[1]
2774 | | |
2775 | | * | commit cd0d156ceeab4830df0f3a30b3265f34d3c07c68
2776 | | / / | Author: oracleofnj <jared.samet@aya.yale.edu>
2777 | | / | | Date: Wed Nov 16 15:50:39 2016 -0500
2778 | | |
2779 | | | Start processing command line args
2780 | | |
2781 | | * | commit e40734b736193f27f346eda80f4748132316db43
2782 | | | | Author: Ishaan <ishaankolluri@gmail.com>
2783 | | | | Date: Wed Nov 16 23:25:01 2016 -0500
2784 | | |
2785 | | | Added more test scenarios
2786 | | |
2787 | | * | commit bc21af622d3a32bb6c9fe2e86f83129886b8e574
2788 | | / | | Author: Ishaan <ishaankolluri@gmail.com>
2789 | | / | | Date: Wed Nov 16 15:54:12 2016 -0500
2790 | | |
2791 | | | Added initial testing list
2792 | | |
2793 | | * | commit 4a1fcacf86ee892bc72582fd2ea3a9dc74d0e63c
2794 | | \ \ | Merge: 8944b9a flb481e
2795 | | | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2796 | | | | Date: Wed Nov 16 13:55:46 2016 -0500
2797 | | |
2798 | | | Merge pull request #46 from Neitsch/number-type
2799 | | |
2800 | | | Added number type that defaults to int
2801 | | |
2802 | | * | commit flb481efad2233c37a8722580c655266116dad55
2803 | | / / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2804 | | | | Date: Wed Nov 16 11:04:44 2016 -0500
2805 | | |
2806 | | | Added number type that defaults to int
2807 | | |
2808 | | * | commit 8944b9a1fb299e43a8de33dfb342243f75f7718a
2809 | | \ \ | Merge: fa1741a bcbde36
2810 | | / | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2811 | | / | | Date: Wed Nov 16 00:19:33 2016 -0500
2812 | | |
2813 | | | Merge pull request #44 from Neitsch/fix-arg
2814 | | |
2815 | | | Using subranges instead of ranges everywhere
2816 | | |
2817 | | * | commit bcbde3610ba04bc8b125f34a502ad20flae80bd8
2818 | | \ \ | Merge: 57b2162 fa1741a
2819 | | / | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2820 | | / | | Date: Tue Nov 15 23:49:07 2016 -0500
2821 | | |
2822 | | | Merge branch 'master' into fix-arg
2823 | | |
2824 | | * | commit fa1741a24c0bd75650d06a79fee7ea1401382c0a
2825 | | \ \ | Merge: 660c049 9407677
2826 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2827 | | | | Date: Tue Nov 15 23:03:23 2016 -0500
2828 | | |

```

```

2829 | | | Merge pull request #43 from Neitsch/more-llvm-gen-js
2830 | | |
2831 | | | More llvm gen from JS
2832 | | |
2833 | * | commit 9407677c52644d935175cf5abe25a31127bf1787
2834 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2835 | | | Date: Tue Nov 15 22:31:03 2016 -0500
2836 | | |
2837 | | | Add hash table for common functions and add dereference-the-range
2838 | | |
2839 | * | commit 46elfd5752c75220787e60a50a8c51064e50c7ce
2840 | / / Author: oracleofnj <jared.samet@aya.yale.edu>
2841 | | | Date: Tue Nov 15 21:38:51 2016 -0500
2842 | | |
2843 | | | Eliminate some copy & paste
2844 | | |
2845 | * | commit 57b2162706267d8ae19c759d4ef4b1199f9946e3
2846 | / | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2847 | | | Date: Tue Nov 15 22:39:38 2016 -0500
2848 | | |
2849 | | | Using subranges instead of ranges everywhere
2850 | | |
2851 | * | commit 660c049fb22baac3526cd251b0b366ee3d1b8305
2852 | \ | Merge: 8ad5a19 25b23cd
2853 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2854 | | | Date: Tue Nov 15 20:54:33 2016 -0500
2855 | | |
2856 | | | Merge pull request #42 from Neitsch/llvm-gen
2857 | | |
2858 | | | Lllvm gen
2859 | | |
2860 | * | commit 25b23cd3df1e93a00a330b2e02166d41e4dfea
2861 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2862 | | | Date: Tue Nov 15 17:23:54 2016 -0500
2863 | | |
2864 | | | Fixed column retrieval for 1x1
2865 | | |
2866 | * | commit 3f022031254b6da7a3278153288a09d052d16fa2
2867 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2868 | | | Date: Tue Nov 15 17:17:02 2016 -0500
2869 | | |
2870 | | | Fixed tests
2871 | | |
2872 | * | commit 26b8fcf1a26394ee6c82f447330ef2510aa32dc8
2873 | \ | Merge: e347a87 aed28b3
2874 | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2875 | | | Date: Tue Nov 15 17:15:08 2016 -0500
2876 | | |
2877 | | | Merge
2878 | | |
2879 | * | commit aed28b3e2ad836558e1ecdb4afb276f5bd022114
2880 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2881 | | | Date: Tue Nov 15 17:08:07 2016 -0500
2882 | | |
2883 | | | Add is-subrange-1x1
2884 | | |

```

```

2885 | | * | commit cf5cbf0613395995f0ee23f19ab4a1a879364385
2886 | | | \ Merge: c71d469 4b34abd
2887 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2888 | | | | Date: Tue Nov 15 14:51:40 2016 -0500
2889 | | | |
2890 | | | | Merge branch 'llvm-gen' of https://github.com/Neitsch/plt into llvm-gen
2891 | | | |
2892 | | | * | commit 4b34abd125b1651df31211d8779b7c549d515ae7
2893 | | | \ Merge: a80a6d0 8ad5a19
2894 | | | - | / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
2895 | / | | | Date: Tue Nov 15 14:41:37 2016 -0500
2896 | | | |
2897 | | | | Merge branch 'master' into llvm-gen
2898 | | | |
2899 | * | | | commit 8ad5a19ed1d3e25da7ee9995fa1079fab3d08cb5
2900 | \ \ \ \ Merge: d6daff3 3f0362a
2901 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2902 | | | | Date: Tue Nov 15 14:33:40 2016 -0500
2903 | | | |
2904 | | | | Merge pull request #40 from Neitsch/interpreter
2905 | | | |
2906 | | | | Interpreter
2907 | | | |
2908 | * | | | commit 3f0362aff5a44f3c39f0d991c5cc11b85dc7c47e
2909 | \ \ \ \ Merge: d5f4024 d6daff3
2910 | / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
2911 | / | | | Date: Tue Nov 15 14:28:44 2016 -0500
2912 | | | |
2913 | | | | Merge branch 'master' into interpreter
2914 | | | |
2915 | * | | | commit d6daff3a9c877c8277f1bd86f080f0defa597ead
2916 | \ \ \ \ Merge: 443a818 6afe599
2917 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
2918 | | | | Date: Sun Nov 13 20:26:14 2016 -0500
2919 | | | |
2920 | | | | Merge pull request #41 from Neitsch/LRM.String.Update
2921 | | | |
2922 | | | | Added changes relating to strings.
2923 | | | |
2924 | * | | | commit 6afe5996ee757b714490685718f04027e04532ab
2925 | | | | Author: Ishaan Kolluri <ishaankolluri@gmail.com>
2926 | | | | Date: Sun Nov 13 18:44:58 2016 -0500
2927 | | | |
2928 | | | | Added changes relating to strings.
2929 | | | |
2930 | | | * | commit c71d469cf691b624960ee4657697d623f0055f55
2931 | | | / | Author: oracleofnj <jared.samet@aya.yale.edu>
2932 | | | | Date: Tue Nov 15 14:51:19 2016 -0500
2933 | | | |
2934 | | | | Replace String.equal with =
2935 | | | |
2936 | | | * | commit a80a6d0053c71eb473fbb5b3cdcaca004be4b48
2937 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2938 | | | | Date: Tue Nov 15 14:41:07 2016 -0500
2939 | | | |
2940 | | | | Add compile option to main

```

```

2941 | | | |
2942 | | | * | commit e347a876c8713deff609324bae48d55ba8a69f04
2943 | | | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2944 | | | | Date: Tue Nov 15 17:12:26 2016 -0500
2945 | | | |
2946 | | | | Using more generic flag for values
2947 | | | |
2948 | | | * | commit c0c95a24323efbbe0abab2632671275c6ba0854a
2949 | | | | \ Merge: aa61ac9 d5f4024
2950 | | | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
2951 | | | | / Date: Tue Nov 15 14:16:13 2016 -0500
2952 | | | |
2953 | | | | Merge
2954 | | | |
2955 | | | * | commit d5f4024aab33d3307ddea75005f9885dc03395dc
2956 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2957 | | | | Date: Tue Nov 15 13:44:44 2016 -0500
2958 | | | |
2959 | | | | Moved failing TCs
2960 | | | |
2961 | | | * | commit 42fd9ef88b59f80351a1170a3c5fc3d393ad55b6
2962 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2963 | | | | Date: Tue Nov 15 12:21:57 2016 -0500
2964 | | | |
2965 | | | | Fix bug in import
2966 | | | |
2967 | | | * | commit 9c567c954d5e4f576f1ffaec3c5f152e86761c65
2968 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
2969 | | | | Date: Tue Nov 15 11:11:30 2016 -0500
2970 | | | |
2971 | | | | Working on imports, fixed most testcases
2972 | | | |
2973 | | | * | commit cf1ebf94b4dfacc0163e479d2ed6979146b47e2e
2974 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2975 | | | | Date: Sun Nov 13 23:09:30 2016 -0500
2976 | | | |
2977 | | | | Rewrite main to take options; fix bug where import didn't know about first
2978 | | | | filename
2979 | | | * | commit 0a5d484dba0b5e288e3b2bad4d6a4c044e1f8da9
2980 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2981 | | | | Date: Sun Nov 13 18:45:29 2016 -0500
2982 | | | |
2983 | | | | Revert "Generating function header"
2984 | | | |
2985 | | | | This reverts commit f83a0bcc6ca8d58d79bdfb4b49471c6031e8d201.
2986 | | | |
2987 | | | * | commit 137d7e2b95b7340894b1d826dc38ef91a958e731
2988 | | | | \ Merge: 118bfc5 bf1d8bb
2989 | | | | / Author: oracleofnj <jared.samet@aya.yale.edu>
2990 | | | | / Date: Sun Nov 13 18:39:33 2016 -0500
2991 | | | |
2992 | | | | Merge branch 'interpreter' of https://github.com/Neitsch/plt into
2993 | | | | interpreter
2994 | | | * | commit 118bfc54ba67ecba87442b26112557c59868220e

```

```

2995 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
2996 | | | | Date: Sun Nov 13 18:38:34 2016 -0500
2997 | | | |
2998 | | | | Allow single slice on RHS; make hashtag work
2999 | | | |
3000 | | * | commit 3addcc8b8c5029a7635a4b7edb5d718917618304
3001 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3002 | | | | Date: Sun Nov 13 14:38:11 2016 -0500
3003 | | | |
3004 | | | | Make size(expr) an operator instead of built-in function
3005 | | | |
3006 | | * | commit 9a74e14abc798cab3268420451b7b9f3a9a2b7aa
3007 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3008 | | | | Date: Sun Nov 13 14:22:44 2016 -0500
3009 | | | |
3010 | | | | Changing size() to be an operator
3011 | | | |
3012 | | | * commit aa61ac98d42571ab91a54ff06cb80be3deaa76b7
3013 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3014 | | | | Date: Tue Nov 15 09:31:42 2016 -0500
3015 | | | |
3016 | | | | Allocating scope object
3017 | | | |
3018 | | | * commit 574953833ac17b8d9c86faa967568ee8a27c7c22
3019 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3020 | | | | Date: Sun Nov 13 21:59:28 2016 -0500
3021 | | | |
3022 | | | | Added main function
3023 | | | |
3024 | | | * commit e376270c9b5af196cac37f5cd2f64071b9768ace
3025 | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3026 | | | | Date: Sun Nov 13 17:55:41 2016 -0500
3027 | | | |
3028 | | | | Added type arguments for functions
3029 | | | |
3030 | | | * commit 5cfb5199f5effd2ce86663bfce7ba388a169bb6f
3031 | | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
3032 | | | | Date: Sun Nov 13 17:26:23 2016 -0500
3033 | | | |
3034 | | | | Set more types up
3035 | | | |
3036 | | | * commit bf1d8bb2b3965e4aeab26a1f4d1c91569c2eb6f2
3037 | | | \| Merge: f83a0bc d6d2eaa
3038 | | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
3039 | | | / Date: Sun Nov 13 15:30:35 2016 -0500
3040 | | | |
3041 | | | | Merge branch 'interpreter' of https://github.com/Neitsch/plt into
3042 | | | | interpreter
3043 | | | * commit d6d2eaa5440fbb39958b104a520197857514ea06
3044 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3045 | | | | Date: Sun Nov 13 00:08:41 2016 -0500
3046 | | | |
3047 | | | | Add closure to interpreter_variable
3048 | | | |
3049 | | | * commit 64fba825d3c3d6eb216bfa6228cab91c8985d048

```

```

3050 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3051 | | | Date: Sat Nov 12 22:38:39 2016 -0500
3052 | | |
3053 | | | Added bsearch to show logic bug
3054 | | |
3055 | | * commit 66ffdb1cdd48dfdb93653a30e07ea47573fbb42c
3056 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3057 | | | Date: Sat Nov 12 19:21:07 2016 -0500
3058 | | |
3059 | | | Add alpha version of function calls
3060 | | |
3061 | | * commit 376b29aelf4b72fedb438e13b5fd1b3373c827bb
3062 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3063 | | | Date: Sat Nov 12 17:17:23 2016 -0500
3064 | | |
3065 | | | Add string as value type
3066 | | |
3067 | | * commit 08c61ee7724a15c9f95f1afbaabfe69aff63c2a4
3068 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3069 | | | Date: Sat Nov 12 17:14:47 2016 -0500
3070 | | |
3071 | | | Clean up discrepancies
3072 | | |
3073 | | * commit f83a0bcc6ca8d58d79bdfb4b49471c6031e8d201
3074 | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
3075 | | | Date: Sun Nov 13 15:30:28 2016 -0500
3076 | | |
3077 | | | Generating function header
3078 | | |
3079 | | * commit a18d5fc571d7ad30c4720b2a2ab5a58865726120
3080 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3081 | | | Date: Tue Nov 8 11:38:22 2016 -0500
3082 | | |
3083 | | | Fix bug with x[-1]
3084 | | |
3085 | | * commit 962f81284eea2537d5b92451fb5494e52c1600a1
3086 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3087 | | | Date: Mon Nov 7 23:27:08 2016 -0500
3088 | | |
3089 | | | Refactor scope for interpreter; resolve variables on demand; make selections
3090 | | | work properly
3091 | | |
3092 | | * commit 47bbef19ea8c13e555d5751a1ae4f369b8d0007d
3093 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3094 | | | Date: Sun Nov 6 22:05:55 2016 -0500
3095 | | |
3096 | | | Minor adjustments to interpreter to work with mapped AST
3097 | | |
3098 | | * commit fddc6bc63b746a5aa19fb96fc1100a9da62ef94f
3099 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3100 | | | Date: Sun Nov 6 18:32:17 2016 -0500
3101 | | |
3102 | | | Eliminate extraneous nulls in JSON
3103 | | |
3104 | | * commit ffddb17fb3d6995f44b24199a1fa6a45289ec8a3
3105 | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

3105 | | | Date:   Sun Nov 6 18:15:40 2016 -0500
3106 | | |
3107 | | |   Turn statement and function lists into StringMaps
3108 | | |
3109 | | |   * Lists of statements are organized into StringMaps, mapping
3110 | | |   * variable names to (dimensions, [formula assignments])
3111 | | |   * Each dimension is either an integer or an ID (no "Some")
3112 | | |   * For each formula assignment, row.start, row.end, col.start, col.end
3113 | | |   * are now either integers or IDs
3114 | | |   *
3115 | | |   * Lists of functions are organized into StringMaps, mapping function
3116 | | |   * names to (parameters, StringMap{variable name: def}, return val)
3117 | | |   *
3118 | | |   * Throws an exception if duplicate variable definitions or function
3119 | | |   * definitions are encountered
3120 | | |   *
3121 | | |   * Throws an exception if an assignment to an unknown variable
3122 | | |   * is encountered
3123 | | |
3124 | | | * commit 6810003e25ead7a1cb013849cb94600ab501dae8
3125 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3126 | | | | Date:   Sat Nov 5 19:47:57 2016 -0400
3127 | | | |
3128 | | | |   Fix pattern matching warning
3129 | | | |
3130 | | | * commit 7107a46504b717448dcd1f51a969fe5d0fc289e8
3131 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3132 | | | | Date:   Sat Nov 5 18:01:34 2016 -0400
3133 | | | |
3134 | | | |   Add function to check range literals for legality at parse time
3135 | | | |
3136 | | | * commit 80b13d19d1c44db5109f6bcaf2a484175a0340a6
3137 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3138 | | | | Date:   Sat Nov 5 15:13:10 2016 -0400
3139 | | | |
3140 | | | |   Handle selections better
3141 | | | |
3142 | | | * commit 6cbb009ff6e6d1cee972a5cf79520797c685a52f
3143 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3144 | | | | Date:   Fri Nov 4 15:48:58 2016 -0400
3145 | | | |
3146 | | | |   Count to 1,000,000 using tail-recursive versions of List.map and cartesian
3147 | | | | product
3148 | | | |
3149 | | | * commit 9b2252d163cb36dee96cc654b3b33a2adb96825e
3150 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3151 | | | | Date:   Fri Nov 4 15:25:13 2016 -0400
3152 | | | |
3153 | | | |   Show enter and exit
3154 | | | |
3155 | | | * commit 3585e432acf0c6aef34585cad6ef491f1e0aalcd
3156 | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3157 | | | | Date:   Fri Nov 4 02:21:38 2016 -0400
3158 | | | |
3159 | | | |   See how high it can count recursively

```

```

3160 | | * commit 38cf541bfd31e7fe9458c287c39c639ddda2792f
3161 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3162 | | | Date:   Fri Nov 4 02:15:50 2016 -0400
3163 | | |
3164 | | |     Get the easy parts of the interpreter working
3165 | | |
3166 | | * commit 5d81d6ebc492cd13db7ea52a35f104512a5873c9
3167 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3168 | | | Date:   Thu Nov 3 17:17:51 2016 -0400
3169 | | |
3170 | | |     Start working on interpreter
3171 | | |
3172 | | * commit 0078cee2ecbb431212849db233909580a2bb8c41
3173 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3174 | | | Date:   Tue Nov 1 23:40:57 2016 -0400
3175 | | |
3176 | | |     Got a non-tail-recursive version of topological sort working
3177 | | |
3178 | | * commit 85df17519a57bf08f21d20c97c7c768e294673ac
3179 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3180 | | | Date:   Tue Nov 1 15:39:10 2016 -0400
3181 | | |
3182 | | |     Irrelevant highlighting thing
3183 | | |
3184 | | * commit 84c719aaaf45a702e2ad81ffb08b52505d780b3f
3185 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3186 | | | Date:   Tue Nov 1 14:39:49 2016 -0400
3187 | | |
3188 | | |     Rearrange nested functions
3189 | | |
3190 | | * commit 557dc4e32897ad2a47585d6a64cee6f649813000
3191 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3192 | | | Date:   Tue Nov 1 13:50:52 2016 -0400
3193 | | |
3194 | | |     Add circular import test case
3195 | | |
3196 | | * commit c47679884ae0408cce7352f2b7c12032596d1813
3197 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3198 | | | Date:   Tue Nov 1 13:35:46 2016 -0400
3199 | | |
3200 | | |     Fix syntax errors
3201 | | |
3202 | | * commit af5a31da8b2c2dbf99b1f7238aa75f5424a4917a
3203 | | | Merge: 02ca24f d451cc4
3204 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
3205 | | | Date:   Tue Nov 1 13:31:49 2016 -0400
3206 | | |
3207 | | |     Merge pull request #37 from Neitsch/import-rec
3208 | | |
3209 | | |     Recursively looking up dependencies
3210 | | |
3211 | | * commit d451cc42d244b6fbab30c782cb2c2a4005be539b
3212 | | | Merge: 6a28c05 e673dca
3213 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
3214 | | | Date:   Tue Nov 1 13:31:33 2016 -0400
3215 | | |

```



```

3216 | | | | Merge pull request #38 from Neitsch/import-load
3217 | | | |
3218 | | | | Loading data from all imports
3219 | | | |
3220 | | | * commit e673dca67cec24791211af2b9f80791cb14de39d
3221 | | | / Author: Neitsch <ns3158@columbia.edu>
3222 | | | Date: Mon Oct 31 15:56:43 2016 -0400
3223 | | |
3224 | | | Loading data from all imports
3225 | | |
3226 | | | * commit 6a28c05cd7632d70aedb70fdcfdc8d264e3e3479
3227 | | | Author: Neitsch <ns3158@columbia.edu>
3228 | | | Date: Mon Oct 31 15:40:41 2016 -0400
3229 | | |
3230 | | | Recursively looking up dependencies
3231 | | |
3232 | | | * commit 02ca24fac16c38f7b7f2dcbe2010ec04af49e007
3233 | | | \ Merge: 3f28289 6fa0e39
3234 | | | / Author: Jared Samet <jared.samet@aya.yale.edu>
3235 | | | Date: Tue Nov 1 13:30:47 2016 -0400
3236 | | |
3237 | | | Merge pull request #39 from Neitsch/wild-exc
3238 | | |
3239 | | | Raising exceptions on certain values
3240 | | |
3241 | | | * commit 6fa0e392019110045c14f1cdddc007e2bf5533ec
3242 | | | / Author: Neitsch <ns3158@columbia.edu>
3243 | | | Date: Mon Oct 31 16:43:17 2016 -0400
3244 | | |
3245 | | | Raising exceptions on certain values
3246 | | |
3247 | | | * commit 3f28289a73cf2fe837b2b44eaab7b105bb2b81fb
3248 | | | \ Merge: 7d70af2 4eaef3b
3249 | | | / Author: Jared Samet <jared.samet@aya.yale.edu>
3250 | | | / Date: Mon Oct 31 11:53:10 2016 -0400
3251 | | |
3252 | | | Merge pull request #36 from Neitsch/import-arrange
3253 | | |
3254 | | | Added unsorted function, globals and imports
3255 | | |
3256 | | | * commit 4eaef3b64c7b0404fea7876990e621d4f6ded907
3257 | | | Author: Neitsch <ns3158@columbia.edu>
3258 | | | Date: Mon Oct 31 11:01:00 2016 -0400
3259 | | |
3260 | | | Removed obsolete parts
3261 | | |
3262 | | | * commit 7d7b1e51de024be3acc6f276df2027ea80c8b35f
3263 | | | / Author: Neitsch <ns3158@columbia.edu>
3264 | | | Date: Mon Oct 31 10:59:12 2016 -0400
3265 | | |
3266 | | | Added unsorted function, globals and imports
3267 | | |
3268 | | | * commit 7d70af2345c2cc0d09944e19f7517b0378635ce7
3269 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3270 | | | Date: Sun Oct 30 15:23:04 2016 -0400
3271 | | |

```

```

3272 | | | Add some explanatory comments
3273 | | |
3274 | | * commit 40d6b169baf47be6839cc792f7fa17e79b83dab6
3275 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3276 | | | Date: Sun Oct 30 15:03:32 2016 -0400
3277 | | |
3278 | | | More expansion samples
3279 | | |
3280 | | * commit af9b01c245de91965ee64957c7ce5112e8e059db
3281 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3282 | | | Date: Sun Oct 30 14:48:44 2016 -0400
3283 | | |
3284 | | | Refactor expansion code
3285 | | |
3286 | | * commit 903bc3fe44b93382ae8211e1828a66526954058a
3287 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3288 | | | Date: Sun Oct 30 00:19:10 2016 -0400
3289 | | |
3290 | | | Add test output
3291 | | |
3292 | | * commit 68b7b0340a9b6e21ca71140207c46a00e36d3396
3293 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3294 | | | Date: Sun Oct 30 00:17:02 2016 -0400
3295 | | |
3296 | | | Add test case
3297 | | |
3298 | | * commit a8bdf33619977487b629fc12bb99a66a5a5c41ed
3299 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3300 | | | Date: Sun Oct 30 00:04:05 2016 -0400
3301 | | |
3302 | | | Add LHS slice expansion
3303 | | |
3304 | | * commit 4ee6fdf258900ecbae3a8d1efb66e1019c188ce8
3305 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3306 | | | Date: Sat Oct 29 17:36:17 2016 -0400
3307 | | |
3308 | | | Add output
3309 | | |
3310 | | * commit 2b8bcd61855a2361384912a47b3459c98828e2c
3311 | | / Author: oracleofnj <jared.samet@aya.yale.edu>
3312 | / Date: Sat Oct 29 17:27:22 2016 -0400
3313 | | |
3314 | | | Expand dimension expressions
3315 | | |
3316 | * | commit 443a818dc4fd9ec42da4afd6e733dca35cc198e8
3317 | \ \ Merge: 022e8cd 9ba3c65
3318 | | / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
3319 | | | Date: Wed Oct 26 16:31:51 2016 -0400
3320 | | |
3321 | | | Merge pull request #35 from ishaankolluri/master
3322 | | |
3323 | | | Add UNIs
3324 | | |
3325 | | * commit 9ba3c657b5a67bc5d2fc69be83b2e73809ab96ce
3326 | | | Author: Ishaan Kolluri <ishaankolluri@gmail.com>
3327 | | | Date: Wed Oct 26 16:31:00 2016 -0400

```

```

3328 | |
3329 | |      Add UNIs
3330 | |
3331 | * |      commit 022e8cdff18e452b0d3c518836141f30f93a9356
3332 | \| |      Merge: 0bd9c4a 808aae5
3333 | | / |      Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
3334 | |   |      Date:   Wed Oct 26 16:25:57 2016 -0400
3335 | |
3336 | |      Merge pull request #34 from ishaankolluri/master
3337 | |
3338 | |      One more edit
3339 | |
3340 | * |      commit 808aae5ee501ea7b86371ffe3b03ca489af02c07
3341 | / |      Author: Ishaan Kolluri <ishaankolluri@gmail.com>
3342 |   |      Date:   Wed Oct 26 16:22:10 2016 -0400
3343 | |
3344 | |      Added change to precedence operators
3345 | |
3346 | * |      commit 0bd9c4af5b3575b5c8f60973b8a2e9593ec207ee
3347 | \| |      Merge: e7020ec fb2b382
3348 | |   |      Author: Jared Samet <jared.samet@aya.yale.edu>
3349 | |   |      Date:   Wed Oct 26 15:59:53 2016 -0400
3350 | |
3351 | |      Merge pull request #33 from Neitsch/final-slicing-comments
3352 | |
3353 | |      Thats all for now folks
3354 | |
3355 | * |      commit fb2b382bd13dcdd469a3c2d7a6cce429f41ea632
3356 | / |      Author: oracleofnj <jared.samet@aya.yale.edu>
3357 |   |      Date:   Wed Oct 26 15:54:11 2016 -0400
3358 | |
3359 | |      Thats all for now folks
3360 | |
3361 | * |      commit e7020ec688f7a86453b383714d8b5db98c699d2a
3362 | \| |      Merge: 4b7984a 4683f14
3363 | |   |      Author: Jared Samet <jared.samet@aya.yale.edu>
3364 | |   |      Date:   Wed Oct 26 15:00:11 2016 -0400
3365 | |
3366 | |      Merge pull request #32 from Neitsch/final-lrm-edits
3367 | |
3368 | |      Flesh out switch expressions, add precedence
3369 | |
3370 | * |      commit 4683f14715a99d5cdb53089a3bd247035847f3c5
3371 | / |      Author: oracleofnj <jared.samet@aya.yale.edu>
3372 |   |      Date:   Wed Oct 26 14:48:41 2016 -0400
3373 | |
3374 | |      Flesh out switch expressions, add precedence
3375 | |
3376 | * |      commit 4b7984ac504b295e16f8bc77db8024742c6543ab
3377 | \| |      Merge: 0c42b9c 3d587c5
3378 | |   |      Author: Jared Samet <jared.samet@aya.yale.edu>
3379 | |   |      Date:   Wed Oct 26 11:15:03 2016 -0400
3380 | |
3381 | |      Merge pull request #31 from Neitsch/more-lrm-edits
3382 | |
3383 | |      Incorporate requested edits and a few more clarifications

```

```

3384 | |
3385 | * commit 3d587c5997c06337022a69c4a064ee1f33ca6bd2
3386 | / Author: oracleofnj <jared.samet@aya.yale.edu>
3387 | Date: Wed Oct 26 11:10:15 2016 -0400
3388 |
3389 |     Incorporate requested edits and a few more clarifications
3390 |
3391 | * commit 0c42b9cf523a95903a4464420864a25a638c8bfb
3392 | \ Merge: 63fb02b cd81040
3393 | Author: Jared Samet <jared.samet@aya.yale.edu>
3394 | Date: Wed Oct 26 09:22:08 2016 -0400
3395 |
3396 |     Merge pull request #30 from ishaankolluri/LRM.update
3397 |
3398 |     Added changes to first half of LRM
3399 |
3400 | * commit cd81040e2c5ba5da130c04bc67eaef13fa6522db
3401 | / Author: ishaankolluri <ishaankolluri@gmail.com>
3402 | Date: Wed Oct 26 03:30:20 2016 -0400
3403 |
3404 |     Added changes to first half of LRM
3405 |
3406 | * commit 63fb02be16a805fd845fb89632ca258ddbfeedeb6
3407 | \ Merge: 5932551 0941e96
3408 | Author: Jared Samet <jared.samet@aya.yale.edu>
3409 | Date: Wed Oct 26 02:13:17 2016 -0400
3410 |
3411 |     Merge pull request #29 from Neitsch/lrm-edits
3412 |
3413 |     Lrm edits
3414 |
3415 | * commit 0941e967272126c6417f458450c611109792e6b8
3416 | Author: oracleofnj <jared.samet@aya.yale.edu>
3417 | Date: Wed Oct 26 02:04:47 2016 -0400
3418 |
3419 |     Rebuild PDF
3420 |
3421 | * commit cb0406921e69f750eca4de178dc2eb8d0733f90f
3422 | Author: oracleofnj <jared.samet@aya.yale.edu>
3423 | Date: Wed Oct 26 02:04:01 2016 -0400
3424 |
3425 |     Add built in functions
3426 |
3427 | * commit 4abf638392a694426f3ca02fb7fcd8ce5b5d3098
3428 | Author: oracleofnj <jared.samet@aya.yale.edu>
3429 | Date: Wed Oct 26 01:56:38 2016 -0400
3430 |
3431 |     Add built in functions
3432 |
3433 | * commit 7661925a96608a3ca00325d343f3feb4c6a0803a
3434 | / Author: oracleofnj <jared.samet@aya.yale.edu>
3435 | Date: Wed Oct 26 00:04:22 2016 -0400
3436 |
3437 |     Initial comments
3438 |
3439 | * commit 59325515eae265feca08ec854902c0e14fcd0565

```

```

3440 |\ Merge: b978f00 cc66297
3441 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3442 | | Date: Tue Oct 25 21:30:40 2016 -0400
3443 | |
3444 | | Merge pull request #28 from Neitsch/func-doc-fix
3445 | |
3446 | | Fixed mistakes in functions part of the doc
3447 | |
3448 | * commit cc66297fd6785a81de7d638a838cc2e4e6645c54
3449 | / Author: Nigel Schuster <nigel.schusters@gmail.com>
3450 | | Date: Tue Oct 25 20:14:27 2016 -0400
3451 | |
3452 | | Fixed mistakes in functions part of the doc
3453 | |
3454 | * commit b978f0021545f18d4481658176c1118d7186e624
3455 | \ Merge: 2e1ea60 125a5bb
3456 | | Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
3457 | | Date: Tue Oct 25 13:04:05 2016 -0400
3458 | |
3459 | | Merge pull request #27 from ishaankolluri/master
3460 | |
3461 | | Removed AUX file
3462 | |
3463 | * commit 125a5bb4578448db78b45022651c818e6e07c842
3464 | / Author: Ishaan Kolluri <ishaankolluri@gmail.com>
3465 | | Date: Tue Oct 25 12:49:38 2016 -0400
3466 | |
3467 | | Removed AUX file
3468 | |
3469 | * commit 2e1ea607d20d2b7c0ce2b283c77720b067e197a9
3470 | \ Merge: eb24036 84b03ee
3471 | | Author: Jared Samet <jared.samet@aya.yale.edu>
3472 | | Date: Tue Oct 25 11:30:35 2016 -0400
3473 | |
3474 | | Merge pull request #26 from Neitsch/better-regexp
3475 | |
3476 | | Better regexp
3477 | |
3478 | * commit 84b03ee4733dale7a89376cfce43bb76f0884999
3479 | | Author: oracleofnj <jared.samet@aya.yale.edu>
3480 | | Date: Tue Oct 25 01:22:31 2016 -0400
3481 | |
3482 | | Fix let order
3483 | |
3484 | * commit 91b40c52f9891693fe9cbb7d00418c9877fbae37
3485 | / Author: oracleofnj <jared.samet@aya.yale.edu>
3486 | | Date: Tue Oct 25 01:14:43 2016 -0400
3487 | |
3488 | | Improve regexp
3489 | |
3490 | * commit eb240362462693dca5918e90054fc421c65113fe
3491 | \ Merge: ec7cc9c 991c918
3492 | | Author: Jared Samet <jared.samet@aya.yale.edu>
3493 | | Date: Mon Oct 24 23:55:38 2016 -0400
3494 | |
3495 | | Merge pull request #23 from Neitsch/file-io

```

```

3496 |
3497 |     File io
3498 |
3499 | * commit 991c918de9ba07ab68722fe8042a1edc96b555a5
3500 | | Author: oracleofnj <jared.samet@aya.yale.edu>
3501 | | Date:   Mon Oct 24 23:20:12 2016 -0400
3502 |
3503 |     Replace fopen, fclose etc. with open, close etc.
3504 |
3505 | * commit 338faa006d8d4c7858477028eb8074d69c24aee1
3506 | | Author: oracleofnj <jared.samet@aya.yale.edu>
3507 | | Date:   Mon Oct 24 23:14:30 2016 -0400
3508 |
3509 |     Fix file inclusion and rebuild PDF
3510 |
3511 | * commit b24edd3a58eed2763abdlfeld4023138af05bbf7
3512 | | \ Merge: 44a1cc5 2f09a64
3513 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3514 | | | Date:   Mon Oct 24 23:11:50 2016 -0400
3515 |
3516 | |     Merge in expressions section
3517 |
3518 | * commit 2f09a643221dec47af99592d0a53e15bcc7d67d7
3519 | | Author: Kevin <kevinye1113@gmail.com>
3520 | | Date:   Mon Oct 24 15:52:10 2016 -0400
3521 |
3522 | |     Added the Expression Section 4 to LRM
3523 |
3524 | * commit 8cd39aca8a29d19fe986ad4e7a3540fa4347221f
3525 | | \ Merge: e5d2478 3609366
3526 | | | Author: Kevin <kevinye1113@gmail.com>
3527 | | | Date:   Mon Oct 24 11:05:33 2016 -0400
3528 |
3529 | |     Added string literals to scanner
3530 |
3531 | * commit e5d247809c610f428568dce665213019bc368047
3532 | | Author: Kevin <kevinye1113@gmail.com>
3533 | | Date:   Mon Oct 24 11:00:39 2016 -0400
3534 |
3535 | |     Added string literals to scanner
3536 |
3537 | * commit 44a1cc53aee333cb2d9832f66c0750b8a7add7d8
3538 | | \ \ Merge: 1ea3c28 3609366
3539 | | | / Author: oracleofnj <jared.samet@aya.yale.edu>
3540 | | | / Date:   Mon Oct 24 23:06:07 2016 -0400
3541 |
3542 | |     Merge scanner changes and add regexp to properly escape strings
3543 |
3544 | * commit 36093668180db647b45e208d1dfe0158e7281281
3545 | | Author: kevinyel <kevinyel@users.noreply.github.com>
3546 | | Date:   Thu Oct 20 21:14:00 2016 -0400
3547 |
3548 | |     Update scanner.mll
3549 |
3550 | * commit 0d57652f53d8a6f4dbbb84d58a6807e5ef59a6fe
3551 | | Author: Kevin <kevinye1113@gmail.com>

```

```

3552 | | | Date: Thu Oct 20 21:10:27 2016 -0400
3553 | | |
3554 | | | Fixed bug in scanner
3555 | | |
3556 | | * | commit 1848813885a8c826151e62a27b4ef97b99004a96
3557 | | | Author: Kevin <kevinye1113@gmail.com>
3558 | | | Date: Thu Oct 20 20:21:49 2016 -0400
3559 | | |
3560 | | | Made scanner
3561 | | |
3562 | | * | commit 1ea3c283f511068ed0886e67e5e65e974b646015
3563 | | \ \ \ Merge: a692466 ec7cc9c
3564 | | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
3565 | | / | | Date: Mon Oct 24 15:26:16 2016 -0400
3566 | | |
3567 | | | Merge branch 'master' into file-io
3568 | | |
3569 | | * | commit ec7cc9c42b88c8cab9bbfe748fb03109eb18bd9b
3570 | | - / | Author: oracleofnj <jared.samet@aya.yale.edu>
3571 | | / | | Date: Mon Oct 24 15:06:06 2016 -0400
3572 | | |
3573 | | | Replace repetitive code with more idiomatic OCaml
3574 | | |
3575 | | * | commit a69246646b48528da4e0f0ddf422cbc35522aeaf
3576 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3577 | | | Date: Mon Oct 24 01:09:21 2016 -0400
3578 | | |
3579 | | | Fix tests until strings ready
3580 | | |
3581 | | * | commit 8553a50322c8741d29ed4f4b963a69f232f54750
3582 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3583 | | | Date: Mon Oct 24 01:08:29 2016 -0400
3584 | | |
3585 | | | Fix tests until string ready
3586 | | |
3587 | | * | commit 0ed4ad70e5f0db7388b1228df374a1f214f450e6
3588 | | \ \ \ Merge: 71e0b1c 92ac506
3589 | | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
3590 | | / | | Date: Mon Oct 24 00:55:08 2016 -0400
3591 | | |
3592 | | | Add File IO, Entry point and Example to LRM
3593 | | |
3594 | | * | commit 92ac50626674ad7d1ccd534f24d39892ca8cb3fa
3595 | | | Author: ishaankolluri <ishaankolluri@gmail.com>
3596 | | | Date: Sun Oct 23 22:24:06 2016 -0400
3597 | | |
3598 | | | Make small change to data type section
3599 | | |
3600 | | * | commit 71e0b1cb20967ecf7698c343d3774588f361e71c
3601 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3602 | | | Date: Sun Oct 23 22:58:21 2016 -0400
3603 | | |
3604 | | | Fix section reference
3605 | | |
3606 | | * | commit 6abb290b9aeaf16eaac6bc431862cb780337b4c6
3607 | | / / | Author: oracleofnj <jared.samet@aya.yale.edu>

```

```

3608 | | Date: Sun Oct 23 22:34:42 2016 -0400
3609 | |
3610 | | Initial commit for File I/O section
3611 | |
3612 * | commit 67b4b65ab85c86f5369138e782c352143aa1cfec
3613 | | Author: oracleofnj <jared.samet@aya.yale.edu>
3614 | | Date: Sun Oct 23 19:12:38 2016 -0400
3615 | |
3616 | | Reduce eye pain
3617 | |
3618 * | commit 2824ee9412ceb67f802e77c382b50dfbf98b57e3
3619 | \ \ Merge: 13d0896 f8ae543
3620 | | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3621 | | Date: Sun Oct 23 19:03:24 2016 -0400
3622 | |
3623 | | Merge pull request #20 from Neitsch/samples
3624 | |
3625 | | Samples from LRM
3626 | |
3627 * | commit f8ae5439b7d1ffc27640e2e66cb657184f2cd1b8
3628 | \ \ Merge: e0c702d 13d0896
3629 | / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3630 | / | Date: Sun Oct 23 18:23:11 2016 -0400
3631 | |
3632 | | Merge branch 'master' into samples
3633 | |
3634 * | commit 13d089696d899b6c691b4c3af603e334fd462f04
3635 | \ \ \ Merge: 9805753 3a2cd60
3636 | | | Author: Jared Samet <jared.samet@aya.yale.edu>
3637 | | | Date: Sun Oct 23 18:20:03 2016 -0400
3638 | |
3639 | | Merge pull request #19 from Neitsch/sequence-operator
3640 | |
3641 | | Sequence operator
3642 | |
3643 * | commit 3a2cd606ec6fd9bba26107ec9208b34f257d32d4
3644 | \ \ \ Merge: 57319c4 9805753
3645 | / / / Author: Jared Samet <jared.samet@aya.yale.edu>
3646 | / | | Date: Sun Oct 23 18:16:35 2016 -0400
3647 | | |
3648 | | | Merge branch 'master' into sequence-operator
3649 | | |
3650 * | commit 57319c48db49a519a0f2a75f3abed55ece413df9
3651 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3652 | | | Date: Sun Oct 23 17:11:13 2016 -0400
3653 | | |
3654 | | | Remove intermediate files
3655 | | |
3656 * | commit 53824eaef49ae831e43ab5685b9elfcea5fcd678
3657 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3658 | | | Date: Sun Oct 23 17:10:39 2016 -0400
3659 | | |
3660 | | | Flip precedence of -> and ?: (?: is now lowest)
3661 | | |
3662 * | commit 7dedf93f4ed468537317e5105eeb5a2b8f791aad
3663 | | | Author: oracleofnj <jared.samet@aya.yale.edu>

```



```

3664 | | | | Date: Sun Oct 23 17:05:23 2016 -0400
3665 | | | |
3666 | | | | Add sequence operator to scanner/parser/AST
3667 | | | |
3668 | | * | commit e0c702d18ceb98ce5ec03ffe49ed53534540fb0d
3669 | | | | Author: Neitsch <ns3158@columbia.edu>
3670 | | | | Date: Sun Oct 23 18:17:58 2016 -0400
3671 | | | |
3672 | | | | Fixed .gitignore
3673 | | | |
3674 | | * | commit e42fe941b3c93b0cda424f01925754e2f12cbe43
3675 | | | | Author: Neitsch <ns3158@columbia.edu>
3676 | | | | Date: Sun Oct 23 18:05:48 2016 -0400
3677 | | | |
3678 | | | | Added code in LRM to test code samples
3679 | | | |
3680 | | * | commit 9d2cd174bb0cddd3894d3e77ade8626a2700429c
3681 | | | \ Merge: 167ddd2 9805753
3682 | | - / / Author: Neitsch <ns3158@columbia.edu>
3683 | / | | Date: Sun Oct 23 17:24:15 2016 -0400
3684 | | | |
3685 | | | | Merge branch 'master' into samples
3686 | | | |
3687 | * | | commit 980575329d6ce70040a7911de284463f8c9ebf2f
3688 | \ \ \ \ Merge: 3f015ee e0c7aed
3689 | / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3690 | / | | Date: Sun Oct 23 17:01:31 2016 -0400
3691 | | | |
3692 | | | | Merge pull request #17 from Neitsch/make-correction
3693 | | | |
3694 | | | | Added simple TCs, Moved Makefile to oasis config
3695 | | | |
3696 | * | | commit e0c7aed793ba6070ec94baa3bc52f009c5615c20
3697 | | | | Author: Neitsch <ns3158@columbia.edu>
3698 | | | | Date: Sun Oct 23 16:59:33 2016 -0400
3699 | | | |
3700 | | | | Fixed test
3701 | | | |
3702 | | * | commit ec3d682eeecb8b1c20f35a746b65e503b7cdeb4
3703 | | \ \ \ Merge: ea05658 3f015ee
3704 | | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3705 | / | | Date: Sun Oct 23 16:41:00 2016 -0400
3706 | | | |
3707 | | | | Merge branch 'master' into make-correction
3708 | | | |
3709 | * | | commit 3f015eedeada8af3aac5cb728d9e6258d6b7acda
3710 | \ \ \ \ Merge: d4961eb edf3dea
3711 | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
3712 | | | | Date: Sun Oct 23 15:52:01 2016 -0400
3713 | | | |
3714 | | | | Merge pull request #18 from Neitsch/grammar-bug-fixes
3715 | | | |
3716 | | | | Modify grammar to allow [m,n] foo, bar, baz;
3717 | | | |
3718 | * | | commit edf3dead5be0840a9a80f407dcef8b63c898d14a
3719 | \ \ \ \ Merge: b45718d d4961eb

```

```

3720 | | / / / / Author: Jared Samet <jared.samet@aya.yale.edu>
3721 | / | | | | Date: Sun Oct 23 15:44:20 2016 -0400
3722 | | | | |
3723 | | | | | Merge branch 'master' into grammar-bug-fixes
3724 | | | | |
3725 | * | | | | commit b45718decc1b9e3816105722eebb39afa45dbc5a
3726 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3727 | | | | | Date: Sun Oct 23 02:27:36 2016 -0400
3728 | | | | |
3729 | | | | | Modify grammar to allow [m,n] foo, bar, baz;
3730 | | | | |
3731 | | * | | | | commit ea056587ed93451542d5a5e67b9b993cba4a170f
3732 | | | | | Author: Neitsch <ns3158@columbia.edu>
3733 | | | | | Date: Sun Oct 23 16:40:24 2016 -0400
3734 | | | | |
3735 | | | | | Moved sequence file
3736 | | | | |
3737 | | * | | | | commit 0ca56a0230a52c254d21724848c52ddc65350997
3738 | | | \ \ \ Merge: 9d1094e 7e558c1
3739 | | | | | Author: Neitsch <ns3158@columbia.edu>
3740 | | | | | Date: Sun Oct 23 16:10:14 2016 -0400
3741 | | | | |
3742 | | | | | Merge
3743 | | | | |
3744 | | | * | | | | commit 7e558c19a9d85c1dea38f9745b2915dcc14418b7
3745 | | | | \ \ \ Merge: 4652c67 d4961eb
3746 | | | - | / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3747 | / | | | | Date: Sun Oct 23 15:44:20 2016 -0400
3748 | | | | |
3749 | | | | | Merge branch 'master' into make-correction
3750 | | | | |
3751 | * | | | | | commit d4961eb9497ffe2abacb91b8ab5d09ebf2b714a9
3752 | | \ \ \ \ \ Merge: 143fcba 0e0bda5
3753 | | / / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3754 | / | | | | Date: Sun Oct 23 15:43:16 2016 -0400
3755 | | | | |
3756 | | | | | Merge pull request #15 from Neitsch/functions-doc
3757 | | | | |
3758 | | | | | Functions doc
3759 | | | | |
3760 | | * | | | | | commit 0e0bda54deeafa312a3da9323d2ba2ff58dfdb79
3761 | | | \ \ \ \ \ Merge: cfe827d 143fcba
3762 | | / / / / / Author: Nigel Schuster <Neitsch@users.noreply.github.com>
3763 | / | | | | Date: Sun Oct 23 15:05:42 2016 -0400
3764 | | | | |
3765 | | | | | Merge branch 'master' into functions-doc
3766 | | | | |
3767 | | * | | | | | commit cfe827d4173debla3ffff5719704eae3ff131a615
3768 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3769 | | | | | Date: Fri Oct 21 20:50:51 2016 -0400
3770 | | | | |
3771 | | | | | Completed initial functions section doc
3772 | | | | |
3773 | | * | | | | | commit 1b610ac614b03b24e829084a6d245b0d99fad01f
3774 | | | \ \ \ \ \ Merge: acb9b93 7542b5d
3775 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>

```

3776						Date: Thu Oct 20 13:50:22 2016 -0400
3777						
3778						Merge
3779						
3780			*			commit 7542b5d1866554d70bd312ae649cd1d86f459f12
3781						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3782						Date: Thu Oct 20 11:16:35 2016 -0400
3783						
3784						Added dimension section
3785						
3786			*			commit 995cf83b2b9a53b6312a0f3f468321c3d9d763c0
3787					- - /	Author: Nigel Schuster <nigel.schusters@googlemail.com>
3788				/		Date: Wed Oct 19 12:28:09 2016 -0400
3789						
3790						Started working on Functions
3791						
3792			*			commit acb9b935dc9006e0ae878622402e28fad06907fa
3793						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3794						Date: Thu Oct 20 13:40:00 2016 -0400
3795						
3796						Changed subsection header
3797						
3798			*			commit b95d039ea41668404b9005f1a7eb19e686abb071
3799						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3800						Date: Thu Oct 20 11:16:35 2016 -0400
3801						
3802						Added dimension section
3803						
3804			*			commit 71b93bbd5cc99d7ebc3a8c5446b06d5b13ab96ac
3805						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3806						Date: Wed Oct 19 12:28:09 2016 -0400
3807						
3808						Started working on Functions
3809						
3810			*			commit 9d1094e62f36b4170d996ffb07dcb5ee769050f2
3811						Author: Neitsch <ns3158@columbia.edu>
3812						Date: Sun Oct 23 15:00:35 2016 -0400
3813						
3814						Added simple TCs, Moved Makefile to oasis config
3815						
3816			*			commit 0a28413f410b7cf1f464b83ed99396ab988481d6
3817						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3818						Date: Fri Oct 21 20:50:51 2016 -0400
3819						
3820						Completed initial functions section doc
3821						
3822			*			commit 0797f328f6f6f6e696a72b1222d4cab38f8e8507
3823						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3824						Date: Thu Oct 20 13:40:00 2016 -0400
3825						
3826						Changed subsection header
3827						
3828			*			commit 9df31f7322f58cbclb14ea9740b102750e0321ae
3829						Author: Nigel Schuster <nigel.schusters@googlemail.com>
3830						Date: Thu Oct 20 11:16:35 2016 -0400
3831						

```

3832 | | | | | Added dimension section
3833 | | | | |
3834 | | | * | commit 8939903db79ed9dela8e4b97fc02e79b4be54b61
3835 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3836 | | | | | Date: Wed Oct 19 12:28:09 2016 -0400
3837 | | | | |
3838 | | | | | Started working on Functions
3839 | | | | |
3840 | | | * | commit cae3b37031dc87451ff03790eb6321dce42c516b
3841 | | | | | Author: Nigel Schuster <nigel.schusters@googlemail.com>
3842 | | | | | Date: Thu Oct 20 11:16:35 2016 -0400
3843 | | | | |
3844 | | | | | Added dimension section
3845 | | | | |
3846 | | | * | commit 049c95d512ce6e6e8e48d4b2c838fd06df40b619
3847 | | - / / / Author: Nigel Schuster <nigel.schusters@googlemail.com>
3848 | / | | | Date: Wed Oct 19 12:28:09 2016 -0400
3849 | | | | |
3850 | | | | | Started working on Functions
3851 | | | | |
3852 | | | * | commit 167ddd2addae79549eb6d887b98bee35cf2cc4cf
3853 | | | | | Author: Neitsch <ns3158@columbia.edu>
3854 | | | | | Date: Sun Oct 23 17:18:35 2016 -0400
3855 | | | | |
3856 | | | | | Removed test output
3857 | | | | |
3858 | | | * | commit 84d20b5448f24b98f308c1fb319f213de230d4f1
3859 | | | / | Author: Neitsch <ns3158@columbia.edu>
3860 | | | | | Date: Sun Oct 23 16:01:00 2016 -0400
3861 | | | | |
3862 | | | | | Comparing sample code with correctly parsed code in samples_comp
3863 | | | | |
3864 | | | * | commit 4652c6727f848dd573a44509fb498729b28b3080
3865 | | - / | Author: Neitsch <ns3158@columbia.edu>
3866 | / | | | Date: Sun Oct 23 15:00:35 2016 -0400
3867 | | | | |
3868 | | | | | Added simple TCs, Moved Makefile to oasis config
3869 | | | | |
3870 | * | | | commit 143fcba457b49d2c4ab1495d17b830534554508e
3871 | \ \ \ | | Merge: 660de8c a726236
3872 | | | | | Author: Jared Samet <jared.samet@aya.yale.edu>
3873 | | | | | Date: Sat Oct 22 23:23:10 2016 -0400
3874 | | | | |
3875 | | | | | Merge pull request #16 from Neitsch/more-AST
3876 | | | | |
3877 | | | | | Hook up scanner and parser
3878 | | | | |
3879 | * | | | commit a7262368b391c2031c66cfcf1d9fd6224749be69
3880 | | | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3881 | | | | | Date: Sat Oct 22 20:51:27 2016 -0400
3882 | | | | |
3883 | | | | | Add comments and sample program
3884 | | | | |
3885 | | | | | * Added multiline comments using microC code
3886 | | | | | * Added one-line comments but didn't test it yet
3887 | | | | | * Added example file sequence.xtnd which is the program from proposal

```

```

3888 | | |
3889 | | | To try:
3890 | | |
3891 | | | $ make
3892 | | | $ ./jsonify < sequence.xtnd
3893 | | |
3894 | | | paste output into https://jqplay.org/
3895 | | |
3896 | * | commit 8db40989c4efe4ecefdb8409d45fe8347adc0c79
3897 | | | Author: oracleofnj <jared.samet@aya.yale.edu>
3898 | | | Date: Sat Oct 22 19:44:48 2016 -0400
3899 | | |
3900 | | | Fix minor grammar bug
3901 | | |
3902 | | | * foo[:4,:5] was not being accepted
3903 | | | * Added rules to lslice and rslice to allow this
3904 | | |
3905 | * | commit 80754c3f3072609502c902d6d26c2e6c33885a84
3906 | / / / Author: oracleofnj <jared.samet@aya.yale.edu>
3907 | | | Date: Sat Oct 22 18:19:27 2016 -0400
3908 | | |
3909 | | | Hook up scanner and parser
3910 | | |
3911 | | | * Added hand coded jsonification
3912 | | | * Didn't look like Yojson would work with our types
3913 | | | * Currently not working on any input besides EOF
3914 | | | * Added temporary makefile
3915 | | |
3916 | * | commit 660de8c848406e8f5fffe099610b6147bc553cad
3917 | / / / Author: Jared Samet <jared.samet@aya.yale.edu>
3918 | | | Date: Sat Oct 22 13:54:32 2016 -0400
3919 | | |
3920 | | | Add stuff to the grammar, minor corrections (#14)
3921 | | |
3922 | | | * Started AST
3923 | | |
3924 | | | * Made scanner
3925 | | |
3926 | | | * Fixed bug in scanner
3927 | | |
3928 | | | * Update scanner.mll
3929 | | |
3930 | | | * Add stuff to the grammar, minor corrections
3931 | | |
3932 | | | Operators, in order of precedence (lowest first)
3933 | | | * LOGOR ||
3934 | | | * LOGAND &&
3935 | | | * EQ NOTEQ LT GT LTEQ GTEQ == != < > <= >=
3936 | | | * PLUS MINUS BITOR BITXOR + - | ^
3937 | | | * TIMES DIVIDE MOD LSHIFT RSHIFT BITAND * / % << >> &
3938 | | | * POWER **
3939 | | | * BITNOT LOGNOT NEG ~ ! -
3940 | | | * I took the precedence from Golang
3941 | | |
3942 | | | String and char literals
3943 | | | New token ASN which is = (as opposed to EQ ==)

```

```

3944 |
3945 | Range literals
3946 | * {1, 2, 3; 4, 5, 6} is a 2x3 range
3947 | * {foo(1); bar(2)} should work too
3948 | * The semantic analysis phase will be responsible
3949 | *   for ensuring that the dimensions make sense
3950 | * Had to add mandatory parentheses to switch(cond) to
3951 | *   avoid shift/reduce conflicts but C has that anyway
3952 |
3953 | * Allow general expr slicing, imports and globals
3954 | * New HASH token #
3955 | * New IMPORT and GLOBAL tokens ("import", "global")
3956 |
3957 | Expr slicing:
3958 | * rls_sel no longer -> epsilon
3959 | * replaced by expr -> expr rhs_sel, expr -> ID, expr -> HASH expr
3960 |
3961 | Import:
3962 | * import "othermodule";
3963 |
3964 | Global variables:
3965 | * global PI := 3.14159;
3966 | * global [3,5] foo; is legal but has no effect
3967 |
3968 | Program structure:
3969 | * imports followed by globals followed by functions
3970 | * This should theoretically be mix-and-matchable without much more work
3971 |
3972 | Size inference:
3973 | * foo := "Hello, world!" right now results in [1,1] foo == "H"
3974 | * Semantic not grammar issue
3975 |
3976 | * Fix error in col_list production
3977 |
3978 | * Remove intermediate files
3979 |
3980 | * Remove intermediate files
3981 |
3982 | * Rework AST
3983 |
3984 | * commit a15772cba8b1fd16e7d21da07ec9b89d34b3062e
3985 | \ \ Merge: d8794e9 dee63c7
3986 | | / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
3987 | / Date: Thu Oct 20 13:38:08 2016 -0400
3988 |
3989 | Merge pull request #10 from ishaankolluri/LRM
3990 |
3991 | Initial LRM Commit
3992 |
3993 | * commit dee63c70c8c9e7396e255662c302f3d77a7bf7db
3994 | \ \ Merge: 4d763cb dc93dbf
3995 | | / Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
3996 | / Date: Thu Oct 20 13:26:28 2016 -0400
3997 |
3998 | Merge pull request #1 from Neitsch/grammar-doc
3999 |

```

```

4000 | | | Grammar import
4001 | | |
4002 | | * commit dc93dbfa68ff7ee65eb38ce8a26baf081da0fe30
4003 | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
4004 | | Date: Thu Oct 20 13:18:29 2016 -0400
4005 | | |
4006 | | | Grammar import
4007 | | |
4008 | | * commit 4d763cbd2505f38028dc9ba820c02aea2b66a380
4009 | | Author: Ishaan Kolluri <ishaankolluri@gmail.com>
4010 | | Date: Thu Oct 20 12:21:21 2016 -0400
4011 | | |
4012 | | | Made refactor and edits to intro section of LRM
4013 | | |
4014 | | * commit e7443cc478f120ea4aff5db91f7dbfa55e94c4b4
4015 | | \ Merge: 02a5c17 40c2a5a
4016 | | | Author: Ishaan Kolluri <ishaankolluri@gmail.com>
4017 | | | Date: Thu Oct 20 11:46:54 2016 -0400
4018 | | |
4019 | | | Merging
4020 | | |
4021 | | * commit 40c2a5aa75310086dbcfab58eaale3ce86ccbe72
4022 | | / Author: ishaankolluri <ishaankolluri@gmail.com>
4023 | | / Date: Wed Oct 19 03:43:06 2016 -0400
4024 | | |
4025 | | | Initial LRM Commit part 1
4026 | | |
4027 | | * commit 02a5c175a1032b34fbf0f1726596270d934aec11
4028 | | / Author: Ishaan Kolluri <ishaankolluri@gmail.com>
4029 | | Date: Tue Oct 18 18:38:21 2016 -0400
4030 | | |
4031 | | | Added LRM initial info
4032 | | |
4033 | | * commit d8794e96f4544ed0af9678ecb55e83e1e4b46c25
4034 | | \ Merge: 5111202 70aalb9
4035 | | | Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
4036 | | | Date: Mon Oct 17 19:47:42 2016 -0400
4037 | | |
4038 | | | Merge pull request #9 from Neitsch/documentation
4039 | | |
4040 | | | Added PDF Latex template
4041 | | |
4042 | | * commit 70aalb9846e135d1e8e3f2159148d1bc4e9ea0d8
4043 | | / Author: Nigel Schuster <nigel.schusters@googlemail.com>
4044 | | Date: Sun Oct 16 13:36:23 2016 -0400
4045 | | |
4046 | | | Added PDF Latex template
4047 | | |
4048 | | * commit 5111202a9f0992d7b5a3f934f4109552064df4e1
4049 | | Author: Jared Samet <jared.samet@aya.yale.edu>
4050 | | Date: Fri Oct 14 19:59:45 2016 -0400
4051 | | |
4052 | | | Added a bunch of stuff to the grammar: (#8)
4053 | | |
4054 | | | * Cleaned up the existing token list
4055 | | | ** Removed a couple duplicates/unused that menhir flagged

```

```

4056 |      ** Added PLUS MINUS TIMES DIVIDE MOD
4057 |      ** Added SWITCH CASE DEFAULT
4058 |      ** Added UNDERSCORE (for [_,2] in function declaration)
4059 |      ** Separated LITERAL into LIT_INT and LIT_FLOAT (dimensions can
4060 |      **      only be integers)
4061 |      ** Added a couple associativity/precedence rules that
4062 |      **      are undoubtedly incomplete
4063 |
4064 |      * Made hopefully all the optional / repetition cases consistent
4065 |      ** Function declarations [] foo() {}      [] bar() {}      ....
4066 |      ** Function parameters ()      ([] foo)      ([]foo, []bar), ...
4067 |      ** Statements stmt1; stmt2; ...
4068 |      ** Function arguments (), (foo), (foo, bar), ...
4069 |      ** Switch cases (>=1 required) case foo1: bar1; case foo2: bar2; ...
4070 |      ** Case conditions (>=1 required) case foo1, foo2, ...
4071 |
4072 |      * Added a few expression types
4073 |      ** switch [expr] {case foo_1a, foo_1b: bar1; case foo_2: bar2}
4074 |      *** intended to work as in Go: if condition is present, evaluates
4075 |      *** to first case where foo == expr. if condition is absent, evaluates
4076 |      *** to first case where foo is truthy.
4077 |      ** function calls foo(x,y,z)
4078 |      ** expression in parentheses
4079 |      ** literals
4080 |
4081 |      * Slicing
4082 |      ** Refactored slice_val into lslice_val and rslice_val
4083 |      ** lslice_val can be any expr
4084 |      ** rslice_val can be any expr or [expr]
4085 |      ** both types of selections and slices are now consistent until
4086 |      **      you get down to val
4087 |
4088 |      * Function return dimensions
4089 |      ** Added _ to the allowed return dimension (for [_,2])
4090 |
4091 | * commit da967e421b3f6887acd7c0d659f13d60b1898b6a
4092 | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
4093 | Date:   Wed Oct 12 13:24:50 2016 -0400
4094 |
4095 |      CFG Grammar (#6)
4096 |
4097 |      Added simple parser that has most of our rules.
4098 |
4099 | * commit fea4e4b262513b011775899f35d17e29cb7a1642
4100 | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
4101 | Date:   Sat Oct 8 11:42:39 2016 -0400
4102 |
4103 |      There is no need to constantly build all branches. (#2)
4104 |
4105 |      Only building master.
4106 |
4107 | * commit 7a5ccfc7ada9ddefba61d5da995a7949d7fd1e9d
4108 | Author: Jared Samet <jared.samet@aya.yale.edu>
4109 | Date:   Sat Oct 8 11:31:31 2016 -0400
4110 |
4111 |      Added greeting and newlines (#4)

```



```

4112 |
4113 | * commit 10b17f7772e4f7521d248b9656a917df781d96a4
4114 | Author: Nigel Schuster <Neitsch@users.noreply.github.com>
4115 | Date: Sat Oct 8 11:31:08 2016 -0400
4116 |
4117 | Imported microc (#5)
4118 |
4119 | * Imported microc
4120 | * Fixed sources
4121 |
4122 | * commit 726456fcc25a785cc26d90845b8c0c6292fec61f
4123 | Author: Ishaan Kolluri <ishaankolluri@users.noreply.github.com>
4124 | Date: Tue Sep 20 09:45:07 2016 -0400
4125 |
4126 | [test] Add sample greeting to repo (#3)
4127 |
4128 | * Added sample greeting
4129 |
4130 | * Add double semicolon notation
4131 |
4132 | * commit 9a2183d3439d67d696ec6babcb6c2be233c2f3bd
4133 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4134 | Date: Thu Sep 15 18:44:00 2016 -0400
4135 |
4136 | Added merlin config
4137 |
4138 | * commit 163e1761ac0f8113e017511f456029282e665d8b
4139 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4140 | Date: Wed Sep 14 18:51:53 2016 -0400
4141 |
4142 | Moved whole build to script
4143 |
4144 | * commit d401eeaab71e5e927932c403be099e24700cdc8f
4145 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4146 | Date: Wed Sep 14 18:43:58 2016 -0400
4147 |
4148 | Added oasis opam package
4149 |
4150 | * commit ba7fd9c3ccaa617d0709b395da84b43cca2c1860
4151 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4152 | Date: Wed Sep 14 18:38:58 2016 -0400
4153 |
4154 | Added ocaml configure (maybe this helps travis)
4155 |
4156 | * commit a461eaea15fdf84b3a580af6cfa46451ab490b31
4157 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4158 | Date: Wed Sep 14 18:26:10 2016 -0400
4159 |
4160 | Configuring opam environment for travis
4161 |
4162 | * commit ba2df2f48c360588df163b22ad674297e3ae8b16
4163 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4164 | Date: Wed Sep 14 18:19:26 2016 -0400
4165 |
4166 | Added ocaml native compiler to apt package list
4167 |

```

```

4168 * commit a8e5958abf68181b0a7b4e7995a2cd7044de3bd4
4169 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4170 | Date:   Wed Sep 14 17:24:36 2016 -0400
4171 |
4172 |     Added some more (possibly necessary opam packages
4173 |
4174 * commit c54f5e367d0d985d54bf89630e51a59203f91065
4175 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4176 | Date:   Wed Sep 14 17:18:32 2016 -0400
4177 |
4178 |     Missed opam option
4179 |
4180 * commit b10adf0f2964eff28de9f33618806e7d614573fc
4181 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4182 | Date:   Wed Sep 14 17:13:57 2016 -0400
4183 |
4184 |     Fixed opam install
4185 |
4186 * commit 124f7f37083351df7beaed11cc77d503blff0d9b
4187 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4188 | Date:   Wed Sep 14 17:08:09 2016 -0400
4189 |
4190 |     Fixed YML error
4191 |
4192 * commit 4909fa82e010b27f9dc0f2489ebf5cad790e4e3
4193 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4194 | Date:   Wed Sep 14 17:03:54 2016 -0400
4195 |
4196 |     Using avsm source
4197 |
4198 * commit 4b24046db1b50e97bac103170056c77be7273155
4199 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4200 | Date:   Wed Sep 14 16:58:33 2016 -0400
4201 |
4202 |     Allow sudo
4203 |
4204 * commit e7b50dbb8b2c463fa67f9ce07b6a8413f905b259
4205 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4206 | Date:   Wed Sep 14 16:56:57 2016 -0400
4207 |
4208 |     Fixed setup order
4209 |
4210 * commit f6d7ac43f5f27fc4c641667bfe8e24ea3b0d7117
4211 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4212 | Date:   Wed Sep 14 16:50:02 2016 -0400
4213 |
4214 |     Manually installing apt packages
4215 |
4216 * commit f4084ab464f4f3097d11e0582328f351c40d9516
4217 | Author: Nigel Schuster <nigel.schusters@googlemail.com>
4218 | Date:   Wed Sep 14 16:40:55 2016 -0400
4219 |
4220 |     Test commit
4221 |
4222 * commit d7c5e9a4dadd09c6d7ad97fc727f61aff1e88779
4223 | Author: Nigel Schuster <Neitsch@users.noreply.github.com>

```

```
4224   Date:   Wed Sep 14 13:15:43 2016 -0400
4225
4226   Initial commit
```

4. Extend Code Listing

4.1 scanner.mll

```
1 {
2   open Lexing
3   open Parser
4   open String
5
6   exception SyntaxError of string
7   let syntax_error lexbuf = raise (SyntaxError("Invalid character: " ^ Lexing.lexeme
8     lexbuf))
9 }
10
11 let digit = ['0'-'9']
12 let exp = 'e' ('+'|'-')? ['0'-'9']+
13 let flt = (digit)+ ('.' (digit)* exp?|exp)
14 let id = ['a'-'z' 'A'-'Z'] ['a'-'z' 'A'-'Z' '0'-'9' '_' ]*
15
16 rule token = parse
17   ['\n']          { new_line lexbuf; token lexbuf }
18 | [' ' '\t' '\r'] { token lexbuf } (* Whitespace *)
19 | "/*"            { multiline_comment lexbuf }
20 | "//"           { oneline_comment lexbuf }
21 | "\""          { read_string (Buffer.create 17) lexbuf }
22 | '['           { LSQBRACK }
23 | ']'           { RSQBRACK }
24 | '('           { LPAREN }
25 | ')'           { RPAREN }
26 | '{'           { LBRACE }
27 | '}'           { RBRACE }
28 | ":="          { GETS }
29 | '='           { ASN }
30 | ':'           { COLON }
31 | ','           { COMMA }
32 | "->"          { PRECEDES }
33 | '?'           { QUESTION }
34 | "=="          { EQ }
35 | "!="          { NOTEQ }
36 | '<'           { LT }
37 | '>'           { GT }
38 | "<="          { LTEQ }
39 | ">="          { GTEQ }
40 | ';'           { SEMI }
```

```

41 | '!'          { LOGNOT }
42 | "&&"        { LOGAND }
43 | "||"        { LOGOR }
44 | '~'         { BITNOT }
45 | '&'         { BITAND }
46 | '|'         { BITOR }
47 | '^'         { BITXOR }
48 | '_'         { UNDERSCORE }
49 | '+'         { PLUS }
50 | '-'         { MINUS }
51 | '*'         { TIMES }
52 | '/'         { DIVIDE }
53 | '%'         { MOD }
54 | "**"         { POWER }
55 | "<<"         { LSHIFT }
56 | ">>"         { RSHIFT }
57 | '#'         { HASH }
58 | "if"        { IF }
59 | "empty"     { EMPTY }
60 | "size"      { SIZE }
61 | "type"      { TYPE }
62 | "row"       { ROW }
63 | "column"    { COLUMN }
64 | "switch"    { SWITCH }
65 | "case"      { CASE }
66 | "default"   { DEFAULT }
67 | "return"    { RETURN }
68 | "import"    { IMPORT }
69 | "global"    { GLOBAL }
70 | "extern"    { EXTERN }
71 | "debug"     { DEBUG }
72 | digit+ as lit { LIT.INT(int.of_string lit) }
73 |flt as lit    { LIT.FLOAT(float.of_string lit) }
74 |id as lit     { ID(lit) }
75 | eof         { EOF }
76 | -          { syntax_error lexbuf }
77
78 and multiline.comment = parse
79   "*" { token lexbuf }
80 | '\n' { new_line lexbuf; multiline.comment lexbuf }
81 | -   { multiline.comment lexbuf }
82
83 and oneline.comment = parse
84   '\n' { new_line lexbuf; token lexbuf }
85 | -   { oneline.comment lexbuf }
86
87 (* read_string mostly taken from:
88 https://realworldocaml.org/v1/en/html/parsing-with-ocamllex-and-menhir.html *)
89 and read_string buf =
90   parse
91   | '"'       { LIT.STRING (Buffer.contents buf) }
92   | '\n'      { new_line lexbuf; Buffer.add_char buf '\n'; read_string buf lexbuf }
93   | '\\ 'n'   { Buffer.add_char buf '\n'; read_string buf lexbuf }
94   | '\\ 'r'   { Buffer.add_char buf '\r'; read_string buf lexbuf }
95   | '\\ 't'   { Buffer.add_char buf '\t'; read_string buf lexbuf }
96   | '\\ '([ '^' '\\ 'n' 'r' 't' ] as lxm)

```

```

97     { Buffer.add_char buf lxm; read_string buf lexbuf }
98   | [^ '"' '\\']+
99     { Buffer.add_string buf (Lexing.lexeme lexbuf);
100       read_string buf lexbuf
101     }
102   | -           { syntax_error lexbuf }
103   | eof         { raise (Failure("unterminated string")) }

```

4.2 parser.mly

```

104 /* Ocamlyacc parser for Extend */
105
106 %{
107 open Ast
108 %}
109
110 %token LSQBRACK RSQBRACK LPAREN RPAREN LBRACE RBRACE HASH
111 %token COLON COMMA QUESTION IF GETS ASN SEMI PRECEDES UNDERSCORE
112 %token SWITCH CASE DEFAULT SIZE TYPE ROW COLUMN
113 %token PLUS MINUS TIMES DIVIDE MOD POWER LSHIFT RSHIFT
114 %token EQ NOTEQ GT LT GTEQ LTEQ
115 %token LOGNOT LOGAND LOGOR
116 %token BITNOT BITXOR BITAND BITOR
117 %token EMPTY RETURN IMPORT GLOBAL EXTERN
118 %token DEBUG
119 %token <int> LIT.INT
120 %token <float> LIT.FLOAT
121 %token <string> LIT.STRING
122 %token <string> ID
123 %token EOF
124
125 %right QUESTION
126 %left PRECEDES
127 %left LOGOR
128 %left LOGAND
129 %left EQ NOTEQ LT GT LTEQ GTEQ
130 %left PLUS MINUS BITOR BITXOR
131 %left TIMES DIVIDE MOD LSHIFT RSHIFT BITAND
132 %right POWER
133 %right BITNOT LOGNOT NEG
134 %left LSQBRACK
135
136 %start program
137 %type <Ast.raw_program> program
138
139 %%
140
141 program:
142     program_piece EOF { let (imp, glob, fnc, ext) = $1 in (List.rev imp, List.rev
143       glob, List.rev fnc, List.rev ext) }
144
145 program_piece:
146     /* nothing */ { ([], [], [], []) }
147   | program_piece import { let (imp, glob, fnc, ext) = $1 in ($2 :: imp, glob,
148     fnc, ext) }

```

```

147 | program_piece global      { let (imp, glob, fnc, ext) = $1 in (imp, $2 :: glob,
148 | program_piece func_decl { let (imp, glob, fnc, ext) = $1 in (imp, glob, $2 ::
149 | program_piece extern    { let (imp, glob, fnc, ext) = $1 in (imp, glob, fnc, $2
    :: ext) }
150
151 import:
152     IMPORT LIT_STRING SEMI {$2}
153
154 global:
155     GLOBAL varinit {$2}
156
157 extern:
158     EXTERN LIT_STRING LBRACE opt_extern_list RBRACE {(Library($2, $4))}
159
160 opt_extern_list:
161     /* nothing */ { [] }
162 | extern_list { List.rev $1 }
163
164 extern_list:
165     extern_fn { [$1] }
166 | extern_list extern_fn { $2 :: $1 }
167
168 extern_fn:
169     ID LPAREN func_param_list RPAREN SEMI
170     { {
171         extern_fn_name = $1;
172         extern_fn_params = $3;
173         extern_fn_libname = "";
174         extern_ret_val = (None, None);
175     } }
176 | ret_dim ID LPAREN func_param_list RPAREN SEMI
177     { {
178         extern_fn_name = $2;
179         extern_fn_params = $4;
180         extern_fn_libname = "";
181         extern_ret_val = $1;
182     } }
183
184 func_decl:
185     ID LPAREN func_param_list RPAREN LBRACE opt_stmt_list ret_stmt RBRACE
186     { {
187         name = $1;
188         params = $3;
189         body = $6;
190         raw_asserts = [];
191         ret_val = ((None, None), $7)
192     } }
193 | ret_dim ID LPAREN func_param_list RPAREN LBRACE opt_stmt_list ret_stmt RBRACE
194     { {
195         name = $2;
196         params = $4;
197         body = $7;
198         raw_asserts = [];
199         ret_val = ($1, $8);

```

```

200     } }
201
202 opt_stmt_list:
203     /* nothing */ { [] }
204     | stmt_list { List.rev $1 }
205
206 stmt_list:
207     stmt { [$1] }
208     | stmt_list stmt { $2 :: $1 }
209
210 stmt:
211     varinit { $1 } | assign { $1 }
212
213 ret_stmt:
214     RETURN expr SEMI { $2 }
215
216 varinit:
217     var_list SEMI { Varinit((None, None), List.rev $1) }
218     | dim var_list SEMI { Varinit($1, List.rev $2) }
219
220 var_list:
221     ID varassign { [ ($1, $2)] }
222     | var_list COMMA ID varassign { ($3, $4) :: $1 }
223
224 varassign:
225     /* nothing */ { None }
226     | GETS expr { Some $2 }
227
228 assign:
229     ID lhs_sel ASN expr SEMI { Assign($1, $2, Some $4) }
230
231 expr:
232     expr rhs_sel      { Selection($1, $2) }
233     | HASH ID         { Selection(Id($2), (None, None)) }
234     | op_expr         { $1 }
235     | ternary_expr    { $1 }
236     | switch_expr     { $1 }
237     | func_expr       { $1 }
238     | range_expr      { $1 }
239     | DEBUG LPAREN expr RPAREN { Debug($3) }
240     | expr PRECEDES expr { Precedence($1, $3) }
241     | LPAREN expr RPAREN  { $2 }
242     | ID                { Id($1) }
243     | LIT_INT           { LitInt($1) }
244     | LIT_FLOAT         { LitFlt($1) }
245     | LIT_STRING        { LitString($1) }
246     | EMPTY            { Empty }
247
248 op_expr:
249     expr PLUS expr    { BinOp($1, Plus, $3) }
250     | expr MINUS expr { BinOp($1, Minus, $3) }
251     | expr TIMES expr { BinOp($1, Times, $3) }
252     | expr DIVIDE expr { BinOp($1, Divide, $3) }
253     | expr MOD expr   { BinOp($1, Mod, $3) }
254     | expr POWER expr { BinOp($1, Pow, $3) }
255     | expr LSHIFT expr { BinOp($1, LShift, $3) }

```



```

256 | expr RSHIFT expr      { BinOp($1, RShift, $3) }
257 | expr LOGAND expr      { BinOp($1, LogAnd, $3) }
258 | expr LOGOR expr       { BinOp($1, LogOr, $3) }
259 | expr BITXOR expr       { BinOp($1, BitXor, $3) }
260 | expr BITAND expr       { BinOp($1, BitAnd, $3) }
261 | expr BITOR expr        { BinOp($1, BitOr, $3) }
262 | expr EQ expr           { BinOp($1, Eq, $3) }
263 | expr NOTEQ expr        { UnOp(LogNot, (BinOp($1, Eq, $3))) }
264 | expr GT expr           { BinOp($1, Gt, $3) }
265 | expr LT expr           { BinOp($1, Lt, $3) }
266 | expr GTEQ expr         { BinOp($1, GtEq, $3) }
267 | expr LTEQ expr         { BinOp($1, LtEq, $3) }
268 | SIZE LPAREN expr RPAREN { UnOp(SizeOf, $3) }
269 | TYPE LPAREN expr RPAREN { UnOp(TypeOf, $3) }
270 | ROW LPAREN RPAREN       { UnOp(Row, Empty) }
271 | COLUMN LPAREN RPAREN    { UnOp(Column, Empty) }
272 | MINUS expr %prec NEG    { UnOp(Neg, $2) }
273 | LOGNOT expr             { UnOp(LogNot, $2) }
274 | BITNOT expr             { UnOp(BitNot, $2) }
275
276 ternary_expr:
277     IF LPAREN expr COMMA expr COMMA expr RPAREN { Ternary($3, $5, $7) }
278 | expr QUESTION expr COLON expr %prec QUESTION { Ternary($1, $3, $5) }
279
280 switch_expr:
281     SWITCH LPAREN switch_cond RPAREN LBRACE default_case_list RBRACE { Switch($3, fst
        $6, snd $6) }
282 | SWITCH LBRACE default_case_list RBRACE { Switch(None, fst $3, snd $3) }
283
284 switch_cond:
285     /* nothing */ { None }
286 | expr { Some $1 }
287
288 default_case_list:
289     case_list {(List.rev $1, Empty)}
290 | case_list default_expr {(List.rev $1, $2)}
291
292 case_list:
293     case_stmt { [$1] }
294 | case_list case_stmt { $2 :: $1 }
295
296 case_stmt:
297     CASE case_expr_list COLON expr SEMI { (List.rev $2, $4) }
298
299 default_expr:
300     DEFAULT COLON expr SEMI { $3 }
301
302 case_expr_list:
303     expr { [$1] }
304 | case_expr_list COMMA expr { $3 :: $1 }
305
306 func_expr:
307     ID LPAREN opt_arg_list RPAREN { Call($1, $3) }
308
309 range_expr:
310     LBRACE row_list RBRACE { allow_range_literal (LitRange(List.rev $2)) }

```

```

311
312 row_list:
313     col_list {[List.rev $1]}
314     | row_list SEMI col_list {List.rev $3 :: $1}
315
316 col_list:
317     expr {[ $1]}
318     | col_list COMMA expr {$3 :: $1}
319
320 opt_arg_list:
321     /* nothing */ {[]}
322     | arg_list { List.rev $1 }
323
324 arg_list:
325     expr {[ $1]}
326     | arg_list COMMA expr {$3 :: $1}
327
328 lhs_sel:
329     /* nothing */ { (None, None) }
330     /* commented out: LSQBRACK lslice RSQBRACK { (Some $2, None) } */
331     | LSQBRACK lslice COMMA lslice RSQBRACK { (Some $2, Some $4) }
332
333 rhs_sel:
334     LSQBRACK rslice RSQBRACK { (Some $2, None) }
335     | LSQBRACK rslice COMMA rslice RSQBRACK { (Some $2, Some $4) }
336
337 lslice:
338     /* commented out: nothing production { (None, None) } */
339     lslice_val { (Some $1, None) }
340     | lslice_val COLON lslice_val { (Some $1, Some $3) }
341     | lslice_val COLON { (Some $1, Some DimensionEnd) }
342     | COLON lslice_val { (Some DimensionStart, Some $2) }
343     | COLON { (Some DimensionStart, Some DimensionEnd) }
344
345 rslice:
346     /* nothing */ { (None, None) }
347     | rslice_val { (Some $1, None) }
348     | rslice_val COLON rslice_val { (Some $1, Some $3) }
349     | rslice_val COLON { (Some $1, Some DimensionEnd) }
350     | COLON rslice_val { (Some DimensionStart, Some $2) }
351     | COLON { (Some DimensionStart, Some DimensionEnd) }
352
353 lslice_val:
354     expr { Abs($1) }
355
356 rslice_val:
357     expr { Abs($1) }
358     | LSQBRACK expr RSQBRACK { Rel($2) }
359
360 func_param_list:
361     /* nothing */ { [] }
362     | func_param_int_list { List.rev $1 }
363
364 func_param_int_list:
365     func_sin_param { [ $1] }
366     | func_param_int_list COMMA func_sin_param { $3 :: $1 }

```

```

367
368 func_sin_param:
369     ID { ((None, None), $1) }
370     | dim ID { ($1, $2) }
371
372 dim:
373     LSQBRACK expr RSQBRACK { (Some $2, None) }
374     | LSQBRACK expr COMMA expr RSQBRACK { (Some $2, Some $4) }
375
376 ret_dim:
377     LSQBRACK ret_sin RSQBRACK { ($2, None) }
378     | LSQBRACK ret_sin COMMA ret_sin RSQBRACK { ($2,$4) }
379
380 ret_sin:
381     expr { Some $1 }
382     | UNDERSCORE { Some Wild }

```

4.3 ast.ml

```

383 type op          = Plus | Minus | Times | Divide | Mod | Pow |
384                  LShift | RShift | BitOr | BitAnd | BitXor |
385                  Eq | Gt | GtEq | Lt | LtEq | LogAnd | LogOr
386 type unop        = Neg | LogNot | BitNot | SizeOf | TypeOf | Row | Column | Truthy
387
388 type expr        = LitInt of int |
389                  LitFlt of float |
390                  LitString of string |
391                  LitRange of (expr list) list |
392                  Id of string |
393                  Empty |
394                  Wild |
395                  BinOp of expr * op * expr |
396                  UnOp of unop * expr |
397                  Ternary of expr * expr * expr |
398                  Switch of expr option * case list * expr |
399                  Call of string * expr list |
400                  Selection of expr * sel |
401                  ReducedTernary of string * string * string |
402                  Precedence of expr * expr |
403                  Debug of expr
404 and index        = Abs of expr |
405                  Rel of expr |
406                  DimensionStart |
407                  DimensionEnd
408 and slice        = index option * index option
409 and sel          = slice option * slice option
410 and case         = expr list * expr
411
412 type dim         = expr option * expr option
413 type var         = dim * string
414 type assign      = string * sel * expr option
415 type init        = string * expr option
416 type stmt        = Assign of assign |
417                  Varinit of dim * init list
418

```

```

419 type raw_func = {
420     name: string;
421     params: var list;
422     body: stmt list;
423     raw_asserts: expr list;
424     ret_val: dim * expr;
425 }
426
427 type extern_func = {
428     extern_fn_name: string;
429     extern_fn_params: var list;
430     extern_fn_libname: string;
431     extern_ret_val: dim;
432 }
433
434 type library = Library of string * extern_func list
435 type raw_program = string list * stmt list * raw_func list * library list
436
437 (* Desugared types below *)
438 module StringMap = Map.Make(String)
439 type formula = {
440     formula_row.start: index;
441     formula_row.end: index option;
442     formula_col.start: index;
443     formula_col.end: index option;
444     formula_expr: expr;
445 }
446
447 type dim_expr = DimInt of int
448               | DimId of string
449
450 type variable = {
451     var_rows: dim_expr;
452     var_cols: dim_expr;
453     var_formulas: formula list;
454 }
455
456 type func_decl = {
457     func_params: var list;
458     func_body: variable StringMap.t;
459     func_asserts: expr list;
460     func_ret_val: dim * expr;
461 }
462
463 type program = (variable StringMap.t) * (func_decl StringMap.t) * (extern_func
    StringMap.t)
464
465 type listable = Inits of init list |
466               Vars of var list |
467               Stmts of stmt list |
468               RawFuncs of raw_func list |
469               Externs of extern_func list |
470               Libraries of library list |
471               Exprs of expr list |
472               Rows of (expr list) list |
473               Strings of string list |

```

```

474             Cases of case list |
475             Formulas of formula list
476
477 exception IllegalRangeLiteral of string
478 exception TransformedAway of string
479
480 let quote_string str =
481   let escape_characters = Str.regexp "[\n \t \r \\ \"]" in
482   let replace_fn s = match Str.matched_string s with
483     "\n" -> "\\n" |
484     "\t" -> "\\t" |
485     "\r" -> "\\r" |
486     "\"" -> "\\\"" |
487     "\\" -> "\\\" |
488     _ -> Str.matched_string s in
489   "\"" ^ Str.global_substitute escape_characters replace_fn str ^ "\""
490
491 let string_of_op o = "\"" ^ (match o with
492   Plus -> "+" | Minus -> "-" | Times -> "*" | Divide -> "/" | Mod -> "%" | Pow ->
493     "**" |
494   LShift -> "<<" | RShift -> ">>" | BitOr -> "|" | BitAnd -> "&" | BitXor -> "^" |
495   Eq -> "==" | Gt -> ">" | GtEq -> ">=" | Lt -> "<" | LtEq -> "<=" |
496   LogAnd -> "&&" | LogOr -> "||" ) ^ "\""
497
498 let string_of_unop = function
499   Neg -> "\"-\"" | LogNot -> "\"!\"" | BitNot -> "\"~\"" | Truthy -> "\"truthy\"" |
500   SizeOf -> "\"size\"" | TypeOf -> "\"type\"" | Row -> "\"row\"" | Column -> "\"
501     column\""
502
503 let rec string_of_expr = function
504   LitInt(l) -> "{\"LitInt\": \" ^ string_of_int l ^ \""
505   LitFlt(l) -> "{\"LitFlt\": \" ^ string_of_float l ^ \""
506   LitString(s) -> "{\"LitString\": \" ^ quote_string s ^ \""
507   LitRange(rowlist) -> "{\"LitRange\": \" ^ string_of_list (Rows rowlist) ^ \""
508   Id(s) -> "{\"Id\": \" ^ quote_string s ^ \""
509   Empty -> "\"Empty\""
510   Wild -> "\"Wild\""
511   BinOp(e1, o, e2) -> "{\"BinOp\": {\" ^
512     "\"expr1\": \" ^ string_of_expr e1 ^ \", \" ^
513     "\"operator\": \" ^ string_of_op o ^ \", \" ^
514     "\"expr2\": \" ^ string_of_expr e2 ^ \"}}\"
515   | UnOp(o, e) -> "{\"UnOp\": {\" ^
516     "\"operator\": \" ^ string_of_unop o ^ \", \" ^
517     "\"expr\": \" ^ string_of_expr e ^ \"}}\"
518   | Ternary(c, e1, e2) -> "{\"Ternary\": {\" ^
519     "\"condition\": \" ^ string_of_expr c ^ \", \" ^
520     "\"ifExpr\": \" ^ string_of_expr e1 ^ \", \" ^
521     "\"elseExpr\": \" ^ string_of_expr e2 ^ \"}}\"
522   | ReducedTernary(s1, s2, s3) -> "{\"ReducedTernary\": {\" ^
523     "\"truthiness\": \" ^ quote_string s1 ^ \", \" ^
524     "\"true_values\": \" ^ quote_string s2 ^ \", \" ^
525     "\"false_values\": \" ^ quote_string s3 ^ \"}}\"
526   | Switch(eo, cases, dflt) -> "{\"Switch\": {\" ^
527     "\"condition\": \" ^
528     (match eo with None -> "null" | Some e ->
529       string_of_expr e) ^ \", \" ^

```

```

527         "\"cases\": \" ^ string_of_list (Cases cases) ^ \", \" ^
528         "\"defaultExpr\": \" ^ string_of_expr dflt ^ \"}}\"
529 | Call(f, arguments) -> "{\"Call\": {\" ^
530         "\"function\": \" ^ quote_string f ^ \", \" ^
531         "\"arguments\": \" ^ string_of_list (Exprs arguments) ^
532         \"}}\"
532 | Selection(e, s) -> "{\"Selection\": {\" ^
533         "\"expr\": \" ^ string_of_expr e ^ \", \" ^
534         "\"slices\": \" ^ string_of_sel s ^ \"}}\"
535 | Precedence(e1, e2) -> "{\"Precedence\": {\" ^
536         "\"prior_expr\": \" ^ string_of_expr e1 ^ \", \" ^
537         "\"dependent_expr\": \" ^ string_of_expr e2 ^ \"}}\"
538 | Debug(e) -> string_of_expr e
539
540 and string_of_case (el, e) =
541     "{\"Cases\": \" ^ string_of_list (Exprs el) ^ \", \" ^
542     "\"expr\": \" ^ string_of_expr e ^ \"}"
543
544 and string_of_sel (s1, s2) =
545     "{\"slice1\": \" ^ string_of_slice s1 ^ \", \"slice2\": \" ^ string_of_slice s2 ^ \"}"
546
547 and string_of_slice = function
548     None -> "null"
549 | Some (start_idx, end_idx) -> "{\"start\": \" ^ string_of_index start_idx ^ \", \"end
550     \": \" ^ string_of_index end_idx ^ \"}"
551
552 and string_of_index = function
553     None -> "null"
554 | Some (Abs(e)) -> "{\"Absolute\": \" ^ string_of_expr e ^ \"}"
555 | Some (Rel(e)) -> "{\"Relative\": \" ^ string_of_expr e ^ \"}"
556 | Some (DimensionStart) -> "\"DimensionStart\""
557 | Some (DimensionEnd) -> "\"DimensionEnd\""
558
559 and string_of_dim (d1, d2) = "{\"d1\": \" ^ (match d1 with None -> \"null\" | Some e ->
560     string_of_expr e) ^ \", \" ^
561     "\"d2\": \" ^ (match d2 with None -> \"null\" | Some e ->
562     string_of_expr e) ^ \"}"
563
564 and string_of_var (d, s) = "{\"Dimensions\": \" ^ string_of_dim d ^ \", \" ^
565     "\"VarName\": \" ^ quote_string s ^ \"}"
566
567 and string_of_assign (s, selection, eo) =
568     "{\"VarName\": \" ^ quote_string s ^ \", \" ^
569     "\"Selection\": \" ^ string_of_sel selection ^ \", \" ^
570     "\"expr\": \" ^ (match eo with None -> \"null\" | Some e -> string_of_expr e) ^ \"}"
571
572 and string_of_varinit (d, inits) =
573     "{\"Dimensions\": \" ^ string_of_dim d ^
574     \", \"Initializations\": \" ^ string_of_list (Inits inits) ^ \"}"
575
576 and string_of_init (s, eo) =
577     "{\"VarName\": \" ^ quote_string s ^ \", \" ^
578     "\"expr\": \" ^ (match eo with None -> \"null\" | Some e -> string_of_expr e) ^ \"}"
579
580 and string_of_stmt = function
581     Assign(a) -> "{\"Assign\": \" ^ string_of_assign a ^ \"}"

```

```

579 | Varinit(d, inits) -> "{\\"Varinit\\": " ^ string-of-varinit (d, inits) ^ "}"
580
581 and string-of-range (d, e) = "{\\"Dimensions\\": " ^ string-of-dim d ^ ", " ^
582     "\\"expr\\": " ^ string-of-expr e ^ "}"
583
584 and string-of-raw-func fd =
585     "{\\"Name\\": " ^ quote-string fd.name ^ ", " ^
586     "\\"Params\\": " ^ string-of-list (Vars fd.params) ^ ", " ^
587     "\\"Stmts\\": " ^ string-of-list (Stmts fd.body) ^ ", " ^
588     "\\"Assertions\\": " ^ string-of-list (Exprs fd.raw-asserts) ^ ", " ^
589     "\\"ReturnVal\\": " ^ string-of-range fd.ret-val ^ "}"
590
591 and string-of-extern-func fd =
592     "{\\"Name\\": " ^ quote-string fd.extern-fn-name ^ ", " ^
593     "\\"Params\\": " ^ string-of-list (Vars fd.extern-fn-params) ^ ", " ^
594     "\\"Library\\": " ^ quote-string fd.extern-fn-libname ^ ", " ^
595     "\\"ReturnDim\\": " ^ string-of-dim fd.extern-ret-val ^ "}"
596
597 and string-of-library (Library(lib-name, lib-fns)) =
598     "{\\"LibraryName\\": " ^ quote-string lib-name ^ ", " ^
599     "\\"ExternalFunctions\\": " ^ string-of-list (Externs lib-fns) ^ "}"
600
601 and string-of-dimexpr = function
602     DimInt(i) -> string-of-int i
603     | DimId(s) -> quote-string s
604
605 and string-of-formula f =
606     "{\\"RowStart\\": " ^ string-of-index (Some f.formula-row-start) ^ ", " ^
607     "\\"RowEnd\\": " ^ string-of-index (f.formula-row-end) ^ ", " ^
608     "\\"ColumnStart\\": " ^ string-of-index (Some f.formula-col-start) ^ ", " ^
609     "\\"ColumnEnd\\": " ^ string-of-index (f.formula-col-end) ^ ", " ^
610     "\\"Formula\\": " ^ string-of-expr f.formula-expr ^ "}"
611
612 and string-of-list l =
613     let stringrep = (match l with
614         Inits (il) -> List.map string-of-init il
615         | Vars (vl) -> List.map string-of-var vl
616         | Stmts (sl) -> List.map string-of-stmt sl
617         | RawFuncs (fl) -> List.map string-of-raw-func fl
618         | Externs (efl) -> List.map string-of-extern-func efl
619         | Libraries (libl) -> List.map string-of-library libl
620         | Exprs (el) -> List.map string-of-expr el
621         | Rows (rl) -> List.map (fun (el : expr list) -> string-of-list (Exprs el)) rl
622         | Strings (sl) -> List.map quote-string sl
623         | Cases (cl) -> List.map string-of-case cl
624         | Formulas (fl) -> List.map string-of-formula fl)
625     in "[" ^ String.concat ", " stringrep ^ "]"
626
627 let string-of-raw-program (imp, glb, fs, exts) =
628     "{\\"Program\\": { " ^
629     "\\"Imports\\": " ^ string-of-list (Strings imp) ^ ", " ^
630     "\\"Globals\\": " ^ string-of-list (Stmts glb) ^ ", " ^
631     "\\"ExternalLibraries\\": " ^ string-of-list (Libraries exts) ^ ", " ^
632     "\\"Functions\\": " ^ string-of-list (RawFuncs fs) ^ "}}"
633
634 let string-of-variable v =

```

```

635   "{ \"Rows\": \" ^ string_of_dimexpr v.var.rows ^ \",\" ^
636   \"Columns\": \" ^ string_of_dimexpr v.var.cols ^ \",\" ^
637   \"Formulas\": \" ^ string_of_list (Formulas v.var.formulas) ^ \"}"
638
639   let string_of_map value_desc val_printing_fn m =
640     let f_key_val_list k v l = (
641       \"{ \"\" ^ value_desc ^ \"Name\": \" ^ quote_string k ^ \", \" ^
642       \"\" ^ value_desc ^ \"Def\": \" ^ val_printing_fn v ^ \"}"
643     ) :: l in
644     \"[\" ^ String.concat \", \" (List.rev (StringMap.fold f_key_val_list m [])) ^ "]"
645
646   let string_of_funcdecl f =
647     \"{ \"Params\": \" ^ string_of_list (Vars f.func_params) ^ \",\" ^
648     \"Variables\": \" ^ string_of_map \"Variable\" string_of_variable f.func_body ^ \",\" ^
649     \"Assertions\": \" ^ string_of_list (Exprs f.func_asserts) ^ \",\" ^
650     \"ReturnVal\": \" ^ string_of_range f.func_ret_val ^ \"}"
651
652   let string_of_program (glb, fs, exts) =
653     \"{ \"Program\": { \" ^
654     \"Globals\": \" ^ string_of_map \"Variable\" string_of_variable glb ^ \",\" ^
655     \"Functions\": \" ^ string_of_map \"Function\" string_of_funcdecl fs ^ \",\" ^
656     \"ExternalFunctions\": \" ^ string_of_map \"ExternalFunctions\"
        string_of_extern_func exts ^ \"}}\"
657
658   let allow_range_literal = function
659     LitRange(rowlist) ->
660       let rec check_range_literal rl =
661         List.for_all (fun exprs -> List.for_all check_basic_expr exprs) rl
662         and check_basic_expr = function
663           LitInt(_) | UnOp(Neg, LitInt(_)) | LitFlt(_) | UnOp(Neg, LitFlt(_)) |
664           LitString(_) | Empty -> true
665           | LitRange(rl) -> check_range_literal rl
666           | _ -> false in
667       if check_range_literal rowlist then LitRange(rowlist)
668       else raise (IllegalRangeLiteral(string_of_expr (LitRange(rowlist))))
669   | e -> raise (IllegalRangeLiteral(string_of_expr e))

```

4.4 transform.ml

```

670   open Ast
671   open Lexing
672   open Parsing
673
674   exception IllegalExpression of string;;
675   exception DuplicateDefinition of string;;
676   exception UnknownVariable of string;;
677   exception UnknownFunction of string;;
678   exception WrongNumberArgs of string;;
679   exception LogicError of string;;
680
681   module StringSet = Set.Make (String);;
682   let importSet = StringSet.empty;;
683
684   let builtin_signatures = [(\"cos\", 1); (\"column\", 0); (*(\"printf\", 2);*) (\"toString\",

```



```

1)]
685
686 let idgen =
687   (* from http://stackoverflow.com/questions/10459363/side-effects-and-top-level-
      expressions-in-ocaml*)
688   let count = ref (-1) in
689   fun prefix -> incr count; "_tmp-" ^ prefix ^ string_of_int !count;;
690
691 let expand_file filename =
692   let print_error_location filename msg lexbuf =
693     let pos = lexbuf.lex_curr_p in
694     prerr_endline ("Syntax error in \" ^ filename ^ "\": " ^ msg) ;
695     prerr_endline ("Line " ^ (string_of_int pos.pos_lnum) ^ " at character " ^ (
        string_of_int (pos.pos_cnum - pos.pos_bol))) in
696
697   let rec expand_imports processed_imports globals fns exts dir = function
698     [] -> ([], globals, fns, exts)
699     | import :: imports ->
700       (* print_endline "-----";
701          print_endline ("Working on: " ^ import) ;
702          print_endline ("Already processed:"); *)
703       (* StringSet.iter (fun a -> print_endline a) processed_imports; *)
704       let in_chan = open_in import in
705       let lexbuf = (Lexing.from_channel (in_chan)) in
706       let (file_imports, file_globals, file_functions, file_extens) =
707         try Parser.program Scanner.token lexbuf
708         with
709           Parsing.Parse_error -> print_error_location import "" lexbuf ; exit(-1)
710         | Scanner.SyntaxError(s) -> print_error_location import s lexbuf ; exit(-1)
711       in
712       let file_imports = List.map (fun file -> dir ^ "/" ^ file) file_imports in
713       let new_proc = StringSet.add import processed_imports and _ = close_in in_chan
714       in
715       (* print_endline ("Now I'm done with: ") ; *)
716       (* StringSet.iter (fun a -> print_endline a) new_proc; *)
717       let first_im_hearing_about imp = not (StringSet.mem imp new_proc || List.mem imp
718         imports) in
719       let new_imports = StringSet.elements (StringSet.of_list (List.filter
720         first_im_hearing_about file_imports)) in
721       (* print_endline ("First I'm hearing about:"); *)
722       (* List.iter print_endline new_imports; *)
723       expand_imports new_proc (globals @ file_globals) (fns @ file_functions) (exts @
724         file_extens) (Filename.dirname import) (imports @ new_imports) in
725   expand_imports StringSet.empty [] [] [] (Filename.dirname filename) [filename]
726
727 let expand_expressions (imports, globals, functions, externs) =
728   let lit_zero = LitInt(0) in let abs_zero = Abs(lit_zero) in
729   let lit_one = LitInt(1) in let abs_one = Abs(lit_one) in
730   let one_by_one = (Some lit_one, Some lit_one) in
731   let zero_comma_zero = (Some (Some abs_zero, Some abs_one),
732     Some (Some abs_zero, Some abs_one)) in
733   let entire_dimension = (Some DimensionStart, Some DimensionEnd) in
734   let entire_range = (Some entire_dimension, Some entire_dimension) in
735
736   let expand_expr expr_loc = function
737     (* Create a new variable for all expressions on the LHS to hold the result;

```

```

734     return the new expression and whatever new statements are necessary to create
       the new variable *)
735     Empty    -> raise (IllegalExpression("Empty not allowed in " ^ expr_loc))
736 | Wild      -> raise (IllegalExpression("wild - this shouldn't be possible"))
737 | LitString(s) -> raise (IllegalExpression("String literal " ^ quote_string s ^ "
       not allowed in " ^ expr_loc))
738 | LitRange(rl) -> raise (IllegalExpression("Range literal " ^ string_of_list (Rows
       rl) ^ " not allowed in " ^ expr_loc))
739 | e         -> let new_id = idgen expr_loc in (
740     Id(new_id),
741     [Varinit (one_by_one, [(new_id, None)]];
742     Assign (new_id, zero_comma_zero, Some e)]) in
743
744 let expand_index index_loc = function
745     (* Expand one index of a slice if necessary. *)
746     Abs(e) -> let (new_e, new_stmts) = expand_expr index_loc e in
747         (Abs(new_e), new_stmts)
748 | DimensionStart -> (DimensionStart, [])
749 | DimensionEnd -> (DimensionEnd, [])
750 | Rel(_) -> raise (IllegalExpression("relative - this shouldn't be possible")) in
751
752 let expand_slice slice_loc = function
753     (* Expand one or both sides as necessary. *)
754     None -> (entire_dimension, [])
755 | Some (Some (Abs(e)), None) ->
756     let (start_e, start_stmts) = expand_expr (slice_loc ^ "_start") e in
757     ((Some (Abs(start_e)), None), start_stmts)
758 | Some (Some idx_start, Some idx_end) ->
759     let (new_start, new_start_exprs) = expand_index (slice_loc ^ "_start") idx_start
       in
760     let (new_end, new_end_exprs) = expand_index (slice_loc ^ "_end") idx_end in
761     ((Some new_start, Some new_end), new_start_exprs @ new_end_exprs)
762 | Some (Some _, None) | Some (None, _) -> raise (IllegalExpression("Illegal slice
       - this shouldn't be possible")) in
763
764 let expand_assign asgn_loc (var_name, (row_slice, col_slice), formula) =
765     (* expand_assign: Take an Assign and return a list of more
766     atomic statements, with new variables replacing any
767     complex expressions in the selection slices and with single
768     index values desugared to expr:expr+1. *)
769     try
770         let (new_row_slice, row_exprs) = expand_slice (asgn_loc ^ "_" ^ var_name ^ "_row
       ") row_slice in
771         let (new_col_slice, col_exprs) = expand_slice (asgn_loc ^ "_" ^ var_name ^ "_col
       ") col_slice in
772         Assign(var_name, (Some new_row_slice, Some new_col_slice), formula) :: (
       row_exprs @ col_exprs)
773     with IllegalExpression(s) ->
774         raise (IllegalExpression("Illegal expression (" ^ s ^ ") in " ^
775             string_of_assign (var_name, (row_slice, col_slice),
776                 formula))) in
777
778 let expand_init (r, c) (v, e) =
779     Varinit((Some r, Some c), [(v, None)]) ::
780     match e with
781     None -> []

```

```

781 | Some e -> [Assign (v, entire.range, Some e)] in
782
783 let expand_dimension dim_loc = function
784   None -> expand_expr dim_loc (LitInt(1))
785   | Some e -> expand_expr dim_loc e in
786
787 let expand_varinit fname ((row_dim, col_dim), inits) =
788   (* expand_varinit: Take a Varinit and return a list of more atomic
789    statements. Each dimension will be given a temporary ID, which
790    will be declared as [1,1] tmpXXX; the formula for tmpXXX will be
791    set as a separate assignment; the original variable will be
792    declared as [tmpXXX, tmpYYY] var; and the formula assignment
793    will be applied to[:,:]. *)
794   try
795     let (row_e, row_stmts) = expand_dimension (fname ^ "_" ^ (String.concat "_" (
796       List.map fst inits))) ^ "_row_dim") row_dim in
797     let (col_e, col_stmts) = expand_dimension (fname ^ "_" ^ (String.concat "_" (
798       List.map fst inits))) ^ "_col_dim") col_dim in
799     row_stmts @ col_stmts @ List.concat (List.map (expand_init (row_e, col_e)) inits
800     )
801   with IllegalExpression(s) ->
802     raise (IllegalExpression("Illegal expression (" ^ s ^ ") in " ^
803       string_of_varinit ((row_dim, col_dim), inits))) in
804
805 let expand_stmt fname = function
806   Assign(a) -> expand_assign fname a
807   | Varinit(d, inits) -> expand_varinit fname (d, inits) in
808
809 let expand_stmt_list fname stmts = List.concat (List.map (expand_stmt fname) stmts)
810   in
811
812 let expand_params fname params =
813   let needs_sizevar = function
814     ((None, None), _) -> false
815     | _ -> true in
816   let params_with_sizevar = List.map (fun x -> (idgen (fname ^ "_" ^ (snd x) ^ "
817     _size"), x)) (List.filter needs_sizevar params) in
818   let expanded_args = List.map (fun (sv, ((rv, cv), s)) -> ((sv, s), [(sv, abs_zero
819     ), rv]; ((sv, abs_one), cv))) params_with_sizevar in
820   let (sizes, inits) = (List.map fst expanded_args, List.concat (List.map snd
821     expanded_args)) in
822   let add_item (varset, (assertlist, initlist)) ((sizevar, pos), var) =
823     (match var with
824     Some Id(s) ->
825       if StringSet.mem s varset then
826         (* We've seen this variable before; don't initialize it, just assert it *)
827         (varset, (BinOp(Id(s), Eq, Selection(Id(sizevar), (Some(Some(pos), None),
828           None))) :: assertlist, initlist))
829       else
830         (* We're seeing a string for the first time; don't assert it, just create
831         it *)
832         (StringSet.add s varset, (assertlist,
833           Assign(s, zero_comma_zero, Some (Selection(Id(
834             sizevar), (Some(Some(pos), None), None)))) ::
835           Varinit(one_by_one, [(s, None)]) ::
836           initlist))

```

```

827     | Some LitInt(i) -> (* Seeing a number; don't do anything besides create an
      assertion *)
828     (varset, (BinOp(LitInt(i), Eq, Selection(Id(sizevar), (Some(Some(pos), None),
      None))) :: assertlist, initlist))
829     | Some e -> raise (IllegalExpression("Illegal expression (" ^ string_of_expr e
      ^ ") in function signature"))
830     | _ -> raise (IllegalExpression("Cannot supply a single dimension in function
      signature")) in
831 let (rev.assertions, rev.inits) = snd (List.fold.left add.item (StringSet.empty,
      ([], [])) inits) in
832 let create_sizevar (sizevar, arg) = [
833     Varinit(one_by_one, [(sizevar, None)]);
834     Assign(sizevar, entire_range, Some(UnOp(SizeOf, Id(arg))))] in
835 (List.concat (List.map create_sizevar sizes), List.rev rev.assertions, List.rev
      rev.inits) in
836
837 let expand_function f =
838     let (new_sizevars, assertions, size_inits) = expand_params f.name f.params in
839     let new_retval_id = idgen (f.name ^ "_retval") in
840     let new_retval = Id(new_retval_id) in
841     let retval_inits = [Varinit (one_by_one, [(new_retval_id, None)]);
842         Assign (new_retval_id, zero.comma.zero, Some (snd f.ret_val))]
      in
843     {
844         name = f.name;
845         params = f.params;
846         raw_asserts = assertions;
847         body = new_sizevars @ size_inits @ retval_inits @ expand_stmt_list f.name f.body
      ;
848         ret_val = (fst f.ret_val, new_retval)
849     } in
850 (imports, expand_stmt_list "global" globals, List.map expand_function functions,
      externs);;
851
852 let map_of_list list_of_tuples =
853     (* map_of_list: Take a list of the form [("foo", 2); ("bar", 3)]
854        and create a StringMap using the first value of the tuple as
855        the key and the second value of the tuple as the value. Raises
856        an exception if the key appears more than once in the list. *)
857     let rec aux acc = function
858         [] -> acc
859         | t :: ts ->
860             if (StringMap.mem (fst t) acc) then raise (DuplicateDefinition(fst t))
861             else aux (StringMap.add (fst t) (snd t) acc) ts in
862     aux StringMap.empty list_of_tuples
863
864 let create_maps (imports, globals, functions, externs) =
865     let vd_of_vi = function
866         (* vd_of_vi— Take a bare Varinit from the previous transformations
867            and return a (string, variable) pair *)
868         Varinit((Some r, Some c), [(v, None)]) -> (v, {
869             var_rows = (match r with
870                 LitInt(i) -> DimInt(i)
871                 | Id(s) -> DimId(s)
872                 | _ -> raise (LogicError("Unrecognized expression for rows of " ^ v));
873             var_cols = (match c with

```

```

874         LitInt(i) -> DimInt(i)
875         | Id(s) -> DimId(s)
876         | _ -> raise (LogicError("Unrecognized expression for rows of " ^ v));
877     var.formulas = [];
878 }
879 | _ -> raise (LogicError("Unrecognized format for post-desugaring Varinit")) in
880
881 let add_formula m = function
882   Varinit(_,_) -> m
883   | Assign(var_name, (Some (Some row_start, row_end), Some (Some col_start, col_end
884     )), Some e) ->
885     if StringMap.mem var_name m
886     then (let v = StringMap.find var_name m in
887           StringMap.add var_name {v with var_formulas = v.var_formulas @ [{
888             formula_row_start = row_start;
889             formula_row_end = row_end;
890             formula_col_start = col_start;
891             formula_col_end = col_end;
892             formula_expr = e;
893             }] m)
894           else raise (UnknownVariable(string_of_stmt (Assign(var_name, (Some (Some
895             row_start, row_end), Some (Some col_start, col_end)), Some e))))
896   | Assign(a) -> raise (LogicError("Unrecognized format for post-desugaring Assign:
897     " ^ string_of_stmt (Assign(a)))) in
898
899 let vds_of_stmts stmts =
900   let is_varinit = function Varinit(_,_) -> true | _ -> false in
901   let varinits = List.filter is_varinit stmts in
902   let vars_just_the_names = map_of_list (List.map vd_of_vi varinits) in
903   List.fold_left add_formula vars_just_the_names stmts in
904
905 let fd_of_raw_func f = (f.name, {
906   func_params = f.params;
907   func_body = vds_of_stmts f.body;
908   func_ret_val = f.ret_val;
909   func_asserts = f.raw_asserts;
910 }) in
911
912 let tupleize_library (Library(lib_name, lib_fns)) =
913   List.map (fun ext_fn -> (ext_fn.extern_fn_name, {ext_fn with extern_fn_libname =
914     lib_name})) lib_fns in
915
916 (vds_of_stmts globals,
917  map_of_list (List.map fd_of_raw_func functions),
918  map_of_list (List.concat (List.map tupleize_library externs)))
919
920 let single_formula e = {
921   formula_row_start = DimensionStart;
922   formula_row_end = Some DimensionEnd;
923   formula_col_start = DimensionStart;
924   formula_col_end = Some DimensionEnd;
925   formula_expr = e;
926 }
927
928 let ternarize_exprs (globals, functions, externs) =
929   let rec ternarize_expr lhs_var = function

```

```

926 BinOp(e1, LogAnd, e2) ->
927   let (new_e1, new_e1_vars) = ternarize_expr lhs_var e1 in
928   let (new_e2, new_e2_vars) = ternarize_expr lhs_var e2 in
929   (Ternary(UnOp(Truthy,new_e1), UnOp(Truthy,new_e2), LitInt(0)), new_e1_vars @
        new_e2_vars)
930 | BinOp(e1, LogOr, e2) ->
931   let (new_e1, new_e1_vars) = ternarize_expr lhs_var e1 in
932   let (new_e2, new_e2_vars) = ternarize_expr lhs_var e2 in
933   (Ternary(UnOp(Truthy,new_e1), LitInt(1), UnOp(Truthy,new_e2)), new_e1_vars @
        new_e2_vars)
934 | BinOp(e1, op, e2) ->
935   let (new_e1, new_e1_vars) = ternarize_expr lhs_var e1 in
936   let (new_e2, new_e2_vars) = ternarize_expr lhs_var e2 in
937   (BinOp(new_e1, op, new_e2), new_e1_vars @ new_e2_vars)
938 | UnOp(op, e) ->
939   let (new_e, new_e_vars) = ternarize_expr lhs_var e in
940   (UnOp(op, new_e), new_e_vars)
941 | Ternary(cond, e1, e2) ->
942   let (new_cond, new_cond_vars) = ternarize_expr lhs_var cond in
943   let (new_e1, new_e1_vars) = ternarize_expr lhs_var e1 in
944   let (new_e2, new_e2_vars) = ternarize_expr lhs_var e2 in
945   (Ternary(new_cond, new_e1, new_e2), new_cond_vars @ new_e1_vars @ new_e2_vars)
946 | Call(fname, args) ->
947   let new_args_and_vars = List.map (ternarize_expr lhs_var) args in
948   (Call(fname, (List.map fst new_args_and_vars)), List.concat (List.map snd
        new_args_and_vars))
949 | Selection(e, (sl1, sl2)) ->
950   let (new_e, new_e_vars) = ternarize_expr lhs_var e in
951   let (new_sl1, new_sl1_vars) = ternarize_slice lhs_var sl1 in
952   let (new_sl2, new_sl2_vars) = ternarize_slice lhs_var sl2 in
953   (Selection(new_e, (new_sl1, new_sl2)), new_e_vars @ new_sl1_vars @ new_sl2_vars)
954 | Precedence(e1, e2) ->
955   let (new_e1, new_e1_vars) = ternarize_expr lhs_var e1 in
956   let (new_e2, new_e2_vars) = ternarize_expr lhs_var e2 in
957   (Precedence(new_e1, new_e2), new_e1_vars @ new_e2_vars)
958 | Switch(cond, cases, dflt) ->
959   ternarize_switch lhs_var cases dflt cond
960 | LitRange(rowlist) -> let (lhs_varname, _) = lhs_var in formulize_litrage
        lhs_varname rowlist
961 | Debug(e) ->
962   let (new_e, new_e_vars) = ternarize_expr lhs_var e in
963   (Debug(new_e), new_e_vars)
964 | e -> (e, [])
965 and formulize_litrage lhs_varname rowlist =
966   let new_range_id = idgen (lhs_varname ^ "_litrage") in
967   let num_rows = List.length rowlist in
968   let num_cols = List.fold_left max 0 (List.map List.length rowlist) in
969   let formulize_expr r c = function
970     LitRange(rl) -> formulize_litrage (new_range_id ^ "_" ^ string_of_int r ^ "_"
        ^ string_of_int c) rl
971   | e -> (e, []) in
972   let formulize_row rownum col_exprs =
973     let col_formulas_and_vars = List.mapi (fun c e -> formulize_expr rownum c e)
        col_exprs in
974     let create_formula colnum e = {
975       formula_row_start = Abs(LitInt(rownum)); formula_row_end = None;

```

```

976     formula_col_start = Abs(LitInt(colnum)); formula_col_end = None;
977     formula_expr = e;
978   } in
979   (List.mapi create_formula (List.map fst col_formulas_and_vars), List.concat (
980     List.map snd col_formulas_and_vars)) in
981   let formulas_and_vars = List.mapi formulize_row rowlist in
982   let range_var = {
983     var_rows = DimInt(num_rows); var_cols = DimInt(num_cols);
984     var_formulas = List.concat (List.map fst formulas_and_vars);
985   } in
986   (Id(new_range_id),
987    (new_range_id, range_var) ::
988    List.concat (List.map snd formulas_and_vars))
989 and ternarize_switch lhs_var cases dflt cond =
990   let (new_cond_expr, new_cond_vars) = (match cond with
991     Some cond_expr ->
992     let (lhs_varname, lhs_vardef) = lhs_var in
993     let new_id = idgen (lhs_varname ^ "_switch_cond") in
994     let (new_e, new_e_vars) = ternarize_expr lhs_var cond_expr in
995     (Some (Selection (Id(new_id), (Some (Some (Rel (LitInt(0))), None), Some (Some (Rel (
996       LitInt(0))), None)))),
997     (new_id, {lhs_vardef with var_formulas = [single_formula new_e]})) ::
998     new_e_vars
999   | None ->
1000     (None, []))
1001   in
1002   let new_cases_and_vars = List.map (ternarize_case lhs_var new_cond_expr) cases in
1003   let new_cases = List.map fst new_cases_and_vars in
1004   let new_case_vars = List.concat (List.map snd new_cases_and_vars) in
1005   let (new_dflt, new_dflt_vars) = ternarize_expr lhs_var dflt in
1006   let rec combine_everything = function
1007     [] -> new_dflt
1008     | (combined_cases, e) :: more_cases -> Ternary(combined_cases, e,
1009       combine_everything more_cases) in
1010   (combine_everything new_cases, new_cond_vars @ new_case_vars @ new_dflt_vars)
1011 and ternarize_case lhs_var cond (conds, e) =
1012   let new_conds_and_vars = List.map (ternarize_expr lhs_var) conds in
1013   let new_conds = List.map fst new_conds_and_vars in
1014   let new_cond_vars = List.concat (List.map snd new_conds_and_vars) in
1015   let (new_e, new_e_vars) = ternarize_expr lhs_var e in
1016   let unify_case_cond_and_switch_cond case_cond = function
1017     None -> case_cond
1018     | Some switch_cond -> BinOp(switch_cond, Eq, case_cond) in
1019   let rec unify_switch_cond_and_case_conds switch_cond = function
1020     [case_cond] -> unify_case_cond_and_switch_cond case_cond switch_cond
1021     | case_cond :: case_conds ->
1022     let (combined_expr, _) = ternarize_expr lhs_var
1023       (BinOp(unify_case_cond_and_switch_cond case_cond switch_cond, LogOr,
1024         unify_switch_cond_and_case_conds switch_cond case_conds)) in
1025     combined_expr
1026   | [] -> raise (LogicError("Empty case condition list")) in
1027   ((unify_switch_cond_and_case_conds cond new_conds, new_e), new_cond_vars @
1028     new_e_vars)
1029 and ternarize_slice lhs_var = function
1030   None -> (None, [])
1031   | Some (i1, i2) ->

```

```

1027     let (new.i1, new.i1.vars) = ternarize.index lhs.var i1 in
1028     let (new.i2, new.i2.vars) = ternarize.index lhs.var i2 in
1029     (Some (new.i1, new.i2), new.i1.vars @ new.i2.vars)
1030 and ternarize.index lhs.var = function
1031   Some Abs(e) ->
1032     let (new.e, new.e.vars) = ternarize.expr lhs.var e in
1033     (Some (Abs(new.e)), new.e.vars)
1034   | Some Rel(e) ->
1035     let (new.e, new.e.vars) = ternarize.expr lhs.var e in
1036     (Some (Rel(new.e)), new.e.vars)
1037   | i -> (i, []) in
1038 let ternarize.formula lhs.var f =
1039   let (new.expr, new.vars) = ternarize.expr lhs.var f.formula.expr in
1040   ({f with formula.expr = new.expr}, new.vars) in
1041 let ternarize.variable varname vardef =
1042   let new.formulas.and.vars = List.map (ternarize.formula (varname, vardef)) vardef.
     var.formulas in
1043   ({vardef with var.formulas = List.map fst new.formulas.and.vars}, List.concat (
     List.map snd new.formulas.and.vars)) in
1044 let ternarize.variables fn.name m =
1045   let new.variables.and.maps = StringMap.mapi (fun varname vardef ->
     ternarize.variable (fn.name ^ "_" ^ varname) vardef) m in
1046   let add.item var.name (orig.var, new.vars) l = ((var.name, orig.var) :: fst l,
     new.vars :: snd l) in
1047   let combined.list = StringMap.fold add.item new.variables.and.maps ([], []) in
1048   map.of_list (List.rev (fst combined.list) @ List.concat (snd combined.list)) in
1049 let ternarize.function fn.name fn.def = {fn.def with func.body = ternarize.variables
     fn.name fn.def.func.body} in
1050 (ternarize.variables "global" globals, StringMap.mapi ternarize.function functions,
     externs)
1051
1052 let reduce.ternaries (globals, functions, externs) =
1053   let rec reduce.expr lhs.var = function
1054     | BinOp(e1, op, e2) ->
1055       let (new.e1, new.e1.vars) = reduce.expr lhs.var e1 in
1056       let (new.e2, new.e2.vars) = reduce.expr lhs.var e2 in
1057       (BinOp(new.e1, op, new.e2), new.e1.vars @ new.e2.vars)
1058     | UnOp(op, e) ->
1059       let (new.e, new.e.vars) = reduce.expr lhs.var e in
1060       (UnOp(op, new.e), new.e.vars)
1061     | Ternary(cond, e1, e2) -> reduce.ternary lhs.var cond e1 e2
1062     | Call(fname, args) ->
1063       let new.args.and.vars = List.map (reduce.expr lhs.var) args in
1064       (Call(fname, (List.map fst new.args.and.vars)), List.concat (List.map snd
     new.args.and.vars))
1065     | Selection(e, (sl1, sl2)) ->
1066       let (new.e, new.e.vars) = reduce.expr lhs.var e in
1067       let (new.sl1, new.sl1.vars) = reduce.slice lhs.var sl1 in
1068       let (new.sl2, new.sl2.vars) = reduce.slice lhs.var sl2 in
1069       (Selection(new.e, (new.sl1, new.sl2)), new.e.vars @ new.sl1.vars @ new.sl2.vars)
1070     | Precedence(e1, e2) ->
1071       let (new.e1, new.e1.vars) = reduce.expr lhs.var e1 in
1072       let (new.e2, new.e2.vars) = reduce.expr lhs.var e2 in
1073       (Precedence(new.e1, new.e2), new.e1.vars @ new.e2.vars)
1074     | Debug(e) ->
1075       let (new.e, new.e.vars) = reduce.expr lhs.var e in

```



```

1076     (Debug(new.e), new.e-vars)
1077   | e -> (e, [])
1078 and reduce_ternary lhs_var cond e1 e2 =
1079   let (new_cond, new_cond_vars) = reduce_expr lhs_var cond in
1080   let (new_true_e, new_true_vars) = reduce_expr lhs_var e1 in
1081   let (new_false_e, new_false_vars) = reduce_expr lhs_var e2 in
1082   let (lhs_varname, lhs_vardef) = lhs_var in
1083   let new_cond_id = idgen (lhs_varname ^ "_truthiness") in
1084   let new_true_id = idgen (lhs_varname ^ "_values.if.true") in
1085   let new_false_id = idgen (lhs_varname ^ "_values.if.false") in
1086   (ReducedTernary(new_cond_id, new_true_id, new_false_id),
1087    (new_cond_id, {lhs_vardef with var_formulas = [single_formula (UnOp(Truthy,
1088      new_cond))]}) ::
1089    (new_true_id, {lhs_vardef with var_formulas = [single_formula new_true_e]}) ::
1090    (new_false_id, {lhs_vardef with var_formulas = [single_formula new_false_e]}) ::
1091    (new_cond_vars @ new_true_vars @ new_false_vars))
1092 and reduce_slice lhs_var = function
1093   None -> (None, [])
1094   | Some (i1, i2) ->
1095     let (new_i1, new_i1_vars) = reduce_index lhs_var i1 in
1096     let (new_i2, new_i2_vars) = reduce_index lhs_var i2 in
1097     (Some (new_i1, new_i2), new_i1_vars @ new_i2_vars)
1098 and reduce_index lhs_var = function
1099   Some Abs(e) ->
1100     let (new_e, new_e_vars) = reduce_expr lhs_var e in
1101     (Some (Abs(new_e)), new_e_vars)
1102   | Some Rel(e) ->
1103     let (new_e, new_e_vars) = reduce_expr lhs_var e in
1104     (Some (Rel(new_e)), new_e_vars)
1105   | i -> (i, []) in
1106 let reduce_formula lhs_var f =
1107   let (new_expr, new_vars) = reduce_expr lhs_var f.formula_expr in
1108   ({f with formula_expr = new_expr}, new_vars) in
1109 let reduce_variable varname vardef =
1110   let new_formulas_and_vars = List.map (reduce_formula (varname, vardef)) vardef.
1111     var_formulas in
1112   ({vardef with var_formulas = List.map fst new_formulas_and_vars}, List.concat (
1113     List.map snd new_formulas_and_vars)) in
1114 let reduce_variables fn_name m =
1115   let new_variables_and_maps = StringMap.mapi (fun varname vardef -> reduce_variable
1116     (fn_name ^ "_" ^ varname) vardef) m in
1117   let add_item var_name (orig_var, new_vars) l = ((var_name, orig_var) :: fst l,
1118     new_vars :: snd l) in
1119   let combined_list = StringMap.fold add_item new_variables_and_maps ([], []) in
1120   map_of_list (List.rev (fst combined_list) @ List.concat (snd combined_list)) in
1121 let reduce_function fn_name fn_def = {fn_def with func_body = reduce_variables
1122   fn_name fn_def.func_body} in
1123 (reduce_variables "global" globals, StringMap.mapi reduce_function functions,
  externs)
1124
1125 let check_semantics (globals, functions, externs) =
1126   let fn_signatures = map_of_list
1127     (builtin_signatures @
1128      (StringMap.fold (fun s f l -> (s, List.length f.func_params) :: l) functions
1129       [])) @
1130     (StringMap.fold (fun s f l -> (s, List.length f.extern_fn_params) :: l) externs

```

```

    [])) in
1124 let check_function fname f =
1125   if StringMap.mem fname externs then raise(DuplicateDefinition(fname ^ "() is
      defined as both an external and local function")) else ();
1126   let locals = f.func.body in
1127   let params = List.map snd f.func.params in
1128   List.iter
1129     (fun param ->
1130      if StringMap.mem param locals then raise(DuplicateDefinition(param ^ " is
        defined multiple times in " ^ fname ^ "()))
1131      else ())
1132   params ;
1133 let check_call called_fname num_args =
1134   match called_fname with
1135   | "printf" -> ()
1136   | _ -> if (not (StringMap.mem called_fname fn_signatures)) then raise(
      UnknownFunction(called_fname))
1137   else let signature_args = StringMap.find called_fname fn_signatures in
1138   if num_args != signature_args then raise(WrongNumberArgs(
1139     "In " ^ fname ^ "(), the function " ^ called_fname ^ "() was called
      with " ^ string_of_int num_args ^ " arguments " ^
1140     "but the signature specifies " ^ string_of_int signature_args
1141     ))
1142   else () in
1143 let rec check_expr = function
1144   BinOp(e1, _, e2) -> check_expr e1 ; check_expr e2
1145   | UnOp(_, e) -> check_expr e
1146   | Ternary(cond, e1, e2) -> check_expr cond ; check_expr e1 ; check_expr e2
1147   | ReducedTernary(s1, s2, s3) -> check_expr (Id(s1)) ; check_expr (Id(s2)) ;
      check_expr (Id(s3))
1148   | Id(s) -> if (List.mem s params || StringMap.mem s locals || StringMap.mem s
      globals) then () else raise(UnknownVariable(fname ^ "(): " ^ s))
1149   | Switch(Some e, cases, dflt) -> check_expr e ; List.iter check_case cases ;
      check_expr dflt
1150   | Switch(None, cases, dflt) -> List.iter check_case cases ; check_expr dflt
1151   | Call(called_fname, args) ->
1152     check_call called_fname (List.length args) ;
1153     List.iter check_expr args
1154   | Selection(e, (s11, s12)) -> check_expr e ; check_slice s11 ; check_slice s12
1155   | Precedence(e1, e2) -> check_expr e1 ; check_expr e2
1156   | Debug(e) -> check_expr e ;
1157   | LitInt(_) | LitFlt(_) | LitRange(_) | LitString(_) | Empty | Wild -> ()
1158 and check_case (conds, e) = List.iter check_expr conds ; check_expr e
1159 and check_slice = function
1160   None -> ()
1161   | Some (i1, i2) -> check_index i1 ; check_index i2
1162 and check_index = function
1163   Some Abs(e) -> check_expr e
1164   | Some Rel(e) -> check_expr e
1165   | _ -> () in
1166 let check_formula f =
1167   check_index (Some f.formula_row_start) ;
1168   check_index f.formula_row_end ;
1169   check_index (Some f.formula_col_start) ;
1170   check_index f.formula_col_end ;
1171   check_expr f.formula_expr in

```

```

1172   let check_dim = function
1173       DimInt(1) -> ()
1174       | DimInt(i) -> raise(IllegalExpression("This is not going to work right"))
1175       | DimId(s) -> check_expr (Id(s)) in
1176   let check_variable v =
1177       check_dim v.var_rows ;
1178       check_dim v.var_cols ;
1179       List.iter check_formula v.var_formulas in
1180
1181   StringMap.iter (fun _ v -> check_variable v) f.func_body ;
1182   check_expr (snd f.func_ret_val)
1183
1184   in StringMap.iter check_function functions
1185
1186 let create_ast filename =
1187   let ast_imp_res = expand_file filename in
1188   let ast_expanded = expand_expressions ast_imp_res in
1189   let ast_mapped = create_maps ast_expanded in check_semantics ast_mapped ;
1190   let ast_ternarized = ternarize_exprs ast_mapped in
1191   let ast_reduced = reduce_ternaries ast_ternarized in check_semantics ast_reduced ;
1192   ast_reduced

```

4.5 codegen.ml

```

1193 (* Extend code generator *)
1194
1195 open Ast
1196 open CodeGenTypes
1197 exception NotImplemented
1198 exception LogicError of string
1199
1200 type symbol = LocalVariable of int | GlobalVariable of int | FunctionParameter of int
1201             | ExtendFunction of int
1202 and symbolTable = symbol StringMap.t
1203 and symbolTableType = Locals | Globals | ExtendFunctions
1204
1205 let helper_functions = Hashtbl.create 10
1206 let runtime_functions = Hashtbl.create 20
1207
1208 let index_map table_type m =
1209   let add_item key _ (accum_map, accum_idx) =
1210       let index_val = match table_type with Locals -> LocalVariable(accum_idx) | Globals
1211       -> GlobalVariable(accum_idx) | ExtendFunctions -> ExtendFunction(accum_idx) in
1212       (StringMap.add key index_val accum_map, accum_idx + 1) in
1213   StringMap.fold add_item m (StringMap.empty, 0)
1214
1215 let (=>) struct_ptr elem = (fun val_name builder ->
1216   let the_pointer = LlvM.build_struct_gep struct_ptr elem "the_pointer" builder in
1217   LlvM.build_load the_pointer val_name builder);;
1218
1219 (* from http://stackoverflow.com/questions/243864/what-is-the-ocaml-idiom-equivalent-
1220   to-pythons-range-function without the infix *)
1221 let zero_until i =
1222   let rec aux n acc =
1223       if n < 0 then acc else aux (n-1) (n :: acc)

```

```

1221   in aux (i-1) []
1222
1223 let create_runtime_functions ctx bt the_module =
1224   let add_runtime_func fname returntype arglist =
1225     let the_func = Llvm.declare_function fname (Llvm.function_type returntype arglist)
1226       the_module
1227   in Hashtbl.add runtime_functions fname the_func in
1228   add_runtime_func "strlen" bt.long_t [|bt.char_p|];
1229   add_runtime_func "strcmp" bt.long_t [|bt.char_p; bt.char_p|];
1230   add_runtime_func "pow" bt.float_t [|bt.float_t; bt.float_t|];
1231   add_runtime_func "lrint" bt.int_t [|bt.float_t|];
1232   add_runtime_func "llvm.memcpy.p0i8.p0i8.i64" bt.void_t [|bt.char_p; bt.char_p; bt.
1233     long_t; bt.int_t; bt.bool_t|];
1234   add_runtime_func "getVal" bt.value_p [|bt.var_instance_p; bt.int_t; bt.int_t|];
1235   add_runtime_func "clone_value" bt.value_p [|bt.value_p|];
1236   (* add_runtime_func "freeMe" (Llvm.void_type ctx) [|bt.extend_scope_p|]; *)
1237   add_runtime_func "getSize" bt.value_p [|bt.var_instance_p|];
1238   add_runtime_func "get_variable" bt.var_instance_p [|bt.extend_scope_p; bt.int_t|];
1239   add_runtime_func "null_init" (Llvm.void_type ctx) [|bt.extend_scope_p|];
1240   add_runtime_func "debug_print" (Llvm.void_type ctx) [|bt.value_p; bt.char_p|];
1241   add_runtime_func "new_string_go_all_the_way" bt.value_p [|bt.char_p|];
1242   ()
1243
1244 let create_helper_functions ctx bt the_module =
1245   let create_def_bod fname rtype argtypes =
1246     let fn_def = Llvm.define_function fname (Llvm.function_type rtype (Array.of_list
1247       argtypes)) the_module in
1248     let fn_bod = Llvm.builder_at_end ctx (Llvm.entry_block fn_def) in
1249     (fn_def, fn_bod) in
1250   (* let create_is_subrange_1x1 fname =
1251     let is_index_one fn builder idx =
1252       let the_value = (Llvm.param fn 0) => (subrange.field_index idx) "the_value"
1253         builder in
1254       let the_bool = Llvm.build_icmp Llvm.Icmp.Eq the_value (Llvm.const_int bt.int_t
1255         1) "the_bool" builder in
1256       the_bool in
1257     let (fn_def, fn_bod) = create_def_bod fname bt.bool_t [bt.subrange_p] in
1258     let one_row = is_index_one fn_def fn_bod SubrangeRows in
1259     let one_col = is_index_one fn_def fn_bod SubrangeCols in
1260     let one_by_one = Llvm.build_and one_row one_col "one_by_one" fn_bod in
1261     let _ = Llvm.build_ret one_by_one fn_bod in
1262     Hashtbl.add helper_functions fname fn_def in
1263   *)
1264   let create_new_string fname =
1265     let (fn_def, fn_bod) = create_def_bod fname bt.string_p [bt.char_p] in
1266     let the_string_ptr = Llvm.build_malloc bt.string_t "the_string_ptr" fn_bod in
1267     let src_char_ptr = Llvm.param fn_def 0 in
1268     let dst_char_ptr_ptr = Llvm.build_struct_gep the_string_ptr (string.field_index
1269       StringCharPtr) "dst_char_ptr_ptr" fn_bod in
1270     let string_len = Llvm.build_call (Hashtbl.find runtime_functions "strlen") [|
1271       src_char_ptr|] "string_len" fn_bod in
1272     let extra_byte = Llvm.build_add string_len (Llvm.const_int bt.long_t 1) "
1273       extra_byte" fn_bod in
1274     let strlen_ptr = Llvm.build_struct_gep the_string_ptr (string.field_index
1275       StringLen) "strlen_ptr" fn_bod in

```

```

1268 let refcount_ptr = LlvM.build_struct_gep the_string_ptr (string_field_index
1269 StringRefCount) "refcount" fn.bod in
1270 let dst_char_ptr = LlvM.build_array_malloc bt.char_t extra_byte "dst_char_ptr"
1271 fn.bod in
1272 let _ = LlvM.build_store dst_char_ptr dst_char_ptr_ptr fn.bod in
1273 let _ = LlvM.build_call (Hashtbl.find runtime_functions "llvm.memcpy.p0i8.p0i8.i64
1274 ")
1275 [| dst_char_ptr ; src_char_ptr ; extra_byte ; (LlvM.const_int bt.int_t 0) ; (
1276 LlvM.const_int bt.bool_t 0) |]
1277 " " fn.bod in
1278 let _ = LlvM.build_store string.len strlen_ptr fn.bod in
1279 let _ = LlvM.build_store (LlvM.const_int bt.int_t 1) refcount_ptr fn.bod in
1280 let _ = LlvM.build_ret the_string_ptr fn.bod in
1281 Hashtbl.add helper_functions fname fn_def in
1282
1283 (* let create_box_native_string_list fname =
1284 let (fn_def, fn_bod) = create_def_bod fname bt.string_p_p [bt.int_t; bt.char_p_p]
1285 in
1286 let argc = LlvM.param fn_def 0 in
1287 let argv = LlvM.param fn_def 1 in
1288 let ret_val = LlvM.build_array_malloc bt.string_p argc "ret_val" fn_bod in
1289 let i_ptr = LlvM.build_alloca bt.int_t "i_ptr" fn_bod in
1290 let _ = LlvM.build_store (LlvM.const_int bt.int_t 0) i_ptr fn_bod in (* i = 0; *)
1291 let pred_bb = LlvM.append_block ctx "while_pred" fn_def in
1292 let body_bb = LlvM.append_block ctx "while_body" fn_def in
1293 let merge_bb = LlvM.append_block ctx "merge" fn_def in
1294 let _ = LlvM.build_br pred_bb fn_bod in
1295 let pred_builder = LlvM.builder_at_end ctx pred_bb in
1296 let i_val = LlvM.build_load i_ptr "i" pred_builder in
1297 let pred_bool = LlvM.build_icmp LlvM.Icmp.Slt i_val argc "i<argc" pred_builder
1298 in (* i < argc *)
1299 let _ = LlvM.build_cond_br pred_bool body_bb merge_bb pred_builder in
1300 let body_builder = LlvM.builder_at_end ctx body_bb in
1301 let i_val = LlvM.build_load i_ptr "i" body_builder in
1302 let argv_i_addr = LlvM.build_in_bounds_gep argv [|i_val|] "argv_i_addr"
1303 body_builder in
1304 let argv_i = LlvM.build_load argv_i_addr "argv_i" body_builder in
1305 let ns_ptr = LlvM.build_call (Hashtbl.find helper_functions "new_string") [|argv_i
1306 |] "ns_ptr" body_builder in
1307 let dst = LlvM.build_in_bounds_gep ret_val [|i_val|] "dst" body_builder in
1308 let _ = LlvM.build_store ns_ptr dst body_builder in
1309 let i_plus_1 = LlvM.build_add i_val (LlvM.const_int bt.int_t 1) "i_plus_1"
1310 body_builder in
1311 let _ = LlvM.build_store i_plus_1 i_ptr body_builder in
1312 let _ = LlvM.build_br pred_bb body_builder in
1313 let merge_builder = LlvM.builder_at_end ctx merge_bb in
1314 let _ = LlvM.build_ret ret_val merge_builder in
1315 Hashtbl.add helper_functions fname fn_def in *)
1316
1317 let create_box_value_string fname =
1318 let (fn_def, fn_bod) = create_def_bod fname bt.value_p [bt.string_p] in
1319 let str = LlvM.param fn_def 0 in
1320 let ret_val = LlvM.build_malloc bt.value_t " " fn_bod in
1321 let sp = LlvM.build_struct_gep ret_val (value_field_index String) "str_pointer"
1322 fn_bod in
1323 let _ = LlvM.build_store (LlvM.const_int bt.char_t (value_field_flags_index String

```

```

    )) (Llvm.build_struct_gep ret_val (value_field_index Flags) "" fn_bod) fn_bod
    in
1314   let _ = Llvm.build_store str sp fn_bod in
1315   let _ = Llvm.build_ret ret_val fn_bod in
1316   Hashtbl.add helper_functions fname fn_def in
1317
1318   (* let create_box_value_float fname =
1319       let (fn_def, fn_bod) = create_def_bod fname bt.value_p [bt.float_t] in
1320       let str = Llvm.param fn_def 0 in
1321       let ret_val = Llvm.build_malloc bt.value_t "" fn_bod in
1322       let sp = Llvm.build_struct_gep ret_val (value_field_index Number) "num_pointer"
           fn_bod in
1323       let _ = Llvm.build_store (Llvm.const_int bt.char_t (value_field_index Number)
           )) (Llvm.build_struct_gep ret_val (value_field_index Flags) "" fn_bod) fn_bod
           in
1324       let _ = Llvm.build_store str sp fn_bod in
1325       let _ = Llvm.build_ret ret_val fn_bod in
1326       Hashtbl.add helper_functions fname fn_def in *)
1327
1328
1329   (* let create_box_single_value fname =
1330       let (fn_def, fn_bod) = create_def_bod fname bt.subrange_p [bt.value_p] in
1331       let value = Llvm.param fn_def 0 in
1332       let subrange = Llvm.build_malloc bt.subrange_t "" fn_bod in
1333       let var_instance = Llvm.build_malloc bt.var_instance_t "" fn_bod in
1334       let rp = Llvm.build_struct_gep subrange (subrange_field_index BaseRangePtr) "
           range_p" fn_bod in
1335       let vp = Llvm.build_struct_gep var_instance (var_instance_field_index Values) "
           value_p" fn_bod in
1336       let _ = Llvm.build_store value vp fn_bod in
1337       let _ = Llvm.build_store var_instance rp fn_bod in
1338       let _ = Llvm.build_store (Llvm.const_int bt.int_t 0) (Llvm.build_struct_gep
           subrange (subrange_field_index BaseOffsetCol) "" fn_bod) fn_bod in
1339       let _ = Llvm.build_store (Llvm.const_int bt.int_t 0) (Llvm.build_struct_gep
           subrange (subrange_field_index BaseOffsetRow) "" fn_bod) fn_bod in
1340       let _ = Llvm.build_store (Llvm.const_int bt.int_t 1) (Llvm.build_struct_gep
           subrange (subrange_field_index SubrangeRows) "" fn_bod) fn_bod in
1341       let _ = Llvm.build_store (Llvm.const_int bt.int_t 1) (Llvm.build_struct_gep
           subrange (subrange_field_index SubrangeCols) "" fn_bod) fn_bod in
1342       let _ = Llvm.build_store (Llvm.const_int bt.int_t 1) (Llvm.build_struct_gep
           var_instance (var_instance_field_index Rows) "" fn_bod) fn_bod in
1343       let _ = Llvm.build_store (Llvm.const_int bt.int_t 1) (Llvm.build_struct_gep
           var_instance (var_instance_field_index Cols) "" fn_bod) fn_bod in
1344       let _ = Llvm.build_ret subrange fn_bod in
1345       Hashtbl.add helper_functions fname fn_def in *)
1346
1347   (* create_is_subrange_1x1 "is_subrange_1x1"; *)
1348   (* create_get_val "get_val";
1349   create_deref_subrange "deref_subrange"; *)
1350   create_new_string "new_string";
1351   (* create_box_native_string_list "box_native_string_list"; *)
1352   create_box_value_string "box_value_string";
1353   (* create_box_single_value "box_single_value"; *)
1354   (* create_box_value_float "box_value_float"; *)
1355   ()
1356

```

```

1357 let translate (globals, functions, externs) =
1358
1359     (* LLVM Boilerplate *)
1360     let context = Llv.global_context () in
1361     let base_module = Llv.create_module context "Extend" in
1362     let base_types = setup_types context in
1363
1364     (* Declare the runtime functions that we need to call *)
1365     create_runtime_functions context base_types base_module ;
1366     create_helper_functions context base_types base_module ;
1367
1368     (* Build function_llvalues, which is a StringMap from function name to llvalue.
1369      * It includes both functions from external libraries, such as the standard library,
1370      * and functions declared within Extend. *)
1371     let declare_library_function fname func accum_map =
1372         let llvm_f_type = Llv.function_type base_types.value_p (Array.of_list (List.map (
1373             fun a -> base_types.value_p) func.extern_fn_params)) in
1374         let llvm_fn = Llv.declare_function fname llvm_f_type base_module in
1375         StringMap.add fname llvm_fn accum_map in
1376     let library_functions = StringMap.fold declare_library_function externs StringMap.
1377         empty in
1378
1379     let define_user_function fname func =
1380         let llvm_fname = "extend." ^ fname in
1381         let llvm_f_type = Llv.function_type base_types.value_p (Array.of_list (List.map (
1382             fun a -> base_types.value_p) func.func_params)) in
1383         let llvm_fn = Llv.define_function llvm_fname llvm_f_type base_module in
1384         (func, llvm_fn) in
1385     let extend_functions = StringMap.mapi define_user_function functions in
1386     let function_llvalues = StringMap.fold StringMap.add (StringMap.map snd
1387         extend_functions) library_functions in
1388
1389     (* Build the global symbol table *)
1390     let (global_symbols, num_globals) = index_map Globals globals in
1391     let (extend_fn_numbers, num_extend_fns) = index_map ExtendFunctions extend_functions
1392         in
1393
1394     (* Create the global array that will hold each function's array of var_defns. *)
1395     let vardefn_ptr = Llv.const_pointer_null base_types.var_defn_p in
1396     let vardefn_array = Array.make (StringMap.cardinal extend_functions) vardefn_ptr in
1397     let array_of_vardefn_ptrs = Llv.define_global "array_of_vardefn_ptrs" (Llv.
1398         const_array base_types.var_defn_p vardefn_array) base_module in
1399
1400     (* Create the pointer to the global scope object *)
1401     let global_scope_loc = Llv.define_global "global_scope_loc" (Llv.
1402         const_pointer_null base_types.extend_scope_p) base_module in
1403
1404     let main_def = Llv.define_function "main" (Llv.function_type base_types.int_t [|
1405         base_types.int_t; base_types.char_p_p|]) base_module in
1406     let main_bod = Llv.builder_at_end context (Llv.entry_block main_def) in
1407
1408     (* Create the array of value_ps that will contain the responses to TypeOf(val) *)
1409     let null_val_ptr = Llv.const_pointer_null base_types.value_p in
1410     let null_val_array = Array.make (Array.length int_to_type_array) null_val_ptr in
1411     let array_of_typeof_val_ptrs = Llv.define_global "array_of_val_ptrs" (Llv.
1412         const_array base_types.value_p null_val_array) base_module in
1413     let create_typeof_string i s =

```

```

1404 let sp = LlvM.build.global.stringptr s "global.typeof.stringptr" main.bod in
1405 let vp = LlvM.build.call (Hashtbl.find runtime.functions "
    new.string.go.all.the.way") [|sp|] "global.typeof.string" main.bod in
1406 let vp_dst = LlvM.build.in.bounds.gep array.of.typeof.val_ptrs [|LlvM.const.int
    base.types.int_t 0; LlvM.const.int base.types.int_t i|] ("global.typeof.dst")
    main.bod in
1407 let _ = LlvM.build.store vp vp_dst main.bod in
1408 () in
1409 Array.iteri create.typeof.string int.to.type.array ;
1410
1411 (* Look these two up once and for all *)
1412 (* let deepCopy = Hashtbl.find runtime.functions "deepCopy" in *)
1413 (* let freeMe = Hashtbl.find runtime.functions "freeMe" in *)
1414 let getVal = Hashtbl.find runtime.functions "getVal" in (*getVal retrieves the value
    of a variable instance for a specific x and y*)
1415 let getVar = Hashtbl.find runtime.functions "get.variable" in (*getVar retrieves a
    variable instance based on the offset. It instantiates the variable if it does
    not exist yet*)
1416
1417 (* build_formula_function takes a symbol table and an expression, builds the LLVM
    function, and returns the llvalue of the function *)
1418 let build_formula_function (varname, formula_idx) symbols formula_expr =
1419     let form_decl = LlvM.define.function ("formula_fn." ^ varname ^ "_num." ^ (
        string.of_int formula_idx)) base.types.formula.call_t base.module in
1420     let builder_at_top = LlvM.builder.at_end context (LlvM.entry_block form_decl) in
1421     let local_scope = LlvM.param form_decl 0 in
1422     let global_scope = LlvM.build.load global_scope.loc "global_scope" builder_at_top
        in
1423
1424     (* Some repeated stuff to avoid cut & paste *)
1425     let empty_type = (LlvM.const.int base.types.char_t (value.field.flags_index Empty)
        ) in
1426     let number_type = (LlvM.const.int base.types.char_t (value.field.flags_index
        Number)) in
1427     let string_type = (LlvM.const.int base.types.char_t (value.field.flags_index
        String)) in
1428     let range_type = (LlvM.const.int base.types.char_t (value.field.flags_index Range)
        ) in
1429     let make_block blockname =
1430         let new_block = LlvM.append.block context blockname form_decl in
1431         let new_builder = LlvM.builder.at_end context new_block in
1432         (new_block, new_builder) in
1433     let store_number value_ptr store_builder number.llvalue =
1434         let sp = LlvM.build.struct.gep value_ptr (value.field.index Number) "num.pointer
        " store_builder in
1435         let _ = LlvM.build.store number_type (LlvM.build.struct.gep value_ptr (
            value.field.index Flags) "" store_builder) store_builder in
1436         ignore (LlvM.build.store number.llvalue sp store_builder) in
1437     let store_empty value_ptr store_builder =
1438         ignore (LlvM.build.store empty_type (LlvM.build.struct.gep value_ptr (
            value.field.index Flags) "" store_builder) store_builder) in
1439
1440     let make_truthiness_blocks blockprefix ret_val =
1441         let (merge_bb, merge_builder) = make_block (blockprefix ^ "_merge") in
1442
1443         let (make_true_bb, make_true_builder) = make_block (blockprefix ^ "_true") in

```



```

1444     let _ = store_number ret_val make_true_builder (Llvm.const_float base_types.
1445         float_t 1.0) in
1446
1447     let (make_false_bb, make_false_builder) = make_block (blockprefix ^ "_false") in
1448     let _ = store_number ret_val make_false_builder (Llvm.const_float base_types.
1449         float_t 0.0) in
1450     let _ = Llvm.build_br merge_bb make_false_builder in
1451
1452     let (make_empty_bb, make_empty_builder) = make_block (blockprefix ^ "_empty") in
1453     let _ = store_empty ret_val make_empty_builder in
1454     let _ = Llvm.build_br merge_bb make_empty_builder in
1455     (make_true_bb, make_false_bb, make_empty_bb, merge_builder) in
1456
1457 let rec build_expr old_builder exp = match exp with
1458   LitInt(i) -> let vvv = Llvm.const_float base_types.float_t (float_of_int i) in
1459     let ret_val = Llvm.build_malloc base_types.value_t "int_ret_val" old_builder
1460       in
1461     let _ = store_number ret_val old_builder vvv in
1462     (ret_val, old_builder)
1463   | LitFlt(f) -> let vvv = Llvm.const_float base_types.float_t f in
1464     let ret_val = Llvm.build_malloc base_types.value_t "flt_ret_val" old_builder
1465       in
1466     let _ = store_number ret_val old_builder vvv in
1467     (ret_val, old_builder)
1468   | Empty ->
1469     let ret_val = Llvm.build_malloc base_types.value_t "empty_ret_val" old_builder
1470       in
1471     let _ = store_empty ret_val old_builder in
1472     (ret_val, old_builder)
1473   | Debug(e) ->
1474     let (ret_val, new_builder) = build_expr old_builder e in
1475     let _ = Llvm.build_call (Hashtbl.find runtime.functions "debug_print") [|
1476       ret_val; Llvm.const_pointer.null base_types.char_p|] "" new_builder in
1477     (ret_val, new_builder)
1478   | Id(name) ->
1479     (
1480       match (try StringMap.find name symbols with Not_found -> raise (LogicError("
1481         Something went wrong with your semantic analysis - " ^ name ^ " not found
1482         "))) with
1483       | LocalVariable(i) ->
1484         let llvm_var = Llvm.build_call getVar [|local_scope; Llvm.const_int
1485           base_types.int_t i|] "llvm_var" old_builder in
1486         (Llvm.build_call getVal [|llvm_var; Llvm.const_int base_types.int_t 0;
1487           Llvm.const_int base_types.int_t 0|] "local_id_ret_val" old_builder,
1488           old_builder)
1489       | GlobalVariable(i) ->
1490         let llvm_var = Llvm.build_call getVar [|global_scope; Llvm.const_int
1491           base_types.int_t i|] "llvm_var" old_builder in
1492         (Llvm.build_call getVal [|llvm_var; Llvm.const_int base_types.int_t 0;
1493           Llvm.const_int base_types.int_t 0|] "global_id_ret_val" old_builder,
1494           old_builder)
1495       | FunctionParameter(i) ->
1496         let paramarray = (local_scope => (scope.field_type_index FunctionParams))
1497           "paramarray" old_builder in

```

```

1485     let param_addr = LlvM.build.in.bounds.gep paramarray [|LlvM.const.int
1486         base.types.int.t i|] "param_addr" old_builder in
1487     let param = LlvM.build.load param_addr "param" old_builder in
1488     (LlvM.build.call (Hashtbl.find runtime.functions "clone_value") [|param|]
1489         "function_param_ret_val" old_builder, old_builder)
1489 | ExtendFunction(i) -> raise (LogicError("Something went wrong with your
1490     semantic analysis - function " ^ name ^ " used as variable in RHS for " ^
1491     varname))
1492 )
1493 | Selection(expr, sel) -> build_expr old_builder expr
1494 | Precedence(a,b) -> let (_, new_builder) = build_expr old_builder a in
1495     build_expr new_builder b
1496 | LitString(str) ->
1497     let boxxxx = LlvM.build.call
1498         (Hashtbl.find helper.functions "new_string")
1499         (Array.of_list [
1500             LlvM.build.global.stringptr str "glob_str" old_builder
1501         ]) "boxed_str" old_builder in
1502     let boxx = LlvM.build.call
1503         (Hashtbl.find helper.functions "box_value_string")
1504         (Array.of_list [boxxxx]) "box_value_str" old_builder
1505     in (boxx, old_builder)
1506 | Call(fn,exl) -> (*TODO: Call needs to be reviewed. Possibly switch call
1507     arguments to value_p*)
1508     let build_one_expr (arg_list, intermediate_builder) e =
1509         let (arg_val, next_builder) = build_expr intermediate_builder e in
1510         (arg_val :: arg_list, next_builder) in
1511     let (reversed_arglist, call_builder) = List.fold_left build_one_expr ([],
1512         old_builder) exl in
1513     let args = Array.of_list (List.rev reversed_arglist) in
1514     let result = LlvM.build.call (
1515         StringMap.find fn function_llvalues
1516     ) args "call_ret_val" call_builder in
1517     (result, call_builder)
1518 | BinOp(expr1,op,expr2) -> (
1519     let (val1, builder1) = build_expr old_builder expr1 in
1520     let (val2, int_builder) = build_expr builder1 expr2 in
1521     let bit_shift = (LlvM.const.int base.types.char.t 4) in
1522     let expr1_type = (val1 => (value.field.index Flags)) "expr1_type"
1523         int_builder in
1524     let expr2_type = (val2 => (value.field.index Flags)) "expr2_type"
1525         int_builder in
1526     let expr1_type_shifted = LlvM.build.shl expr1_type bit_shift "
1527         expr1_type_shifted" int_builder in
1528     let combined_type = LlvM.build.add expr1_type_shifted expr2_type "
1529         combined_type" int_builder in
1530     let number_number = LlvM.const.add (LlvM.const.shl number_type bit_shift)
1531         number_type in
1532     let string_string = LlvM.const.add (LlvM.const.shl string_type bit_shift)
1533         string_type in
1534     let empty_empty = LlvM.const.add (LlvM.const.shl empty_type bit_shift)
1535         empty_type in
1536     let range_range = LlvM.const.add (LlvM.const.shl range_type bit_shift)
1537         range_type in
1538     let build_simple_binop oppp int_builder =
1539         (let ret_val = LlvM.build.malloc base.types.value.t "binop_minus_ret_val"

```

```

1526         int_builder in
1527     let _ = LlvM.build.store
1528     (
1529         LlvM.const_int
1530         base.types.char_t
1531         (value.field.flags.index Empty)
1532     ) (
1533         LlvM.build.struct.gep
1534         ret_val
1535         (value.field.index Flags)
1536         ""
1537         int_builder
1538     )
1539     int_builder
1540 in
1541 let bailout = (LlvM.append.block context "" form.decl) in
1542 let bbailout = LlvM.builder.at.end context bailout in
1543 let (numnum.bb, numnum.builder) = make.block "numnum" in
1544 let numeric_val_1 = (val1 => (value.field.index Number)) "number.one"
1545     numnum.builder in
1546 let numeric_val_2 = (val2 => (value.field.index Number)) "number.two"
1547     numnum.builder in
1548 let numeric.res = oppp numeric_val_1 numeric_val_2 "numeric.res"
1549     numnum.builder in
1550 let _ = LlvM.build.store
1551     numeric.res (
1552         LlvM.build.struct.gep
1553         ret_val
1554         (value.field.index Number)
1555         ""
1556         numnum.builder
1557     )
1558     numnum.builder in
1559 let _ = LlvM.build.store
1560 (
1561     LlvM.const_int
1562     base.types.char_t
1563     (value.field.flags.index Number)
1564 ) (
1565     LlvM.build.struct.gep
1566     ret_val
1567     (value.field.index Flags)
1568     ""
1569     numnum.builder
1570 )
1571     numnum.builder in
1572 let _ = LlvM.build.br bailout numnum.builder in
1573 let _ = LlvM.build.cond.br (LlvM.build.icmp LlvM.Icmp.Eq combined.type
1574     number.number "" int_builder) numnum.bb bailout int_builder in
1575     (ret_val, bbailout)
1576 )
1577 and build.simple.int.binop oppp int_builder =
1578 (let ret_val = LlvM.build.malloc base.types.value_t "binop.minus.ret_val"
1579     int_builder in
1580     let _ = LlvM.build.store
1581     (

```

```

1576         Lllvm.const.int
1577         base.types.char.t
1578         (value.field.flags.index Empty)
1579     ) (
1580         Lllvm.build.struct.gep
1581         ret_val
1582         (value.field.index Flags)
1583         ""
1584         int_builder
1585     )
1586     int_builder
1587 in
1588 let bailout = (Lllvm.append_block context "" form.decl) in
1589 let bbailout = Lllvm.builder_at_end context bailout in
1590 let (numnum.bb, numnum.builder) = make_block "numnum" in
1591 let roundfl x = Lllvm.build.call (Hashtbl.find runtime.functions "lrint
1592 ") [|x|] "" numnum.builder in
1593 let numeric_val_1 = roundfl ((val1 => (value.field.index Number)) "
1594 number.one" numnum.builder) in
1595 let numeric_val_2 = roundfl ((val2 => (value.field.index Number)) "
1596 number.two" numnum.builder) in
1597 let numeric.res = oppp numeric_val_1 numeric_val_2 "numeric.res"
1598 numnum.builder in
1599 let _ = Lllvm.build.store
1600 (Lllvm.build.sitofp numeric.res base.types.float.t "" numnum.builder
1601 )
1602 (
1603     Lllvm.build.struct.gep
1604     ret_val
1605     (value.field.index Number)
1606     ""
1607     numnum.builder
1608 )
1609 numnum.builder in
1610 let _ = Lllvm.build.store
1611 (
1612     Lllvm.const.int
1613     base.types.char.t
1614     (value.field.flags.index Number)
1615 ) (
1616     Lllvm.build.struct.gep
1617     ret_val
1618     (value.field.index Flags)
1619     ""
1620     numnum.builder
1621 )
1622 numnum.builder in
1623 let _ = Lllvm.build.br bailout numnum.builder in
1624 let _ = Lllvm.build.cond.br (Lllvm.build.icmp Lllvm.Icmp.Eq combined.type
1625 number.number "" int_builder) numnum.bb bailout int_builder in
1626 (ret_val, bbailout)
1627 ) in
1628 let build.boolean.op numeric.comparator string.comparator int_builder =
1629 let ret_val = Lllvm.build.malloc base.types.value.t "binop.gt.ret_val"
1630 int_builder in
1631 let (make.true.bb, make.false.bb, make.empty.bb, merge_builder) =

```

```

        make.truthiness.blocks "binop_eq" ret_val in
1625
1626     let (numnum_bb, numnum_builder) = make_block "numnum" in
1627     let numeric_val_1 = (val1 => (value_field_index Number)) "number_one"
        numnum_builder in
1628     let numeric_val_2 = (val2 => (value_field_index Number)) "number_two"
        numnum_builder in
1629     let numeric_greater = LlvM.build.fcmp numeric_comparator numeric_val_1
        numeric_val_2 "numeric_greater" numnum_builder in
1630     let _ = LlvM.build.cond_br numeric_greater make_true_bb make_false_bb
        numnum_builder in
1631
1632     let (strsr_bb, strsr_builder) = make_block "strsr" in
1633     let str_p_1 = (val1 => (value_field_index String)) "string_one"
        strsr_builder in
1634     let str_p_2 = (val2 => (value_field_index String)) "string_two"
        strsr_builder in
1635     let char_p_1 = (str_p_1 => (string_field_index StringCharPtr)) "char_p_one"
        " strsr_builder in
1636     let char_p_2 = (str_p_2 => (string_field_index StringCharPtr)) "char_p_two"
        " strsr_builder in
1637     let strcmp_result = LlvM.build.call (Hashtbl.find runtime_functions "
        strcmp") [|char_p_1; char_p_2|] "strcmp_result" strsr_builder in
1638     let string_greater = LlvM.build.icmp string_comparator strcmp_result (LlvM
        .const_null base_types.long_t) "string_greater" strsr_builder in
1639     let _ = LlvM.build.cond_br string_greater make_true_bb make_false_bb
        strsr_builder in
1640
1641     let switch_inst = LlvM.build.switch combined_type make_empty_bb 2
        int_builder in (* Incompatible ==> default to empty *)
1642     LlvM.add_case switch_inst number_number numnum_bb;
1643     LlvM.add_case switch_inst string_string strsr_bb;
1644     (ret_val, merge_builder) in
1645 match op with
1646 | Minus -> build.simple_binop LlvM.build.fsub int_builder
1647 | Plus ->
1648     let result = LlvM.build.malloc base_types.value_t "" int_builder
1649     and stradd = (LlvM.append_block context "" form_decl)
1650     and numadd = (LlvM.append_block context "" form_decl)
1651     and bailout = (LlvM.append_block context "" form_decl)
1652     and numorstrother = (LlvM.append_block context "" form_decl)
1653     and strorother = (LlvM.append_block context "" form_decl)
1654     in
1655     let bstradd = LlvM.builder_at_end context stradd
1656     and bnumadd = LlvM.builder_at_end context numadd
1657     and bnumorstrother = LlvM.builder_at_end context numorstrother
1658     and bstrother = LlvM.builder_at_end context strorother
1659     and bbailout = LlvM.builder_at_end context bailout
1660     and _ = LlvM.build.store
1661     (
1662         LlvM.const_int
1663         base_types.char_t
1664         (value_field_flags_index Empty)
1665     ) (
1666         LlvM.build.struct_gep
1667         result

```

```

1668         (value.field.index Flags)
1669         ""
1670         int_builder
1671     )
1672     int_builder
1673 in
1674 (*let _ = LlvM.build.cond_br pred_bool body_bb merge_bb pred_builder in
*)
1675 let isnumber = LlvM.build.icmp
1676   LlvM.Icmp.Eq
1677   (
1678     LlvM.build.load
1679     (
1680       LlvM.build.struct_gep
1681       vail
1682       (value.field.index Flags)
1683       ""
1684       bnumorstrother
1685     ) "" bnumorstrother
1686   ) (
1687     LlvM.const_int
1688     base.types.char_t
1689     (value.field.flags.index Number)
1690   )
1691   ""
1692   bnumorstrother
1693 and isstring = LlvM.build.icmp
1694   LlvM.Icmp.Eq
1695   (
1696     LlvM.build.load
1697     (
1698       LlvM.build.struct_gep
1699       vail
1700       (value.field.index Flags)
1701       ""
1702       bstrother
1703     )
1704     ""
1705     bstrother
1706   ) (
1707     LlvM.const_int
1708     base.types.char_t
1709     (value.field.flags.index String)
1710   )
1711   ""
1712   bstrother
1713 and isnumorstring = LlvM.build.icmp
1714   LlvM.Icmp.Eq
1715   (
1716     LlvM.build.load
1717     (
1718       LlvM.build.struct_gep
1719       vail
1720       (value.field.index Flags)
1721       ""
1722       int_builder

```

```

1723         )
1724         ""
1725         int_builder
1726     ) (
1727         Llvm.build_load
1728         (
1729             Llvm.build_struct_gep
1730             val2
1731             (value_field_index Flags)
1732             ""
1733             int_builder
1734         )
1735         ""
1736         int_builder
1737     )
1738     ""
1739     int_builder
1740 and _ = Llvm.build_store (
1741     Llvm.build_fadd
1742     (
1743         Llvm.build_load
1744         (
1745             Llvm.build_struct_gep
1746             val1
1747             (value_field_index Number)
1748             ""
1749             bnumadd
1750         )
1751         ""
1752         bnumadd
1753     ) (
1754         Llvm.build_load
1755         (
1756             Llvm.build_struct_gep
1757             val2
1758             (value_field_index Number)
1759             ""
1760             bnumadd
1761         )
1762         ""
1763         bnumadd
1764     )
1765     ""
1766     bnumadd
1767 ) (
1768     Llvm.build_struct_gep
1769     result
1770     (value_field_index Number)
1771     ""
1772     bnumadd
1773 )
1774     bnumadd
1775 and _ = Llvm.build_store (
1776     Llvm.const_int base_types.char_t (value_field_flags_index Number)
1777     ) (
1778         Llvm.build_struct_gep

```

```

1779         result
1780         (value.field.index Flags)
1781         ""
1782         bnumadd
1783     )
1784     bnumadd
1785 and str1 = LlvM.build.load
1786 (
1787     LlvM.build.struct.gep
1788     val1
1789     (value.field.index String)
1790     ""
1791     bstradd
1792 ) "" bstradd
1793 and str2 = LlvM.build.load
1794 (
1795     LlvM.build.struct.gep
1796     val2
1797     (value.field.index String)
1798     ""
1799     bstradd
1800 ) "" bstradd
1801 and newstr =
1802 (
1803     LlvM.build.malloc base.types.string_t "" bstradd
1804 )
1805 in
1806 let len1 = LlvM.build.load (
1807     LlvM.build.struct.gep
1808     str1
1809     (string.field.index StringLen)
1810     ""
1811     bstradd
1812 ) "" bstradd
1813 and len2 = LlvM.build.load (
1814     LlvM.build.struct.gep
1815     str2
1816     (string.field.index StringLen)
1817     ""
1818     bstradd
1819 ) "" bstradd
1820 and p1 = LlvM.build.load (
1821     LlvM.build.struct.gep
1822     str1
1823     (string.field.index StringCharPtr)
1824     ""
1825     bstradd
1826 ) "" bstradd
1827 and p2 = LlvM.build.load (
1828     LlvM.build.struct.gep
1829     str2
1830     (string.field.index StringCharPtr)
1831     ""
1832     bstradd
1833 ) "" bstradd
1834 and dst_char_ptr_ptr = (

```



```

1835         Lllvm.build.struct.gep
1836         newstr
1837         (string_field_index StringCharPtr)
1838         ""
1839         bstradd
1840     )
1841     and _ = Lllvm.build.store (
1842         Lllvm.const.int base-types.char-t (value_field_flags_index String)
1843     ) (
1844         Lllvm.build.struct.gep
1845         result
1846         (value_field_index Flags)
1847         ""
1848         bstradd
1849     ) bstradd
1850     and _ = Lllvm.build.store newstr (
1851         Lllvm.build.struct.gep
1852         result
1853         (value_field_index String)
1854         ""
1855         bstradd
1856     )
1857     bstradd in
1858     let fullLen = Lllvm.build.nsw.add (Lllvm.build.nsw.add len1 len2 ""
1859         bstradd) (Lllvm.const.int base-types.long-t 1) "" bstradd
1860     and extra_byte2 = (Lllvm.build.add len2 (Lllvm.const.int base-types.long-t
1861         1) "" bstradd) in
1862     let dst_char = Lllvm.build.array.malloc base-types.char-t (Lllvm.
1863         build.trunc fullLen base-types.int-t "" bstradd) "" bstradd in
1864     let dst_char2 = Lllvm.build.in.bounds.gep dst_char [|len1|] "" bstradd in
1865     let _ = Lllvm.build.call
1866         (Hashtbl.find runtime-functions "llvm.memcpy.p0i8.p0i8.i64")
1867         [|dst_char; p1; len1; (Lllvm.const.int base-types.int-t 0); (Lllvm.
1868             const.int base-types.bool-t 0)|]
1869         ""
1870         bstradd
1871     and _ = Lllvm.build.call
1872         (Hashtbl.find runtime-functions "llvm.memcpy.p0i8.p0i8.i64")
1873         [|dst_char2; p2; extra_byte2; (Lllvm.const.int base-types.int-t 0); (
1874             Lllvm.const.int base-types.bool-t 0)|]
1875         ""
1876         bstradd
1877     and _ = Lllvm.build.store dst_char dst_char_ptr_ptr bstradd
1878     in
1879     let _ = Lllvm.build.store (Lllvm.build.nsw.add fullLen (Lllvm.const.int
1880         base-types.long-t (-1)) "" bstradd) (Lllvm.build.struct.gep newstr (
1881             string_field_index StringLen) "" bstradd) bstradd
1882     in
1883     let _ = Lllvm.build.cond.br isnumorstring numorstorother bailout
1884         int_builder
1885     and _ = Lllvm.build.cond.br isnumber numadd stororother bnumorstororother
1886     and _ = Lllvm.build.cond.br isstring stradd bailout bstororother
1887     and _ = Lllvm.build.br bailout bstradd
1888     and _ = Lllvm.build.br bailout bnumadd
1889     in
1890     (result, bbailout)

```

```

1883 | Times -> build.simple_binop Llvm.build.fmul int_builder
1884 | Eq ->
1885 | (* let _ = Llvm.build.call (Hashtbl.find runtime.functions "debug.print")
    | [|val1; Llvm.build.global_stringptr "Eq operator - value 1" ""
    | old_builder|] "" int_builder in
1886 | let _ = Llvm.build.call (Hashtbl.find runtime.functions "debug.print") [|
    | val2; Llvm.build.global_stringptr "Eq operator - value 2" ""
    | old_builder|] "" int_builder in *)
1887 | let ret_val = Llvm.build.malloc base.types.value_t "binop_eq.ret_val"
    | int_builder in
1888 | let (make_true_bb, make_false_bb, _, merge_builder) =
    | make.truthiness_blocks "binop_eq" ret_val in
1889 |
1890 | let (numnum_bb, numnum_builder) = make_block "numnum" in
1891 | let numeric_val_1 = (val1 => (value.field.index Number)) "number.one"
    | numnum_builder in
1892 | let numeric_val_2 = (val2 => (value.field.index Number)) "number.two"
    | numnum_builder in
1893 | let numeric_equality = Llvm.build.fcmp Llvm.Fcmp.Oeq numeric_val_1
    | numeric_val_2 "numeric_equality" numnum_builder in
1894 | let _ = Llvm.build.cond_br numeric_equality make_true_bb make_false_bb
    | numnum_builder in
1895 |
1896 | let (strsr_bb, strsr_builder) = make_block "strsr" in
1897 | let str_p_1 = (val1 => (value.field.index String)) "string.one"
    | strsr_builder in
1898 | let str_p_2 = (val2 => (value.field.index String)) "string.two"
    | strsr_builder in
1899 | let char_p_1 = (str_p_1 => (string.field.index StringCharPtr)) "char.p.one"
    | " strsr_builder in
1900 | let char_p_2 = (str_p_2 => (string.field.index StringCharPtr)) "char.p.two"
    | " strsr_builder in
1901 | let strcmp_result = Llvm.build.call (Hashtbl.find runtime.functions "
    | strcmp") [|char_p_1; char_p_2|] "strcmp_result" strsr_builder in
1902 | let string_equality = Llvm.build.icmp Llvm.Icmp.Eq strcmp_result (Llvm.
    | const.null base.types.long_t) "string_equality" strsr_builder in
1903 | let _ = Llvm.build.cond_br string_equality make_true_bb make_false_bb
    | strsr_builder in
1904 |
1905 | let (rngrng_bb, rngrng_builder) = make_block "rngrng" in
1906 | (* TODO: Make this case work *)
1907 | let _ = Llvm.build.br make_false_bb rngrng_builder in
1908 |
1909 | let switch_inst = Llvm.build.switch combined_type make_false_bb 4
    | int_builder in (* Incompatible ==> default to false *)
1910 | Llvm.add_case switch_inst number.number numnum_bb;
1911 | Llvm.add_case switch_inst string.string strsr_bb;
1912 | Llvm.add_case switch_inst range.range rngrng_bb;
1913 | Llvm.add_case switch_inst empty.empty make_true_bb; (* Nothing to check in
    | this case, just return true *)
1914 | (ret_val, merge_builder)
1915 | | Gt -> build.boolean_op Llvm.Fcmp.Ogt Llvm.Icmp.Sgt int_builder
1916 | | GtEq -> build.boolean_op Llvm.Fcmp.Oge Llvm.Icmp.Sge int_builder
1917 | | Lt -> build.boolean_op Llvm.Fcmp.Olt Llvm.Icmp.Slt int_builder
1918 | | LtEq -> build.boolean_op Llvm.Fcmp.Ole Llvm.Icmp.Sle int_builder
1919 | | LogAnd | LogOr -> raise (TransformedAway("&& and || should have been

```

```

        transformed into a short-circuit ternary expression! Error in the
        following expression:\n" ^ string-of-expr exp))
1920 | Divide-> build.simple.binop Llvm.build.fdiv int_builder
1921 | Mod-> build.simple.binop Llvm.build.frem int_builder
1922 | Pow-> (
1923 |   let powcall numeric_val.1 numeric_val.2 valname b =
1924 |     Llvm.build.call (Hashtbl.find runtime.functions "pow") [|numeric_val.1;
        numeric_val.2|] "" b in
1925 |   build.simple.binop powcall int_builder)
1926 | LShift-> build.simple.int.binop Llvm.build.shl int_builder
1927 | RShift-> build.simple.int.binop Llvm.build.lshr int_builder
1928 | BitOr-> build.simple.int.binop Llvm.build.or int_builder
1929 | BitAnd-> build.simple.int.binop Llvm.build.and int_builder
1930 | BitXor-> build.simple.int.binop Llvm.build.xor int_builder
1931 | )
1932 | UnOp(SizeOf,expr) -> let vvv = Llvm.const.float base.types.float.t 0.0 in
1933 |   let ret_val = Llvm.build.malloc base.types.value.t "unop.size.ret_val"
        old_builder in
1934 |   let sp = Llvm.build.struct.gep ret_val (value.field.index Number) "num.pointer
        " old_builder in
1935 |   let _ = Llvm.build.store (Llvm.const.int base.types.char.t (
        value.field.flags.index Number)) (Llvm.build.struct.gep ret_val (
        value.field.index Flags) "" old_builder) old_builder in
1936 |   let _ = Llvm.build.store vvv sp old_builder in
1937 |   (ret_val, old_builder)
1938 | UnOp(Truthy, expr) ->
1939 |   let ret_val = Llvm.build.malloc base.types.value.t "unop.truthy.ret_val"
        old_builder in
1940 |   let (expr_val, expr_builder) = build.expr old_builder expr in
1941 |
1942 |   let (truthy_bb, falsey_bb, empty_bb, merge_builder) = make.truthiness.blocks "
        binop.eq" ret_val in
1943 |
1944 |   let expr_flags = (expr_val => (value.field.index Flags)) "expr.flags"
        expr_builder in
1945 |   let is_empty_bool = (Llvm.build.icmp Llvm.Icmp.Eq expr_flags (Llvm.const.int
        base.types.flags.t (value.field.flags.index Empty)) "is.empty.bool"
        expr_builder) in
1946 |   let is_empty = Llvm.build.zext is_empty_bool base.types.char.t "is.empty"
        expr_builder in
1947 |   let is_empty_two = Llvm.build.shl is_empty (Llvm.const.int base.types.char.t
        1) "is.empty.two" expr_builder in
1948 |   let is_number = Llvm.build.icmp Llvm.Icmp.Eq expr_flags (Llvm.const.int
        base.types.flags.t (value.field.flags.index Number)) "is.number"
        expr_builder in
1949 |   let the_number = (expr_val => (value.field.index Number)) "the.number"
        expr_builder in
1950 |   let is_zero = Llvm.build.fcmp Llvm.Fcmp.Oeq the_number (Llvm.const.float
        base.types.number.t 0.0) "is.zero" expr_builder in
1951 |   let is_numeric_zero_bool = Llvm.build.and is_zero is_number "
        is_numeric_zero_bool" expr_builder in
1952 |   let is_numeric_zero = Llvm.build.zext is_numeric_zero_bool base.types.char.t "
        is_numeric_zero" expr_builder in
1953 |   let switch_num = Llvm.build.add is_empty_two is_numeric_zero "switch.num"
        expr_builder in
1954 |   let switch_inst = Llvm.build.switch switch_num empty_bb 2 expr_builder in

```

```

1955     Llvm.addcase switch_inst (Llvm.const_int base_types.char_t 0) truthy_bb; (*
        empty << 1 + is_zero == 0 ==> truthy *)
1956     Llvm.addcase switch_inst (Llvm.const_int base_types.char_t 1) falsey_bb; (*
        empty << 1 + is_zero == 1 ==> falsey *)
1957     (ret_val, merge_builder)
1958 | UnOp(LogNot, expr) ->
1959     let (truth_val, truth_builder) = build_expr old_builder (UnOp(Truthy, expr))
        in
1960     let the_number = (truth_val => (value_field.index Number)) "the_number"
        truth_builder in
1961     let not_the_number = Llvm.build_fsub (Llvm.const_float base_types.float_t 1.0)
        the_number "not_the_number" truth_builder in
1962     let sp = Llvm.build_struct_gep truth_val (value_field.index Number) "
        num_pointer" truth_builder in
1963     let _ = Llvm.build_store not_the_number sp truth_builder in
1964     (truth_val, truth_builder)
1965 | UnOp(Neg, expr) ->
1966     let ret_val = Llvm.build_malloc base_types.value_t "unop_truthy_ret_val"
        old_builder in
1967     let _ = store_empty ret_val old_builder in
1968     let (expr_val, expr_builder) = build_expr old_builder expr in
1969     let expr_type = (expr_val => (value_field.index Flags)) "expr_type"
        expr_builder in
1970     let is_number = Llvm.build_icmp Llvm.Icmp.Eq expr_type number_type "is_number"
        expr_builder in
1971     let (finish_bb, finish_builder) = make_block "finish" in
1972
1973     let (number_bb, number_builder) = make_block "number" in
1974     let the_number = (expr_val => (value_field.index Number)) "the_number"
        number_builder in
1975     let minus_the_number = Llvm.build_fneg the_number "minus_the_number"
        number_builder in
1976     let _ = store_number ret_val number_builder minus_the_number in
1977     let _ = Llvm.build_br finish_bb number_builder in
1978
1979     let _ = Llvm.build_cond_br is_number number_bb finish_bb expr_builder in
1980     (ret_val, finish_builder)
1981 | UnOp(BitNot, expr) -> print_endline "Unsupported Unop" ; print_endline (Ast.
        string_of_expr exp); raise NotImplemented
1982 | UnOp(TypeOf, expr) ->
1983     let (expr_val, expr_builder) = build_expr old_builder expr in
1984     let expr_type = (expr_val => (value_field.index Flags)) "expr_type"
        expr_builder in
1985     let vp_to_clone_loc = Llvm.build_in_bounds_gep array_of_typeof_val_ptrs [|Llvm
        .const_int base_types.int_t 0; expr_type|] ("vp_to_clone_log") expr_builder
        in
1986     let vp_to_clone = Llvm.build_load vp_to_clone_loc "vp_to_clone" expr_builder
        in
1987     let ret_val = Llvm.build_call (Hashtbl.find runtime_functions "clone_value")
        [|vp_to_clone|] "typeof_ret_val" expr_builder in
1988     (ret_val, expr_builder)
1989 | UnOp(Row, expr) -> print_endline "Unsupported Unop" ; print_endline (Ast.
        string_of_expr exp); raise NotImplemented
1990 | UnOp(Column, expr) -> print_endline "Unsupported Unop" ; print_endline (Ast.
        string_of_expr exp); raise NotImplemented
1991 | ReducedTernary(cond_var, true_var, false_var) ->

```

```

1992     let ret_val_addr = LlvM.build.alloca base.types.value.p "tern.ret_val_addr"
1993         old_builder in
1994     let (cond_val, _) = build.expr old_builder (Id(cond_var)) in (* Relying here
1995         on the fact that Id() doesn't change the builder *)
1996     let merge_bb = LlvM.append.block context "merge" form.decl in
1997     let merge_builder = LlvM.builder.at.end context merge_bb in
1998     let ret_val = LlvM.build.load ret_val_addr "tern.ret_val" merge_builder in
1999
2000     let truthy_bb = LlvM.append.block context "truthy" form.decl in
2001     let truthy_builder = LlvM.builder.at.end context truthy_bb in
2002     let (truthy_val, _) = build.expr truthy_builder (Id(true_var)) in (* Relying
2003         here on the fact that Id() doesn't change the builder *)
2004     let _ = LlvM.build.store truthy_val ret_val_addr truthy_builder in
2005     let _ = LlvM.build.br merge_bb truthy_builder in
2006
2007     let falsey_bb = LlvM.append.block context "falsey" form.decl in
2008     let falsey_builder = LlvM.builder.at.end context falsey_bb in
2009     let (falsey_val, _) = build.expr falsey_builder (Id(false_var)) in (* Relying
2010         here on the fact that Id() doesn't change the builder *)
2011     let _ = LlvM.build.store falsey_val ret_val_addr falsey_builder in
2012     let _ = LlvM.build.br merge_bb falsey_builder in
2013
2014     let empty_bb = LlvM.append.block context "empty" form.decl in
2015     let empty_builder = LlvM.builder.at.end context empty_bb in
2016     let ret_val_empty = LlvM.build.malloc base.types.value.t "tern.empty"
2017         empty_builder in
2018     let _ = store.empty ret_val_empty empty_builder in
2019     let _ = LlvM.build.store ret_val_empty ret_val_addr empty_builder in
2020     let _ = LlvM.build.br merge_bb empty_builder in
2021
2022     let expr_flags = (cond_val => (value.field.index Flags)) "expr.flags"
2023         old_builder in
2024     let is_empty_bool = (LlvM.build.icmp LlvM.Icmp.Eq expr_flags (LlvM.const.int
2025         base.types.flags.t (value.field.flags.index Empty)) "is.empty_bool"
2026         old_builder) in
2027     let is_empty = LlvM.build.zext is_empty_bool base.types.char.t "is.empty"
2028         old_builder in
2029     let is_empty_two = LlvM.build.shl is_empty (LlvM.const.int base.types.char.t
2030         1) "is.empty.two" old_builder in
2031     let is_number = LlvM.build.icmp LlvM.Icmp.Eq expr_flags (LlvM.const.int
2032         base.types.flags.t (value.field.flags.index Number)) "is.number"
2033         old_builder in
2034     let the_number = (cond_val => (value.field.index Number)) "the.number"
2035         old_builder in
2036     let is_zero = LlvM.build.fcmp LlvM.Fcmp.Oeq the_number (LlvM.const.float
2037         base.types.number.t 0.0) "is.zero" old_builder in
2038     let is_numeric_zero_bool = LlvM.build.and is_zero is_number "
2039         is.numeric.zero.bool" old_builder in
2040     let is_numeric_zero = LlvM.build.zext is_numeric_zero_bool base.types.char.t "
2041         is.numeric.zero" old_builder in
2042     let switch_num = LlvM.build.add is_empty_two is_numeric_zero "switch.num"
2043         old_builder in
2044     let switch_inst = LlvM.build.switch switch_num empty_bb 2 old_builder in
2045     LlvM.add.case switch_inst (LlvM.const.int base.types.char.t 0) truthy_bb; (*
2046         empty << 1 + is_zero == 0 ==> truthy *)
2047     LlvM.add.case switch_inst (LlvM.const.int base.types.char.t 1) falsey_bb; (*

```

```

    empty << 1 + is_zero == 1 ==> falsey *)
2030     (ret_val, merge_builder)
2031   | unknown_expr -> print_endline (string_of_expr unknown_expr); raise
    NotImplemented in
2032   let (ret_value_p, final_builder) = build_expr builder_at_top formula_expr in
2033   let _ = LlvM.build_ret ret_value_p final_builder in
2034   form_decl in
2035
2036   (*build formula creates a formula declaration in a separate method from the function
    it belongs to*)
2037   let build_formula (varname, idx) formula_array element symbols =
2038     let storage_addr = LlvM.build_in_bounds_gep formula_array [|LlvM.const_int
    base_types.int_t idx|] "" main_bod in
2039     let getStarts = function (* Not really just for starts *)
2040       Abs(LitInt(1)) | Abs(LitInt(0)) | DimensionStart | DimensionEnd -> (1, -1)
2041     | Abs(Id(s)) ->
2042       (match StringMap.find s symbols with
2043         LocalVariable(i) | GlobalVariable(i) -> (0, i)
2044       | _ -> raise(TransformedAway("Error in " ^ varname ^ ": The LHS expressions
    should always either have dimension length 1 or be the name of a variable
    in their own scope.")))
2045     | _ -> print_endline ("Error in " ^ varname ^ " formula number " ^ string_of_int
    idx); raise(LogicError("Something wrong with the index of formula: " ^
    string_of_formula element)) in
2046     let getEnds = function
2047       Some x -> let (b, c) = getStarts x in (b, c, 0)
2048     | None -> (0, -1, 1) in
2049     let (fromStartRow, rowStartVarnum) = getStarts element.formula_row.start in
2050     let (fromStartCol, colStartVarnum) = getStarts element.formula_col.start in
2051     let (toEndRow, rowEndVarnum, isSingleRow) = getEnds element.formula_row.end in
2052     let (toEndCol, colEndVarnum, isSingleCol) = getEnds element.formula_col.end in
2053
2054     let _ = LlvM.build_store (LlvM.const_int base_types.char_t fromStartRow) (LlvM.
    build_struct_gep storage_addr (formula_field_index FromFirstRow) "" main_bod)
    main_bod in
2055     let _ = LlvM.build_store (LlvM.const_int base_types.int_t rowStartVarnum) (LlvM.
    build_struct_gep storage_addr (formula_field_index RowStartNum) "" main_bod)
    main_bod in
2056     let _ = LlvM.build_store (LlvM.const_int base_types.char_t toEndRow) (LlvM.
    build_struct_gep storage_addr (formula_field_index ToLastRow) "" main_bod)
    main_bod in
2057     let _ = LlvM.build_store (LlvM.const_int base_types.int_t rowEndVarnum) (LlvM.
    build_struct_gep storage_addr (formula_field_index RowEndNum) "" main_bod)
    main_bod in
2058     let _ = LlvM.build_store (LlvM.const_int base_types.char_t isSingleRow) (LlvM.
    build_struct_gep storage_addr (formula_field_index IsSingleRow) "" main_bod)
    main_bod in
2059
2060     let _ = LlvM.build_store (LlvM.const_int base_types.char_t fromStartCol) (LlvM.
    build_struct_gep storage_addr (formula_field_index FromFirstCols) "" main_bod)
    main_bod in
2061     let _ = LlvM.build_store (LlvM.const_int base_types.int_t colStartVarnum) (LlvM.
    build_struct_gep storage_addr (formula_field_index ColStartNum) "" main_bod)
    main_bod in
2062     let _ = LlvM.build_store (LlvM.const_int base_types.char_t toEndCol) (LlvM.
    build_struct_gep storage_addr (formula_field_index ToLastCol) "" main_bod)

```

```

    main.bod in
2063 let _ = LlvM.build.store (LlvM.const.int base.types.int_t colEndVarnum) (LlvM.
    build.struct.gep storage.addr (formula.field.index ColEndNum) "" main.bod)
    main.bod in
2064 let _ = LlvM.build.store (LlvM.const.int base.types.char_t isSingleCol) (LlvM.
    build.struct.gep storage.addr (formula.field.index IsSingleCol) "" main.bod)
    main.bod in
2065
2066 let form.decl = build.formula.function (varname, idx) symbols element.formula.expr
    in
2067 let _ = LlvM.build.store form.decl (LlvM.build.struct.gep storage.addr (
    formula.field.index FormulaCall) "" main.bod) main.bod in
2068 () in
2069
2070 (* Builds a var.defn struct for each variable *)
2071 let build.var.defn defn varname va symbols =
2072     let numForm = List.length va.var.formulas in
2073     let formulas = LlvM.build.array.malloc base.types.formula_t (LlvM.const.int
    base.types.int_t numForm) "" main.bod in
2074     (*getDefn simply looks up the correct definition for a dimension declaration of a
    variable. Note that currently it is ambiguous whether it is a variable or a
    literal. TOOD: consider negative numbers*)
2075     let getDefn = function
2076         DimId(a) -> (match StringMap.find a symbols with LocalVariable(i) -> i |
            GlobalVariable(i) -> i | _ -> raise(TransformedAway("Error in " ^ varname ^
            ": The LHS expressions should always either have dimension length 1 or be
            the name of a variable in their own scope.")))
2077     | DimInt(1) -> 1
2078     | DimInt(_) -> print.endline "Non1Dim" ; raise(NotImplemented) in
2079     let _ = (match va.var.rows with
2080         DimInt(1) -> LlvM.build.store (LlvM.const.int base.types.char_t 1) (LlvM.
            build.struct.gep defn (var.defn.field.index OneByOne) "" main.bod)
            main.bod
2081         | DimInt(_) -> print.endline "Non1Dim" ; raise(NotImplemented)
2082         | DimId(a) -> (
2083             let _ = LlvM.build.store (LlvM.const.int base.types.char_t 0) (LlvM.
                build.struct.gep defn (var.defn.field.index OneByOne) "" main.bod)
                main.bod in ();
2084             let _ = LlvM.build.store (LlvM.const.int base.types.int_t (getDefn va.
                var.rows)) (LlvM.build.struct.gep defn (var.defn.field.index Rows) ""
                main.bod) main.bod in ();
2085             LlvM.build.store (LlvM.const.int base.types.int_t (getDefn va.var.cols)) (
                LlvM.build.struct.gep defn (var.defn.field.index Cols) "" main.bod)
                main.bod
2086         )
2087     ) in
2088     let _ = LlvM.build.store (LlvM.const.int base.types.int_t numForm) (LlvM.
        build.struct.gep defn (var.defn.field.index NumFormulas) "" main.bod) main.bod
2089     and _ = LlvM.build.store formulas (LlvM.build.struct.gep defn (
        var.defn.field.index Formulas) "" main.bod) main.bod
2090     and _ = LlvM.build.store (LlvM.build.global.stringptr varname "" main.bod) (LlvM.
        build.struct.gep defn (var.defn.field.index VarName) "" main.bod) main.bod in
2091     List.iteri (fun idx elem -> build.formula (varname, idx) formulas elem symbols) va
        .var.formulas in
2092
2093 (* Creates a scope object and inserts the necessary instructions into main to

```

```

        populate the var.defns, and
2094 * into the function specified by builder to populate the scope object. *)
2095 let build_scope_obj
2096   fname (* The function name, or "globals" *)
2097   symbols (* The symbols to use when creating the functions *)
2098   vars (* The variables to build definitions and formula-functions for *)
2099   static_location_ptr (* The copy of the global pointer used in main *)
2100   var_defns_loc (* The copy of the global pointer used in the local function *)
2101   num_params (* How many parameters the function takes *)
2102   builder (* The LLVM builder for the local function *)
2103   =
2104   let cardinal = Llvm.const_int base_types.int_t (StringMap.cardinal vars) in
2105   let build_var_defns =
2106     let static_var_defns = Llvm.build_array_malloc base_types.var_defn_t cardinal (
2107       fname ^ "_static_var_defns") main_bod in
2108     let _ = Llvm.build_store static_var_defns static_location_ptr main_bod in
2109     let add_variable varname va (sm, count) =
2110       let fullname = fname ^ "_" ^ varname in
2111       let defn = (Llvm.build_in_bounds_gep static_var_defns [|Llvm.const_int
2112         base_types.int_t count|] (fullname ^ "_defn") main_bod) in
2113       let _ = build_var_defn defn fullname va symbols in
2114       (StringMap.add varname count sm, count + 1) in
2115     ignore (StringMap.fold add_variable vars (StringMap.empty, 0)) in
2116   let var_defns = Llvm.build_load var_defns_loc (fname ^ "_global_defn_ptr_loc")
2117     builder in
2118   let var_insts = Llvm.build_array_malloc base_types.var_instance_p cardinal "
2119     var_insts" builder in
2120   let scope_obj = Llvm.build_malloc base_types.extend_scope_t "scope_obj" builder in
2121   (*Store variable definition and instance*)
2122   let _ = Llvm.build_store var_defns (Llvm.build_struct_gep scope_obj (
2123     scope_field_type_index VarDefn) "" builder) builder in
2124   let _ = Llvm.build_store var_insts (Llvm.build_struct_gep scope_obj (
2125     scope_field_type_index VarInst) "" builder) builder in
2126   let _ = Llvm.build_store cardinal (Llvm.build_struct_gep scope_obj (
2127     scope_field_type_index VarNum) "" builder) builder in
2128   let _ = Llvm.build_store (Llvm.const_int base_types.int_t 0) (Llvm.
2129     build_struct_gep scope_obj (scope_field_type_index ScopeRefCount) "" builder)
2130     builder in
2131   let paramarray = if num_params > 0 then Llvm.build_array_malloc base_types.value_p
2132     (Llvm.const_int base_types.int_t num_params) "paramarray" builder else Llvm.
2133     const_pointer_null (Llvm.pointer_type base_types.value_p) in
2134   let _ = Llvm.build_store paramarray (Llvm.build_struct_gep scope_obj (
2135     scope_field_type_index FunctionParams) "" builder) builder in
2136   let copy_fn_arg i =
2137     let param_addr = Llvm.build_in_bounds_gep paramarray [|Llvm.const_int base_types
2138       .int_t i|] (fname ^ "_param_" ^ string_of_int i ^ "_loc") builder in
2139     ignore (Llvm.build_store (Llvm.param (StringMap.find fname function_llvalues) i)
2140       param_addr builder) in
2141   List.iter copy_fn_arg (zero.until num_params);
2142   let _ = Llvm.build_call (Hashtbl.find runtime_functions "null_init") [|scope_obj|]
2143     "" builder in
2144   build_var_defns ; scope_obj in
2145 (* End of build_scope_obj *)

```



```

2134 let build.function fname (fn_def, fn_llvalue) =
2135   (* Build the symbol table for this function *)
2136   let (local_indices, num_locals) = index_map Locals fn_def.func_body in
2137   let add_param (st, idx) param_name =
2138     let new_st = StringMap.add param_name (FunctionParameter(idx)) st in
2139     (new_st, idx + 1) in
2140   let (params_and_globals, _) = List.fold_left add_param (global_symbols, 0) (List.
     map snd fn_def.func_params) in
2141   let symbols = StringMap.fold StringMap.add local_indices params_and_globals in
2142   let fn_idx = match StringMap.find fname extend_fn_numbers with ExtendFunction(i)
     -> i | _ -> raise (LogicError(fname ^ " not in function table")) in
2143   let builder = LlvM.builder_at_end context (LlvM.entry_block fn_llvalue) in
2144   let static_location_ptr = LlvM.build_in_bounds_gep array_of_vardefn_ptrs [|LlvM.
     const_int base_types.int_t 0; LlvM.const_int base_types.int_t fn_idx|] (fname ^
     "_global_defn_ptr") main_bod in
2145   let var_defns_loc = LlvM.build_in_bounds_gep array_of_vardefn_ptrs [|LlvM.
     const_int base_types.int_t 0; LlvM.const_int base_types.int_t fn_idx|] (fname ^
     "_local_defn_ptr") builder in
2146
2147   let scope_obj = build_scope_obj fname symbols fn_def.func_body static_location_ptr
     var_defns_loc (List.length fn_def.func_params) builder in
2148
2149   let ret = snd fn_def.func_ret_val in
2150   match ret with
2151   | Id(name) ->
2152     (
2153       match (try StringMap.find name symbols with Not_found -> raise (LogicError("
         Something went wrong with your semantic analysis - " ^ name ^ " not found")
         )) with
2154       | LocalVariable(i) ->
2155         let llvm_var = LlvM.build_call getVar [|scope_obj; LlvM.const_int base_types
           .int_t i|] "return_variable" builder in
2156         let llvm_retval = LlvM.build_call getVal [|llvm_var; LlvM.const_int
           base_types.int_t 0; LlvM.const_int base_types.int_t 0|] "return_value"
           builder in
2157         ignore (LlvM.build_ret llvm_retval builder)
2158         | _ -> print_endline (string_of_expr ret); raise (TransformedAway("Error in " ^
           fname ^ ": The return value should always have been transformed into a
           local variable"))
2159     )
2160   | _ -> print_endline (string_of_expr ret); raise (TransformedAway("Error in " ^
     fname ^ ": The return value should always have been transformed into a local
     variable")) in
2161   (* End of build.function *)
2162
2163   (* Build the global scope object *)
2164   let vardefn_p_p = LlvM.build_alloca base_types.var_defn_p "v_p_p" main_bod in
2165   let global_scope_obj = build_scope_obj "globals" global_symbols globals vardefn_p_p
     vardefn_p_p 0 main_bod in
2166   let _ = LlvM.build_store global_scope_obj global_scope_loc main_bod in
2167
2168   (*iterates over function definitions*)
2169   StringMap.iter build.function extend_functions ;
2170
2171   (* Define the LLVM entry point for the program *)
2172   let extend_entry_point = StringMap.find "main" function_llvalues in

```

```

2173 let inp = LlvM.build_alloca base.types.value_t "input_arg" main_bod in
2174 let _ = LlvM.build_call extend_entry_point (Array.of_list [inp]) "" main_bod in
2175 let _ = LlvM.build_ret (LlvM.const_int base.types.int_t 0) main_bod in
2176
2177 base_module
2178
2179 let build_this_ast_mapped =
2180   let modu = (translate ast_mapped) in
2181   let _ = LlvM.analysis.assert_valid_module modu in
2182   modu

```

4.6 linker.ml

```

2183 module StringSet = Set.Make(String)
2184 let link xtndOut ast compiler outputFile =
2185   let tmpFilenameLL = Filename.temp_file "" ".ll"
2186   and tmpFilenameC = Filename.temp_file "" ".o"
2187   and getExterns (_,_,extern) =
2188     StringSet.elements
2189       (Ast.StringMap.fold
2190        (fun key value store -> StringSet.add value.Ast.extern.fn.libname store)
2191        extern
2192        StringSet.empty) in
2193   let tmpChan = open_out tmpFilenameLL in
2194   output_string tmpChan xtndOut; close_out tmpChan;
2195   let call1 = (String.concat " " ("llc-3.8" :: "-filetype=obj" :: tmpFilenameLL :: "-o"
2196     " :: tmpFilenameC :: []))
2197   and call2 = (String.concat " " (compiler :: "-O -o" :: outputFile :: tmpFilenameC ::
2198     (getExterns ast) @ ["runtime.o"])) ^ " -lm" in
2199   let rescl = Sys.command call1 in
2200   if rescl == 0 then (
2201     Sys.remove tmpFilenameLL;
2202     let resc2 = Sys.command call2 in
2203     Sys.remove tmpFilenameC;
2204     if resc2 == 0 then () else raise Not_found
2205   )
2206   else (Sys.remove tmpFilenameC; raise Not_found)

```

4.7 main.ml

```

2205 open Ast;;
2206
2207 let print_ast = ref false
2208 let interpret_ast = ref false
2209 let compile_ast = ref false
2210 let link = ref false
2211 let output = ref "./out"
2212 let compiler = ref "gcc"
2213
2214 let the_ast = ref (StringMap.empty, StringMap.empty, StringMap.empty)
2215 let just_one_please = ref false
2216
2217 let speclist = [
2218   ("-p", Arg.Set print_ast, "Print the AST");
2219   ("-i", Arg.Set interpret_ast, "Interpret the program");

```

```

2220         ("-c", Arg.Set compile_ast, "Compile the program");
2221         ("-l", Arg.Set link, "Link the program");
2222     ]
2223
2224     let usage_message = "Welcome to Extend!\n\nUsage: extend <options> <source-file>\n\n
        nOptions are:"
2225
2226     let parse_ast filename =
2227         if !just_one_please
2228         then print_endline "Any files after the first one are ignored."
2229         else just_one_please := true ; the_ast := (Transform.create_ast filename);;
2230
2231     Arg.parse speclist parse_ast usage_message;
2232     if not !just_one_please then Arg.usage speclist usage_message else ();
2233     if !print_ast then print_endline (string_of_program !the_ast) else ();
2234     if !interpret_ast then (Interpreter.interpret !the_ast; ()) else ();
2235     if !compile_ast then
2236         let compiled = (Llvm.string_of_llmodule (Codegen.translate !the_ast))
2237         in
2238             if not (!link) then print_endline compiled
2239             else Linker.link compiled !the_ast !compiler !output
2240     else ();

```

4.8 lib.c

```

1  #include<stdio.h>
2  #include<stdlib.h>
3  #include<math.h>
4  #include<string.h>
5  #include<stdbool.h>
6  /* #include <sys/time.h> */
7  #include <time.h>
8  #include "runtime.h"
9
10 #define MAX_FILES 255
11 FILE *open_files[1 + MAX_FILES] = {NULL};
12 int open_num_files = 0;
13
14 value_p print(value_p whatever, value_p text) {
15     if(!assertSingleString(text)) return new_val();
16     if(!assertText(text)) return new_val();
17     printf("%s", text->str->text);
18     return new_val();
19 }
20
21 value_p printv(value_p whatever, value_p text) {
22     printf("%s", text->str->text);
23     return new_val();
24 }
25
26 value_p printd(value_p whatever, value_p text) {
27     printf("%f\n", text->numericVal);
28     value_p result = malloc(sizeof(struct value_t));
29     return result;
30 }

```

```

31
32 value_p to_string(value_p val) {
33     if(assertSingleNumber(val)) {
34         double possible_num = val->numericVal;
35         int rounded_int = (int) lrint(possible_num);
36         char *converted_str;
37         if (fabs(possible_num - rounded_int) < FLOAT_CUTOFF) {
38             int size = snprintf(NULL, 0, "%d", rounded_int);
39             converted_str = malloc(size + 1);
40             sprintf(converted_str, "%d", rounded_int);
41         } else {
42             int size = snprintf(NULL, 0, "%f", possible_num);
43             converted_str = malloc(size + 1);
44             sprintf(converted_str, "%f", possible_num);
45         }
46         value_p result = box_value_string(new_string(converted_str));
47         return result;
48     }
49     else if(assertSingleString(val)) return val;
50     else if(val->flags == FLAG_EMPTY) {
51         value_p _new = new_val();
52         set_string(_new, "empty", 5);
53         return _new;
54     }
55     // If the struct does not hold a string or number, return empty?
56     return new_val();
57 }
58
59 #define FUNC(name) value_p extend_##name(value_p a){if(!assertSingleNumber(a)) return
    new_val();double val = name(a->numericVal);return new_number(val);}
60 FUNC(sin)
61 FUNC(cos)
62 FUNC(tan)
63 FUNC(acos)
64 FUNC(asin)
65 FUNC(atan)
66 FUNC(sinh)
67 FUNC(cosh)
68 FUNC(tanh)
69 FUNC(exp)
70 FUNC(log)
71 FUNC(log10)
72 FUNC(sqrt)
73 FUNC(ceil)
74 FUNC(fabs)
75 FUNC(floor)
76
77 value_p extend_get_stdin() {
78     if (open_num_files + 1 > MAX_FILES) {
79         return new_val();
80     } else {
81         open_num_files++;
82         open_files[open_num_files] = stdin;
83         return new_number((double) open_num_files);
84     }
85 }

```

```

86
87 value_p extend.get_stdout() {
88     if (open_num_files + 1 > MAX.FILES) {
89         return new_val();
90     } else {
91         open_num_files++;
92         open_files[open_num_files] = stdout;
93         return new_number((double) open_num_files);
94     }
95 }
96
97 value_p extend.get_stderr() {
98     if (open_num_files + 1 > MAX.FILES) {
99         return new_val();
100     } else {
101         open_num_files++;
102         open_files[open_num_files] = stderr;
103         return new_number((double) open_num_files);
104     }
105 }
106
107 value_p extend.open(value_p filename, value_p mode){
108     FILE *val;
109     if (    !assertSingleString(filename)
110         || !assertSingleString(mode)
111         || open_num_files + 1 > MAX.FILES) {
112         return new_val();
113     }
114     val = fopen(filename->str->text, mode->str->text);
115     if(val == NULL) return new_val();
116     open_num_files++;
117     open_files[open_num_files] = val;
118     return new_number((double) open_num_files);
119 }
120
121 value_p extend.close(value_p file_handle) {
122     if(!assertSingleNumber(file_handle)) {
123         // Per the LRM this is actually supposed to crash the program.
124         fprintf(stderr, "EXITING - Attempted to close something that was not a valid file
125             pointer\n");
126         exit(-1);
127     }
128     int fileNum = (int) file_handle->numericVal;
129
130     if (fileNum > open_num_files || open_files[fileNum] == NULL) {
131         // Per the LRM this is actually supposed to crash the program.
132         fprintf(stderr, "EXITING - Attempted to close something that was not a valid file
133             pointer\n");
134         exit(-1);
135     }
136     fclose(open_files[fileNum]);
137     open_files[fileNum] = NULL; // Empty the container for the pointer.
138     return new_val(); // assuming it was an open valid handle, close() is just supposed
        to return empty

```

```

139 value_p extend.read(value_p file_handle, value_p num_bytes){
140     if(!assertSingleNumber(file_handle) || !assertSingleNumber(num_bytes)) return
        new_val();
141     int max_bytes;
142     int fileNum = (int) file_handle->numericVal;
143     if (fileNum > open_num_files || open_files[fileNum] == NULL) return new_val();
144     FILE *f = open_files[fileNum];
145     max_bytes = (int) num_bytes->numericVal;
146     if (max_bytes == 0) {
147         long cur_pos = ftell(f);
148         fseek(f, 0, SEEK_END);
149         long end_pos = ftell(f);
150         fseek(f, cur_pos, SEEK_SET);
151         max_bytes = end_pos - cur_pos;
152     }
153     char *buf = malloc(sizeof(char) * (max_bytes + 1));
154     int bytes_read = fread(buf, sizeof(char), max_bytes, f);
155     buf[bytes_read] = 0;
156     value_p result = box_value_string(new_string(buf));
157     free(buf);
158     return result;
159     //edge case: how to return the entire contents of the file if n == empty?
160 }
161
162 value_p extend.readline(value_p file_handle) {
163     int i=0, buf_size = 256;
164     char next_char;
165     if (!assertSingleNumber(file_handle)) return new_val();
166     int fileNum = (int) file_handle->numericVal;
167     FILE *f = open_files[fileNum];
168     if (fileNum > open_num_files || open_files[fileNum] == NULL) {
169         return new_val();
170     }
171     char *buf = (char *) malloc (buf_size * sizeof(char));
172     while ((next_char = fgetc(f)) != '\n') {
173         buf[i++] = next_char;
174         if (i == buf_size - 2) {
175             buf_size *= 2;
176             char *new_buf = (char *) malloc (buf_size * sizeof(char));
177             memcpy(new_buf, buf, i);
178             free(buf);
179             buf = new_buf;
180         }
181     }
182     buf[i] = '\0';
183     value_p result = box_value_string(new_string(buf));
184     free(buf);
185     return result;
186 }
187
188 value_p extend.write(value_p file_handle, value_p buffer){
189     if(!assertSingleNumber(file_handle) || !assertSingleString(buffer)) return new_val()
        ;
190     int fileNum = (int) file_handle->numericVal;
191     if (fileNum > open_num_files || open_files[fileNum] == NULL) {
192         // Per the LRM this is actually supposed to crash the program.

```

```

193     fprintf(stderr, "EXITING - Attempted to write to something that was not a valid
        file pointer\n");
194     exit(-1);
195 }
196 fwrite(buffer->str->text, 1, buffer->str->length, open_files[fileNum]);
197 // TODO: make this return empty once compiler handles Id(s)
198 // RN: Use the return value to close the file
199 return new_number((double) fileNum);
200 }
201
202 value_p extend_current_hour() {
203     time_t ltime;
204     struct tm info;
205     ltime = time(&ltime);
206     localtime_r(&ltime, &info);
207     return new_number((double) info.tm_hour);
208 }

```

4.9 runtime.c

```

209 #include<stdio.h>
210 #include<stdlib.h>
211 #include<math.h>
212 #include<string.h>
213 #include<stdbool.h>
214 #include "runtime.h"
215
216 void debug_print(value_p val, char *which_value) {
217     char *flag_meanings[4] = {"Empty", "Number", "String", "Subrange"};
218     fprintf(stderr, "-----Everything you ever wanted to know about %s:-----\n",
        which_value == NULL ? "some anonymous variable" : which_value);
219     fprintf(stderr, "Memory address: %p\n", val);
220     if (val == NULL) {
221         fprintf(stderr, "-----Nice try asking me to dereference a null pointer\n
            -----");
222         return;
223     }
224     fprintf(stderr, "Flags: %d (%s)\n", val->flags, flag_meanings[val->flags]);
225     fprintf(stderr, "NumericVal: %f\n", val->numericVal);
226     fprintf(stderr, "String contents: Probably safer not to check that pointer (%p)
        blindly\n", val->str);
227     if (val->flags == FLAG_STRING && val->str != NULL) {
228         fprintf(stderr, "It says it's a string and it's not a NULL pointer though, so here
            you go:\n");
229         fprintf(stderr, "String refcount: %d\n", val->str->refs);
230         fprintf(stderr, "String length: %ld\n", val->str->length);
231         fprintf(stderr, "String char* memory address: %p\n", val->str->text);
232         if (val->str->text == NULL) {
233             fprintf(stderr, "Not going to print the contents of NULL!\n");
234         } else {
235             fprintf(stderr, "String char* contents:\n%s\n", val->str->text);
236         }
237     }
238     fprintf(stderr, "Subrange contents: Probably safer not to check that pointer (%p)
        blindly either\n", val->subrange);

```

```

239     fprintf(stderr, "———That's all I've got to say about %s:———\n", which_value ==
        NULL ? "some anonymous variable" : which_value);
240 }
241
242 void debug_print_formula(struct ExtendFormula *fdef) {
243     fprintf(stderr, "———Everything you ever wanted to know about your favorite
        formula:———\n");
244     fprintf(stderr, "RowStart varnum: %d %d\n", fdef->rowStart-varnum, fdef->
        fromFirstRow);
245     fprintf(stderr, "RowEnd varnum: %d %d\n", fdef->rowEnd-varnum, fdef->toLastRow);
246     fprintf(stderr, "ColStart varnum: %d %d\n", fdef->colStart-varnum, fdef->
        fromFirstCol);
247     fprintf(stderr, "ColEnd varnum: %d %d\n", fdef->colEnd-varnum, fdef->toLastCol);
248 }
249
250 void debug_print_res_formula(struct ResolvedFormula *rdef) {
251     fprintf(stderr, "Some formula with function pointer %p applies to: [%d:%d,%d:%d]\n",
        rdef->formula, rdef->rowStart, rdef->rowEnd, rdef->colStart, rdef->colEnd);
252 }
253
254 void debug_print_vardefn(struct var_defn *pdef) {
255     fprintf(stderr, "———Everything you ever wanted to know about var defn %s:———\n
        ", pdef->name);
256     fprintf(stderr, "Row varnum: %d\n", pdef->rows-varnum);
257     fprintf(stderr, "Col varnum: %d\n", pdef->cols-varnum);
258     fprintf(stderr, "Num formulas: %d\n", pdef->numFormulas);
259     fprintf(stderr, "Formula defs: \n");
260     int i;
261     for (i=0; i < pdef->numFormulas; i++) {
262         debug_print_formula(pdef->formulas + i);
263     }
264     fprintf(stderr, "Is 1x1: %d\n", pdef->isOneByOne);
265 }
266
267 void debug_print_varinst(struct var_instance *inst) {
268     fprintf(stderr, "———Everything you ever wanted to know about var %s:———\n",
        inst->name);
269     fprintf(stderr, "Rows: %d\n", inst->rows);
270     fprintf(stderr, "Cols: %d\n", inst->cols);
271     fprintf(stderr, "Num formulas: %d\n", inst->numFormulas);
272     fprintf(stderr, "*****Formulas:*****\n");
273     int i;
274     for (i = 0; i < inst->numFormulas; i++) {
275         debug_print_res_formula(inst->formulas + i);
276     }
277     fprintf(stderr, "**** End of Formulas *** \n");
278     fprintf(stderr, "~~~~~Cells:~~~~~\n");
279     for (i = 0; i < inst->rows * inst->cols; i++) {
280         printf("%s[%d,%d]: Status=%d\n", inst->name, i / inst->cols, i % inst->cols, inst
            ->status[i]);
281         if (inst->status[i] == CALCULATED) {
282             printf("%s[%d,%d] Value:\n", inst->name, i / inst->cols, i % inst->cols);
283             debug_print(inst->values[i], inst->name);
284         }
285     }
286     fprintf(stderr, "~~~ End of Cells: ~~~\n");

```



```

287 }
288
289 double setNumeric(value_p result, double val) {
290     result->flags = FLAG.NUMBER;
291     return (result->numericVal = val);
292 }
293
294 char* setString(value_p result, char *str, int length) {
295     result->flags = FLAG.STRING;
296     result->str = malloc(sizeof(struct string_t));
297     result->str->length = length;
298     return (result->str->text = str);
299 }
300
301 double setFlag(value_p result, double flag_num) {
302     return (result->flags = flag_num);
303 }
304
305 int assertSingle(value_p value) {
306     /* TODO: dereference 1 by 1 subrange */
307     return !(value->flags == FLAG.SUBRANGE);
308 }
309
310 int assertSingleNumber(value_p p) {
311     if (!assertSingle(p)) {
312         return 0;
313     }
314     return (p->flags == FLAG.NUMBER);
315 }
316
317 int assertText(value_p my_val) {
318     return (my_val->flags == FLAG.STRING);
319 }
320
321 int assertSingleString(value_p p) {
322     if (!assertSingle(p)) {
323         return 0;
324     }
325     return (p->flags == FLAG.STRING);
326 }
327
328 int assertEmpty(value_p p) {
329     if (!assertSingle(p)) {
330         return 0;
331     }
332     return (p->flags == FLAG.EMPTY);
333 }
334
335 value_p new_val() {
336     value_p empty_val = malloc(sizeof(struct value_t));
337     setFlag(empty_val, FLAG.EMPTY);
338     return empty_val;
339 }
340
341 value_p new_number(double val) {
342     value_p new_v = malloc(sizeof(struct value_t));

```

```

343     setFlag(new_v, FLAG_NUMBER);
344     setNumeric(new_v, val);
345     return new_v;
346 }
347
348 value_p new_string_go_all_the_way(char *s) {
349     if (s == NULL) return new_val();
350     value_p new_v = malloc(sizeof(struct value_t));
351     setFlag(new_v, FLAG_STRING);
352     string_p new_str = malloc(sizeof(struct string_t));
353     long len = strlen(s);
354     new_str->text = malloc(len+1);
355     strcpy(new_str->text, s);
356     new_str->length = len;
357     new_str->refs = 1;
358     new_v->str = new_str;
359     return new_v;
360 }
361
362 struct ExtendScope *global_scope;
363
364 void null_init(struct ExtendScope *scope_ptr) {
365     int i;
366     for(i = 0; i < scope_ptr->numVars; i++)
367         scope_ptr->vars[i] = NULL;
368 }
369
370 int getIntFromOneByOne(struct ExtendScope *scope_ptr, int varnum) {
371     struct var_instance *inst = get_variable(scope_ptr, varnum);
372     if (inst->rows != 1 || inst->cols != 1) {
373         fprintf(stderr, "The variable you claimed (%s) was one by one is actually %d by %d\n",
374             inst->name, inst->rows, inst->cols);
375         debug_print_varinst(inst);
376         exit(-1);
377     }
378     value_p val = getVal(inst, 0, 0);
379     if (!assertSingleNumber(val)) {
380         fprintf(stderr, "The variable you claimed (%s) was a number isn't.\n", inst->name);
381         debug_print(val, inst->name);
382         exit(-1);
383     }
384     return (int) lrint(val->numericVal);
385 }
386
387 struct var_instance *instantiate_variable(struct ExtendScope *scope_ptr, struct
388     var_defn def) {
389     struct var_instance *inst = malloc(sizeof(struct var_instance));
390     if(def.isOneByOne) {
391         inst->rows = 1;
392         inst->cols = 1;
393     } else {
394         inst->rows = getIntFromOneByOne(scope_ptr, def.rows_varnum);
395         inst->cols = getIntFromOneByOne(scope_ptr, def.cols_varnum);
396     }
397     // TODO: do the same thing for each FormulaFP to turn an ExtendFormula into a

```

```

ResolvedFormula
396 inst->numFormulas = def.numFormulas;
397 inst->closure = scope_ptr;
398 inst->name = def.name;
399 int size = inst->rows * inst->cols;
400 inst->values = malloc(sizeof(value_p) * size);
401 memset(inst->values, 0, sizeof(value_p) * size);
402 inst->status = malloc(sizeof(char) * size);
403 memset(inst->status, 0, sizeof(char) * size);
404 inst->formulas = malloc(sizeof(struct ResolvedFormula) * inst->numFormulas);
405 //debug_print_vardefn(&def);
406 //debug_print_varinst(inst);
407 int i;
408 for(i = 0; i < inst->numFormulas; i++) {
409
410     // Set the formula function pointer to the pointer from the definition
411     inst->formulas[i].formula = def.formulas[i].formula;
412
413     if (def.isOneByOne) {
414         inst->formulas[i].rowStart = 0;
415         inst->formulas[i].rowEnd = 1;
416         inst->formulas[i].colStart = 0;
417         inst->formulas[i].colEnd = 1;
418     } else {
419         if(def.formulas[i].fromFirstRow) {
420             inst->formulas[i].rowStart = 0;
421         } else {
422             inst->formulas[i].rowStart = getIntFromOneByOne(scope_ptr, def.formulas[i].
                rowStart.varnum);
423             if (inst->formulas[i].rowStart < 0) {
424                 inst->formulas[i].rowStart += inst->rows;
425             }
426             if (inst->formulas[i].rowStart < 0 || inst->formulas[i].rowStart >= inst->rows
                ) {
427                 //Doesn't matter, but will never get called
428             }
429         }
430         if (def.formulas[i].isSingleRow) {
431             inst->formulas[i].rowEnd = inst->formulas[i].rowStart + 1;
432         } else if (def.formulas[i].toLastRow) {
433             inst->formulas[i].rowEnd = inst->rows;
434         } else {
435             inst->formulas[i].rowEnd = getIntFromOneByOne(scope_ptr, def.formulas[i].
                rowEnd.varnum);
436         }
437         if(def.formulas[i].fromFirstCol) {
438             inst->formulas[i].colStart = 0;
439         } else {
440             inst->formulas[i].colStart = getIntFromOneByOne(scope_ptr, def.formulas[i].
                colStart.varnum);
441             if (inst->formulas[i].colStart < 0) {
442                 inst->formulas[i].colStart += inst->cols;
443             }
444             if (inst->formulas[i].colStart < 0 || inst->formulas[i].colStart >= inst->cols
                ) {
445                 //Doesn't matter, but will never get called

```

```

446     }
447 }
448 if (def.formulas[i].isSingleCol) {
449     inst->formulas[i].colEnd = inst->formulas[i].colStart + 1;
450 } else if (def.formulas[i].toLastCol) {
451     inst->formulas[i].colEnd = inst->cols;
452 } else {
453     inst->formulas[i].colEnd = getIntFromOneByOne(scope_ptr, def.formulas[i].
        colEnd.varnum);
454 }
455 }
456 }
457
458 scope_ptr->refcount++;
459 return inst;
460 }
461
462 struct var_instance *get_variable(struct ExtendScope *scope_ptr, int varnum) {
463     if (varnum >= scope_ptr->numVars) {
464         fprintf(stderr, "Runtime error: Asked for nonexistant variable number\n");
465         exit(-1);
466     }
467     if (scope_ptr->vars[varnum] == NULL) {
468         scope_ptr->vars[varnum] = instantiate_variable(scope_ptr, scope_ptr->defns[varnum]
            );
469     }
470     return scope_ptr->vars[varnum];
471 }
472
473 char assertInBounds(struct var_instance *defn, int r, int c) {
474     return (
475         r >= 0 && r < defn->rows &&
476         c >= 0 && c < defn->cols
477     );
478 }
479
480 value_p calcVal(struct var_instance *inst, int r, int c) {
481     int i;
482     for (i = 0; i < inst->numFormulas; i++) {
483         if (
484             r >= inst->formulas[i].rowStart && r < inst->formulas[i].rowEnd &&
485             c >= inst->formulas[i].colStart && c < inst->formulas[i].colEnd
486         ) {
487             return (inst->formulas[i].formula)(inst->closure, r, c);
488         }
489     }
490     return new_val();
491 }
492
493 void setRange(value_p val, struct var_instance *inst) {
494     subrange_p sr = malloc(sizeof(struct subrange_t));
495     sr->offsetCol = 0;
496     sr->offsetRow = 0;
497     sr->subrangeCol = inst->cols;
498     sr->subrangeRow = inst->rows;
499     sr->range = inst;

```

```

500     val->subrange = sr;
501     val->flags = FLAG_SUBRANGE;
502 }
503
504 value_p getSize(struct var_instance *inst) {
505     value_p res = malloc(sizeof(struct value_t));
506     setNumeric(res, 1); /*TODO*/
507     return res;
508 }
509
510 value_p deepCopy(value_p value) {
511     value_p _new = new_val();
512     if(value->flags == FLAG_EMPTY) {}
513     else if(value->flags == FLAG_STRING) {
514         _new->flags = FLAG_STRING;
515         _new->str = malloc(sizeof(struct string_t));
516         memcpy(_new->str->text, value->str->text, value->str->length);
517         _new->str->length = value->str->length;
518     }
519     else if(value->flags == FLAG_NUMBER) {
520         _new->flags = FLAG_NUMBER;
521         _new->numericVal = value->numericVal;
522     }
523     else if(value->flags == FLAG_SUBRANGE) {
524         struct var_instance *v = malloc(sizeof(struct subrange_t));
525         int cols = value->subrange->subrangeCol;
526         int rows = value->subrange->subrangeRow;
527         v->name = "COPYCAT";
528         v->formulas = NULL;
529         v->status = malloc(sizeof(char *) * rows * cols);
530         v->values = malloc(sizeof(value_p) * rows * cols);
531         v->closure = NULL;
532         int i, j;
533         for(i = 0; i < rows; i++) {
534             for(j = 0; j < cols; j++) {
535                 int offset = i * rows + j;
536                 *(v->status + offset) = CALCULATED;
537                 /*TODO: eval lazzzy*/
538                 *(v->values + offset) = getVal(value->subrange->range, i + value->subrange->
                    offsetRow, j + value->subrange->offsetCol);
539             }
540         }
541         setRange(_new, v);
542     }
543     return _new;
544 }
545
546 value_p clone_value(value_p old_value) {
547     value_p new_value = (value_p) malloc(sizeof(struct value_t));
548     new_value->flags = old_value->flags;
549     switch (new_value->flags) {
550         case FLAG_EMPTY:
551             break;
552         case FLAG_NUMBER:
553             new_value->numericVal = old_value->numericVal;
554             break;

```

```

555     case FLAG.STRING:
556         new_value->str = old_value->str;
557         new_value->str->refs++;
558         break;
559     case FLAG.SUBRANGE:
560         new_value->subrange = (subrange_p) malloc(sizeof(struct subrange_t));
561         memcpy(new_value->subrange, old_value->subrange, sizeof(struct subrange_t));
562         new_value->subrange->range->closure->refcount++; /* Not sure about this one */
563         break;
564     default:
565         fprintf(stderr, "clone_value(%p): Illegal value of flags: %c\n", old_value,
566             new_value->flags);
567         exit(-1);
568         break;
569     }
570     return new_value;
571 }
572 void delete_string_p(string_p old_string) {
573     old_string->refs--;
574     if (old_string->refs == 0) {
575         /* free(old_string); */
576     }
577 }
578
579 void delete_subrange_p(subrange_p old_subrange) {
580     old_subrange->range->closure->refcount--;
581     free(old_subrange);
582 }
583
584 void delete_value(value_p old_value) {
585     switch (old_value->flags) {
586     case FLAG.EMPTY:
587         break;
588     case FLAG.NUMBER:
589         break;
590     case FLAG.STRING:
591         delete_string_p(old_value->str); /* doesn't do anything besides decrement the
592             ref count now */
593         break;
594     case FLAG.SUBRANGE:
595         delete_subrange_p(old_value->subrange);
596         break;
597     default:
598         fprintf(stderr, "delete_value(%p): Illegal value of flags: %c\n", old_value,
599             old_value->flags);
600         exit(-1);
601         break;
602     }
603 }
604
605 value_p getVal(struct var_instance *inst, int r, int c) {
606     /* If we're going to return new_val() then we have to
607     * do clone_value(). Otherwise the receiver won't know
608     * whether or not they can free the value_p they get back.
609     * I think this should return, dangerously, return NULL if it's

```

```

608 * invalid, and the callers will have to be careful to check the value.
609 * The alternative is to always clone_value - safer, but much slower
610 * and makes our memory issues even bigger.
611 * Right now there are only a few places that call this. */
612
613 if(!assertInBounds(inst, r, c)) return NULL;
614 int cell_number = r * inst->cols + c;
615 char cell_status = inst->status[cell_number];
616 switch(cell_status) {
617     case NEVER_EXAMINED:
618         inst->status[cell_number] = IN_PROGRESS;
619         inst->values[cell_number] = calcVal(inst, r, c);
620         inst->status[cell_number] = CALCULATED;
621         break;
622     case IN_PROGRESS:
623         fprintf(stderr, "EXITING - Circular reference in %s[%d,%d]\n", inst->name, r, c)
624             ;
625         exit(-1);
626         break;
627     case CALCULATED:
628         if (inst->values[cell_number] == NULL) {
629             fprintf(stderr, "Supposedly, %s[%d,%d] was already calculated, but there is a
630                 null pointer there.\n", inst->name, r, c);
631             fprintf(stderr, "Attempting to print contents of the variable instance where
632                 this occurred:\n");
633             fflush(stdout);
634             debug_print_varinst(inst);
635             exit(-1);
636         }
637         break;
638     default:
639         fprintf(stderr, "Unrecognized cell status %d (row %d, col %d)!\n", cell_status,
640             r, c);
641         fprintf(stderr, "Attempting to print contents of the variable instance where
642             this occurred:\n");
643         fflush(stdout);
644         debug_print_varinst(inst);
645         exit(-1);
646         break;
647 }
648 return inst->values[cell_number];
649 // char *status = inst->status + offset;
650 // value_p return_val;
651 // if(*status & IN_PROGRESS) {
652 //     /* TODO: Circular dependency. Possibly throw? */
653 //     return_val = new_val();
654 // } else if ((~(*status)) & CALCULATED) { /* value not calculated */
655 //     value_p val = calcVal(inst, x, y);
656 //     inst->values[offset] = val;
657 //     *status = (*status && !IN_PROGRESS) | CALCULATED;
658 //     return_val = val;
659 // } else {
660 //     return_val = inst->values[offset];
661 // }
662 // while(return_val->flags == FLAG_SUBRANGE && return_val->subrange->subrangeRow == 1
663 //     && return_val->subrange->subrangeCol == 1) {

```

```
658 //      return_val = getVal(return_val->subrange->range, return_val->subrange->offsetRow
    , return_val->subrange->offsetCol);
659 //  }
660 //  // debug_print_varinst(inst);
661 //  return return_val;
662 }
```

4.10 stdlib.xtnd

```
1  extern "stdlib.o" {
2      extend_get_stdin();
3      extend_get_stdout();
4      extend_get_stderr();
5      extend_readline(file_handle);
6      extend_write(file_handle, str);
7      extend_current_hour();
8      to_string(x);
9  }
10
11 global STDIN := extend_get_stdin();
12 global STDOUT := extend_get_stdout();
13 global STDERR := extend_get_stderr();
```