Tunisian Administrative Procedures Assistant

search: the exact table row is read from Qdrant by payload, because a code is a key, not a meaning. No neural

Table 1: Components classified from the implementation (not from their names).

Component	Decision it owns	LLM use	Classification
n8n workflow 03 Intent Router	Branching on file, mode and `next_agent`; error replies	none	orchestrator

per-document cap the ranking reverses (structure-aware: Hit@5 0.873, MRR@5 0.675) because one row is one chunk,

validity, 100 % in every run, was therefore no evidence of correctness. The corrections: exact-key retrieval for RNE codes, preservation of codes and legal subjects in the dialogue state, a shared multilingual vocabulary for CIN and passport application types, verbatim legal-article and table extraction with refusal of non-existent articles, and per-member sessions in Telegram groups.

Table 7:

tokens live only in `.env` (not versioned); HTTP-client logging is silenced so token-bearing URLs never reach logs. (5) *Privacy:* questions, uploads and field values are never logged or stored; n8n keeps no executions; Telegram sessions hold only procedure state, keyed per chat in private chats and per member in groups, and expire after 30 minutes. (6) *Input validation:*

[19] Qingyun Wu, Gagan Bansal, Jieyu Zhang, Yiran Wu, Beibin Li, Erkang Zhu, Li Jiang, Xiaoyun Zhang, Shaokun Zhang,

A Prompt library

copied from the message as evidence. Do not infer age, nationality, residence or document validity.

```
  - evidence
residence:
```

`grounded_answer@v1`

- **Purpose**: Answers a question strictly from numbered o□cial passages, with [n] citationea-554(Th)1(e])-366(aller])-366

```
changelog:
  - v1: initial version.
  - v2: num_predict 600 -> 900 (Arabic answers were cut off); faithful list reproduction rule.
```

grounded_answer@v3