

## **STANDARD ARRIVAL CHART - INSTRUMENT (STAR) - ICAO**

CAT: A B C D  
*AD ELEV: 4395*


# KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT) RNP1 - ARRIVALS RWY02-20

APP: 120.6 Tower: 118.1 GND: 121.9

*Trans Alt: 13500'*

ARP: 27°41'46"N 085°21'38"E


0°W (16) STAR 1



STANDARD ARRIVAL CHART - INSTRUMENT  
(STAR) - ICAO

CAT: A B C D  
AD ELEV: 4395

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)  
RNP1 - ARRIVALS RWY02-20



23 March 2023

INSTRUMENT APPROACH CHART- ICAO




CAT: A B C D

AD ELEV: 4395, THR ELEV: 4320 (148hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)

RNP Z RWY 02(AR)

APP: 120.6 TWR: 118.1 GND:121.9



ARP: 27°41'46"N - 085°21'38"E

[R02Z] via DANFE  
[R02Z] via RATAN

RNP AR  
RF REQUIRED

INSTRUMENT APPROACH CHART- ICAO

CAT: A B C D

AD ELEV: 4395, THR ELEV: 4320 (148hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)

RNP Y RWY 02 (AR)

via IGRIS

AUTHORIZATION REQUIRED

VAR: 0°W (16) APP 3

ARP: 27°41'46"N - 085°21'38"E

[R02-Y] via IGRIS

For non-baro compensated aircraft:  
Minimum Temperature: -10°C

214

RNP 1.0 → RNP 0.3

IAF  
IGRIS Max  
11800 250 kt

RNP 0.3  
MA climb gradient 2.5%

CAT A B C D

DA (H) 4620 (300)


VIS (m) ALS 2000

VIS (m) no ALS 2000

Missed Approach  
(see APP4 chart)

Climb to 10500' (6179) via the  
RNP (AR) missed  
approach track to DANFE.  
At DANFE hold or start  
a new approach via DANFE.

NAVBLUE® CGX®




INSTRUMENT APPROACH CHART- ICAO

CAT: A B C D

AD ELEV: 4395, THR ELEV: 4320 (148 hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)  
RNP Y RWY 02 (AR)  
via DARKE



NAVBLUE® CGX®


INSTRUMENT APPROACH CHART- ICAO

CAT: A B C D

AD ELEV: 4395, THR ELEV: 4320 (148 hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)

RNP RWY 02 (AR) - MISSED APPROACH




INSTRUMENT APPROACH CHART- ICAO

CAT: A B C D

AD ELEV: 4395, THR ELEV: 4395( 150 hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)

RNP RWY 20 (AR)




INSTRUMENT APPRAOCH CHART- ICAO

CAT: A B C D

AD ELEV: 4395, THR ELEV: 4395( 150 hPa)

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)

RNP RWY 20 (AR) - MISSED APPROACH



STANDARD DEPARTURE CHART-  
INSTRUMENT (SID)

APP: 120.6

TWR: 118.1 GND:121.9

TRANS ALT: 13500'


CAT: A B C D  
AD ELEV: 4395

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)  
RNP AR DEPARTURES RWY 02

AUTHORIZATION REQUIRED

VAR: 0°W (16) SID 1


ARP: 27°41'46"N - 085°21'38"E



STANDARD DEPARTURE CHART-  
INSTRUMENT (SID)

CAT: A B C D  
AD ELEV: 4395

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)  
RNP AR DEPARTURES RWY 20



STANDARD DEPARTURE CHART-  
INSTRUMENT (SID) - ICAO

CAT: A B C D  
AD ELEV: 4395

KATHMANDU/TRIBHUVAN INTERNATIONAL (VNKT)  
RNP AR DEPARTURES RWY 02-20 (TRANSIT CHART)

