
Build stunning websites with Claude Code

A practical guide to vibe coding,
monochrome design, and deliberate refinement

Use AI to explore the design;
use judgment to finish it.



Describe → Generate → Inspect → Refine → Verify

Vibe coding turns everyday language into code

You steer the result through testing and feedback.

Describe


Describe a project or change in everyday language.

Generate

A large language model (LLM) generates source code.

Test + guide

Test and give follow-up instructions instead of manually writing every change.



> Vibe coding may include accepting code without thorough review.
> **For live websites, keep the review.**

Creator examples are not official Claude Code documentation.

Use these sources for workflow ideas,
not verified setup or deployment instructions.

Claude Code creator example

Choose a design prompt, add brand context,
and iterate toward the brand's style.
Creator-described; not independently verified.

Amboras tutorial

Page-analysis and refinement examples
in an e-commerce environment—not a
standalone Claude Code guide.

NOT ESTABLISHED BY THE SUPPLIED SOURCES

Current installation commands, permissions, image-input requirements,
or reproducible deployment steps.

The prompts that follow are illustrative recommendations—not verified executions.

Define the website before prompting Claude Code

Use a clear brief to guide each iteration.

01 / AUDIENCE

Potential clients evaluating a small creative studio.

FICTIONAL TEACHING EXAMPLE

02 / PRIMARY ACTION

Send a project inquiry.


03 / CONTENT

Selected work, services, process, and contact.

04 / CONSTRAINTS

Monochrome, mobile readability, subtle motion, and no invented testimonials.

Adapt design principles—not someone else's website.



01 Observe the system

Hierarchy, negative space, alignment, texture, and rhythm.

02 Define your direction

Dark fields, fine white lines, restrained grain, clear typography. Turn observations into a design brief.

03 Make it your own

Create your own layout, assets, copy, and brand identity—not protected branding, imagery, or content.

Give Claude Code an original direction—not a website to clone.

Turn the vibe into reusable design rules

Give Claude Code explicit constraints—not just “make it premium.”



BACKGROUND EMPHASIS SUPPORT

Aa

One family.
A deliberate hierarchy.



CONSISTENT GUTTERS + SECTION SPACE

01 Palette

Near-black backgrounds, white emphasis, gray supporting text.

02 Typography

One body font family, clear heading levels, deliberate exceptions.

03 Layout

Consistent gutters, readable text width, generous section spacing.

04 Components

Consistent button, border, and surface treatments.

05 Motion

Restrained fades; no decorative movement competing with content.

Prepare the project before Claude Code edits

Understand the starting point and make changes recoverable.

01 Check current Claude Code setup and permissions against official documentation.

02 Identify the framework, project structure, and existing development instructions.

03 Save a recoverable baseline in version control; keep credentials out of prompts.

START WITH / PLAN BEFORE EDITING

```
"Summarize this project's structure and propose a page plan. Do not edit files yet."
```

Give your first-build prompt a finish line

Define the scope, design rules, content limits, and checks before editing.

01 / SCOPE	Build a one-page creative-studio website using the existing project stack.
02 / SECTIONS	Include a hero, selected work, services, process, and project-inquiry section.
03 / STYLE	Use only near-black, white, and gray, with clear heading levels, generous spacing, and subtle fades.
04 / INTEGRITY	Use approved content or clearly marked placeholders. Do not invent clients or reviews.
05 / VERIFICATION	Before editing, outline the plan. Afterward, summarize changes and checks performed.

Illustrative prompt · Not executed · A report of checks is not proof of success.

Build one page section at a time

Keep each Claude Code request focused so you can review and revise one specific area.

01 CONTENT · PAGE SECTIONS

Hero → work → services → process → inquiry


02 PRESENTATION · REUSABLE PARTS

Navigation, buttons, project previews, form fields

03 BEHAVIOR · INTERACTIONS

Navigation states, inquiry submission, motion

Tutorial: banner, description, scrolling mechanism. One prompt targeted only the description column.



Treat the first pass as a draft

Let the rendered page guide your next prompt to Claude Code.

01

Generate

Generate a small, focused first pass.

02

Inspect

Inspect hierarchy, spacing, content, and basic interactions.

03


Record

Record specific defects rather than a general impression.

04

Revise

Revise the highest-impact issue, then inspect again.



REPEAT THE INSPECTION LOOP


Make feedback specific and bounded

Specify the location, defect, desired change, and what to preserve.

01 / VAGUE

“Make the site look more polished.”

No clear target or boundary.



02 / SCOPED

CHANGE	“In the hero only, reduce the headline size so it no longer dominates the viewport.”
CHECK	“Keep the inquiry action visible and inspect the narrow-screen layout.”
PRESERVE	“Do not change the navigation, copy, or other sections.”

Illustrative prompts—not source quotations. Constraints still need review: inspect the code diff and layout.

Refine typography with a focused follow-up prompt

Shared type and spacing rules. Intentional exceptions for brand elements.

Check heading sizes, line breaks, paragraph widths, and section spacing.

Repeat text and button styles across recurring components.

ILLUSTRATIVE TYPE SYSTEM — NOT A SITE CAPTURE




PROMPT
CLAUDE CODE

“Standardize body and heading styles, refine spacing, and preserve the wordmark treatment.”

Define how the layout adapts to narrow screens

Give Claude Code explicit mobile requirements, then check the result.

DESKTOP / TWO COLUMNS



NARROW / STACKED



Illustrative reflow · preserve A → B order

SPECIFY, THEN INSPECT

Specify section stacking, navigation behavior, and image cropping.

Keep body text readable and controls comfortably usable.

Check text wrapping, overflow, long labels, and fixed elements.


TRY THIS

```
"On narrow screens, change the two-column work section to one column.
Preserve content order."
```

Specify behavior, not just appearance

Give Claude Code clear triggers, states, outcomes, and failure cases.

INQUIRY FORM / RECOMMENDED STATE FLOW



Navigation

Specify scroll behavior and keyboard operation.

Fixed actions

Keep them easy to find without covering content.

PROMPT →

```
"Add submission feedback and an error state;
preserve entered values after failure."
```

Tutorial examples: requesting sticky product images; keeping the purchase action easy to find.

Use motion to guide attention

Specify how the website should move—not just how it should look.

DESIGN GUIDELINES

Use brief fades and small shifts to clarify arrival or a change of state.

Avoid continuous motion behind text and dramatic scroll effects by default.

Support reduced-motion preferences without disrupting navigation.

CLAUDE CODE PROMPT

“Add subtle section-entry fades. Disable animation when reduced motion is requested; keep content visible and navigation intact.”

Choose motion tools for a specific need

Ask Claude Code to assess fit and propose a minimal integration.
Don’t add every library.

SOURCE-LINKED RESOURCES / OPTIONAL

01	GSAP	Source-described option for scroll effects.
02	Lenis	Source-described option for smooth-feeling scrolling.
03	React Bits	Source-described resource for animated text, backgrounds and buttons.

Verify compatibility and behavior. Automatic integration is not established.

Roles attributed to the supplied creator description; not independently tested.

Verify content and review code before launch.

A polished interface does not prove factual accuracy or code security.

WHEN THE STAKES ARE HIGH

Seek qualified technical review for sites handling sensitive data or critical transactions.

01 / CONTENT

Replace placeholders with verified facts. Check testimonials, review counts, client names, certifications, offers, and product claims.

02 / CODE

Inspect changes and understand key dependencies and logic before release.

03 / DATA

Review form handling, permissions, credentials, and exposed information.

Visual preference is not proof of performance.

01 / OBSERVATION

Find friction.

Can someone find your work and complete an inquiry?

A usability check reveals obstacles, not a winning version.

02 / CONTROLLED EXPERIMENT

Measure outcomes.

Test one headline or layout change at a time.

Keep everything else stable.
Define the outcome before testing.

A/B tests need enough relevant traffic. Do not declare a winner or cancel a variant after one bad day.

Use usability checks to find friction; use controlled experiments to measure outcomes.

Check the whole journey before release.

A polished page is not proof of a release-ready website.

01 / PREFLIGHT

Check links, keyboard navigation, narrow screens, forms, and error states.

02 / PREVIEW

Verify the build process, hosting settings, and required environment values.

03 / RELEASE GATE

Resolve incomplete user journeys before going live.

04 / VERIFY LIVE

Recheck the published site. Retain a rollback path.

Why test beyond the landing page?
In the Amboras example, the narrator leaves the linked full cart page unfinished.

Vercel and Netlify are named deployment options. Current pricing, plan limits, and eligibility are not established by the supplied material.

Keep the vibe. Own the result.


Start with one section in Claude Code, then refine it through testing and feedback.

01 Define the audience and one primary action.

02 Build one section with explicit visual rules.

03 Inspect it, make one scoped revision, and verify the change.

04 Repeat across the page; review the design and code before release.



Prototype first. Review before release.