

Multiplayer agentic coding

One shared room for teammates
and their coding agents

Hackathon architecture

A shared view of parallel work

Any teammate can start a room

Everyone follows the project
through live sessions.

01 **Create or join**

Open the room in a browser.

02 **Watch agents work**

Follow public messages and changes.

03 **Discuss a decision**

Each vote gets its own team chat.


04 **Keep control of the pace**

The owner approves before resuming.

The sidebar collapses when the sessions need more space.

Local harnesses, shared coordination

Each runner connects a local coding agent to the same room.




Events travel to the server. Approved decisions travel to the runners.

GitHub or GitLab supplies the shared repository and starting commit.
Execution and harness credentials stay on each teammate's machine.

A vote ends with owner approval

60 seconds

for the team to discuss and vote



A clear majority still waits for approval. The discussion stays open.

The initiator owns a manual vote. The agent owner owns its questions.

Overlap warnings and Git integration

Matching file paths raise an early warning.



People review and merge the code with Git.

File overlap is a signal. Automatic semantic conflict resolution remains future work.

Prototype scope

Collaboration

Rooms, live sessions, owner-paced votes, per-vote chat, and overlap warnings

Local runners

Local runner adapters for Codex and Claude. Harness credentials stay on each machine.

Next validation

Run the complete workflow across separate computers with real harness sessions.

Future adapters

Gemini and additional harnesses

Host mode also runs Codex sessions on the server computer.