```
Eyad Kamil
STAT401
Project 1
```

Question 1:

```
A)
mean = 37;
sigma = 5;
n = 15;
ME = 1.645*sigma/sqrt(n);
CI = {mean-ME, mean+ME}

Output:
CI =
    34.8763    39.1237
```

Ans: 90% confidence interval for $\mu = \{34.8763, 39.1237\}$

```
B)
mean = 37;
sigma = 5;
n = 15;
ME = 1.96*sigma/sqrt(n);
CI = [mean-ME, mean+ME]
Output:
CI =
    34.4697    39.5303
```

Ans: 95% confidence interval for $\mu = \{34.4697, 39.5303\}$

```
C)
```

```
mean = 37;
sigma = 5;
n = 15;
ME = 2.576*sigma/sqrt(n);
CI = [mean-ME, mean+ME]
Output:
CI =
33.6744 40.3256
```

Ans: 95% confidence interval for $\mu = \{33.6744, 40.3256\}$

Eyad Kamil STAT401 Project 1

D)

As you increase the level of confidence of the interval, the lower bound of the interval decreases, while the upper bound increases in value. In general, the bounds distance from the mean increases.

```
Eyad Kamil
STAT401
Project 1
```

Question 2:

```
A)

mean = 270;
sigma = 40;
n = 25;
ME = 1.96*sigma/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
CI = 254.3200 285.6800

Ans: 95% confidence interval for μ = {254.32, 285.68}
```

B) mean = 270; sigma = 40;n = 50;ME = 1.96*sigma/sqrt(n); CI = [mean-ME, mean+ME] **Output:** CI =258.9126 281.0874 **Ans:** 95% confidence interval for $\mu = \{258.9126, 281.0874\}$ C) mean = 270; sigma = 40;n = 100;ME = 1.96*sigma/sqrt(n); CI = [mean-ME, mean+ME]

Eyad Kamil STAT401 Project 1

Output:

CI =

262.1600 277.8400

Ans: 95% confidence interval for $\mu = \{262.16, 277.84\}$

D)

As the sample size increases with a constant confidence level, the confidence interval bounds become tighter in respect to the mean. The lower bound increases while the upper bound decreases, since the margin of error decreases.

```
Eyad Kamil
STAT401
Project 1
```

Question 3:

```
A)

mean = 850;
sigma = 50;
n = 100;
ME = 1.96*sigma/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
CI = 840.2000 859.8000

Ans: 95% confidence interval for μ = {840.2, 859.8}
```

```
B)
mean = 850;
sigma = 100;
n = 100;
ME = 1.96*sigma/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
CI =
   830.4000 869.6000
```

Ans: 95% confidence interval for $\mu = \{830.4, 869.6\}$

```
c)
mean = 850;
```

```
Eyad Kamil
STAT401
Project 1

sigma = 200;
n = 100;
ME = 1.96*sigma/sqrt(n);
CI = [mean-ME,mean+ME]

Output:
CI = 810.8000 889.2000

Ans: 95% confidence interval for µ = {810.8, 889.2}
```

D)

As the population standard deviation increases with a constant confidence level, the confidence interval bounds spread further away with respect to the mean. The lower bound decreases while the upper bound increases, since the margin of error increases.

```
Eyad Kamil
STAT401
Project 1
```

Question 4:

```
A)
```

```
mean = 270;
s = 20;
n = 10;
ME = 2.262*s/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
CI =
```

255.6939 284.3061

Ans: 95% confidence interval for $\mu = \{255.6939, 284.3061\}$

B)

```
mean = 270;
s = 20;
n = 10;
ME = 2.093*s/sqrt(n);
CI = [mean-ME, mean+ME]
```

Output:

```
CI = 256.7627 283.2373
```

Ans: 95% confidence interval for $\mu = \{256.7627, 283.2373\}$

```
Eyad Kamil
STAT401
Project 1

C)

mean = 270;
s = 20;
n = 10;
ME = 2.022*s/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
```

CI =

257.2117 282.7883

Ans: 95% confidence interval for $\mu = \{257.2117, 282.7883\}$

D)

As the sample size increases, the bounds on the confidence interval get closer to the sample mean. The upper bound decreases while the lower bound increases.

```
Eyad Kamil
STAT401
Project 1
```

Question 5:

```
A)
```

```
mean = 850;
s = 15;
n = 25;
ME = 2.064*s/sqrt(n);
CI = [mean-ME, mean+ME]
```

Output:

```
CI = 843.8080 856.1920
```

Ans: 95% confidence interval for $\mu = \{843.8080, 856.1920\}$

B)

```
mean = 850;
s = 30;
n = 25;
ME = 2.064*s/sqrt(n);
CI = [mean-ME, mean+ME]
```

Output:

```
CI =
```

837.6160 862.3840

```
Eyad Kamil
STAT401
Project 1
```

Ans: 95% confidence interval for $\mu = \{837.6160, 862.3840\}$

```
C)
mean = 850;
s = 60;
n = 25;
ME = 2.064*s/sqrt(n);
CI = [mean-ME, mean+ME]

Output:
CI =
    825.2320 874.7680
```

Ans: 95% confidence interval for $\mu = \{825.2320, 874.7680\}$

D)

As s increases with a constant confidence level, the confidence interval bounds spread further away with respect to the mean. The lower bound decreases while the upper bound increases, since the margin of error increases.

Question 6:

```
data = [21,20,22,24,22,9,17,22,21,16,17,21,23,22,20,21]
m = mean(data)
s = std(data)
n = 16
ME = 1.753*s/sqrt(n);
CI = [m-ME,m+ME]
```

Output:

```
CI =
18.2757 21.4743
```

Ans: 90% confidence interval for $\mu = \{18.2767, 21.4743\}$