


UML use case • Shared account capabilities


Primary actors are the **business owner (buyer)** and **supplier**. Both use authenticated account, communication and order features.



Notation: stick figures are actors; ellipses are user goals; solid lines are actor associations; the rectangle is the system boundary. Sign-in is a precondition for these use cases. Registration, password recovery and optional social sign-in are summarized on page 3.

UML use case • Buying, selling and delivery

Role-specific use cases complement the shared capabilities on page 1. Payment and order status follow separate review steps.



Conditions: GCash proof is required only when GCash is selected. Only suppliers can confirm or complete orders. Location sharing is available for confirmed orders. Buying and selling are represented as goals, not as a sequence diagram.

Use case descriptions and supporting actors

Use case / actor	Precondition and main behavior	Result or alternate path
Register / sign in Visitor	Create a business or supplier account; authenticate with credentials or a configured social provider.	Receive a session and access the role dashboard.
Recover password Account holder; SMTP service	Request reset email and submit a valid reset token with a new password.	Password is updated; invalid or expired tokens fail.
Social sign-in Visitor; Google / Facebook	Configured provider authenticates the user through OAuth.	API resolves the account and redirects to the frontend.
Place order Buyer	Choose a product, valid quantity, delivery details and payment method. GCash requires a product QR and receipt details.	Pending order is saved; supplier receives an update.
Review payment Supplier	Inspect the order receipt and independently verify received funds.	Approve, or reject with a reason; buyer may resubmit.
Confirm / complete Supplier	GCash must be approved. Confirmation checks available stock; completion requires confirmation.	Confirmation reserves stock; completion closes the order.
Track / share location Buyer; Supplier	Order participant views tracking. Supplier grants browser GPS access and keeps the page open.	Locations are stored and shared; maps use OpenStreetMap tiles.
Manage images Supplier / account holder; Cloudinary	Upload product images, QR image or own profile photo through the API.	Hosted image URL is stored. Receipt images use MongoDB instead.
Send feedback / delete account Visitor / account holder	Submit feedback; authenticated account deletion requires confirmation text.	Feedback is stored; deletion removes the account and related records handled by the route.

Scope: no administrator, courier account or automated GCash gateway is implemented. Sources: frontend/src/App.jsx, dashboard and tracking components, backend/server.js, backend/order-status.js, PAYMENTS.md and TRACKING.md. Supporting services above participate in specific use cases; they are not additional user roles.