

AI SALON • PLATFORM GUIDE

Platform Feature Guide & Knowledge Base

A comprehensive reference for members, organizers, and admins

Contents

1. Platform Overview	6
1.1 Who the platform serves	6
1.2 The three-layer architecture	6
1.3 Tech stack at a glance	7
1.4 Brand palette	7
2. Master Feature Index	8
2.1 Public site features	8
2.2 Chapter landing features	9
2.3 Event experience features	10
2.4 Member area features	11
2.5 Admin console — dashboard & members	11
2.6 Admin console — chapters & countries	12
2.7 Admin console — events, speakers, quizzes	12
2.8 Admin console — email engine	13
2.9 Admin console — knowledge, testimonials, reports, analytics	13
2.10 Admin console — images, mockups, site settings	14
3. Public Site Screens	15
3.1 Home (/)	15
3.2 Login (/login)	15
3.3 Set password (/set-password)	15
3.4 Onboarding (/onboarding)	16
3.5 Privacy (/privacy) & Terms (/terms)	16
3.6 Cookie consent & analytics	16
4. Chapter Landing Pages	17
4.1 Hero section — left column	17
4.2 Hero section — right column (chapter identity)	17
4.3 Main section — upcoming events	17
4.4 Join-the-chapter form behavior	18
5. Event Experience	19

- 5.1 Event landing page (/e/[slug]) 19
- 5.2 Event tabs (/events/[slug]/tabs) 19
- 5.3 Personal check-in code (/e/[slug]/my-code) 19
- 5.4 Events list (/events) 19
- 5.5 Live event chat 20
- 5.6 Quiz integration 20

6. Member Area 21

- 6.1 Profile (/profile) 21
- 6.2 Quiz (/quiz) and live quiz (/quiz/[sessionId]) 21
- 6.3 Testimonials (/testimonials) 21
- 6.4 Community directory (/community) 21
- 6.5 Downloads (/downloads) 22
- 6.6 Resources hub (/resources/ai-human-flourishing) 22

7. Admin Console — Dashboard & Members 23

- 7.1 Dashboard (/admin/dashboard) 23
- 7.2 Event dashboard (/admin/dashboard/event-dashboard) 23
- 7.3 Members table (/admin/members) 23
- 7.4 Members archive (/admin/members/archive) 24
- 7.5 Activity report (/admin/members/activity-report) 24

8. Admin Console — Chapters & Countries 25

- 8.1 Chapters list (/admin/chapters) 25
- 8.2 New chapter (/admin/chapters/new) 25
- 8.3 Chapter edit (/admin/chapters/[id]) 25
- 8.4 Chapter admin view (/admin/c/[chapterSlug]) 25
- 8.5 Countries registry (/admin/countries) 26

9. Admin Console — Events 27

- 9.1 Events list (/admin/events) 27
- 9.2 New event (/admin/events/new) 27
- 9.3 Event edit (/admin/events/[id]) 27
- 9.4 Event shortcut (/admin/event) 28
- 9.5 Event prep (/admin/event-prep) 28
- 9.6 Check-in (/admin/check-in) 28

10. Admin Console — Registrations & Registrants29

10.1 Registrations (/admin/registrations)29

10.2 Registrants (/admin/registrants)29

11. Admin Console — Speakers & Quiz30

11.1 Speakers list (/admin/speakers)30

11.2 Speaker edit (/admin/speakers/[id])30

11.3 Quiz list (/admin/quiz)30

11.4 Quiz edit (/admin/quiz/[id])30

11.5 Quiz results (/admin/quiz/[id]/results)30

11.6 Quiz duplicate & clear30

12. Admin Console — Email Engine31

12.1 Email dashboard (/admin/email)31

12.2 Templates31

12.3 Flows (/admin/email/flows)31

12.4 Orchestrator panel31

12.5 Campaign composer32

12.6 Global controls32

13. Admin Console — Knowledge Base, Testimonials, Reports, Analytics33

13.1 Knowledge base (/admin/knowledge-base)33

13.2 Testimonials (/admin/testimonials)33

13.3 Reports (/admin/reports)33

13.4 Analytics (/admin/analytics)33

14. Admin Console — Images, Mockups, Site Settings34

14.1 Image library (/admin/images)34

14.2 Favicon, login hero, login banner34

14.3 Hide / unhide images34

14.4 Reorder & rotate34

14.5 Bulk-link images34

14.6 Mockup studio (/admin/mockups)35

14.7 Site settings35

15. Knowledge Base & FAQ36

AI Salon · Platform Feature Guide

Page 4

Q1. How do I join a chapter? 36

Q2. How do I RSVP to an event? 36

Q3. How do I get my check-in code? 36

Q4. How do I join a live quiz? 36

Q5. How do I change my profile photo? 36

Q6. How do I create a chapter? 36

Q7. How do I create an event? 36

Q8. How do I attach a hero image to my chapter? 36

Q9. How do I run a check-in? 36

Q10. How do I pause all emails? 37

Q11. How do I bulk-import registrants? 37

Q12. How do I create an email flow? 37

Q13. How do I see who opened my email? 37

Q14. How do I feature a testimonial? 37

Q15. How do I export my chapter's members? 37

Q16. How do I change the favicon? 37

Q17. How do I duplicate a quiz? 37

Q18. How do I add a cohost to an event? 37

Q19. How do I see my chapter's analytics? 37

Q20. How do I delete a member? 37

16. Glossary 38

17. Appendix — Brand & Design System 40

17.1 Color palette 40

17.2 Cover gradient recipe 40

17.3 Typography 40

17.4 Spacing scale 41

17.5 Component styles 41

17.6 Image asset conventions 42

17.7 Voice & tone 42

17.8 Summary 42

1. Platform Overview

AI Salon is a community platform purpose-built for the global AI Salon movement — a network of city chapters that host in-person gatherings about artificial intelligence and its impact on society. The platform unifies three traditionally separate surfaces — a public marketing site, a member area, and an admin console — into one Next.js application. Every chapter has its own branded landing page, every event has its own RSVP and check-in flow, and every interaction is tracked end-to-end so organizers can measure engagement, grow their local community, and deliver polished events without any custom engineering.

The platform is deployed at aisalon.massapro.com and is production-ready. It is built on Next.js 16 (App Router), uses Prisma as its database ORM, NextAuth for authentication, Vercel Blob Storage for image hosting, and a custom email orchestrator that runs scheduled and event-triggered campaigns. The database schema models chapters, countries, members, events, RSVPs, speakers, quizzes, presentations, testimonials, knowledge-base articles, and email flows — a single, coherent graph that lets any admin run an entire chapter end-to-end from the browser.

1.1 Who the platform serves

AI Salon has three primary user types, each with a tailored experience:

- **Guests & prospects** — visitors who land on a chapter page (`/c/[chapterSlug]`) or an event page (`/e/[slug]`). They can read about the chapter, see upcoming events, register for events, and sign up to join the chapter — all without an account until they submit a form.
- **Members** — registered users who have completed onboarding. They have a profile, can RSVP to events, receive a personal check-in code, can join live quizzes, can browse the community directory, can post testimonials, and can download member-exclusive resources.
- **Admins** — chapter organizers and super-admins. They get access to `/admin/*` where they manage chapters, events, members, speakers, quizzes, emails, images, mockups, reports, and analytics. Admins are scoped to a chapter (or set of chapters) unless they have super-admin rights, in which case they can manage any chapter and global site settings.

1.2 The three-layer architecture

The platform is intentionally organized into three layers that share the same codebase but expose very different UIs:

- **Public site** — chapter landing pages, event landing pages, login, onboarding, privacy & terms. These pages are SEO-indexable and designed to convert visitors into members.
- **Member area** — profile, events list, RSVP & check-in, quiz, testimonials, community, downloads, resources. Authenticated, member-only.
- **Admin console** — `/admin/*` tree. Authenticated, role-scoped. Contains the dashboards, CRUD screens, email engine, image library, knowledge base, mockup studio, and analytics.

1.3 Tech stack at a glance

Layer	Technology	Notes
Frontend framework	Next.js 16 (App Router)	Server components by default, client islands where interactivity is needed
UI primitives	shadcn/ui + Tailwind CSS	Brand tokens: --brand-purple #820A7D, --brand-pink #FF005A, --brand-teal #007E72
Typography	Plus Jakarta Sans + Inter	Loaded via next/font; Sans for headings, Inter for body
Database	Prisma + Postgres	Models: Chapter, Country, Member, Event, RSVP, Speaker, Quiz, Presentation, Testimonial, KB Article, EmailFlow, Image, SiteSetting
Auth	NextAuth (Credentials provider)	Email + password; set-password flow; session cookies
Image storage	Vercel Blob Storage	Used for favicon, login banner, chapter heroes, event main images, speaker photos, mockup assets
Email	Custom orchestrator + IMAP polling	Scheduled sends, flow triggers, open/click tracking, image upload inside templates
Analytics	Custom /api/track pipeline	Pageviews, conversions, clicks, opens, leads — no third-party scripts required
Hosting	Vercel	ISR for public pages, serverless API routes, cron jobs for email polling

1.4 Brand palette

Every screen in the platform uses the same three-color palette. Consistent application across the admin console and member area is what makes the product feel cohesive even though it ships 30+ distinct screens. The same palette is used throughout this document.

Color	Hex	Role	Typical usage
Purple	#820A7D	Primary brand	Logo, primary buttons, section headers, table headers, active nav state, cover gradient base
Pink	#FF005A	Accent / energy	Callouts, tips, CTAs on dark backgrounds, hover states, the right end of the cover gradient
Teal-Green	#007E72	Success / positive	Success toasts, confirmation badges, 'good to know' callouts, attendance confirmed state
Slate-900	#1F2937	Body text	All body copy, table cell text, form labels
Slate-500	#6B7280	Muted text	Captions, meta info, dates, helper text under form fields
White	#FFFFFF	Backgrounds	Page background, card surfaces, table even-row stripes

Brand rule

Never introduce a fourth brand color. If a screen needs a success state, use teal-green. If it needs an error state, use the existing muted red from Tailwind's palette (not a new brand red). The strength of the AI Salon visual identity comes from restraint.

2. Master Feature Index

This chapter lists **every** platform feature in one place. Use it as a lookup table: if you can't remember which screen does what, find the feature here and follow the path. Features are grouped by category and tagged with the screen where they live. The same feature may appear once per category it touches (for example, 'Image upload' appears under both Chapter Admin and Email Engine because both screens support image upload).

2.1 Public site features

ID	Feature	Screen	Description
P-01	Brand favicon	/ (global)	Custom favicon served from SiteSetting, propagates within 5 minutes of admin change
P-02	Login banner	/login	Hero image on the login screen, configurable from /admin/images without redeploy
P-03	Email + password login	/login	NextAuth credentials provider with optional 'remember me' session
P-04	Set-password flow	/set-password	First-time password set after invite; same form for password reset
P-05	Onboarding wizard	/onboarding	Multi-step member onboarding: profile photo, bio, chapter selection, referral code
P-06	Privacy policy	/privacy	Static legal page with cookie consent banner
P-07	Terms of service	/terms	Static legal page
P-08	Cookie consent	(global)	Bottom banner on first visit; stores consent in localStorage
P-09	Analytics scripts	(global)	Conditional injection based on consent; default tracker is the in-house /api/track pipeline
P-10	404 / global error	/global-error.tsx	Branded error page with link back to /events

2.2 Chapter landing features

ID	Feature	Screen	Description
C-01	Chapter hero image	/c/[slug]	Small avatar-sized hero image on the left of the hero section
C-02	Join-the-chapter form	/c/[slug]	Inline registration card directly under the hero image (name + email)
C-03	Country flag + label	/c/[slug]	Chapter's country flag emoji and 'AI Salon · {Country}' label
C-04	Chapter identity panel	/c/[slug]	Chapter name, city, description, member count, event count
C-05	WhatsApp community link	/c/[slug]	Deep link to the chapter's WhatsApp group (configurable in admin)
C-06	LinkedIn community link	/c/[slug]	Deep link to the chapter's LinkedIn page (URL normalized via normalizeUrl)
C-07	Upcoming events list	/c/[slug]	Cards showing the next events for this chapter with date, venue, RSVP CTA
C-08	Empty-state events	/c/[slug]	Friendly message when no upcoming events are scheduled
C-09	Success state	/c/[slug]	Confirmation message after a user submits the join form
C-10	Login link from chapter	/c/[slug]	Inline link for existing members to log in instead of re-registering

2.3 Event experience features

ID	Feature	Screen	Description
E-01	Event landing page	/e/[slug]	Hero image, title, date, venue, description, agenda, speakers, RSVP CTA
E-02	Event tabs	/events/[slug]/tabs	Tabbed detail view (Overview / Agenda / Speakers / Resources)
E-03	RSVP	/e/[slug]	Logged-in members can RSVP; non-members can register + RSVP in one flow
E-04	Personal check-in code	/e/[slug]/my-code	Unique QR + alphanumeric code per member per event
E-05	Event list	/events	All upcoming events across all chapters the member can see
E-06	Cohost management	/admin/events/[id]	Assign multiple chapter admins as cohosts of an event
E-07	Event scope	/admin/events/[id]	Scope = which chapters can see this event (single, multi, or global)
E-08	Main image	/admin/events/[id]	Hero image uploaded to Vercel Blob, attached via the Image Library
E-09	Agenda builder	/admin/events/[id]	Time-slotted agenda with speaker links and titles
E-10	Speaker roster	/admin/events/[id]	Link speakers to agenda items; supports cloning and bulk-assign-scope
E-11	Live event chat	/api/chat/events/[id]	Per-event chat room members can join during the event
E-12	Presentations	/e/[slug]	Speaker presentations list with downloadable slides and 'register interest' button
E-13	Event-prep checklist	/admin/event-prep/[id]	Pre-event readiness checklist with AI-suggested items
E-14	Live check-in dashboard	/admin/check-in	Real-time view of who has checked in, searchable by code or name
E-15	Bulk RSVP import	/admin/registrants	CSV upload of pre-registered attendees with auto-link to members

2.4 Member area features

ID	Feature	Screen	Description
M-01	Member profile	/profile	Photo, name, bio, chapter, email, password change, set-password
M-02	Referral stats	/profile	Count of members referred by this member + their chapter breakdown
M-03	My events	/events	Filtered list of events the member has RSVP'd to
M-04	Personal check-in code	/e/[slug]/my-code	Per-event QR + alphanumeric code
M-05	Live quiz join	/quiz	Enter a session code to join a live quiz
M-06	Live quiz play	/quiz/[sessionId]	Real-time question + answer + leaderboard
M-07	Testimonials browse	/testimonials	Card grid of community testimonials with like + share
M-08	Community directory	/community	Roster of members who opted into the directory
M-09	Downloads	/downloads	Member-exclusive resource files (PDFs, decks, templates)
M-10	Resources hub	/resources/ai-human-flourishing	Curated resource library on AI & human flourishing
M-11	Tools catalog	/resources/ai-human-flourishing/tools	Browsable tool catalog with detail pages per tool
M-12	Messages	/api/messages	1:1 messaging between members and speakers
M-13	Notifications	(global)	Toast + sonner notifications for RSVPs, check-ins, new messages

2.5 Admin console — dashboard & members

ID	Feature	Screen	Description
A-01	Admin home	/admin	Role-aware landing: redirects to dashboard
A-02	Member dashboard	/admin/dashboard	Stats for chapter admins: members, events, RSVPs, attendance
A-03	Non-member dashboard	/admin/dashboard	Stats for super-admins: global counts, all-chapter rollup
A-04	Event dashboard	/admin/dashboard/event-dashboard	Per-event deep dive: RSVPs, check-ins, quiz results, chat volume
A-05	Members table	/admin/members	Searchable, sortable table of all members in scope
A-06	Members archive	/admin/members/archive	Soft-deleted members; can be restored
A-07	Activity report	/admin/members/activity-report	Per-member activity log: logins, RSVPs, quiz plays, downloads
A-08	Registrations list	/admin/registrations	All RSVPs in scope, filterable by event / status
A-09	Registrants CRUD	/admin/registrants	Manually add people, find existing members, bulk-link, assign scope, generate codes, mark attendance
A-10	Bulk import	/admin/registrants	CSV upload with template download; auto-matches to existing members by email

2.6 Admin console — chapters & countries

ID	Feature	Screen	Description
A-20	Chapters list	/admin/chapters	All chapters in scope with member/event counts
A-21	New chapter	/admin/chapters/new	Create a chapter: name, slug, country, hero image, WhatsApp/LinkedIn, description
A-22	Chapter edit	/admin/chapters/[id]	Edit chapter fields; slug must be URL-safe and unique
A-23	Chapter admin view	/admin/c/[chapterSlug]	Admin's view of the public chapter page with edit shortcuts
A-24	Countries registry	/admin/countries	Manage the list of countries a chapter can belong to
A-25	Hero image attach	/admin/images	Attach a library image as the chapter's hero (also possible from chapter editor)

2.7 Admin console — events, speakers, quizzes

ID	Feature	Screen	Description
A-30	Events list	/admin/events	All events in scope, filterable by chapter, status, date
A-31	New event	/admin/events/new	Create an event: title, slug, chapter scope, dates, venue, hero image
A-32	Event edit	/admin/events/[id]	Full event editor: details, agenda, speakers, cohosts, RSVP config, main image
A-33	Event shortcut	/admin/event	Quick-search jump box for events
A-34	Event prep	/admin/event-prep	List of events that need prep; deep-link to per-event checklist
A-35	Check-in	/admin/check-in	Live check-in dashboard; scan or type code
A-36	Speakers list	/admin/speakers	All speakers in scope with linked events
A-37	Speaker CRUD	/admin/speakers/[id]	Photo, bio, social links, link to agenda items, clone
A-38	Quiz list	/admin/quiz	All quizzes in scope
A-39	Quiz edit	/admin/quiz/[id]	Question editor, multiple choice, correct answer, points
A-40	Quiz results	/admin/quiz/[id]/results	Per-player score, leaderboard, answer distribution
A-41	Quiz duplicate	/admin/quiz/[id]/duplicate	Clone a quiz as a starting point for a new one
A-42	Quiz restart / clear	/admin/quiz/[id]	Reset state for a re-run; clear all responses

2.8 Admin console — email engine

ID	Feature	Screen	Description
E-50	Email dashboard	/admin/email	Overview of templates, flows, queued/sent counts
E-51	Email templates	/admin/email	CRUD for reusable email templates with variable slots
E-52	Template metrics	/admin/email	Per-template open rate, click rate, conversion
E-53	Template duplicate	/admin/email	Clone a template as a starting point
E-54	Upload image inside template	/admin/email	Upload images directly into the template body (Vercel Blob)
E-55	Email flows	/admin/email/flows	Trigger-based multi-step email sequences
E-56	Flow trigger	/admin/email/flows	Triggers: RSVP, check-in, no-show, post-event, manual
E-57	Flow report	/admin/email/flows/[id]/report	Per-step open/click/conversion funnel
E-58	Flow runs	/admin/email/flows/runs	Live view of currently-running flows
E-59	Orchestrator panel	/admin/email	Manual queue / simulate / run controls for the orchestrator
E-60	Campaign composer	/admin/email	One-off campaign send to a saved audience segment
E-61	Campaign stats	/admin/email	Real-time stats for a sending campaign
E-62	Pause / resume email	/admin/site-settings/email-pause	Global kill switch; pauses all scheduled sends instantly
E-63	WhatsApp settings	/admin/site-settings/whatsapp	Configure WhatsApp click-to-chat links per chapter
E-64	IMAP polling	/api/cron/email/imap-poll	Cron job that polls the inbox for replies and bounces
E-65	Scheduled send	/api/cron/email/send-scheduled	Cron job that dispatches due queued emails

2.9 Admin console — knowledge, testimonials, reports, analytics

ID	Feature	Screen	Description
A-50	Knowledge base CRUD	/admin/knowledge-base	Article editor with rich text, tags, and publish state
A-51	Testimonials moderation	/admin/testimonials	Approve / reject / feature member-submitted testimonials
A-52	Reports	/admin/reports	Exportable CSV/PDF reports: members, events, attendance, revenue-style
A-53	Analytics	/admin/analytics	Page views, conversions, clicks, email opens, leads, funnels
A-54	Activity report	/admin/members/activity-report	Per-member activity timeline

2.10 Admin console — images, mockups, site settings

ID	Feature	Screen	Description
A-60	Image library	/admin/images	Central library of all uploaded images
A-61	Favicon setter	/admin/images	Pick an image (or upload) and set it as the global favicon
A-62	Login hero setter	/admin/images	Pick an image and set it as the login screen hero
A-63	Login banner setter	/admin/images	Pick an image and set it as the login screen banner
A-64	Hide / unhide images	/admin/images	Soft-hide an image without deleting it from storage
A-65	Bulk-link images	/admin/images	Link the same image to multiple entities at once
A-66	Reorder images	/admin/images	Drag-and-drop ordering for slideshow images
A-67	Rotate images	/admin/images	90° rotation in-place
A-68	Mockup studio	/admin/mockups	Branded mockup generator with multiple templates
A-69	Speaker intro mockup	/admin/mockups/speaker-intro	Pre-event social card for each speaker
A-70	Meet-the-speaker mockup	/admin/mockups/meet-the-speaker	In-event intro slide for each speaker
A-71	Event profile mockup	/admin/mockups/event-profile	Event social card with date/venue/RSVP link
A-72	QR Salon mockup	/admin/mockups/qr-salon	QR code card for the chapter or event
A-73	Agenda profile mockup	/admin/mockups/agenda-profile	Visual agenda card for social sharing
A-74	Shared mockup components	/admin/mockups/shared	Reusable brand-frame components across all mockups
A-75	Site settings	/api/admin/site-settings	Global toggles: email pause, WhatsApp, brand assets

How to use this index

Every screen walkthrough in chapters 5–13 references back to the IDs above (P-01, C-05, A-32, etc.). When you read a walkthrough and want to know 'what else can this screen do?', flip back here and scan for the same screen path. The IDs are stable across versions of this document.

3. Public Site Screens

The public site is what visitors see before they have an account. It is responsible for three things: explaining what AI Salon is, converting visitors into members, and providing the legal and authentication scaffolding that protects the rest of the platform. Every screen in this chapter is reachable without logging in.

3.1 Home (/)

The root path is a thin redirect. If the visitor is already logged in, they are sent to /events — the member events list. If they are not logged in, they are sent to /login. There is no marketing homepage on the platform today; the chapter landing pages (/c/[slug]) and event landing pages (/e/[slug]) are the primary marketing surfaces. This decision is deliberate — each chapter markets itself.

3.2 Login (/login)

The login screen is the first branded surface most visitors see. It features a large hero image on the left (the 'login banner', configurable from /admin/images) and a card on the right with the email + password form. Below the form is a link to the set-password flow for first-time users and a 'remember me' checkbox that extends the session cookie from 1 day to 30 days.

Authentication is handled by NextAuth using the Credentials provider. Passwords are bcrypt-hashed in the database; the form POSTs to /api/auth/[...nextauth] which validates credentials, sets a session cookie, and redirects to /api/auth/post-login-redirect. That redirect handler decides where the user lands next: super-admins go to /admin/dashboard, chapter admins go to their chapter admin view, members go to /events, and members who haven't completed onboarding go to /onboarding.

Key UI elements

- Hero image (left, full-height) — sourced from SiteSetting.loginBanner
- Email field, password field, 'remember me' checkbox
- Primary 'Log in' button (brand purple)
- 'Set your password' link for first-time users
- Tiny brand favicon in the browser tab (sourced from SiteSetting.favicon)

Admin tip

The login banner and favicon are stored as Vercel Blob URLs in the SiteSetting table. Changes propagate within 5 minutes to all clients thanks to the 5-minute ISR cache on /api/site-settings. No redeploy needed.

3.3 Set password (/set-password)

First-time members do not have a password. An admin invites them by adding their email in /admin/members or /admin/registrants; the platform sends them an email with a one-time set-password link. The link lands on /set-password, which accepts a new password (twice, for confirmation), validates strength, and writes the bcrypt hash to the database. The same screen is used for password resets — the difference is only in the email copy.

Strength validation requires at least 8 characters, at least one letter and one number. Common weak passwords (top 1000 from a built-in denylist) are rejected. After a successful set, the user is redirected to the post-login

redirect handler and on through the normal onboarding flow.

3.4 Onboarding (/onboarding)

Onboarding is a multi-step wizard that runs the first time a member logs in. It collects the bare minimum needed to participate in the community: a profile photo (optional but encouraged), a short bio, the chapter they want to belong to, and (optionally) the email of the person who referred them. The wizard saves progress at each step, so a member who abandons mid-way can pick up where they left off on next login.

Profile photos are uploaded to Vercel Blob and stored as a URL on the Member record. If a member skips the photo, a generated avatar (initials on a brand-purple background) is used in its place. The referral field, when filled, increments the referrer's referral-stats counter visible on their profile.

3.5 Privacy (/privacy) & Terms (/terms)

Static legal pages with the brand chrome (top-left brand tab, footer line). The privacy page explains what data the platform collects (email, name, photo, event attendance, quiz answers, IP for analytics), how it's used, and how members can request deletion. The terms page covers acceptable use, intellectual property, and limitation of liability. Both pages are React Server Components with no client-side JavaScript beyond the cookie consent banner.

3.6 Cookie consent & analytics

On the first visit to any page, a cookie consent banner slides up from the bottom. It offers three options: accept all, accept essential only, or manage preferences. The choice is stored in localStorage under the key 'aisalon-consent'. Analytics scripts (/api/track pipeline) only fire if the visitor accepted all. Essential cookies (session, CSRF) always fire.

The in-house analytics pipeline tracks pageviews, conversions (RSVP, registration, check-in), clicks on tracked elements, email opens (via a 1x1 pixel), email clicks (via a redirect), and leads (form submissions). All events land in the /api/track/* endpoints and roll up into the /admin/analytics screen.

4. Chapter Landing Pages

The chapter landing page is the heart of the platform's growth engine. Each chapter has one — for example, /c/mtl for Montreal, /c/tlv for Tel Aviv. The page is public, SEO-indexable, and designed to convert a first-time visitor into a registered member in under 60 seconds. The current design (redesigned in this iteration of the platform) puts a small chapter hero image and the join form on the left, the chapter identity on the right, and the upcoming events list in a single full-width column below.

4.1 Hero section — left column

The left column is fixed at 320 pixels wide on desktop and stacks on top on mobile. It contains, in order from top to bottom: the chapter hero image (a small 64×64 / 80×80 pixel rounded square with a thin white border and soft shadow), and the 'Join the chapter' registration card (a white card with a strong shadow that contains the success state, the form (name + email fields), inline error messages, the submit button, and a 'log in' link for existing members).

The hero image used to dominate the page at 128–160 pixels tall. The redesign shrinks it deliberately so that the join form — the primary conversion target — sits in the most valuable real estate on the page: the top-left quadrant where the eye lands first on desktop. If no hero image is set for the chapter, a fallback showing the country flag emoji on a brand-purple tile is rendered instead.

4.2 Hero section — right column (chapter identity)

The right column fills the remaining width and contains the chapter identity block. From top to bottom: the country flag emoji and the label 'AI Salon · {Country}'; the chapter name in large display type; the city and a one-line tagline; the chapter description (2–4 paragraphs of marketing copy); and a row of stats showing the member count and upcoming event count. Below the stats are the WhatsApp and LinkedIn community links — both deep-link directly to the chapter's external communities.

URL normalization

All social links pass through `normalizeUrl()` before being rendered. This guarantees that an admin who types 'linkedin.com/in/aisalon-mtl' (without the `https://` prefix) still gets a working hyperlink. The same function is used on the admin chapter editor so that what the admin types is what the visitor sees.

4.3 Main section — upcoming events

Below the hero, the page transitions to a single full-width column with a max-width of 5xl (1024 pixels). The main section contains only the upcoming events list — the registration form that used to live here has moved up into the hero. Each event card shows the date, the event title, the venue, a short description, and a 'View event' button that links to `/e/[slug]`.

When there are no upcoming events, the list renders an empty state: a friendly message ('No events scheduled yet — check back soon'), the WhatsApp link as the primary CTA, and the LinkedIn link as a secondary CTA. This ensures the page never looks abandoned even when the chapter is between events.

4.4 Join-the-chapter form behavior

The form accepts a name and an email. On submit, it POSTs to `/api/auth/signup`, which creates a pending Member record, sends a set-password email, and returns a success flag. The card then swaps to a success state: 'You're in! Check your email to set your password.' If the email is already in use, the form shows an inline error and offers a 'log in' link. If the request fails for any other reason, a generic error is shown with a retry suggestion.

Once the visitor sets their password via the email link, they are redirected through onboarding (which collects photo, bio, referral) and land on `/events` as a full member. The whole flow — chapter landing → form → set-password → onboarding → events — takes about two minutes end to end.

5. Event Experience

Events are the core unit of activity on the AI Salon platform. Every event has a slug, a chapter scope, a date, a venue, an agenda, and a roster of speakers. Members interact with events through four primary surfaces: the event landing page, the personal check-in code page, the events list, and the event tabs view. Admins interact with events through the admin console (covered in chapters 9 and 10).

5.1 Event landing page (/e/[slug])

The event landing page is the single most-visited page on the platform. It opens with a full-width hero containing the event's main image, the event title in large display type, the date and venue, and (for logged-in members) a primary RSVP button. For non-members, the same button reads 'Register to RSVP' and routes through the chapter join flow first.

Below the hero, the page renders the event description (rich text with images), the agenda (time-slotted, with speaker names linked to their speaker cards), and the speaker roster (photo, name, title, bio). At the bottom is the presentations section — a list of slide decks and resources that speakers have uploaded, with a 'register interest' button for each.

5.2 Event tabs (/events/[slug]/tabs)

The tabbed event view is an alternate layout optimized for mobile and for events with a lot of content. It splits the same content across four tabs: Overview (description + hero), Agenda (time-slotted list), Speakers (card grid), and Resources (downloads and links). The URL hash (#agenda, #speakers, etc.) is preserved on navigation so that links to a specific tab work from outside the page.

5.3 Personal check-in code (/e/[slug]/my-code)

Once a member has RSVP'd to an event, they can access /e/[slug]/my-code from the event page or from their profile. This page shows the member's personal check-in code: a large QR code (scannable by the admin's check-in dashboard) plus the same code as a 6-character alphanumeric string (typeable if the QR won't scan).

The code is derived from the RSVP record and is unique per member per event — it cannot be reused across events and it cannot be transferred. If a member cancels their RSVP, the code is invalidated immediately. The page also shows the event date, venue, and a calendar-add button (.ics download).

Good to know

Members can pull up their code on their phone at the door; no app install required. The QR encodes the same string as the alphanumeric code, so the admin can type it in if the camera fails.

5.4 Events list (/events)

The events list is the member's home base after login. It shows every upcoming event across every chapter the member can see (based on chapter scope rules). Events the member has RSVP'd to are highlighted with a brand-teal 'Going' badge. Each card shows date, title, venue, chapter, and an RSVP toggle.

Past events are hidden by default but accessible via a 'Past events' toggle at the top of the list. Clicking a past event card opens the event landing page in 'recap' mode: agenda and speakers are still shown, RSVP is disabled,

and any testimonials submitted by attendees are surfaced at the bottom.

5.5 Live event chat

Each event has a dedicated chat room accessible from the event landing page while the event is live. The chat is real-time (WebSocket-backed), supports text and emoji reactions, and is moderated by any admin in scope. Messages are stored permanently and can be exported from `/admin/reports`.

5.6 Quiz integration

If an event has a linked quiz, members can join the live quiz session from the event landing page. The 'Join quiz' button deep-links to `/quiz/[sessionId]` with the session pre-selected. The quiz runs in real time: the admin advances questions, members answer on their phones, and a live leaderboard updates after each question. Final results are saved to the member's profile and rollable into `/admin/quiz/[id]/results`.

6. Member Area

The member area is the authenticated part of the platform. It is where members manage their identity, discover events, interact with the community, and access exclusive resources. Every screen in this chapter requires a logged-in session and respects the member's chapter scope.

6.1 Profile (/profile)

The profile page is the member's home base. It shows their photo, name, bio, chapter affiliation, email, and referral stats. From here they can change their profile photo (upload to Vercel Blob), edit their bio, change their password (which calls `/api/profile/set-password`), and view the count of members they have referred plus the chapters those referrals landed in.

Referral stats are pulled from `/api/me/referral-stats`, which queries the Member table for anyone whose `referredBy` field points to the current member. The breakdown by chapter helps members see where their network is concentrated — useful for members who are themselves chapter organizers.

6.2 Quiz (/quiz) and live quiz (/quiz/[sessionId])

The `/quiz` screen is a simple entry point: a text input for a session code and a 'Join' button. Members get the session code from the event host (typically projected on a slide or shared in the event chat). On submit, the member is routed to `/quiz/[sessionId]`, which opens the live quiz view.

The live quiz view is real-time. The current question is displayed at the top, multiple-choice answers below, and a countdown timer (server-driven so everyone sees the same time). After the member answers, they see a 'waiting for others' state until the admin advances. After each question, the leaderboard updates with rank, score, and the gap to first place. The session ends with a final podium screen showing the top three.

6.3 Testimonials (/testimonials)

The testimonials page is a public-ish card grid of community testimonials. Each card shows the member's photo, name, chapter, the testimonial text, and a 'like' count. Members can like (one like per member per testimonial) and share (generates a public URL with OG metadata). The page is filterable by chapter.

Testimonials submitted by members are not published automatically. They land in `/admin/testimonials` where an admin approves, features (pins to the top of the grid), or rejects them. This moderation step keeps the testimonials page high-quality.

6.4 Community directory (/community)

The community directory is a roster of members who have opted into being listed. Opt-in happens during onboarding (a checkbox in the bio step) and can be toggled from the profile page. The directory is searchable by name and filterable by chapter. Clicking a member opens a detail card with photo, bio, chapter, and a 'send message' button that opens a 1:1 chat.

6.5 Downloads (/downloads)

The downloads page lists member-exclusive files. Files are uploaded by admins and tagged by category (e.g., 'Templates', 'Reading lists', 'Slide decks'). Each file shows its name, description, file size, upload date, and a download button. Downloads are gated by session — non-members get redirected to /login. The download URL is a signed, time-limited link to Vercel Blob, so files cannot be hot-linked.

6.6 Resources hub (/resources/ai-human-flourishing)

The resources hub is a curated library on AI and human flourishing. It is organized as a tree: top-level categories (Foundations, Tools, Case Studies), each containing articles and tool detail pages. Articles are rich-text pages with embedded images and citations. Tool detail pages (/resources/ai-human-flourishing/tools/[slug]) follow a fixed schema: name, category, what it does, who it's for, link, pricing, and community rating.

7. Admin Console — Dashboard & Members

The admin console is reached by visiting `/admin`. The platform's post-login redirect handler routes any user with an admin role there automatically. `/admin` itself is a thin redirect that sends the user to `/admin/dashboard`. From there, the left-hand nav bar (present on every admin screen) gives access to every other admin section covered in this and the following chapters.

7.1 Dashboard (`/admin/dashboard`)

The dashboard is role-aware. A chapter admin sees the **member-dashboard** view: stat cards for their chapter (members, upcoming events, RSVPs this month, attendance rate), a recent activity feed, and quick links to the most common actions (create event, add member, view check-in). A super-admin sees the **non-member-dashboard** view: the same cards but rolled up across all chapters, plus a per-chapter breakdown table.

Both dashboards share the same layout: a 4-up stat card row at the top, a 2-column main area below (left = activity feed, right = quick actions), and a footer strip with the next 3 events. Cards use the brand-purple accent for the headline number and muted text for the label. Hovering a card surfaces a small 'view detail' arrow that links to the underlying report.

7.2 Event dashboard (`/admin/dashboard/event-dashboard`)

The event dashboard is a deep-dive view for a single event. It is reached by clicking an event card on the main dashboard or by visiting `/admin/dashboard/event-dashboard?eventId=[id]`. The page shows: RSVP count vs. capacity, check-in count in real time, quiz results summary (if a quiz is linked), chat message volume, and a timeline of activity leading up to and during the event.

On event day, this screen becomes the admin's command center. The check-in count updates via WebSocket; the RSVP count is polled every 30 seconds; the chat volume chart updates every minute. A 'Live check-in' button at the top right deep-links to `/admin/check-in` for the same event.

7.3 Members table (`/admin/members`)

The members table is the canonical list of every member in the admin's scope. Chapter admins see only members of their chapter; super-admins see everyone. The table is searchable (name, email), sortable (name, join date, last login, RSVP count), and paginated. Each row shows photo, name, email, chapter, join date, last login, RSVP count, and a 'more' menu (edit, archive, view activity report, send message).

Clicking a row opens the member detail drawer (right side), which shows the full profile, the activity timeline, the referral tree (direct + indirect), and the list of events the member has attended. The drawer is also where an admin can manually change a member's role (member → chapter admin → super admin) — though super-admin role grants are audit-logged.

7.4 Members archive (/admin/members/archive)

Archived members are soft-deleted: their data is preserved but they can no longer log in, RSVP, or appear in the community directory. The archive page lets admins search and restore archived members. A restore brings the member back to active status with all their historical data intact (RSVPs, quiz results, referrals). Hard deletion is intentionally not exposed in the UI — it requires direct database access to ensure regulatory deletion requests are handled deliberately.

7.5 Activity report (/admin/members/activity-report)

The activity report is a per-member timeline showing every platform interaction: logins, RSVPs, check-ins, quiz plays and scores, downloads, testimonial submissions, messages sent. The report is filterable by date range and event. It is primarily used by chapter admins to identify engaged members (candidates for speaker or cohost roles) and disengaged members (candidates for re-engagement emails).

Export to CSV is supported. The export preserves the same filters as the on-screen view, so an admin can filter to 'members who attended at least 2 events in the last 6 months but haven't RSVP'd to the next event' and export that exact list for a manual outreach campaign.

8. Admin Console — Chapters & Countries

Chapters are the primary organizational unit on the platform. Every member belongs to one (and can attend events from any), every event is scoped to one or more chapters, and every admin has permissions scoped to a set of chapters. This chapter covers the admin screens used to create and manage chapters and the country registry that underlies them.

8.1 Chapters list (/admin/chapters)

The chapters list is a card grid showing every chapter in the admin's scope. Each card displays the chapter hero image (or country flag fallback), the chapter name, the city and country, the member count, and the upcoming event count. Clicking a card opens the chapter editor at `/admin/chapters/[id]`. A 'New chapter' button in the top right opens `/admin/chapters/new`.

8.2 New chapter (/admin/chapters/new)

Creating a chapter is a single-screen form: chapter name, slug (auto-generated from the name, editable, must be URL-safe and unique), country (from the country registry), city, description (rich text), WhatsApp community URL, LinkedIn community URL, and hero image (uploaded to Vercel Blob via the image picker). The form validates as the admin types: slugs that conflict with existing chapters are rejected inline.

Slug rule

Slugs must be lowercase, URL-safe, and unique across all chapters. Once a chapter has events or RSVPs, the slug should not be changed — it is used in URLs that members may have bookmarked or that have been shared in emails and on social media.

8.3 Chapter edit (/admin/chapters/[id])

The chapter edit screen exposes every field on the Chapter model for editing. It is organized into four panels: Identity (name, slug, country, city, description), Branding (hero image upload + preview, fallback flag), Community (WhatsApp, LinkedIn, both passed through `normalizeUrl` on save), and Admins (list of admins scoped to this chapter, with add/remove).

Changes are saved individually per panel (not a single save button at the bottom), so an admin can update the description without risking accidental changes to the admins list. Each panel shows a 'Last modified by [user] at [time]' line so it's clear who changed what.

8.4 Chapter admin view (/admin/c/[chapterSlug])

This is the admin's view of the public chapter page. It renders the same `/c/[slug]` content but with an admin chrome on top: edit shortcuts next to each section ('Edit description', 'Change hero image'), and a sticky bar at the bottom with quick stats (members this week, RSVPs this week). It is the fastest way for a chapter admin to see what their members see and to act on what they notice.

8.5 Countries registry (/admin/countries)

The countries registry is the master list of countries a chapter can belong to. Each country has an ISO code, a name, and a flag emoji. Super-admins can add or deactivate countries (deactivation hides the country from the new-chapter form but preserves it on existing chapters). The registry is small (≈ 250 entries) and rarely changes; it is loaded once and cached on the client.

9. Admin Console — Events

Events are where the platform delivers its core value — bringing members together in person. The admin console exposes a complete event lifecycle: list, create, edit, prep, check-in, recap. Every screen in this chapter is scoped to the admin's chapter set unless the admin is a super-admin.

9.1 Events list (/admin/events)

The events list shows every event in scope. It defaults to upcoming events sorted by date ascending, with filters for chapter, status (draft, published, archived), and date range. Each row shows the event main image thumbnail, title, date, venue, chapter scope, RSVP count vs. capacity, and status. Clicking a row opens the event editor.

9.2 New event (/admin/events/new)

Creating an event is a two-step flow. Step 1 collects the essentials: title, slug (auto-generated, editable, unique), chapter scope (single, multi, or global), start and end date/time, venue name and address, and main image upload. Step 2 opens the full editor where the admin adds description, agenda, speakers, cohosts, and RSVP configuration.

9.3 Event edit (/admin/events/[id])

The event editor is the most feature-dense screen in the admin console. It is organized into tabs: Details, Agenda, Speakers, Cohosts, RSVP, Images, and Quiz. Each tab autosaves changes individually.

Details tab

Title, slug, scope, dates, venue, capacity, description (rich text with images), and a 'publish' toggle. Unpublished events are invisible to members but visible to admins.

Agenda tab

Time-slotted agenda builder. Each row has a start time, end time, title, description, and an optional speaker link. Rows can be reordered by drag-and-drop. The agenda is rendered verbatim on the event landing page.

Speakers tab

Link existing speakers to agenda items, or create new speakers inline. The tab shows all speakers for this event with their photo, name, title, and the agenda item(s) they're linked to. A 'clone from event' button lets the admin copy the speaker roster from a previous event as a starting point.

Cohosts tab

Add other chapter admins as cohosts. Cohosts get full admin rights to this event (edit details, see RSVPs, run check-in) but do not get rights to the chapter itself. This is useful for cross-chapter events where multiple organizers collaborate.

RSVP tab

Configure RSVP open and close dates, capacity, waitlist toggle, custom confirmation message, and the email flow that fires on RSVP. The capacity field is enforced server-side: once capacity is reached, new RSVPs land on the waitlist (if enabled) or are rejected with a 'sold out' message.

Images tab

Upload and manage the event's main image and any gallery images. The main image is the hero on the event landing page; gallery images appear in a carousel below the description. All uploads go through the central image library (chapter 13).

Quiz tab

Link a quiz to the event. Once linked, the event landing page shows a 'Join quiz' button (visible only during the event). The admin can also create a new quiz inline from this tab.

9.4 Event shortcut (/admin/event)

A lightweight jump box. The admin types part of an event title or slug; matching events appear in a dropdown; clicking one opens the editor. Useful for admins who manage many events and don't want to navigate the full list.

9.5 Event prep (/admin/event-prep)

The event prep list shows every upcoming event that needs prep work. Each event card shows the date, days until event, and a prep-readiness score (percentage of checklist items completed). Clicking a card opens /admin/event-prep/[id], the per-event prep checklist.

The checklist is generated from a template plus AI-suggested items based on the event type and venue. Typical items: 'Confirm venue booking', 'Send reminder email 3 days before', 'Print backup check-in sheet', 'Test AV equipment', 'Order food for X attendees'. Items can be checked off, assigned to a specific admin, or snoozed. The prep-readiness score is displayed on the dashboard and on the event card in the events list.

9.6 Check-in (/admin/check-in)

The live check-in dashboard is the admin's door-side tool on event day. It has two modes: **scan** (uses the device camera to scan member QR codes) and **search** (type the alphanumeric code or the member's name). Each successful check-in marks the RSVP as attended, plays a confirmation sound, and shows the member's name and photo for visual verification.

The dashboard shows real-time counts: total RSVPs, checked in, no-shows (RSVP'd but not checked in), and walk-ins (members who RSVP'd at the door via the join form). A 'close check-in' button at the bottom locks the event and triggers the post-event email flow (typically a thank-you email plus a testimonial request).

Pro tip

If the camera scan fails (low light, damaged QR), switch to search mode and type the 6-character alphanumeric code shown on the member's /e/[slug]/my-code page. Both modes mark attendance identically.

10. Admin Console — Registrations & Registrants

RSVPs and registrants are the platform's source of truth for who is coming to an event. **Registrations** are RSVPs created by members themselves through the event landing page. **Registrants** are people added to an event by an admin (either manually one-by-one or in bulk via CSV). Both feed into the same attendance pipeline and both generate check-in codes.

10.1 Registrations (/admin/registrations)

The registrations list shows every RSVP in scope. Filters: event, status (going, waitlist, cancelled, attended, no-show), date range. Each row shows the member's photo, name, email, chapter, the event, RSVP date, and status. Bulk actions: mark as attended, mark as no-show, cancel RSVP, send email.

The list is exportable to CSV with the same filters applied. Common use case: filter to 'going' for a specific event, export, and use the CSV to print name badges or import into a third-party tool (e.g., a venue's security system).

10.2 Registrants (/admin/registrants)

The registrants screen is the admin's tool for adding attendees that didn't RSVP through the public flow. It supports four modes of entry:

- **Single add** — type a name and email; if the email matches an existing member, the registrant is linked to that member; otherwise a new member record is created in 'pending' state.
- **Find members** — search the member directory by name or email and add them with one click.
- **Bulk import** — upload a CSV with columns name, email, chapter (optional); the system auto-matches emails to existing members and creates new pending members for the rest.
- **Bulk link** — select multiple existing registrants and link them to an existing member record in one action.

Every registrant can be assigned a **scope** (which chapters they count against for reporting), can have their check-in code regenerated, and can have their attendance marked manually (useful for walk-ins who didn't RSVP in advance).

Bulk import template

A downloadable CSV template is available at </api/admin/registrants/import-template>. It contains the correct column headers and one example row. Use it as the starting point for any bulk import to avoid column-mismatch errors.

11. Admin Console — Speakers & Quiz

11.1 Speakers list (/admin/speakers)

The speakers list is the chapter's speaker roster. Each speaker is a reusable entity — once created, they can be linked to any number of events. The list shows photo, name, title, company, the events they've spoken at, and a 'more' menu (edit, clone, link to agenda, bulk-assign-scope). Super-admins see all speakers; chapter admins see speakers linked to events in their scope.

11.2 Speaker edit (/admin/speakers/[id])

The speaker edit screen has four panels: Profile (photo, name, title, company, bio), Social (LinkedIn, Twitter, website), Events (list of agenda items this speaker is linked to, with unlink buttons), and Settings (scope, clone button). The photo upload goes through the image library. Cloning creates a duplicate speaker with '(clone)' appended to the name — useful for creating a 'v2' bio without losing the original.

Link to agenda opens a picker that shows all agenda items across all events in scope; the admin selects one and the speaker is linked. **Unlink from agenda** is per-item from the Events panel. Both actions are undoable.

11.3 Quiz list (/admin/quiz)

The quiz list shows every quiz in scope. Each quiz has a title, a linked event (optional), a question count, a plays count (number of times it has been run), and a 'more' menu (edit, duplicate, results, restart, clear responses). Quizzes are reusable across events — a chapter can run the same trivia quiz at multiple events.

11.4 Quiz edit (/admin/quiz/[id])

The quiz editor has two tabs: Questions and Settings. The Questions tab is a list of question cards, each with: question text, 2–6 multiple-choice answers, the correct answer (radio select), and points (default 1, can be raised for harder questions). Questions can be reordered by drag-and-drop. The Settings tab has the quiz title, linked event, time-per-question (default 30s), and whether the leaderboard shows after each question or only at the end.

11.5 Quiz results (/admin/quiz/[id]/results)

After a quiz has been run, the results page shows: per-player score, rank, answer-by-answer breakdown (which option each player chose), and aggregate stats (e.g., 'Question 3 was the hardest — only 12% answered correctly'). Results are exportable to CSV. The page also has a 'restart' button that clears all responses and re-opens the quiz for a new run.

11.6 Quiz duplicate & clear

Duplicate creates a copy of the quiz with '(copy)' appended to the title and no linked event. This is the recommended way to create a new quiz that's similar to a previous one — duplicate, edit the questions, link to the new event. **Clear responses** wipes all answer data without deleting the quiz — useful between rehearsal and live run.

12. Admin Console — Email Engine

The email engine is the platform's most powerful automation tool. It is a complete in-house email system — no Mailchimp, no SendGrid templates. It handles one-off campaigns, multi-step flows triggered by platform events, scheduled sends, open and click tracking, image hosting inside templates, and a global pause switch. Everything is controlled from `/admin/email` and a few supporting API endpoints.

12.1 Email dashboard (`/admin/email`)

The email dashboard is the engine's home. It shows four KPI cards at the top (emails sent this week, open rate, click rate, conversion rate), a queue health chart (queued, sending, sent, bounced), and a recent-activity feed. Below the fold are two tabs: **Templates** and **Flows**.

12.2 Templates

Templates are reusable email bodies with variable slots (e.g., `{{first_name}}`, `{{event_title}}`, `{{rsvp_link}}`). The template editor is a rich-text editor with a variable picker, an image uploader (uploads to Vercel Blob and inserts an `<img>` tag), and a live preview pane that renders the template against sample data. Templates can be duplicated, tagged, and archived.

Each template has a metrics page showing open rate, click rate, and conversion (defined as the recipient taking the desired action — RSVP, check-in, etc.). Metrics are aggregated across all sends that used the template and can be filtered by date range.

12.3 Flows (`/admin/email/flows`)

Flows are multi-step automated sequences. Each flow has a **trigger** (e.g., 'member RSVPs to an event', 'member checks in', 'member doesn't show up', 'admin manually triggers') and a sequence of **steps**. Each step has a template, a delay (send immediately, +1 hour, +1 day, etc.), and optional conditions (only send if the member hasn't already taken the desired action).

Flows can be paused per-step or globally. A flow **run** is the per-member execution of a flow — visible in the Runs tab. The Runs tab shows currently-active runs (member in step X, waiting until time T) and supports manual cancellation. A flow **report** shows the conversion funnel: how many members entered the flow, how many reached each step, how many converted.

12.4 Orchestrator panel

The orchestrator is the engine's worker. It picks up queued emails and sends them. The orchestrator panel exposes three manual controls: **Queue** (manually queue an email for a specific member + template), **Simulate** (run a template against sample data without actually sending), and **Run** (force the orchestrator to process the queue immediately, useful for testing).

Two cron jobs support the orchestrator: `/api/cron/email/imap-poll` (polls the inbox for replies and bounces every 5 minutes) and `/api/cron/email/send-scheduled` (dispatches due queued emails every minute). Both are configured in `vercel.json` with Vercel Cron.

12.5 Campaign composer

The campaign composer is the one-off send tool. The admin selects an audience (segment built from member filters, e.g., 'all members of chapter X who attended at least one event in the last 6 months'), selects or writes a template, picks a send time (immediate or scheduled), and confirms. The composer shows a live count of recipients as the admin builds the audience.

Once sent, the campaign has its own stats page (the campaign-stats component) that updates in real time: sent, delivered, opened, clicked, converted, bounced, complained. The stats page also shows per-recipient status (useful for troubleshooting 'I didn't get that email' complaints).

12.6 Global controls

Two global controls protect against mistakes. **Email pause** (/api/admin/site-settings/email-pause) instantly pauses all scheduled sends across all flows and campaigns — useful if a template has a typo or a flow is misfiring. Pause is a toggle; unpausing resumes the queue from where it stopped. **WhatsApp settings** (/api/admin/site-settings/whatsapp) configure the click-to-chat links shown on chapter pages.

When in doubt, pause

If you ever see unexpected email activity — a flow triggering when it shouldn't, a campaign sending to the wrong segment — hit the email pause switch first. It's instant, global, and reversible. Investigate after pausing, not during.

13. Admin Console — Knowledge Base, Testimonials, Reports, Analytics

13.1 Knowledge base (/admin/knowledge-base)

The knowledge base is the platform's help center. Articles are rich-text pages with optional embedded images and videos. Each article has a title, slug, category, tags, body, and a publish state. Published articles are searchable from the member area's help widget (the '?' icon in the top-right of every page); unpublished drafts are admin-only.

The KB is intentionally separate from the Resources hub (/resources/ai-human-flourishing) — KB is platform help ('How do I RSVP?', 'How do I join a chapter?'); Resources is topical content about AI and human flourishing. Both share the same rich-text editor but have different taxonomies.

13.2 Testimonials (/admin/testimonials)

The testimonials admin screen is the moderation queue. Submitted testimonials land here in 'pending' state. The admin can approve (makes them public on /testimonials), feature (pins them to the top of the grid), reject (sends a polite 'thanks but no thanks' email to the member), or delete. Approved testimonials can be un-published later without losing the original submission.

Each pending testimonial shows the member's photo, name, chapter, the testimonial text, the event it was submitted for (if any), and the submission date. Bulk approve/reject is supported.

13.3 Reports (/admin/reports)

The reports screen is the admin's export center. Pre-built reports include: **Member roster** (all members in scope with key fields), **Event attendance** (per-event RSVPs vs. check-ins vs. no-shows), **Chapter health** (per-chapter growth, retention, attendance rate over time), and **Email performance** (per-template opens, clicks, conversions). Each report is filterable by date range and chapter, and exports to CSV or PDF.

PDF exports use the same brand palette as this document — purple headers, pink accents, teal success callouts. They are suitable for sharing with chapter stakeholders who don't have platform access.

13.4 Analytics (/admin/analytics)

The analytics screen visualizes the data collected by the /api/track pipeline. It has four sections: **Acquisition** (where visitors come from — referrer, landing page, campaign), **Behavior** (page views, time on page, bounce rate per page), **Conversion** (funnel from landing → sign-up → RSVP → check-in), and **Engagement** (email opens, clicks, quiz plays, downloads).

Charts are interactive (hover for tooltips, click to drill down). Date range defaults to the last 30 days but can be set to any range. All metrics can be segmented by chapter, by country, and by source. The analytics screen does not show personally identifiable information — it's aggregate only. Individual member activity is in the activity report (chapter 7).

14. Admin Console — Images, Mockups, Site Settings

14.1 Image library (/admin/images)

The image library is the central registry for every image on the platform. Every upload — chapter hero, event main image, speaker photo, mockup asset, login banner, favicon, email template image, resource article image — goes through this library. The library stores the image in Vercel Blob and keeps a record in the Image table with metadata: filename, dimensions, file size, uploaded-by, uploaded-at, linked-entities (which chapters/events/speakers use it), and a hidden flag.

The library view is a paginated grid of thumbnails with filters for type (favicon, login-hero, login-banner, chapter-hero, event-main, speaker-photo, mockup-asset, email-image), linked-entity, and hidden state. Hovering a thumbnail shows the full metadata; clicking opens the detail view where the admin can rename, hide, rotate 90°, reorder (for slideshow images), or bulk-link to multiple entities.

14.2 Favicon, login hero, login banner

These three slots are global brand assets, set from the image library. **Favicon** appears in every browser tab. **Login hero** is the left-side image on the login screen. **Login banner** is an alternate banner image used in some marketing contexts. Setting any of them is a one-click action from the image detail view; the change propagates within 5 minutes to all clients via the ISR cache on /api/site-settings.

14.3 Hide / unhide images

Hiding an image removes it from public views (chapter pages, event pages, the gallery, etc.) without deleting it from storage. This is the recommended action for images that are out-of-date but might be needed again — for example, last year's chapter hero. Hard deletion (which removes the file from Vercel Blob) is a separate action and is irreversible.

14.4 Reorder & rotate

Reorder is available for images that participate in slideshows (event galleries, mockup carousels). Drag-and-drop in the library updates the order field on the Image record; the change is reflected on the public site immediately. Rotate is a 90° in-place rotation — useful for phone photos uploaded sideways. The rotation is applied to the stored file, not just the display, so it persists across all views.

14.5 Bulk-link images

Bulk-link is the action of attaching one image to multiple entities at once. For example: an admin uploads a new 'AI Salon global logo' image and bulk-links it as the hero for every chapter that doesn't have a chapter-specific hero yet. Bulk-link opens a multi-select picker; the admin picks the entities and confirms. The action is undoable by unlinking (per entity) later.

14.6 Mockup studio (/admin/mockups)

The mockup studio is a set of branded image generators. Each mockup template produces a social-share-ready image (PNG, 1200×630 or 1080×1080) with the AI Salon brand frame. The studio has five templates:

Template	Path	Use case
Speaker intro	/admin/mockups/speaker-intro	Pre-event social card for each speaker (speaker photo + name + title + event date)
Meet the speaker	/admin/mockups/meet-the-speaker	In-event intro slide for each speaker (larger photo, longer bio excerpt)
Event profile	/admin/mockups/event-profile	Event social card (event title + date + venue + RSVP link)
QR Salon	/admin/mockups/qr-salon	QR code card (QR + chapter name + URL) for printed posters
Agenda profile	/admin/mockups/agenda-profile	Visual agenda card (timeline + speaker names) for social sharing

All five templates share a common brand frame (defined in /admin/mockups/shared) — the same purple-to-pink gradient strip, the same AI Salon logo lockup, the same typography. This shared frame is what makes the mockups feel like one family rather than five unrelated generators.

14.7 Site settings

Site settings (/api/admin/site-settings) is the global configuration endpoint. It exposes: **favicon**, **loginHero**, **loginBanner** (all image URLs from the library), **emailPaused** (boolean), **whatsapp** (default WhatsApp number for click-to-chat links), and a few other toggles. The endpoint is read-only for members (returned by /api/site-settings with a 5-minute cache) and read-write for super-admins.

15. Knowledge Base & FAQ

This chapter answers the 20 most common questions members and admins ask. Each answer is short, actionable, and links back to the relevant walkthrough chapter. Use this as a quick-reference; use the chapter walkthroughs for depth.

Q1. How do I join a chapter?

Visit the chapter's landing page at `/c/[slug]` (e.g., `/c/mtl` for Montreal). Fill in the 'Join the chapter' form on the left side of the hero. You'll get an email to set your password; once set, you'll go through onboarding (photo, bio, referral) and land on `/events` as a full member.

Q2. How do I RSVP to an event?

Open the event from `/events` or from the chapter landing page. Click the RSVP button. You'll get a confirmation email and the event will appear in your 'My events' list with a teal 'Going' badge.

Q3. How do I get my check-in code?

Once you've RSVP'd, visit `/e/[slug]/my-code` from the event page or your profile. The page shows a QR code and a 6-character alphanumeric code, both unique to you for that event. Show either at the door.

Q4. How do I join a live quiz?

Get the session code from the event host (projected on a slide or shared in the event chat). Visit `/quiz`, type the code, and click Join. You'll see the current question, multiple-choice answers, and a countdown timer.

Q5. How do I change my profile photo?

Go to `/profile` and click the photo placeholder or your current photo. Upload a new image; it goes to Vercel Blob and replaces your current photo everywhere on the platform.

Q6. How do I create a chapter?

If you're a super-admin, visit `/admin/chapters/new`. Fill in the name, slug (auto-generated, editable), country, city, description, WhatsApp/LinkedIn URLs, and hero image. Save. The chapter is immediately live at `/c/[slug]`.

Q7. How do I create an event?

Visit `/admin/events/new`. Fill in title, slug, scope, dates, venue, and main image. Save. The editor opens with tabs for Details, Agenda, Speakers, Cohosts, RSVP, Images, and Quiz. Fill in what you need and toggle 'publish' on the Details tab.

Q8. How do I attach a hero image to my chapter?

Two ways: (1) from `/admin/chapters/[id]`, open the Branding panel and upload; (2) from `/admin/images`, find the image, open its detail view, and click 'Set as chapter hero' then pick your chapter. Both paths produce the same result.

Q9. How do I run a check-in?

On event day, visit `/admin/check-in` and select your event. Switch to scan mode (camera) or search mode (type code/name). Each successful check-in marks the RSVP as attended and plays a confirmation sound. Click 'Close check-in' at the end to trigger the post-event email flow.

Q10. How do I pause all emails?

Visit `/api/admin/site-settings/email-pause` (or use the pause toggle on the email dashboard). Pause is instant and global — all scheduled sends stop. Unpause resumes from where the queue stopped.

Q11. How do I bulk-import registrants?

Visit `/admin/registrants`. Download the CSV template (`/api/admin/registrants/import-template`). Fill it in (columns: name, email, chapter). Upload. The system auto-matches emails to existing members and creates new pending members for the rest.

Q12. How do I create an email flow?

Visit `/admin/email/flows`. Click 'New flow'. Pick a trigger (e.g., 'member RSVPs'). Add steps (each step = template + delay + optional condition). Save. Toggle the flow 'on' to start it firing.

Q13. How do I see who opened my email?

Visit `/admin/email`, find the template or campaign, open its metrics page. You'll see open rate, click rate, and per-recipient status (sent, opened, clicked, bounced).

Q14. How do I feature a testimonial?

Visit `/admin/testimonials`. Find the pending testimonial, click 'Approve', then 'Feature'. Featured testimonials pin to the top of the `/testimonials` grid.

Q15. How do I export my chapter's members?

Visit `/admin/members`. Filter to your chapter. Click 'Export CSV'. The export preserves your filters and downloads immediately.

Q16. How do I change the favicon?

Visit `/admin/images`. Find or upload the image you want. Open its detail view. Click 'Set as favicon'. The change propagates to all clients within 5 minutes.

Q17. How do I duplicate a quiz?

Visit `/admin/quiz`. Find the quiz you want to copy. Click 'Duplicate' from the 'more' menu. A copy appears with '(copy)' appended to the title. Edit it as needed and link to the new event.

Q18. How do I add a cohost to an event?

Visit `/admin/events/[id]`. Open the Cohosts tab. Search for the admin by name or email. Click 'Add'. The cohost now has full admin rights to this event.

Q19. How do I see my chapter's analytics?

Visit `/admin/analytics`. Filter to your chapter. Use the date range picker to narrow the window. Charts update interactively.

Q20. How do I delete a member?

You don't — deletion is intentionally not in the UI. You can archive a member from `/admin/members` (soft-delete: they can no longer log in but their data is preserved). Hard deletion requires direct database access and is reserved for regulatory requests.

16. Glossary

Alphabetical reference for platform-specific terms. Use this glossary to decode anything in this document or in the platform UI that isn't immediately clear.

Term	Definition
Activity report	Per-member timeline of every platform interaction (logins, RSVPs, check-ins, quiz plays, downloads, messages). Reachable from <code>/admin/members/activity-report</code> .
Admin	A user with elevated permissions. Three tiers: member (default), chapter admin (scoped to one chapter), super admin (global scope).
Agenda	Time-slotted list of sessions within an event. Built on the event editor's Agenda tab.
Chapter	A city-level unit of the AI Salon community. Has its own landing page at <code>/c/[slug]</code> , its own member roster, and its own events.
Chapter admin	An admin scoped to one chapter. Can manage members, events, speakers, and quizzes within that chapter but not other chapters.
Check-in	The act of marking a member as attended at an event. Done from <code>/admin/check-in</code> via QR scan or alphanumeric code.
Check-in code	Per-member, per-event 6-character alphanumeric code (plus matching QR). Shown on <code>/e/[slug]/my-code</code> .
Cohost	An admin granted full rights to a specific event but not to the chapter itself. Useful for cross-chapter events.
Country	Master-list entity that a chapter belongs to. Managed in <code>/admin/countries</code> .
Email flow	Multi-step automated email sequence with a trigger (e.g., RSVP), delays, and per-step templates. Built in <code>/admin/email/flows</code> .
Email orchestrator	The background worker that picks up queued emails and sends them. Polled by two cron jobs.
Email pause	Global kill switch for all scheduled emails. Instant and reversible. Toggled from the email dashboard or <code>/api/admin/site-settings/email-pause</code> .
Email template	Reusable email body with variable slots (<code>{{first_name}}</code> , etc.). Managed in <code>/admin/email</code> .
Event	A single gathering organized by a chapter. Has a slug, scope, date, venue, agenda, speakers, and RSVP list.
Event scope	Which chapters can see an event. Options: single chapter, multiple chapters, or global (all chapters).
Favicon	Small icon shown in browser tabs. Stored as a Vercel Blob URL in SiteSetting. Set from <code>/admin/images</code> .
Featured testimonial	A testimonial pinned to the top of the <code>/testimonials</code> grid. Set by an admin from <code>/admin/testimonials</code> .
Find members	Admin picker that searches the member directory by name or email. Used in <code>/admin/registrants</code> to add existing members to an event.
Flow run	Per-member execution of an email flow. Visible in <code>/admin/email/flows/runs</code> .
Flow trigger	Event that starts a flow. Built-in triggers: RSVP, check-in, no-show, post-event, manual.
Hero image	The primary image on a chapter landing page (small, top-left) or event landing page (full-width hero).
Image library	Central registry of every image uploaded to the platform. Managed in <code>/admin/images</code> .
Knowledge base (KB)	Platform help center. Articles reachable from the help widget in the top-right of every page. Managed in <code>/admin/knowledge-base</code> .
LinkedIn URL	Deep link to a chapter's LinkedIn page. Normalized through <code>normalizeUrl()</code> before rendering.

Term	Definition
Login banner	Hero image on the login screen. Stored as a Vercel Blob URL in SiteSetting.
Login hero	Alternate marketing banner image used in some promotional contexts. Stored in SiteSetting.
Member	A registered user who has completed onboarding. Has a profile, can RSVP, can join quizzes, can post testimonials.
Member dashboard	The /admin/dashboard view for chapter admins. Shows chapter-scoped stats.
Mockup	Branded social-share image generated by the mockup studio. Five templates: speaker-intro, meet-the-speaker, event-profile, qr-salon, agenda-profile.
No-show	A member who RSVP'd but did not check in. Triggers the no-show email flow (if configured).
Non-member dashboard	The /admin/dashboard view for super-admins. Shows global stats rolled up across all chapters.
Onboarding	Multi-step wizard that runs the first time a member logs in. Collects photo, bio, chapter, referral.
Orchestrator panel	Manual control surface for the email worker. Supports queue, simulate, and run actions.
Pending member	A member record created (via join form or admin add) but not yet activated. Activation happens when the member sets their password.
Personal check-in code	See Check-in code.
Presentation	Slide deck or resource file attached to an event by a speaker. Members can 'register interest' to be notified when it's available.
Quiz	Multi-question multiple-choice game played live at an event. Built in /admin/quiz, played at /quiz/[sessionId].
Quiz session	A live instance of a quiz. Members join with a session code; the admin advances questions in real time.
Registrant	A person added to an event by an admin (vs. a registration, which is a self-serve RSVP).
Registration	A self-serve RSVP created by a member from the event landing page.
RSVP	Member's intent to attend an event. Statuses: going, waitlist, cancelled, attended, no-show.
Scope	Visibility boundary for an entity. Events have scope (which chapters can see them); admins have scope (which chapters they can manage).
Set password	First-time password set or password reset. Done at /set-password via a one-time email link.
Site setting	Global configuration stored in the SiteSetting table. Includes favicon, login hero/banner, email pause, WhatsApp.
Slug	URL-safe lowercase identifier. Used in /c/[slug] for chapters and /e/[slug] for events. Must be unique.
Speaker	Reusable entity representing a person who speaks at events. Has photo, name, title, bio, social links. Managed in /admin/speakers.
Super admin	An admin with global scope. Can manage any chapter, any event, any member, and global site settings.
Testimonial	Member-submitted short text about their experience at an event or in the community. Moderated in /admin/testimonials.
Vercel Blob	Cloud object storage used for all uploaded images. Each image gets a public URL stored in the Image table.
WhatsApp URL	Deep link to a chapter's WhatsApp community. Normalized through normalizeUrl() before rendering.

17. Appendix — Brand & Design System

This appendix is the canonical reference for the AI Salon visual identity. Every screen on the platform — and every page in this document — follows these rules. When in doubt, defer to this section.

17.1 Color palette

The palette is three brand colors plus neutral text and background tones. The three brand colors are the only colors allowed for emphasis, accents, and chrome. Neutrals cover all body text and surfaces. There is no fourth brand color and no secondary palette.

Role	Name	Hex	RGB	Usage
Primary brand	Purple	#820A7D	130, 10, 125	Logo, primary buttons, H1/H2, table headers, active nav, cover gradient base, top-left brand tab
Accent	Pink	#FF005A	255, 0, 90	Callouts (tip kind), CTAs on dark backgrounds, hover states, cover gradient end, H4 subheads
Success	Teal-Green	#007E72	0, 126, 114	Success toasts, success callouts, 'Going' RSVP badge, attendance confirmed state
Body text	Slate-900	#1F2937	31, 41, 55	All body copy, table cell text, form labels
Muted text	Slate-500	#6B7280	107, 114, 128	Captions, meta info, dates, helper text, footer text
Light text	Slate-400	#9CA3AF	156, 163, 175	Placeholders, disabled text
Background	White	#FFFFFF	255, 255, 255	Page background, card surfaces, table even rows
Card surface	Lavender-mist	#F8F7F9	248, 247, 249	Section backgrounds, callout backgrounds
Table stripe	Pink-mist	#FAF5FA	250, 245, 250	Table odd rows (very subtle)
Border	Lavender-line	#E5E0E6	229, 224, 230	Table borders, dividers, card edges

17.2 Cover gradient recipe

The signature cover gradient is a 3-stop linear blend from brand-purple to a deeper purple to brand-pink. The transition is not linear in time — the first 60% of the gradient goes from purple to deep purple, and the remaining 40% goes from deep purple to pink. This pushes the 'pink energy' to the bottom of the page where it acts as a foundation for the title block.

- Stop 0%: #820A7D (brand purple)
- Stop 60%: #5B0758 (deep purple — interpolating R 91, G 7, B 88)
- Stop 100%: #FF005A (brand pink)

17.3 Typography

Two type families. **Plus Jakarta Sans** for headings and UI chrome — it's geometric, modern, and friendly. **Inter** for body copy — it's highly legible at small sizes and dense passages. Both are loaded via next/font with display: swap so text renders immediately with a system fallback and swaps in when the web font arrives.

Element	Font	Weight	Size	Line height
H1 (chapter title)	Plus Jakarta Sans	Bold (700)	32 pt	1.25 (40 pt)
H2 (section)	Plus Jakarta Sans	Bold (700)	20 pt	1.3 (26 pt)
H3 (subsection)	Plus Jakarta Sans	Bold (700)	15 pt	1.35 (20 pt)
H4 (callout title)	Plus Jakarta Sans	Bold (700)	12 pt	1.4 (17 pt)
Body	Inter	Regular (400)	10.5 pt	1.55 (16 pt)
Small / caption	Inter	Regular (400)	8.5 pt	1.4 (12 pt)
Table header	Plus Jakarta Sans	Bold (700)	8.8 pt	1.25 (11 pt)
Table cell	Inter	Regular (400)	8.5 pt	1.3 (11 pt)
Code / URL	JetBrains Mono	Regular (400)	8.5 pt	1.4 (12 pt)

17.4 Spacing scale

Spacing follows a 4-pixel base unit. All paddings, margins, and gaps are multiples of 4. Common values: 4 (tight), 8 (default between related elements), 12 (default between paragraphs), 16 (default between sections), 24 (default between cards), 32 (default between major sections).

17.5 Component styles

Buttons

- **Primary:** brand-purple background, white text, 8 px radius, 12 px 24 px padding, no shadow. Hover: slightly darker purple.
- **Secondary:** white background, brand-purple text, brand-purple 1 px border, 8 px radius. Hover: lavender-mist background.
- **Success:** brand-teal background, white text. Used for confirm-actions (RSVP confirmed, check-in successful).
- **Ghost:** transparent background, slate-500 text. Hover: lavender-mist background. Used for cancel / dismiss.

Cards

White background, 1 px lavender-line border, 12 px radius, 16 px padding, subtle 0 1px 2px slate-900/5 shadow. No stronger shadow unless the card is interactive (e.g., event card on hover) — depth should communicate hierarchy, not decoration.

Callouts

Three kinds, each with a tinted background, a 3 px colored left bar, and a title in the kind's color. **Tip** (pink): useful-but-optional info. **Success** (teal): confirmation or 'good to know'. **Note** (purple): important context the reader shouldn't skip.

17.6 Image asset conventions

Asset	Recommended size	Aspect ratio	Where it appears
Favicon	512×512 px	1:1	Browser tabs, bookmark thumbnails
Login banner	1600×2000 px	4:5	Left side of /login
Chapter hero	800×800 px	1:1	Small hero on /c/[slug] (rendered at 64–80 px)
Event main image	1600×900 px	16:9	Full-width hero on /e/[slug]
Speaker photo	800×800 px	1:1	Speaker cards on /e/[slug] and /admin/speakers
Email template image	Max 600 px wide	Variable	Inside email body; raster, not vector
Mockup asset	1200×630 or 1080×1080	1.91:1 or 1:1	Social shares, in-event slides

17.7 Voice & tone

AI Salon's voice is **direct, warm, and a little nerdy**. Direct means no hedging ('might be useful') — say what the thing does. Warm means acknowledging the reader as a person, not a 'user'. A little nerdy means it's OK to use technical terms when they're the right words, as long as we define them on first use. The platform avoids corporate buzzwords ('synergy', 'leverage', 'circle back') and marketing fluff ('unleash', 'revolutionary').

Error messages follow the same voice. Instead of 'An error occurred', say 'We couldn't save that — try again in a moment'. Instead of 'Unauthorized', say 'You'll need to log in to see this'. The goal is to make the reader feel like a competent human is on the other end of the screen.

17.8 Summary

The AI Salon platform is a complete, production-ready system for running a global network of city chapters. It covers the full member journey from first visit to event attendance to community participation, and the full admin journey from chapter creation to event execution to post-event follow-up. Every screen follows the same three-color brand palette, the same two-font typography system, and the same voice. This consistency is what makes the platform feel like one product rather than a collection of tools.

This document has walked through every public, member, and admin screen; listed every feature in a single master index (chapter 2); answered the 20 most common questions (chapter 15); and provided the brand reference (this chapter). It is intended to be the canonical reference for new members, new admins, and anyone building on top of the platform.