

Kuda 3.0

Confidence Layer

Minimum Viable Product Scope & 90-Day Delivery Plan

A focused delivery plan for proving transaction confidence and contextual recovery before broader intelligence.

PRODUCT THESIS

Kuda 3.0 has largely solved the old discoverability problem. The next product advantage is confidence: money states, exception journeys, support ownership and recurring commitments should be clear enough that customers do not have to chase the app for answers.

Prepared by	Olusola Ayodeji Ezekiel Product Manager
Document status	Version 1.0 Independent product proposal

Independent concept based on public product observations and prior teardown work. Not affiliated with or endorsed by Kuda.

01 / MVP INTENT

MVP Intent

The MVP should prove one hypothesis: customers feel materially more confident when Kuda explains uncertain money states and carries that context into support. The MVP is intentionally narrower than the full teardown. It prioritizes confidence and recovery before semantic intelligence or broad personalization.

MVP PROMISE

When a transfer is delayed or a displayed balance requires explanation, the customer can understand what is happening, who owns the next step, and where to get contextual help without starting over.

02 / IN-SCOPE MVP CAPABILITIES

In-Scope MVP Capabilities

Capability	MVP scope	Why now
Transaction Resolution Timeline	Timeline, ownership copy, next checkpoint, status-change notifications	Highest trust/support impact and builds on existing status/reversal logic.
Contextual Support Handoff	Get help with this transfer + prefilled secure context + case status	Reduces repeated explanation and duplicate tickets.
Money-State Explanation	Available-to-spend vs pending/reserved + freshness explanation	Foundational for all later intelligence.
Incident Awareness	Known service issue banner in affected transfer/support flow	Prevents avoidable ticket creation during incidents.

03 / EXPLICITLY OUT OF SCOPE FOR MVP

Explicitly Out of Scope for MVP

- Unbounded conversational financial guidance.
- Full Search 2.0 semantic query set.
- Full Recurring Money Hub with detected subscriptions.
- Multi-card personalized home feed.
- New security-control suite.
- Changes to Kuda 3.0 navigation or primary information architecture.

04 / MVP USER FLOW

MVP User Flow

1. Customer sends money through the existing secure transfer flow.
2. If the transfer enters a non-terminal or exception state, the transaction detail shows a resolution timeline.
3. The interface states who owns the next action and shows an ETA band or next checkpoint.
4. A material state change triggers one deduplicated in-app or push update.
5. If the configured recovery window is breached, the customer can select Get help with this transfer.
6. Support receives a permission-scoped context reference and the customer sees an active case state in Inbox.
7. When the transaction completes or reverses, both the transaction and case experience update consistently.

05 / MVP STATE MODEL

MVP State Model

Canonical state	Customer meaning	Customer action
Initiated	Kuda has accepted the request	Wait; no retry needed
Sent	The transfer has been sent for processing	Wait; status will update
Awaiting response	External confirmation is pending	Wait; show checkpoint/ETA band
Under review	Automatic recovery window breached or reconciliation required	Follow existing case; no duplicate retry
Completed	Terminal success confirmed by source of truth	No action
Reversed	Funds returned and available state refreshed	No action; view details
Failed	Terminal failure with no debit or completed reversal path	Retry only when explicitly safe

06 / MVP USER STORIES

MVP User Stories

- As a customer with a delayed transfer, I want to know what stage it is in and who owns the next action so I do not retry unnecessarily.
- As a customer waiting for a reversal, I want an expected checkpoint so I know when I should take action.
- As a customer who needs support, I want the case to already include the transaction context so I do not repeat details.
- As a customer looking at my Spend balance, I want pending/reserved money explained so I know how much I can safely use now.

07 / MVP ACCEPTANCE CRITERIA

MVP Acceptance Criteria

- 100% of supported exception states map to approved customer-facing explanations and next-step rules.
- No completed state is displayed without payment/ledger confirmation.
- Contextual support entry carries transaction ID/reference, state history, timestamps and eligible error/incident metadata.
- Only one active case can exist for the same transaction + issue class unless an authorized workflow overrides this.
- Notification deduplication prevents repeated alerts for the same material state.
- Available-to-spend excludes pending/reserved values according to the agreed taxonomy.
- Feature can be enabled or disabled by cohort using server-side flags.

08 / TECHNICAL MVP ARCHITECTURE

Technical MVP Architecture

Component	MVP responsibility
Payment/Ledger domain	Canonical state + terminal truth
Event bus / event service	Publish transaction.status_changed and money_state.refreshed
Experience API / BFF	Translate domain state to approved customer-safe view model

Component	MVP responsibility
Notification service	Consume material state changes; deduplicate and honor preferences
Support context service	Generate permission-scoped context reference and create/follow case
Incident service	Expose machine-readable affected rail/bank/service status
Analytics pipeline	Capture state dwell, re-entry, retry, help entry, case and resolution events

09 / 90-DAY DELIVERY PLAN

90-Day Delivery Plan

Window	Product / Design	Engineering / Data	Validation
Days 0-15	Finalize state model, copy matrix, support handoff UX	Instrument current exception flow; define event contracts	Support-log coding + 8-12 moderated sessions
Days 16-30	Prototype timeline + case status	Build BFF view model, event wiring, context envelope	Technical spike + service-owner review
Days 31-45	Ship internal/staff beta	Implement timeline, notification dedupe, help handoff	Dogfood + defect review
Days 46-60	Limited customer rollout	Incident integration + freshness explanations	A/B or cohort comparison
Days 61-75	Tune copy, thresholds and SLA bands	Performance, observability, case duplicate prevention	CSAT/CES + support contact analysis
Days 76-90	Expand if guardrails pass	Stability hardening + dashboards	Go/no-go review; decide Search/Home pilots

10 / SUCCESS CRITERIA FOR MVP

Success Criteria for MVP

Metric	Directional target
Contact rate per delayed/failed transfer	Meaningful reduction vs control cohort
Repeat transfer attempts while unresolved	Reduction vs baseline
Time to first meaningful explanation	Materially faster than current support-led journey
Duplicate case rate	Reduction during normal and incident periods
Exception-journey CSAT / CES	Improvement vs baseline
State accuracy	No Sev-1 mismatch between UI terminal state and ledger truth

11 / MVP GO / NO-GO GUARDRAILS

MVP Go / No-Go Guardrails

- No rollout expansion if state mismatches or misleading ETA incidents are observed.
- No exact ETA when the confidence model is below threshold; show checkpoint instead.

- No support enrichment beyond approved RBAC scope.
- No change to primary home/navigation patterns as part of the confidence MVP.
- All financial state computation remains deterministic and ledger-backed.

12 / WHAT COMES AFTER MVP

What Comes After MVP

If the MVP reduces customer effort and improves trust without introducing state errors, the next layer is controlled intelligence: one contextual home priority card, read-only semantic transaction retrieval, and a mandate-first Recurring Money calendar. These pilots should consume the same canonical state and event foundations rather than creating separate truths.