NAME

t1disasm – disassemble PostScript Type 1 font

SYNOPSIS

t1disasm [*input* [*output*]]

DESCRIPTION

t1disasm disassembles Adobe Type 1 font programs in either PFA (hexadecimal) or PFB (binary) formats into human-readable form. If the file *output* is not specified output goes to the standard output. If the file *input* is not specified input comes from the standard input.

t1disasm performs eexec and charstring decryption as specified in the ‘‘black book’’, *Adobe Type 1 Font Format.* Additionally, the charstring binary tokens are expanded into human-readable text form, using the names given in the black book and later documents describing Type 2 opcodes.

EXAMPLES

% t1disasm Utopia-Regular.pfb Utopia-Regular.raw
% t1disasm Utopia-Regular.pfa Utopia-Regular.raw

In **Subrs** entries in Utopia-Regular.raw will look like

```
dup 5 {
    8 111 vstem
    –12 128 hstem
    707 –20 hstem
    return
    } |
```

and the **CharStrings** entries like

```
/exclam {
    58 242 hsbw
    6 callsubr
    5 4 callsubr
    63 707 rmoveto
    –54 0 –5 –22 4 –45 rrcurveto
    40 –431 rlineto
    29 hlineto
    42 431 rlineto
    4 45 –5 22 –55 0 rrcurveto
    closepath
    6 4 callsubr
    –719 vmoveto
    243 callsubr
    endchar
    } |–
```

SEE ALSO

t1asm(1), **t1ascii**(1), **t1binary**(1), **t1unmac**(1), **t1mac**(1)

Adobe Type 1 Font Format is available free from Adobe as a PDF file:
http://partners.adobe.com/asn/developer/PDFS/TN/T1_SPEC.PDF

The Type 2 Charstring Format, also available from Adobe as a PDF file, describes the newer Type 2 operators, which are also used in some multiple-master Type 1 fonts like Adobe Jenson

and Kepler: http://partners.adobe.com/asn/developer/PDFS/TN/5177.Type2.pdf

AUTHORS

Lee Hetherington (ilh@lcs.mit.edu)
Eddie Kohler (ekohler@gmail.com)