# HIGH PERFORMANCE COMPUTING: TOWARDS BETTER PERFORMANCE PREDICTIONS AND EXPERIMENTS

Tom Cornebize 2 June 2021, PhD defense









 $[\ldots]$  scientific computing, supercomputers, Moore's law  $[\ldots]$ 

**Typical Performance Evaluation Questions** (Given my application and a supercomputer)




- · Before running
  - How many nodes?
  - For how long?
  - Which parameters?

# **Typical Performance Evaluation Questions** (Given my application and a supercomputer)



- · Before running
  - How many nodes?
  - For how long?
  - · Which parameters?
- After running
  - Performance as "expected"?
  - Problem in the app or the platform?


# **Typical Performance Evaluation Questions** (Given my application and a supercomputer)



- · Before running
  - How many nodes?
  - For how long?
  - Which parameters?
- After running
  - Performance as "expected"?
  - Problem in the app or the platform?

So many large-scale runs, solely to tune performance?!?

# **Typical Performance Evaluation Questions** (Given my application and a supercomputer)



- · Before running
  - · How many nodes?
  - For how long?
  - Which parameters?
- After running
  - Performance as "expected"?
  - Problem in the app or the platform?

So many large-scale runs, solely to tune performance?!?

Holy Grail: Predictive Simulation on a "Laptop"
Capture the whole application and platform complexity

### SIM(EM)ULATION: THE SMPI APPROACH



### Full reimplementation of MPI on top of SIMORID

- · C/C++/F77/F90 codes run unmodified out of the box
- · Simply replace mpicc/mpirun by smpicc/smpirun



### SIM(EM)ULATION: THE SMPI APPROACH





- · C/C++/F77/F90 codes run unmodified out of the box
- Simply replace mpicc/mpirun by smpicc/smpirun



#### Emulation: how?

- · Computations run for real on a laptop
- · Communications are faked, good fluid network models
- Performance model for the target platform