

## Tables (33)

Name	Type	Schema
<b>admin_permissions</b>		<pre>CREATE TABLE "admin_permissions" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `action` varchar(255) NULL, `action_parameters` json NULL, `subject` varchar(255) NULL, `properties` json NULL, `conditions` json NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `admin_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)</pre>
id	integer	"id" integer NOT NULL
action	varchar(255)	"action" varchar(255)
action_parameters	json	"action_parameters" json
subject	varchar(255)	"subject" varchar(255)
properties	json	"properties" json
conditions	json	"conditions" json
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>admin_permissions_role_links</b>		<pre>CREATE TABLE "admin_permissions_role_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `permission_id` integer NULL, `role_id` integer NULL, `permission_order` float NULL, CONSTRAINT `admin_permissions_role_links_fk` FOREIGN KEY (`permission_id`) REFERENCES `admin_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_permissions_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `admin_roles` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_permissions_role_links_fk` FOREIGN KEY (`permission_id`) REFERENCES `admin_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_permissions_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `admin_roles` (`id`) ON DELETE CASCADE)</pre>
id	integer	"id" integer NOT NULL
permission_id	integer	"permission_id" integer
role_id	integer	"role_id" integer
permission_order	float	"permission_order" float
<b>admin_roles</b>		<pre>CREATE TABLE "admin_roles" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `code` varchar(255) NULL, `description` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `admin_roles_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_roles_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_roles_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_roles_updated_by_id_fk` FOREIGN KEY</pre>

Name	Type	Schema
		(`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
code	varchar(255)	"code" varchar(255)
description	varchar(255)	"description" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>admin_users</b>		CREATE TABLE "admin_users" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `firstname` varchar(255) NULL, `lastname` varchar(255) NULL, `username` varchar(255) NULL, `email` varchar(255) NULL, `password` varchar(255) NULL, `reset_password_token` varchar(255) NULL, `registration_token` varchar(255) NULL, `is_active` boolean NULL, `blocked` boolean NULL, `preferred_language` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `admin_users_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_users_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_users_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `admin_users_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
firstname	varchar(255)	"firstname" varchar(255)
lastname	varchar(255)	"lastname" varchar(255)
username	varchar(255)	"username" varchar(255)
email	varchar(255)	"email" varchar(255)
password	varchar(255)	"password" varchar(255)
reset_password_token	varchar(255)	"reset_password_token" varchar(255)
registration_token	varchar(255)	"registration_token" varchar(255)
is_active	boolean	"is_active" boolean
blocked	boolean	"blocked" boolean
preferred_language	varchar(255)	"preferred_language" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>admin_users_roles_links</b>		CREATE TABLE "admin_users_roles_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `user_id` integer NULL, `role_id` integer NULL, `role_order` float NULL, `user_order` float NULL, CONSTRAINT `admin_users_roles_links_fk` FOREIGN KEY (`user_id`) REFERENCES `admin_users` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_users_roles_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `admin_roles` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_users_roles_links_fk` FOREIGN KEY (`user_id`) REFERENCES `admin_users` (`id`) ON DELETE CASCADE, CONSTRAINT `admin_users_roles_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `admin_roles` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL

Name	Type	Schema
user_id	integer	"user_id" integer
role_id	integer	"role_id" integer
role_order	float	"role_order" float
user_order	float	"user_order" float
<b>carts</b>		CREATE TABLE "carts" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `username` varchar(255) NULL, `email` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `published_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `carts_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `carts_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `carts_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `carts_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
username	varchar(255)	"username" varchar(255)
email	varchar(255)	"email" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
published_at	datetime	"published_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>carts_products_links</b>		CREATE TABLE "carts_products_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `cart_id` integer NULL, `product_id` integer NULL, `product_order` float NULL, CONSTRAINT `carts_products_links_fk` FOREIGN KEY (`cart_id`) REFERENCES `carts` (`id`) ON DELETE CASCADE, CONSTRAINT `carts_products_links_inv_fk` FOREIGN KEY (`product_id`) REFERENCES `products` (`id`) ON DELETE CASCADE, CONSTRAINT `carts_products_links_fk` FOREIGN KEY (`cart_id`) REFERENCES `carts` (`id`) ON DELETE CASCADE, CONSTRAINT `carts_products_links_inv_fk` FOREIGN KEY (`product_id`) REFERENCES `products` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
cart_id	integer	"cart_id" integer
product_id	integer	"product_id" integer
product_order	float	"product_order" float
<b>files</b>		CREATE TABLE "files" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `alternative_text` varchar(255) NULL, `caption` varchar(255) NULL, `width` integer NULL, `height` integer NULL, `formats` json NULL, `hash` varchar(255) NULL, `ext` varchar(255) NULL, `mime` varchar(255) NULL, `size` float NULL, `url` varchar(255) NULL, `preview_url` varchar(255) NULL, `provider` varchar(255) NULL, `provider_metadata` json NULL, `folder_path` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `files_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `files_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `files_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `files_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)

Name	Type	Schema
		(`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
alternative_text	varchar(255)	"alternative_text" varchar(255)
caption	varchar(255)	"caption" varchar(255)
width	integer	"width" integer
height	integer	"height" integer
formats	json	"formats" json
hash	varchar(255)	"hash" varchar(255)
ext	varchar(255)	"ext" varchar(255)
mime	varchar(255)	"mime" varchar(255)
size	float	"size" float
url	varchar(255)	"url" varchar(255)
preview_url	varchar(255)	"preview_url" varchar(255)
provider	varchar(255)	"provider" varchar(255)
provider_metadata	json	"provider_metadata" json
folder_path	varchar(255)	"folder_path" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>files_folder_links</b>		CREATE TABLE "files_folder_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `file_id` integer NULL, `folder_id` integer NULL, `file_order` float NULL, CONSTRAINT `files_folder_links_fk` FOREIGN KEY (`file_id`) REFERENCES `files` (`id`) ON DELETE CASCADE, CONSTRAINT `files_folder_links_inv_fk` FOREIGN KEY (`folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE, CONSTRAINT `files_folder_links_fk` FOREIGN KEY (`file_id`) REFERENCES `files` (`id`) ON DELETE CASCADE, CONSTRAINT `files_folder_links_inv_fk` FOREIGN KEY (`folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
file_id	integer	"file_id" integer
folder_id	integer	"folder_id" integer
file_order	float	"file_order" float
<b>files_related_morphs</b>		CREATE TABLE "files_related_morphs" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `file_id` integer NULL, `related_id` integer NULL, `related_type` varchar(255) NULL, `field` varchar(255) NULL, `order` float NULL, CONSTRAINT `files_related_morphs_fk` FOREIGN KEY (`file_id`) REFERENCES `files` (`id`) ON DELETE CASCADE, CONSTRAINT `files_related_morphs_fk` FOREIGN KEY (`file_id`) REFERENCES `files` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
file_id	integer	"file_id" integer
related_id	integer	"related_id" integer
related_type	varchar(255)	"related_type" varchar(255)
field	varchar(255)	"field" varchar(255)
order	float	"order" float
<b>i18n_locale</b>		CREATE TABLE "i18n_locale" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `code` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `i18n_locale_created_by_id_fk` FOREIGN KEY

Name	Type	Schema
		(`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `i18n_locale_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `i18n_locale_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `i18n_locale_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
code	varchar(255)	"code" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>products</b>		CREATE TABLE "products" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `title` varchar(255) NULL, `description` json NULL, `price` float NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `published_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, `category` varchar(255) null, `hours` integer null, CONSTRAINT `products_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `products_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `products_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `products_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
title	varchar(255)	"title" varchar(255)
description	json	"description" json
price	float	"price" float
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
published_at	datetime	"published_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
category	varchar(255)	"category" varchar(255)
hours	integer	"hours" integer
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence (name, seq)
name		"name"
seq		"seq"
<b>strapi_api_token_permissions</b>		CREATE TABLE "strapi_api_token_permissions" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `action` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_api_token_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_token_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_token_permissions_created_by_id_fk`

Name	Type	Schema
		FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_token_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
action	varchar(255)	"action" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>strapi_api_token_permissions_token_links</b>		CREATE TABLE "strapi_api_token_permissions_token_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `api_token_permission_id` integer NULL, `api_token_id` integer NULL, `api_token_permission_order` float NULL, CONSTRAINT `strapi_api_token_permissions_token_links_fk` FOREIGN KEY (`api_token_permission_id`) REFERENCES `strapi_api_token_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_api_token_permissions_token_links_inv_fk` FOREIGN KEY (`api_token_id`) REFERENCES `strapi_api_tokens` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_api_token_permissions_token_links_fk` FOREIGN KEY (`api_token_permission_id`) REFERENCES `strapi_api_token_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_api_token_permissions_token_links_inv_fk` FOREIGN KEY (`api_token_id`) REFERENCES `strapi_api_tokens` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
api_token_permission_id	integer	"api_token_permission_id" integer
api_token_id	integer	"api_token_id" integer
api_token_permission_order	float	"api_token_permission_order" float
<b>strapi_api_tokens</b>		CREATE TABLE "strapi_api_tokens" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `description` varchar(255) NULL, `type` varchar(255) NULL, `access_key` varchar(255) NULL, `last_used_at` datetime NULL, `expires_at` datetime NULL, `lifespan` bigint NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_api_tokens_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_tokens_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_tokens_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_api_tokens_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
description	varchar(255)	"description" varchar(255)
type	varchar(255)	"type" varchar(255)
access_key	varchar(255)	"access_key" varchar(255)
last_used_at	datetime	"last_used_at" datetime
expires_at	datetime	"expires_at" datetime
lifespan	bigint	"lifespan" bigint

Name	Type	Schema
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>strapi_core_store_settings</b>		CREATE TABLE `strapi_core_store_settings` (`id` integer not null primary key autoincrement, `key` varchar(255) null, `value` text null, `type` varchar(255) null, `environment` varchar(255) null, `tag` varchar(255) null)
id	integer	"id" integer NOT NULL
key	varchar(255)	"key" varchar(255)
value	text	"value" text
type	varchar(255)	"type" varchar(255)
environment	varchar(255)	"environment" varchar(255)
tag	varchar(255)	"tag" varchar(255)
<b>strapi_database_schema</b>		CREATE TABLE `strapi_database_schema` (`id` integer not null primary key autoincrement, `schema` json, `time` datetime, `hash` varchar(255))
id	integer	"id" integer NOT NULL
schema	json	"schema" json
time	datetime	"time" datetime
hash	varchar(255)	"hash" varchar(255)
<b>strapi_migrations</b>		CREATE TABLE `strapi_migrations` (`id` integer not null primary key autoincrement, `name` varchar(255), `time` datetime)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
time	datetime	"time" datetime
<b>strapi_release_actions</b>		CREATE TABLE "strapi_release_actions" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `type` varchar(255) NULL, `target_id` integer NULL, `target_type` varchar(255) NULL, `content_type` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_release_actions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_release_actions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_release_actions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_release_actions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
type	varchar(255)	"type" varchar(255)
target_id	integer	"target_id" integer
target_type	varchar(255)	"target_type" varchar(255)
content_type	varchar(255)	"content_type" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>strapi_release_actions_release_links</b>		CREATE TABLE "strapi_release_actions_release_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `release_action_id` integer NULL, `release_id` integer NULL, `release_action_order` float NULL, CONSTRAINT `strapi_release_actions_release_links_fk`

Name	Type	Schema
		FOREIGN KEY (`release_action_id`) REFERENCES `strapi_release_actions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_release_actions_release_links_inv_fk` FOREIGN KEY (`release_id`) REFERENCES `strapi_releases` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_release_actions_release_links_fk` FOREIGN KEY (`release_action_id`) REFERENCES `strapi_release_actions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_release_actions_release_links_inv_fk` FOREIGN KEY (`release_id`) REFERENCES `strapi_releases` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
release_action_id	integer	"release_action_id" integer
release_id	integer	"release_id" integer
release_action_order	float	"release_action_order" float
<b>strapi_releases</b>		CREATE TABLE "strapi_releases" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `released_at` datetime NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_releases_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_releases_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_releases_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_releases_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
released_at	datetime	"released_at" datetime
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>strapi_transfer_token_permissions</b>		CREATE TABLE "strapi_transfer_token_permissions" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `action` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_transfer_token_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_token_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_token_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_token_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
action	varchar(255)	"action" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer



Name	Type	Schema
<b>strapi_transfer_token_permissions_token_links</b>		<pre>CREATE TABLE "strapi_transfer_token_permissions_token_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `transfer_token_permission_id` integer NULL, `transfer_token_id` integer NULL, `transfer_token_permission_order` float NULL, CONSTRAINT `strapi_transfer_token_permissions_token_links_fk` FOREIGN KEY (`transfer_token_permission_id`) REFERENCES `strapi_transfer_token_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_transfer_token_permissions_token_links_inv_fk` FOREIGN KEY (`transfer_token_id`) REFERENCES `strapi_transfer_tokens` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_transfer_token_permissions_token_links_fk` FOREIGN KEY (`transfer_token_permission_id`) REFERENCES `strapi_transfer_token_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `strapi_transfer_token_permissions_token_links_inv_fk` FOREIGN KEY (`transfer_token_id`) REFERENCES `strapi_transfer_tokens` (`id`) ON DELETE CASCADE)</pre>
id	integer	"id" integer NOT NULL
transfer_token_permission_id	integer	"transfer_token_permission_id" integer
transfer_token_id	integer	"transfer_token_id" integer
transfer_token_permission_order	float	"transfer_token_permission_order" float
<b>strapi_transfer_tokens</b>		<pre>CREATE TABLE "strapi_transfer_tokens" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `description` varchar(255) NULL, `access_key` varchar(255) NULL, `last_used_at` datetime NULL, `expires_at` datetime NULL, `lifespan` bigint NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `strapi_transfer_tokens_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_tokens_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_tokens_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `strapi_transfer_tokens_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)</pre>
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
description	varchar(255)	"description" varchar(255)
access_key	varchar(255)	"access_key" varchar(255)
last_used_at	datetime	"last_used_at" datetime
expires_at	datetime	"expires_at" datetime
lifespan	bigint	"lifespan" bigint
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>strapi_webhooks</b>		<pre>CREATE TABLE `strapi_webhooks` (`id` integer not null primary key autoincrement, `name` varchar(255) null, `url` text null, `headers` json null, `events` json null, `enabled` boolean null)</pre>
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
url	text	"url" text

Name	Type	Schema
headers	json	"headers" json
events	json	"events" json
enabled	boolean	"enabled" boolean
<b>up_permissions</b>		<pre>CREATE TABLE "up_permissions" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `action` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `up_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_permissions_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_permissions_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)</pre>
id	integer	"id" integer NOT NULL
action	varchar(255)	"action" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>up_permissions_role_links</b>		<pre>CREATE TABLE "up_permissions_role_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `permission_id` integer NULL, `role_id` integer NULL, `permission_order` float NULL, CONSTRAINT `up_permissions_role_links_fk` FOREIGN KEY (`permission_id`) REFERENCES `up_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `up_permissions_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `up_roles` (`id`) ON DELETE CASCADE, CONSTRAINT `up_permissions_role_links_fk` FOREIGN KEY (`permission_id`) REFERENCES `up_permissions` (`id`) ON DELETE CASCADE, CONSTRAINT `up_permissions_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `up_roles` (`id`) ON DELETE CASCADE)</pre>
id	integer	"id" integer NOT NULL
permission_id	integer	"permission_id" integer
role_id	integer	"role_id" integer
permission_order	float	"permission_order" float
<b>up_roles</b>		<pre>CREATE TABLE "up_roles" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `description` varchar(255) NULL, `type` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `up_roles_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_roles_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_roles_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_roles_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)</pre>
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
description	varchar(255)	"description" varchar(255)

Name	Type	Schema
type	varchar(255)	"type" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>up_users</b>		CREATE TABLE "up_users" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `username` varchar(255) NULL, `email` varchar(255) NULL, `provider` varchar(255) NULL, `password` varchar(255) NULL, `reset_password_token` varchar(255) NULL, `confirmation_token` varchar(255) NULL, `confirmed` boolean NULL, `blocked` boolean NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `up_users_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_users_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_users_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `up_users_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
username	varchar(255)	"username" varchar(255)
email	varchar(255)	"email" varchar(255)
provider	varchar(255)	"provider" varchar(255)
password	varchar(255)	"password" varchar(255)
reset_password_token	varchar(255)	"reset_password_token" varchar(255)
confirmation_token	varchar(255)	"confirmation_token" varchar(255)
confirmed	boolean	"confirmed" boolean
blocked	boolean	"blocked" boolean
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>up_users_role_links</b>		CREATE TABLE "up_users_role_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `user_id` integer NULL, `role_id` integer NULL, `user_order` float NULL, CONSTRAINT `up_users_role_links_fk` FOREIGN KEY (`user_id`) REFERENCES `up_users` (`id`) ON DELETE CASCADE, CONSTRAINT `up_users_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `up_roles` (`id`) ON DELETE CASCADE, CONSTRAINT `up_users_role_links_fk` FOREIGN KEY (`user_id`) REFERENCES `up_users` (`id`) ON DELETE CASCADE, CONSTRAINT `up_users_role_links_inv_fk` FOREIGN KEY (`role_id`) REFERENCES `up_roles` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer
role_id	integer	"role_id" integer
user_order	float	"user_order" float
<b>upload_folders</b>		CREATE TABLE "upload_folders" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `name` varchar(255) NULL, `path_id` integer NULL, `path` varchar(255) NULL, `created_at` datetime NULL, `updated_at` datetime NULL, `created_by_id` integer NULL, `updated_by_id` integer NULL, CONSTRAINT `upload_folders_created_by_id_fk` FOREIGN KEY

Name	Type	Schema
		(`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `upload_folders_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `upload_folders_created_by_id_fk` FOREIGN KEY (`created_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL, CONSTRAINT `upload_folders_updated_by_id_fk` FOREIGN KEY (`updated_by_id`) REFERENCES `admin_users` (`id`) ON DELETE SET NULL)
id	integer	"id" integer NOT NULL
name	varchar(255)	"name" varchar(255)
path_id	integer	"path_id" integer
path	varchar(255)	"path" varchar(255)
created_at	datetime	"created_at" datetime
updated_at	datetime	"updated_at" datetime
created_by_id	integer	"created_by_id" integer
updated_by_id	integer	"updated_by_id" integer
<b>upload_folders_parent_links</b>		CREATE TABLE "upload_folders_parent_links" (`id` integer PRIMARY KEY AUTOINCREMENT NOT NULL, `folder_id` integer NULL, `inv_folder_id` integer NULL, `folder_order` float NULL, CONSTRAINT `upload_folders_parent_links_fk` FOREIGN KEY (`folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE, CONSTRAINT `upload_folders_parent_links_inv_fk` FOREIGN KEY (`inv_folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE, CONSTRAINT `upload_folders_parent_links_fk` FOREIGN KEY (`folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE, CONSTRAINT `upload_folders_parent_links_inv_fk` FOREIGN KEY (`inv_folder_id`) REFERENCES `upload_folders` (`id`) ON DELETE CASCADE)
id	integer	"id" integer NOT NULL
folder_id	integer	"folder_id" integer
inv_folder_id	integer	"inv_folder_id" integer
folder_order	float	"folder_order" float

## Indices (86)

Name	Type	Schema
<b>admin_permissions_created_by_id_fk</b>		CREATE INDEX `admin_permissions_created_by_id_fk` on `admin_permissions` (`created_by_id`)
created_by_id		"created_by_id"
<b>admin_permissions_role_links_fk</b>		CREATE INDEX `admin_permissions_role_links_fk` on `admin_permissions_role_links` (`permission_id`)
permission_id		"permission_id"
<b>admin_permissions_role_links_inv_fk</b>		CREATE INDEX `admin_permissions_role_links_inv_fk` on `admin_permissions_role_links` (`role_id`)
role_id		"role_id"
<b>admin_permissions_role_links_order_inv_fk</b>		CREATE INDEX `admin_permissions_role_links_order_inv_fk` on `admin_permissions_role_links` (`permission_order`)
permission_order		"permission_order"
<b>admin_permissions_role_links_unique</b>		CREATE UNIQUE INDEX `admin_permissions_role_links_unique` on `admin_permissions_role_links` (`permission_id`, `role_id`)
permission_id		"permission_id"

Name	Type	Schema
role_id		"role_id"
<b>admin_permissions_updated_by_id_fk</b>		CREATE INDEX `admin_permissions_updated_by_id_fk` on `admin_permissions` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>admin_roles_created_by_id_fk</b>		CREATE INDEX `admin_roles_created_by_id_fk` on `admin_roles` (`created_by_id`)
created_by_id		"created_by_id"
<b>admin_roles_updated_by_id_fk</b>		CREATE INDEX `admin_roles_updated_by_id_fk` on `admin_roles` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>admin_users_created_by_id_fk</b>		CREATE INDEX `admin_users_created_by_id_fk` on `admin_users` (`created_by_id`)
created_by_id		"created_by_id"
<b>admin_users_roles_links_fk</b>		CREATE INDEX `admin_users_roles_links_fk` on `admin_users_roles_links` (`user_id`)
user_id		"user_id"
<b>admin_users_roles_links_inv_fk</b>		CREATE INDEX `admin_users_roles_links_inv_fk` on `admin_users_roles_links` (`role_id`)
role_id		"role_id"
<b>admin_users_roles_links_order_fk</b>		CREATE INDEX `admin_users_roles_links_order_fk` on `admin_users_roles_links` (`role_order`)
role_order		"role_order"
<b>admin_users_roles_links_order_inv_fk</b>		CREATE INDEX `admin_users_roles_links_order_inv_fk` on `admin_users_roles_links` (`user_order`)
user_order		"user_order"
<b>admin_users_roles_links_unique</b>		CREATE UNIQUE INDEX `admin_users_roles_links_unique` on `admin_users_roles_links` (`user_id`, `role_id`)
user_id		"user_id"
role_id		"role_id"
<b>admin_users_updated_by_id_fk</b>		CREATE INDEX `admin_users_updated_by_id_fk` on `admin_users` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>carts_created_by_id_fk</b>		CREATE INDEX `carts_created_by_id_fk` on `carts` (`created_by_id`)
created_by_id		"created_by_id"
<b>carts_products_links_fk</b>		CREATE INDEX `carts_products_links_fk` on `carts_products_links` (`cart_id`)
cart_id		"cart_id"
<b>carts_products_links_inv_fk</b>		CREATE INDEX `carts_products_links_inv_fk` on `carts_products_links` (`product_id`)
product_id		"product_id"
<b>carts_products_links_order_fk</b>		CREATE INDEX `carts_products_links_order_fk` on `carts_products_links` (`product_order`)
product_order		"product_order"
<b>carts_products_links_unique</b>		CREATE UNIQUE INDEX `carts_products_links_unique` on `carts_products_links` (`cart_id`, `product_id`)
cart_id		"cart_id"

Name	Type	Schema
product_id		"product_id"
<b>carts_updated_by_id_fk</b>		CREATE INDEX `carts_updated_by_id_fk` on `carts` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>files_created_by_id_fk</b>		CREATE INDEX `files_created_by_id_fk` on `files` (`created_by_id`)
created_by_id		"created_by_id"
<b>files_folder_links_fk</b>		CREATE INDEX `files_folder_links_fk` on `files_folder_links` (`file_id`)
file_id		"file_id"
<b>files_folder_links_inv_fk</b>		CREATE INDEX `files_folder_links_inv_fk` on `files_folder_links` (`folder_id`)
folder_id		"folder_id"
<b>files_folder_links_order_inv_fk</b>		CREATE INDEX `files_folder_links_order_inv_fk` on `files_folder_links` (`file_order`)
file_order		"file_order"
<b>files_folder_links_unique</b>		CREATE UNIQUE INDEX `files_folder_links_unique` on `files_folder_links` (`file_id`, `folder_id`)
file_id		"file_id"
folder_id		"folder_id"
<b>files_related_morphs_fk</b>		CREATE INDEX `files_related_morphs_fk` on `files_related_morphs` (`file_id`)
file_id		"file_id"
<b>files_related_morphs_id_column_index</b>		CREATE INDEX `files_related_morphs_id_column_index` on `files_related_morphs` (`related_id`)
related_id		"related_id"
<b>files_related_morphs_order_index</b>		CREATE INDEX `files_related_morphs_order_index` on `files_related_morphs` (`order`)
order		"order"
<b>files_updated_by_id_fk</b>		CREATE INDEX `files_updated_by_id_fk` on `files` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>i18n_locale_created_by_id_fk</b>		CREATE INDEX `i18n_locale_created_by_id_fk` on `i18n_locale` (`created_by_id`)
created_by_id		"created_by_id"
<b>i18n_locale_updated_by_id_fk</b>		CREATE INDEX `i18n_locale_updated_by_id_fk` on `i18n_locale` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>products_created_by_id_fk</b>		CREATE INDEX `products_created_by_id_fk` on `products` (`created_by_id`)
created_by_id		"created_by_id"
<b>products_updated_by_id_fk</b>		CREATE INDEX `products_updated_by_id_fk` on `products` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>strapi_api_token_permissions_created_by_id_fk</b>		CREATE INDEX `strapi_api_token_permissions_created_by_id_fk` on `strapi_api_token_permissions` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_api_token_permissions_token_links_fk</b>		CREATE INDEX `strapi_api_token_permissions_token_links_fk` on `strapi_api_token_permissions_token_links` (`api_token_permission_id`)
api_token_permission_id		"api_token_permission_id"
		CREATE INDEX

Name	Type	Schema
<b>strapi_api_token_permissions_token_links_inv_fk</b>		`strapi_api_token_permissions_token_links_inv_fk` on `strapi_api_token_permissions_token_links` (`api_token_id`)
api_token_id		"api_token_id"
<b>strapi_api_token_permissions_token_links_order_inv_fk</b>		CREATE INDEX `strapi_api_token_permissions_token_links_order_inv_fk` on `strapi_api_token_permissions_token_links` (`api_token_permission_order`)
api_token_permission_order		"api_token_permission_order"
<b>strapi_api_token_permissions_token_links_unique</b>		CREATE UNIQUE INDEX `strapi_api_token_permissions_token_links_unique` on `strapi_api_token_permissions_token_links` (`api_token_permission_id`, `api_token_id`)
api_token_permission_id		"api_token_permission_id"
api_token_id		"api_token_id"
<b>strapi_api_token_permissions_updated_by_id_fk</b>		CREATE INDEX `strapi_api_token_permissions_updated_by_id_fk` on `strapi_api_token_permissions` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>strapi_api_tokens_created_by_id_fk</b>		CREATE INDEX `strapi_api_tokens_created_by_id_fk` on `strapi_api_tokens` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_api_tokens_updated_by_id_fk</b>		CREATE INDEX `strapi_api_tokens_updated_by_id_fk` on `strapi_api_tokens` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>strapi_release_actions_created_by_id_fk</b>		CREATE INDEX `strapi_release_actions_created_by_id_fk` on `strapi_release_actions` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_release_actions_release_links_fk</b>		CREATE INDEX `strapi_release_actions_release_links_fk` on `strapi_release_actions_release_links` (`release_action_id`)
release_action_id		"release_action_id"
<b>strapi_release_actions_release_links_inv_fk</b>		CREATE INDEX `strapi_release_actions_release_links_inv_fk` on `strapi_release_actions_release_links` (`release_id`)
release_id		"release_id"
<b>strapi_release_actions_release_links_order_inv_fk</b>		CREATE INDEX `strapi_release_actions_release_links_order_inv_fk` on `strapi_release_actions_release_links` (`release_action_order`)
release_action_order		"release_action_order"
<b>strapi_release_actions_release_links_unique</b>		CREATE UNIQUE INDEX `strapi_release_actions_release_links_unique` on `strapi_release_actions_release_links` (`release_action_id`, `release_id`)
release_action_id		"release_action_id"
release_id		"release_id"
<b>strapi_release_actions_updated_by_id_fk</b>		CREATE INDEX `strapi_release_actions_updated_by_id_fk` on `strapi_release_actions` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>strapi_releases_created_by_id_fk</b>		CREATE INDEX `strapi_releases_created_by_id_fk` on `strapi_releases` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_releases_updated</b>		CREATE INDEX `strapi_releases_updated_by_id_fk` on `strapi_releases` (`updated_by_id`)

Name	Type	Schema
<b>_by_id_fk</b>		
updated_by_id		"updated_by_id"
<b>strapi_transfer_token_permissions_created_by_id_fk</b>		CREATE INDEX `strapi_transfer_token_permissions_created_by_id_fk` on `strapi_transfer_token_permissions` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_transfer_token_permissions_token_links_fk</b>		CREATE INDEX `strapi_transfer_token_permissions_token_links_fk` on `strapi_transfer_token_permissions_token_links` (`transfer_token_permission_id`)
transfer_token_permission_id		"transfer_token_permission_id"
<b>strapi_transfer_token_permissions_token_links_inv_fk</b>		CREATE INDEX `strapi_transfer_token_permissions_token_links_inv_fk` on `strapi_transfer_token_permissions_token_links` (`transfer_token_id`)
transfer_token_id		"transfer_token_id"
<b>strapi_transfer_token_permissions_token_links_order_inv_fk</b>		CREATE INDEX `strapi_transfer_token_permissions_token_links_order_inv_fk` on `strapi_transfer_token_permissions_token_links` (`transfer_token_permission_order`)
transfer_token_permission_order		"transfer_token_permission_order"
<b>strapi_transfer_token_permissions_token_links_unique</b>		CREATE UNIQUE INDEX `strapi_transfer_token_permissions_token_links_unique` on `strapi_transfer_token_permissions_token_links` (`transfer_token_permission_id`, `transfer_token_id`)
transfer_token_permission_id		"transfer_token_permission_id"
transfer_token_id		"transfer_token_id"
<b>strapi_transfer_token_permissions_updated_by_id_fk</b>		CREATE INDEX `strapi_transfer_token_permissions_updated_by_id_fk` on `strapi_transfer_token_permissions` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>strapi_transfer_tokens_created_by_id_fk</b>		CREATE INDEX `strapi_transfer_tokens_created_by_id_fk` on `strapi_transfer_tokens` (`created_by_id`)
created_by_id		"created_by_id"
<b>strapi_transfer_tokens_updated_by_id_fk</b>		CREATE INDEX `strapi_transfer_tokens_updated_by_id_fk` on `strapi_transfer_tokens` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>up_permissions_created_by_id_fk</b>		CREATE INDEX `up_permissions_created_by_id_fk` on `up_permissions` (`created_by_id`)
created_by_id		"created_by_id"
<b>up_permissions_role_links_fk</b>		CREATE INDEX `up_permissions_role_links_fk` on `up_permissions_role_links` (`permission_id`)
permission_id		"permission_id"
<b>up_permissions_role_links_inv_fk</b>		CREATE INDEX `up_permissions_role_links_inv_fk` on `up_permissions_role_links` (`role_id`)
role_id		"role_id"
<b>up_permissions_role_links_order_inv_fk</b>		CREATE INDEX `up_permissions_role_links_order_inv_fk` on `up_permissions_role_links` (`permission_order`)
permission_order		"permission_order"
<b>up_permissions_role_links_unique</b>		CREATE UNIQUE INDEX `up_permissions_role_links_unique` on `up_permissions_role_links` (`permission_id`, `role_id`)



Name	Type	Schema
<b>s_unique</b>		
permission_id		"permission_id"
role_id		"role_id"
<b>up_permissions_updated_by_id_fk</b>		CREATE INDEX `up_permissions_updated_by_id_fk` on `up_permissions` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>up_roles_created_by_id_fk</b>		CREATE INDEX `up_roles_created_by_id_fk` on `up_roles` (`created_by_id`)
created_by_id		"created_by_id"
<b>up_roles_updated_by_id_fk</b>		CREATE INDEX `up_roles_updated_by_id_fk` on `up_roles` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>up_users_created_by_id_fk</b>		CREATE INDEX `up_users_created_by_id_fk` on `up_users` (`created_by_id`)
created_by_id		"created_by_id"
<b>up_users_role_links_fk</b>		CREATE INDEX `up_users_role_links_fk` on `up_users_role_links` (`user_id`)
user_id		"user_id"
<b>up_users_role_links_inv_fk</b>		CREATE INDEX `up_users_role_links_inv_fk` on `up_users_role_links` (`role_id`)
role_id		"role_id"
<b>up_users_role_links_order_inv_fk</b>		CREATE INDEX `up_users_role_links_order_inv_fk` on `up_users_role_links` (`user_order`)
user_order		"user_order"
<b>up_users_role_links_unique</b>		CREATE UNIQUE INDEX `up_users_role_links_unique` on `up_users_role_links` (`user_id`, `role_id`)
user_id		"user_id"
role_id		"role_id"
<b>up_users_updated_by_id_fk</b>		CREATE INDEX `up_users_updated_by_id_fk` on `up_users` (`updated_by_id`)
updated_by_id		"updated_by_id"
<b>upload_files_created_at_index</b>		CREATE INDEX `upload_files_created_at_index` on `files` (`created_at`)
created_at		"created_at"
<b>upload_files_ext_index</b>		CREATE INDEX `upload_files_ext_index` on `files` (`ext`)
ext		"ext"
<b>upload_files_folder_path_index</b>		CREATE INDEX `upload_files_folder_path_index` on `files` (`folder_path`)
folder_path		"folder_path"
<b>upload_files_name_index</b>		CREATE INDEX `upload_files_name_index` on `files` (`name`)
name		"name"
<b>upload_files_size_index</b>		CREATE INDEX `upload_files_size_index` on `files` (`size`)
size		"size"
<b>upload_files_updated_at_index</b>		CREATE INDEX `upload_files_updated_at_index` on `files` (`updated_at`)

Name	Type	Schema
updated_at		"updated_at"
<b>upload_folders_created_by_id_fk</b>		CREATE INDEX `upload_folders_created_by_id_fk` on `upload_folders` (`created_by_id`)
created_by_id		"created_by_id"
<b>upload_folders_parent_links_fk</b>		CREATE INDEX `upload_folders_parent_links_fk` on `upload_folders_parent_links` (`folder_id`)
folder_id		"folder_id"
<b>upload_folders_parent_links_inv_fk</b>		CREATE INDEX `upload_folders_parent_links_inv_fk` on `upload_folders_parent_links` (`inv_folder_id`)
inv_folder_id		"inv_folder_id"
<b>upload_folders_parent_links_order_inv_fk</b>		CREATE INDEX `upload_folders_parent_links_order_inv_fk` on `upload_folders_parent_links` (`folder_order`)
folder_order		"folder_order"
<b>upload_folders_parent_links_unique</b>		CREATE UNIQUE INDEX `upload_folders_parent_links_unique` on `upload_folders_parent_links` (`folder_id`, `inv_folder_id`)
folder_id		"folder_id"
inv_folder_id		"inv_folder_id"
<b>upload_folders_path_id_index</b>		CREATE UNIQUE INDEX `upload_folders_path_id_index` on `upload_folders` (`path_id`)
path_id		"path_id"
<b>upload_folders_path_index</b>		CREATE UNIQUE INDEX `upload_folders_path_index` on `upload_folders` (`path`)
path		"path"
<b>upload_folders_updated_by_id_fk</b>		CREATE INDEX `upload_folders_updated_by_id_fk` on `upload_folders` (`updated_by_id`)
updated_by_id		"updated_by_id"

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------