

SMART MANAGER ERP

SECURITY AND DATABASE COMPLIANCE REPORT

Focused extraction from the repository-audited master system book

Read-only evidence
Audit date: 24 August 2026
Supabase project: rlnhgsrihahhyxnjrxm
Prepared by Manus AI

Compliance scope

This report extracts the security risk register and live Supabase schema dictionary. It distinguishes observed evidence from recommended remediation and does not authorize destructive production changes.

The live database inspection was read-only and time-bound to the audit date.

Contents

1	Executive evidence snapshot	1
2	1. Security risk register	2
	2.1 R-01 — Authenticated SECURITY DEFINER routines	2
	2.2 R-02 — Multiple permissive RLS policies	2
	2.3 R-03 — Legacy non-atomic invoice payment path	2
	2.4 R-04 — Large dashboard boundary	3
	2.5 R-05 — External provider readiness	3
	2.6 R-06 — Demo fallback risk	3
	2.7 Remediation sequencing	3
3	2. Database schema dictionary	4
	3.1 Canonical identity and tenancy contract	4
	3.2 Canonical subscription contract	4
	3.3 Public table dictionary	5
4	3. Compliance conclusion	45
	4.1 References	45

1 Executive evidence snapshot

Metric	Value	Interpretation
Total tables	542	Public plus auth metadata returned by read-only inventory
Public tables	519	Application-facing public schema
Auth tables	23	Supabase Auth schema
RLS enabled	535	Reported enabled in returned metadata
RLS not enabled	7	Requires table-specific review
Migration records	133	Live migration ledger records
Security lints	119	118 WARN; 1 INFO
Performance lints	851	Saved performance advisor count

The dictionary reports metadata and row estimates; it does not expose row contents. Advisor counts are findings rather than a claim that every finding has equal severity or exploitability.

2 1. Security risk register

The six extracted risks are shown below. The owner and priority fields support triage and do not replace the underlying severity wording.

ID	Risk	Severity	Prior-ity	Owner
R-01	Authenticated SECURITY DEFINER routines	WARN	P1	Database/security engineering
R-02	Multiple permissive RLS policies	WARN	P1	Database/security engineering
R-03	Legacy non-atomic invoice payment path	P0 historical finding	P0	Finance platform engineering
R-04	Large dashboard boundary	P2	P2	Frontend platform engineering
R-05	External provider readiness	Configuration boundary	P1	Platform operations
R-06	Demo fallback risk	Medium	P1	Application/platform engineering

2.1 R-01 — Authenticated SECURITY DEFINER routines

Severity: WARN

Priority: P1

Primary owner: Database/security engineering **Evidence.** The live security advisor reported 118 WARN and 1 INFO lint at the audit timestamp; many WARNs identify signed-in execution of SECURITY DEFINER routines. **Recommended remediation.** Review each signature, keep only intentionally callable endpoints, pin search paths, apply narrow grants, and move internal helpers out of the exposed API surface where possible. **Control principle.** The platform should prefer explicit identity, narrow role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.2 R-02 — Multiple permissive RLS policies

Severity: WARN

Priority: P1

Primary owner: Database/security engineering **Evidence.** The live performance advisor reported 851 lints, including multiple permissive policies on the same table/action. **Recommended remediation.** Consolidate overlapping policies by command and role after verifying semantics; do not blindly drop production policies. **Control principle.** The platform should prefer explicit identity, narrow role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.3 R-03 — Legacy non-atomic invoice payment path

Severity: P0 historical finding

Priority: P0

Primary owner: Finance platform engineering **Evidence.** The audit report records separate sales_payments insertion and invoice balance update without a proven atomic idempotency RPC. **Recommended remediation.** Add a reviewed tenant-scoped atomic RPC and durable idempotency key before claiming concurrent-safe posting. **Control principle.** The platform should prefer explicit identity, narrow

role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.4 R-04 — Large dashboard boundary

Severity: P2

Priority: P2

Primary owner: Frontend platform engineering **Evidence.** BusinessSphereDashboard.jsx remains a very large monolithic component and the build reports a non-fatal large-chunk warning. **Recommended remediation.** Decompose incrementally after persistence and live-environment blockers are addressed; avoid cosmetic rewrites that increase risk. **Control principle.** The platform should prefer explicit identity, narrow role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.5 R-05 — External provider readiness

Severity: Configuration boundary

Priority: P1

Primary owner: Platform operations **Evidence.** HarakaPay, TRA/VFD, WhatsApp, email/SMS, storage, and AI services depend on deployment configuration and approved credentials. **Recommended remediation.** Keep provider secrets server-side, expose readiness states, and test only controlled sandbox or authorized production paths. **Control principle.** The platform should prefer explicit identity, narrow role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.6 R-06 — Demo fallback risk

Severity: Medium

Priority: P1

Primary owner: Application/platform engineering **Evidence.** The client has an explicit seed-data fallback when Supabase is not configured. **Recommended remediation.** Production deployments must fail closed with a clear configuration message; demo mode must remain explicit and non-operational. **Control principle.** The platform should prefer explicit identity, narrow role authority, company scope, server confirmation, database enforcement, and auditable results. A local UI state, a draft message, or a client-supplied amount cannot replace those controls.

2.7 Remediation sequencing

The historical P0 invoice-payment finding should be handled as a finance-safety gate before concurrent-safe posting is claimed. SECURITY DEFINER and RLS findings require signature-specific and command-specific review rather than bulk revocation or blanket replacement.

Sequence	Gate	Closure evidence
1	Invoice payment atomicity	Atomic RPC, durable idempotency, concurrent and reconciliation tests
2	SECURITY DEFINER exposure	Per-signature inventory, search_path, grants, intentional end-point record
3	RLS policy consolidation	Command/role semantics and tenant-isolation tests
4	Provider readiness	Server-side secret boundary and controlled acceptance
5	Demo fallback	Fail-closed production configuration
6	Dashboard decomposition	Incremental boundaries and regression coverage

3 2. Database schema dictionary

The read-only inventory returned 542 tables: 519 public and 23 auth. The public dictionary contains 519 observed tables.

3.1 Canonical identity and tenancy contract

The architecture uses Supabase Auth plus profiles, companies, memberships, workspaces, and preferences. Do not introduce a duplicate application users table merely to restate auth.users or profiles.

Table	Purpose	Security boundary	Used by
auth.users	Supabase Auth identity	Auth session and token boundary	PublicAuthGateway and profile resolution
profiles	User/company profile and role context	Authenticated self-service and company scope	Most protected work-flows
companies	Organization/company identity	Tenant boundary	All company-scoped modules
company_memberships	Membership and role relationship	Company plus user plus role/status	Invitations, onboarding, authorization
workspaces	Workspace context where present	Workspace-aware navigation	Shell and module context
user_table_preferences	User preference persistence	Self-only or company-scoped policy	Dashboard/profile settings

3.2 Canonical subscription contract

Subscription authority remains in the existing billing and subscription tables plus the server/database access snapshot. Entitlements are not recreated as a parallel subscription-items architecture.

Table or contract	Purpose	Contract	Evidence
billing_plans	Package catalog	Free and paid plan metadata, entitlements	Subscription migrations and live inventory
billing_profiles	Billing contact/configuration	Company-scoped billing profile	Billing foundation migration
tenant_subscriptions	Company subscription state	Pending/Active/Grace/Expired/RequiresPlan/Cancelled/Superseded	Subscription model migrations
subscription_payments	Provider payment state	Monthly cycle, idempotency, provider order	HarakaPay handlers and migrations
subscription_invoices	Billing invoice evidence	Payment/subscription linkage	Billing foundation migration
subscription_usage	Usage/limits evidence	Company and plan context	Billing foundation migration
subscription_events	Billing lifecycle events	Audit and reconciliation history	Billing migrations
subscription_notifications	Billing notifications	Company-scoped notification state	Billing migrations
billing_access_snapshot	Authoritative access result	Server/database snapshot; not a table	Access adapter and protected API

3.3 Public table dictionary

Table	Observed columns	Primary key	RLS	Rows
approval_signatures	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	2
audit_log	id, company_id, action, module, actor, details, subject, detail, created_at, updated_at	id	Enabled	53
bank_account_beneficiaries	company_id, customer_id, account_id, beneficiary_name, beneficiary_account_number, bank_name, phone, status, verified_at, created_by, created_at, updated_at	id	Enabled	0
bank_account_types	id, company_id, code, name, product_kind, currency, minimum_opening_balance, minimum_operating_balance, annual_interest_rate, withdrawal_fee, status, data, created_at, updated_at	id	Enabled	0
bank_accounts	id, company_id, name, status, amount, notes, data, created_at, updated_at, account_number, customer_id, account_type_id, branch_id, currency, ledger_balance, available_balance, hold_amount, opened_at, closed_at, version, created_by	id	Enabled	0
bank_agents	id, company_id, agent_code, name, phone, national_id, branch_id, status, float_balance, commission_rate, data, created_at, updated_at	id	Enabled	0
bank_aml_alerts	id, company_id, alert_number, customer_id, transaction_id, rule_code, risk_level, status, rationale, assigned_to, mlro_decision, closed_at, data, created_at, updated_at	id	Enabled	0
bank_audit_events	id, company_id, actor_id, operation, entity_type, entity_id, outcome, request_id, redacted_payload, created_at	id	Enabled	0
bank_beneficial_owners	company_id, customer_id, full_name, national_id, ownership_percent, verification_status, data, created_at, updated_at	id	Enabled	0
bank_branches	id, company_id, institution_id, code, name, region, district, address, phone, status, created_at, updated_at	id	Enabled	0
bank_cash_movements	company_id, teller_id, branch_id, movement_type, amount, currency, status, transaction_id, approved_by, approved_at, idempotency_key, narration, created_by, created_at	id	Enabled	0
bank_collateral	id, company_id, application_id, collateral_type, description, ownership_document, estimated_value, valuation_date, verification_status, data, created_at	id	Enabled	0
bank_customer_documents	company_id, customer_id, document_type, document_number, file_url, issued_at, expires_at,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	verification_status, verified_by, verified_at, data, created_at, updated_at			
bank_customers	id, company_id, customer_number, customer_kind, full_name, phone, email, date_of_birth, gender, occupation, address, national_id, tin, risk_rating, pep_status, source_of_funds, relationship_purpose, kyc_status, kyc_verified_at, kyc_verified_by, kyc_expires_at, status, branch_id, data, created_by, created_at, updated_at	id	Enabled	0
bank_fixed_deposits	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
bank_group_members	id, company_id, group_id, customer_id, role, shares_count, joined_at, status	id	Enabled	0
bank_groups	id, company_id, group_number, name, group_type, meeting_frequency, status, branch_id, data, created_at, updated_at	id	Enabled	0
bank_guarantors	id, company_id, application_id, customer_id, guarantee_amount, consent_status, consented_at, data, created_at	id	Enabled	0
bank_idempotency_keys	company_id, idempotency_key, operation, request_hash, status, result, created_by, created_at, completed_at	id	Enabled	0
bank_institutions	id, company_id, legal_name, trading_name, institution_type, licence_number, licence_status, country_code, currency, currency_exponent, timezone, fiscal_year_start_month, data, created_by, created_at, updated_at	id	Enabled	0
bank_journal_batches	id, company_id, batch_number, currency, total_debit, total_credit, status, source_type, source_id, idempotency_key, posted_by, posted_at, created_at	id	Enabled	0
bank_journal_lines	id, company_id, batch_id, account_id, gl_code, line_description, debit, credit, created_at	id	Enabled	0
bank_loan_applications	id, company_id, application_number, customer_id, product_id, amount, term_months, purpose, status, credit_score, score_inputs, submitted_by, submitted_at, decision_by, decision_at, decision_note, branch_id, data, created_at, updated_at, disbursement_account_id	id	Enabled	0
bank_loan_approvals	id, company_id, application_id, step_number, approver_id, decision, note, decided_at	id	Enabled	0
bank_loan_products	id, company_id, code, name, product_kind, currency, minimum_amount, maximum_amount, minimum_term_months, maximum_term_months, annual_interest_rate, interest_method, processing_fee_rate, late_penalty_rate,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	collateral_required, guarantors_required, approval_threshold, status, data, created_at, updated_at			
bank_loan_repayments	id, company_id, repayment_number, loan_id, account_id, amount, principal_amount, interest_amount, fee_amount, penalty_amount, channel, status, idempotency_key, transaction_id, posted_by, posted_at	id	Enabled	0
bank_loan_schedules	id, company_id, loan_id, installment_number, due_date, principal_due, interest_due, fee_due, penalty_due, principal_paid, interest_paid, fee_paid, penalty_paid, status, paid_at	id	Enabled	0
bank_loans	id, company_id, name, status, amount, notes, data, created_at, updated_at, loan_number, application_id, customer_id, product_id, principal, outstanding_principal, outstanding_interest, outstanding_fees, outstanding_penalties, annual_interest_rate, term_months, interest_method, disbursed_at, maturity_date, days_past_due, par_bucket, write_off_at, restructure_count, created_by	id	Enabled	0
bank_notifications	id, company_id, profile_id, customer_id, notification_type, title, body, channel, status, sent_at, data, created_at	id	Enabled	0
bank_payment_instructions	id, company_id, instruction_number, payment_type, channel, source_account_id, destination_account_id, amount, currency, provider, msisd, provider_reference, status, requested_at, confirmed_at, failure_reason, idempotency_key, data, created_by	id	Enabled	0
bank_reconciliations	id, company_id, reconciliation_number, account_id, period_start, period_end, statement_balance, ledger_balance, difference, status, reviewed_by, reviewed_at, notes, created_by, created_at, updated_at	id	Enabled	0
bank_shares	id, company_id, group_id, customer_id, shares_count, price_per_share, transaction_id, status, created_at	id	Enabled	0
bank_standing_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at, order_number, source_account_id, destination_account_id, destination_msisd, frequency, next_run_date, end_date, last_run_at, last_result, created_by	id	Enabled	0
bank_tellers	id, company_id, profile_id, branch_id, teller_code, name, status, opening_balance, closing_balance, opened_at, closed_at, version, data, created_at, updated_at	id	Enabled	0
bank_transactions	id, company_id, name, status, amount, notes, data, created_at, updated_at, transaction_number,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	transaction_type, channel, source_account_id, destination_account_id, customer_id, fee_amount, currency, idempotency_key, provider, provider_reference, narration, journal_batch_id, teller_id, initiated_by, posted_at, reversed_transaction_id			
bank_wallets	id, company_id, wallet_number, customer_id, provider, msisdn, balance, status, provider_customer_ref, data, created_at, updated_at	id	Enabled	0
billing_plan_audit_log	plan_id, company_id, action, changed_by, source, previous_values, new_values, created_at	id	Enabled	13
billing_plans	id, company_id, code, name, description, status, currency, monthly_price, annual_price, annual_savings_label, included_users, included_branches, included_storage_mb, included_transactions, features, module_entitlements, sort_order, recommended, created_by, created_at, updated_at, plan_category, badge, visual_theme, paid_months, bonus_months, total_months, duration_days	id	Enabled	7
billing_profiles	id, company_id, legal_name, contact_name, email, phone, tax_identifier, address, notes, created_at, updated_at	id	Enabled	0
bnk_accounts	id, company_id, member_id, name, type, balance, status, open_date, branch, acct_no, interest, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
bnk_applications	id, company_id, member_id, member, product, amount, term, purpose, collateral, submitted_date, status, officer, score, data, created_at, updated_at	id	Enabled	0
bnk_loans	id, company_id, member_id, member, product, principal, rate, term, disbursed, maturity, balance, status, collateral, emi, paid, dpd, data, created_at, updated_at	id	Enabled	0
bnk_members	id, company_id, name, dob, national_id, phone, email, gender, occupation, kyc_status, join_date, branch, data, created_at, updated_at	id	Enabled	0
bnk_transactions	id, company_id, acct_no, member, type, amount, balance, date, channel, narration, ref, data, created_at, updated_at	id	Enabled	0
branches	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	6
business_loans	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	3
calendar_events	id, company_id, attendees, description, end_time, event_date, event_type, meeting_link, start_time, title, created_at, updated_at	id	Enabled	0
collab_channels	id, company_id, description, name, scope, created_at, updated_at	id	Enabled	0
collab_messages	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
community_contributions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
community_group_documents	id, company_id, group_id, title, body, audience, status, published_at, expires_at, created_by, created_at, updated_at	id	Enabled	0
community_group_applications	id, company_id, group_id, entity_type, entity_id, action, status, requested_by, decided_by, decision_notes, requested_at, decided_at, created_at, updated_at	id	Enabled	0
community_group_assets	id, company_id, group_id, asset_code, name, category, acquisition_date, acquisition_cost, current_value, location, custodian, status, created_at, updated_at	id	Enabled	0
community_group_attendances	id, company_id, meeting_id, member_id, status, notes, created_at, updated_at	id	Enabled	0
community_group_audit_logs	id, company_id, group_id, actor_id, actor_name, action, entity_type, entity_id, details, created_at, updated_at	id	Enabled	3
community_group_budgets	id, company_id, group_id, project_id, category, budget_amount, fiscal_year, status, approved_by, approved_at, created_at, updated_at	id	Enabled	0
community_group_committees	id, company_id, committee_id, member_id, committee_role, start_date, end_date, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
community_group_documents	id, company_id, group_id, name, committee_type, status, created_at, updated_at	id	Enabled	0
community_group_contributions	id, company_id, group_id, member_id, contribution_number, contribution_type, amount, currency, contribution_date, due_date, payment_method, mobile_money_provider, payment_reference, status, receipt_number, notes, created_by, created_at, updated_at	id	Enabled	0
community_group_documents	id, company_id, group_id, document_type, title, file_url, document_date, expires_at, status, uploaded_by, created_at, updated_at	id	Enabled	0
community_group_events	id, company_id, group_id, title, event_type, event_date, start_time, venue, description, reminder_sent_at, status, created_by, created_at, updated_at	id	Enabled	0
community_group_expenses	id, company_id, group_id, project_id, category, description, amount, expense_date, payment_method, payment_reference, status, approved_by, approved_at, created_by, created_at, updated_at	id	Enabled	0
community_group_fundraising	id, company_id, group_id, project_id, donor_name, amount, donation_date, payment_method, payment_reference, status, notes, created_at, updated_at	id	Enabled	0
community_group_income	id, company_id, group_id, income_type, description, amount, income_date, payment_method, payment_reference, status, created_at, updated_at	id	Enabled	0
community_group_loans	id, company_id, group_id, loan_id, guarantor_member_id, guaranteed_amount, consent_status, consented_at, created_at, updated_at	id	Enabled	0
community_group_loan_penalties	id, company_id, loan_id, penalty_date, reason, amount, status, created_by, created_at, updated_at	id	Enabled	0
community_group_loan_repayments	id, company_id, loan_id, repayment_number, repayment_date, amount, principal_amount, interest_amount, penalty_amount, payment_method, mobile_money_provider, payment_reference, status, receipt_number, notes, created_by, created_at, updated_at	id	Enabled	0
community_group_loans	id, company_id, group_id, member_id, loan_number, purpose, principal, interest_rate, interest_method, term_months, application_date, approval_status, status, approved_by, approved_at, disbursed_at, first_due_date, total_interest, total_repayable, outstanding_principal, outstanding_interest, currency, payment_method, disbursement_reference, notes, created_by, created_at, updated_at	id	Enabled	0
community_group_meetings	id, company_id, group_id, meeting_number, meeting_date, start_time, venue, agenda, minutes,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	chairperson_id, status, reminder_sent_at, created_by, created_at, updated_at			
community_group_members	id, company_id, group_id, member_number, full_name, phone, email, national_id, id_type, gender, date_of_birth, address, occupation, next_of_kin, next_of_kin_phone, join_date, exit_date, role, kyc_status, membership_status, kyc_data, data, created_by, created_at, updated_at	id	Enabled	0
community_group_messages	id, company_id, group_id, sender_member_id, subject, body, channel, status, created_at, updated_at	id	Enabled	0
community_group_notifications	id, company_id, group_id, member_id, notification_type, title, body, channel, status, scheduled_for, sent_at, created_at, updated_at	id	Enabled	0
community_group_projects	id, company_id, group_id, project_number, name, description, start_date, end_date, target_amount, status, created_by, created_at, updated_at	id	Enabled	0
community_group_transactions	id, company_id, group_id, member_id, transaction_type, amount, transaction_date, payment_method, reference, status, notes, created_by, created_at, updated_at	id	Enabled	0
community_group_votes_ballots	id, company_id, group_id, vote_id, option_id, member_id, cast_at	id	Enabled	0
community_group_votes_options	id, company_id, group_id, vote_id, label, candidate_member_id, vote_count, created_at, updated_at	id	Enabled	0
community_group_votes	id, company_id, group_id, title, description, vote_type, opens_at, closes_at, status, quorum_percent, created_by, created_at, updated_at	id	Enabled	0
community_group_welfare_claims	id, company_id, group_id, member_id, event_type, description, amount_requested, amount_approved, claim_date, status, payment_method, payment_reference, approved_by, approved_at, created_by, created_at, updated_at	id	Enabled	0
community_groups	id, company_id, name, status, amount, notes, data, created_at, updated_at, group_number, group_type, registration_number, description, country, region, district, ward, village, meeting_frequency, contribution_frequency, contribution_amount, currency, rules, created_by	id	Enabled	1
companies	id, name, category, tin, vrn, phone, email, address, city, country, currency, tax_rate, logo, join_code, created_at, updated_at, website, tax_id, business_scale, time-zone, receipt_width, receipt_footer, receipt_show_logo, brand_primary_color, brand_accent_color	id	Enabled	7

Table	Observed columns	Primary key	RLS	Rows
company_memberships	id, company_id, role, created_at	user_id, company_id	Enabled	7
company_modules	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	62
company_profile_settings	company_id, profile_data, updated_at	company_id	Enabled	1
competitors	id, company_id, category, name, notes, threat_level, created_at, updated_at	id	Enabled	0
crm_contacts	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
crm_interactions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
crm_leads	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	4
custom_kpis	id, company_id, label, metric_id, target_value, created_at, updated_at	id	Enabled	0
customer_feedback	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
departments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	11
digital_signatures	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
documents	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
ecommerce_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
ecommerce_products	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
emails	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
expense_budgets	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
fin_accounts	id, company_id, account_code, account_name, account_type, normal_side, parent_id, is_postable, is_cash, currency, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_approval_requests	id, company_id, entity_type, entity_id, action, requested_by, status, required_approvals, decided_by, decided_at, decision_note, maker_checker_key, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_idempotency_keys	company_id, scope, idempotency_key, request_hash, response, status, expires_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
fin_journal_batches	id, company_id, batch_number, source_module, source_type, source_id, business_date, currency, status, debit_total, credit_total, posted_at, posted_by, reversal_of_batch_id, narration, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_journal_lines	id, company_id, journal_batch_id, line_no, business_date, account_id, debit, credit, currency, branch_id, member_id, customer_id, description, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_periods	id, company_id, period_start, period_end, status, time-zone, closed_by, closed_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_posting_links	id, company_id, journal_batch_id, source_table, source_id, link_role, created_by, created_at, updated_at, version, metadata	id	Enabled	0
fin_reconciliation_batches	id, company_id, account_scope, external_source, statement_date, opening_balance, closing_balance, status, file_reference, import_hash, approved_by, approved_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
fin_reconciliation_items	id, company_id, batch_id, external_reference, external_date, amount, direction, provider, provider_status, matched_source_table, matched_source_id, match_status, exception_reason, resolved_by, resolved_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
finance_assets	id, company_id, acquisition_date, category, cost, name, useful_life_years, created_at, updated_at	id	Enabled	0
finance_expenses	id, company_id, amount, category, due_date, expense_date, method, status, vendor, created_at, updated_at	id	Enabled	2
financial_benchmarks	id, company_id, benchmark_value, label, metric_id, created_at, updated_at	id	Enabled	0
fleet_alerts	id, company_id, alert_key, severity, alert_type, entity_type, entity_id, title, body, due_on, status, acknowledged_by, acknowledged_at, created_at	id	Enabled	0
fleet_audit_events	id, company_id, actor_profile_id, action, entity_type, entity_id, before_data, after_data, metadata, created_at	id	Enabled	0
fleet_driver_assignments	id, company_id, vehicle_id, driver_id, starts_at, ends_at, status, notes, assigned_by, created_at	id	Enabled	0
fleet_drivers	id, company_id, employee_id, profile_id, full_name, mobile_number, licence_number, licence_class,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	licence_expires_on, status, safety_score, notes, created_by, created_at, updated_at			
fleet_fuel_cards	id, company_id, card_number_masked, issuer, vehicle_id, status, daily_limit, monthly_limit, expires_on, created_at	id	Enabled	0
fleet_fuel_transactions	id, company_id, vehicle_id, trip_id, fuel_card_id, transaction_at, station_name, litres, unit_price, total_cost, odometer_km, receipt_url, payment_reference, notes, created_by, created_at	id	Enabled	0
fleet_incidents	id, company_id, vehicle_id, driver_id, trip_id, incident_type, occurred_at, location, description, cost, status, evidence_url, created_by, created_at	id	Enabled	0
fleet_maintenance_jobs	id, company_id, job_number, vehicle_id, plan_id, workshop_id, maintenance_type, status, priority, requested_on, due_on, odometer_km, estimated_cost, approved_by, completed_on, notes, created_by, created_at, updated_at	id	Enabled	0
fleet_maintenance_plans	id, company_id, vehicle_id, name, maintenance_type, interval_km, interval_days, last_completed_odometer_km, last_completed_on, next_due_odometer_km, next_due_on, active, notes, created_by, created_at, updated_at	id	Enabled	0
fleet_routes	id, company_id, name, origin, destination, planned_distance_km, expected_duration_minutes, toll_budget, active, notes, created_by, created_at, updated_at	id	Enabled	0
fleet_service_records	id, company_id, maintenance_job_id, vehicle_id, service_date, odometer_km, labour_cost, parts_cost, total_cost, invoice_reference, notes, created_by, created_at	id	Enabled	0
fleet_spare_parts	id, company_id, inventory_item_id, part_number, name, quantity_on_hand, reorder_level, average_cost, location, created_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
fleet telematics events	id, company_id, vehicle_id, provider, external_event_id, captured_at, latitude, longitude, speed_kph, odometer_km, ignition_on, payload, created_at	id	Enabled	0
fleet_trips	id, company_id, trip_number, vehicle_id, driver_id, route_id, purpose, customer_reference, dispatch_status, planned_departure_at, dispatched_at, completed_at, origin, destination, start_odometer_km, end_odometer_km, distance_km, toll_cost, parking_cost, other_cost, approved_by, created_by, notes, created_at, updated_at	id	Enabled	0
fleet_tyres	id, company_id, vehicle_id, position, brand, size, serial_number, installed_on, installed_odometer_km, expected_life_km, status, notes, created_at	id	Enabled	0
fleet_vehicle_categories	id, company_id, name, description, created_at	id	Enabled	0
fleet_vehicle_documents	id, company_id, vehicle_id, document_type, document_number, issuer, issued_on, expires_on, document_url, status, notes, created_by, created_at, updated_at	id	Enabled	0
fleet_vehicles	id, company_id, registration_number, ownership_type, status, category_id, make, model, model_year, vin, engine_number, fuel_type, odometer_km, seats, acquisition_type, acquisition_date, acquisition_cost, lease_end_date, home_branch, cost_center, notes, metadata, created_by, created_at, updated_at	id	Enabled	0
fleet_workshops	id, company_id, name, contact_name, phone, email, address, supplier_id, status, created_at	id	Enabled	0
flt_maintenance	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
flt_trips	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
flt_vehicles	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_appointments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_doctors	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_insurance_claims	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_invoices	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_lab_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_notifications	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hc_patients	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_portal_references	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_portal_references	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_portal_references	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
hc_prescriptions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_radiology	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_reminder_deliveries	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_reminder_settings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_reports	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_visits	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hc_vitals	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hospitality_amenities	id, company_id, name, category, status, data	id	Enabled	0
hospitality_audit_logs	id, company_id, actor_profile_id, action, subject, detail, created_at	id	Enabled	3
hospitality_complaints	id, company_id, reservation_id, guest_id, category, description, status, resolution, data, created_at, updated_at	id	Enabled	0
hospitality_events	id, company_id, property_id, name, capacity, base_rate, currency, status, data	id	Enabled	0
hospitality_events	id, company_id, property_id, venue_id, guest_id, name, start_at, end_at, status, amount, currency, data	id	Enabled	0
hospitality_financial_transactions	id, company_id, property_id, business_date, status, currency, gross_revenue, tax_total, payment_total, refund_total, variance, pos_transaction_id, journal_entry_id, finance_reference, data, created_by, created_at, updated_at	id	Enabled	0
hospitality_folio_lines	id, company_id, folio_id, line_type, description, quantity, unit_amount, amount, tax_amount, currency, source_table, source_record_id, posted_by, posted_at, data	id	Enabled	0
hospitality_folios	id, company_id, property_id, reservation_id, guest_id, folio_number, status, currency, finance_reference, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hospitality_guest_id	id, company_id, guest_id, document_id, id_type, id_number, issuing_country, expires_at, verification_status, data, created_at	id	Enabled	0
hospitality_guest_requests	id, company_id, reservation_id, guest_id, request_type, description, priority, status, assigned_employee_id, data, created_at, updated_at	id	Enabled	0
hospitality_guests	id, company_id, profile_id, first_name, last_name, email, phone, nationality, date_of_birth, loyalty_number, status, data, created_at, updated_at	id	Enabled	0
hospitality_housekeeping_tasks	id, company_id, property_id, room_id, assigned_employee_id, task_type, status, due_at, completed_at, notes, data, created_at, updated_at	id	Enabled	0
hospitality_laundry_orders	id, company_id, reservation_id, guest_id, status, amount, currency, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hospitality_loyalty_accounts	id, company_id, guest_id, tier, points, status, data	id	Enabled	0
hospitality_maintenance_requests	id, company_id, property_id, room_id, category, priority, status, assigned_employee_id, notes, data, created_at, updated_at	id	Enabled	0
hospitality_menu_items	id, company_id, menu_id, inventory_item_id, name, price, currency, status, data	id	Enabled	0
hospitality_menus	id, company_id, property_id, name, meal_period, status, data	id	Enabled	0
hospitality_minibar_postings	id, company_id, reservation_id, inventory_item_id, quantity, amount, status, data, created_at	id	Enabled	0
hospitality_notifications	id, company_id, profile_id, employee_id, title, body, type, module, record_id, read_at, created_at	id	Enabled	0
hospitality_order_lines	id, company_id, order_id, menu_item_id, name, quantity, unit_price, status, data	id	Enabled	0
hospitality_orders	id, company_id, property_id, table_id, reservation_id, folio_id, order_number, status, currency, data, created_by, created_at, updated_at	id	Enabled	0
hospitality_payments	id, company_id, folio_id, payment_method, amount, currency, status, reference, finance_payment_id, received_by, received_at, data	id	Enabled	0
hospitality_properties	id, company_id, branch_id, name, code, address, timezone, currency, status, data, created_at, updated_at	id	Enabled	0
hospitality_rate_plans	id, company_id, property_id, room_type_id, name, currency, nightly_rate, effective_from, effective_to, status, data	id	Enabled	0
hospitality_reservations	id, company_id, property_id, guest_id, room_type_id, room_id, confirmation_code, arrival_date, departure_date, adults, children, status, nightly_rate, currency, source, special_requests, checked_in_at, checked_out_at, data, created_at, updated_at	id	Enabled	0
hospitality_restaurant_tables	id, company_id, property_id, table_number, capacity, zone, status, data	id	Enabled	0
hospitality_room_types	id, company_id, property_id, name, code, capacity_adults, capacity_children, base_rate, currency, amenities, status, data	id	Enabled	0
hospitality_rooms	id, company_id, property_id, room_type_id, room_number, floor, status, housekeeping_status, maintenance_status, data, created_at, updated_at	id	Enabled	0
hospitality_taxes	id, company_id, property_id, name, code, rate, applies_to, effective_from, effective_to, status, data	id	Enabled	0
hr_announcement_feeds	id, announcement_id, profile_id, read_at	announcement_id, profile_id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hr_announcements	id, company_id, title, body, audience_type, department_id, status, published_at, expires_at, created_by, created_at, updated_at	id	Enabled	0
hr_approval_requests	id, company_id, request_type, source_table, source_record_id, requester_employee_id, subject_employee_id, status, current_step, data, created_at, updated_at	id	Enabled	0
hr_approval_steps	id, company_id, approval_request_id, step_number, approver_profile_id, approver_role, status, decision_note, decided_at, created_at	id	Enabled	0
hr_attendance	id, company_id, name, status, amount, notes, data, created_at, updated_at, employee_id, attendance_date, shift_id, clock_in_at, clock_out_at, worked_minutes, source	id	Enabled	0
hr_benefit_enrollments	id, company_id, employee_id, benefit_plan_id, status, effective_from, effective_to, data, created_at, updated_at	id	Enabled	0
hr_benefit_plans	id, company_id, name, provider, benefit_type, employee_contribution, employer_contribution, currency, status, data, created_at, updated_at	id	Enabled	0
hr_benefits	id, company_id, name, status, amount, notes, data, created_at, updated_at, employee_id, benefit_plan_id, effective_from, effective_to	id	Enabled	0
hr_candidates	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hr_duties	id, company_id, name, status, amount, notes, data, created_at, updated_at, employee_id, assignee_profile_id, duty_date, started_at, completed_at, approved_by, approved_at	id	Enabled	1
hr_employee_documents	id, company_id, employee_id, document_id, title, document_type, file_url, status, expires_at, data, created_by, created_at, updated_at	id	Enabled	0
hr_employees	id, company_id, name, status, amount, notes, data, created_at, updated_at, profile_id, department_id, position_id, manager_employee_id, employee_number, employment_start_date, employment_end_date, time-zone	id	Enabled	1
hr_expense_claims	id, company_id, employee_id, expense_date, category, amount, currency, merchant, description, status, finance_expense_id, document_id, decided_by, decided_at, decision_note, data, created_at, updated_at	id	Enabled	0
hr_goal_updates	id, company_id, goal_id, employee_id, current_value, note, created_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hr_goals	id, company_id, employee_id, title, description, metric_name, target_value, current_value, unit, status, due_date, owner_employee_id, data, created_at, updated_at	id	Enabled	0
hr_holidays	id, company_id, holiday_date, name, holiday_type, paid, branch_id, created_at, updated_at	id	Enabled	0
hr_invite_codes	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
hr_leave_balances	id, company_id, employee_id, leave_policy_id, period_year, opening_balance, accrued_days, used_days, adjustment_days, updated_at	id	Enabled	0
hr_leave_policies	id, company_id, name, leave_type, annual_entitlement, carry_forward_limit, requires_approval, status, data, created_at, updated_at	id	Enabled	0
hr_leave_requests	id, company_id, name, status, amount, notes, data, created_at, updated_at, employee_id, leave_policy_id, start_date, end_date, requested_days, decision_by, decided_at, decision_note	id	Enabled	0
hr_notifications	id, company_id, profile_id, employee_id, title, body, notification_type, link_module, link_record_id, read_at, created_at	id	Enabled	0
hr_offboarding_cases	id, company_id, employee_id, status, last_working_date, reason, owner_profile_id, data, created_at, updated_at	id	Enabled	0
hr_onboarding_cases	id, company_id, employee_id, status, start_date, due_date, owner_profile_id, data, created_at, updated_at	id	Enabled	0
hr_onboarding_tasks	id, company_id, onboarding_case_id, employee_id, title, owner_profile_id, due_date, status, completed_at, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
hr_payroll_items	id, company_id, payroll_run_id, employee_id, gross_pay, taxable_pay, deductions, net_pay, currency, status, data, created_at, updated_at, employer_contributions, employer_cost	id	Enabled	0
hr_payroll_runs	id, company_id, name, status, amount, notes, data, created_at, updated_at, period_start, period_end, currency, timezone, approved_by, approved_at, posted_at, finance_reference	id	Enabled	0
hr_payslips	id, company_id, payroll_item_id, employee_id, pay_period, status, issued_at, document_id, data, created_at, updated_at	id	Enabled	0
hr_performance_reviews	id, company_id, name, status, amount, notes, data, created_at, updated_at, employee_id, reviewer_employee_id, review_period_start, review_period_end, due_date, submitted_at, completed_at	id	Enabled	0
hr_positions	id, company_id, department_id, title, code, grade, status, description, created_at, updated_at	id	Enabled	0
hr_service_requests	id, company_id, employee_id, request_type, subject, description, status, assigned_to, decided_by, decided_at, decision_note, data, created_at, updated_at	id	Enabled	0
hr_shift_assignments	id, company_id, employee_id, shift_id, assignment_date, status, notes, created_by, created_at, updated_at	id	Enabled	0
hr_shifts	id, company_id, name, start_time, end_time, unpaid_break_minutes, timezone, status, data, created_at, updated_at	id	Enabled	0
hr_statutory_rules	id, company_id, name, rule_code, effective_from, effective_to, applies_to, calculation_type, rate, fixed_amount, threshold_amount, currency, status, data, created_at, updated_at	id	Enabled	5
hr_timesheet_entries	id, company_id, timesheet_id, work_date, minutes, project_reference, work_note, created_at, updated_at	id	Enabled	0
hr_timesheets	id, company_id, employee_id, period_start, period_end, total_minutes, status, submitted_at, decided_by, decided_at, decision_note, data, created_at, updated_at	id	Enabled	0
hr_training	id, company_id, completion_date, course, due_date, employee_name, hr_employees, is_compliance, is_mandatory, status, video_url, created_at, updated_at	id	Enabled	0
hr_training_assignments	id, company_id, employee_id, course_id, assigned_by, due_date, status, completed_at, data, created_at, updated_at	id	Enabled	0
hr_training_courses	id, company_id, title, provider, duration_minutes, mandatory, status, content_url, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
htl_bookings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
htl_rooms	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
integration_connections	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
inventory_batches	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
inventory_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	81
inventory_stock_movements	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	11
inventory_suppliers	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
inventory_transfers	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
inventory_warehouses	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
journal_entries	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
kb_articles	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
loan_repayments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
manufacturing_bom_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
manufacturing_bom_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
manufacturing_machines	id, company_id, machine_type, name, purchase_date, status, warehouse_id, created_at, updated_at	id	Enabled	0
manufacturing_maintenance	id, company_id, cost, machine_name, maintenance_date, maintenance_type, next_due_date, notes, technician, created_at, updated_at	id	Enabled	0
manufacturing_quality_inspections	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
manufacturing_work_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
marketing_campaigns	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_audit_logs	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	2
mfi_cash_sessions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_cash_transactions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
mfi_clients	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	2
mfi_collateral	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_collections	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_credit_scorecards	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
mfi_credit_scoring_settings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_groups	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_guarantors	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_loan_applications	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_loan_products	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_loans	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
mfi_notifications	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_par_escalations	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
mfi_repayment_schedules	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_repayments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_savings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
mfi_staff_commissions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
money_agent_agents	id, company_id, profile_id, branch_id, supervisor_id, agent_code, full_name, phone, national_id, kyc_status, kyb_status, status, daily_limit, monthly_limit, notes, metadata, created_by, created_at, updated_at	id	Enabled	0
money_agent_alerts	id, company_id, agent_id, alert_type, severity, title, body, status, created_at, acknowledged_by, acknowledged_at	id	Enabled	0
money_agent_applications	id, company_id, transaction_id, status, requested_by, decided_by, note, requested_at, decided_at	id	Enabled	0
money_agent_audit_events	id, company_id, actor_profile_id, action, entity_type, entity_id, before_data, after_data, metadata, created_at	id	Enabled	0
money_agent_branches	id, company_id, branch_code, name, region, district, ward, address, phone, status, created_by, created_at, updated_at	id	Enabled	0
money_agent_commissions	id, company_id, service_code, commission_type, commission_value, active, created_by, created_at, updated_at	id	Enabled	0
money_agent_customers	id, company_id, profile_id, full_name, phone, national_id, kyc_status, status, address, metadata, created_by, created_at, updated_at	id	Enabled	0
money_agent_daily_visits	id, company_id, agent_id, branch_id, business_date, transaction_count, successful_count, failed_count,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	cash_in_amount, cash_out_amount, fee_amount, commission_amount, updated_at			
money_agent_fee_rules	company_id, service_code, min_amount, max_amount, fee_type, fee_value, active, created_by, created_at, updated_at	id	Enabled	0
money_agent_ledger_entries	company_id, transaction_id, account_code, entry_type, amount, currency, posted_at, metadata	id	Enabled	0
money_agent_limits	company_id, agent_id, transaction_type, max_single_amount, daily_amount, monthly_amount, velocity_window_minutes, velocity_count, active, created_by, created_at, updated_at	id	Enabled	0
money_agent_notifications	company_id, transaction_id, agent_id, channel, status, title, body, provider_reference, created_at, sent_at, read_at	id	Enabled	0
money_agent_pin_attempts	company_id, agent_id, pin_hash, failed_attempts, locked_until, last_used_at, status, created_at, updated_at	id	Enabled	0
money_agent_receipts	company_id, transaction_id, receipt_number, channel, recipient_phone, issued_at, metadata	id	Enabled	0
money_agent_reconciliation_items	company_id, settlement_id, status, expected_amount, actual_amount, variance, reviewed_by, reviewed_at, notes, created_at, updated_at	id	Enabled	0
money_agent_risk_events	company_id, agent_id, transaction_id, risk_type, severity, status, score, reason, metadata, created_at, resolved_by, resolved_at	id	Enabled	0
money_agent_services	company_id, service_code, name, service_type, provider_code, requires_provider, active, metadata, created_by, created_at, updated_at	id	Enabled	0
money_agent_settlements	company_id, agent_id, branch_id, business_date, opening_float, closing_float, expected_float, variance, status, submitted_by, settled_by, notes, created_at, updated_at	id	Enabled	0
money_agent_transactions	company_id, transaction_ref, idempotency_key, agent_id, branch_id, customer_id, service_id, transaction_type, amount, fee, commission, currency, status, authorization_method, authorization_reference_hash, provider_code, provider_reference, failure_code, failure_reason, requested_at, authorized_at, processed_at, completed_at, reversed_at, created_by, metadata, created_at, updated_at	id	Enabled	0
money_agent_wallets	company_id, owner_type, owner_id, wallet_type, currency, available_balance, status, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
network_profiles	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
network_rfqs	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
notebook_notes	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
notification_channels	id, company_id, business_number, channel_id, enabled, from_address, from_number, server_key, webhook_url, created_at, updated_at	id	Enabled	0
notification_log	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
notification_rules	id, company_id, alert_type, channels, created_at, updated_at	id	Enabled	0
other_debtors	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
other_income	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
period_closes	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_audit_logs	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
phm_batches	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_brands	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_categories	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_controlled_medicines	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_dispense	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_dispense_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_drugs	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1
phm_insurance_claims	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_notifications	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_payments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_purchase_order_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_purchase_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_return_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_returns	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_sale_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_sales	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_stock	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_stock_adjustments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_stock_movements	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_stock_receipts	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
phm_stock_transfers	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
phm_suppliers	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
platform_admin_actions	actor_user_id, actor_role, action, target_type, target_id, reason, confirmation_text, details, created_at	id	Enabled	1
pos_cash_movements	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	3
pos_discount_rules	id, company_id, discount_code, name, scope_type, inventory_item_id, discount_type, value, max_discount_amount, minimum_subtotal, stackable, requires_approval, contra_revenue_account_id, effective_from, effective_to, status, approval_request_id, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_loyalty_ledger	id, company_id, member_id, entry_type, points_delta, points_balance_after, sale_id, redemption_id, idempotency_key, reference, status, occurred_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_loyalty_members	id, company_id, program_id, customer_id, member_number, status, points_balance, lifetime_earned, lifetime_redeemed, joined_at, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_loyalty_programs	id, company_id, program_code, name, earn_points_per_100_tzs, redemption_tzs_per_point, minimum_redeem_points, expiry_days, points_liability_account_id, status, approval_request_id, effective_from, effective_to, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_loyalty_redemptions	id, company_id, member_id, reward_id, sale_id, points_spent, cash_value, status, approval_request_id, journal_batch_id, idempotency_key, request_hash, applied_at, applied_by, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_loyalty_rewards	id, company_id, program_id, reward_code, name, points_cost, cash_value, inventory_item_id, status, approval_request_id, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_promotion_items	id, company_id, promotion_id, inventory_item_id, item_role, required_quantity, reward_price, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
pos_promotions	id, company_id, promotion_code, name, trigger_type, benefit_type, minimum_spend, minimum_quantity, benefit_value, reward_quantity, points_multiplier_bps, stackable, priority, customer_limit, daily_limit, effective_from, effective_to, status, approval_request_id, requires_approval, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_registers	id, company_id, register_code, name, branch_id, warehouse_id, default_currency, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_return_commits	id, company_id, return_id, idempotency_key, created_by, created_at, updated_at	id	Enabled	2
pos_return_headers	id, company_id, return_number, sale_id, register_id, terminal_id, shift_id, cashier_id, reason, refund_method, currency, refund_total, status, approval_request_id, journal_batch_id, idempotency_key, request_hash, legacy_pos_return_id, posted_at, posted_by, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_return_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	2
pos_return_lines	id, company_id, return_id, sale_line_id, line_no, quantity, unit_price, tax_amount, refund_amount, restock_quantity, condition, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_returns	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	2

Table	Observed columns	Primary key	RLS	Rows
pos_sale_adjustments	company_id, sale_id, sale_line_id, adjustment_no, adjustment_type, tax_rule_id, discount_rule_id, promotion_id, base_amount, rate_bps, amount, status, approval_request_id, journal_batch_id, idempotency_key, request_hash, applied_at, applied_by, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_sale_headers	id, company_id, sale_number, register_id, terminal_id, shift_id, cashier_id, customer_id, customer_name, business_date, source_channel, status, payment_status, currency, subtotal, discount_total, tax_total, total, paid_total, change_total, refunded_total, journal_batch_id, idempotency_key, request_hash, receipt_issued_at, completed_at, voided_at, legacy_pos_transaction_id, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_sale_lines	id, company_id, sale_id, line_no, inventory_item_id, item_sku, item_name, quantity, unit_price, discount_amount, tax_amount, line_subtotal, line_total, cost_total, returned_quantity, status, legacy_pos_transaction_item_id, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_sale_tax_lines	id, company_id, sale_id, sale_line_id, tax_rule_id, taxable_amount, rate_bps, tax_amount, included_in_price, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_sale_tenders	id, company_id, sale_id, tender_no, method, currency, tendered_amount, applied_amount, change_amount, reference, provider_code, provider_reference, provider_status, status, journal_batch_id, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_shift_cash_movements	id, company_id, shift_id, movement_type, amount, reason, reference, approval_request_id, journal_batch_id, status, occurred_at, legacy_pos_cash_movement_id, created_by, created_at, updated_by, updated_at, version, metadata, idempotency_key, request_hash, posted_at, posted_by, reversal_of_movement_id	id	Enabled	0
pos_shift_sessions	id, company_id, shift_number, register_id, terminal_id, cashier_id, business_date, opened_at, opening_float, expected_cash, counted_cash, variance, status, closed_at, closed_by, close_reason, open_idempotency_key, close_idempotency_key, legacy_pos_shift_id, created_by,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	created_at, updated_by, updated_at, version, metadata, open_request_hash, close_request_hash			
pos_shifts	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	4
pos_sync_devices	id, company_id, device_key, terminal_id, last_sequence, last_seen_at, status, created_by, created_at, updated_by, updated_at, version, metadata, last_accepted_hash	id	Enabled	0
pos_sync_events	id, company_id, idempotency_key, transaction_id, status, message, created_by, created_at, updated_at	id	Enabled	4
pos_tax_rules	id, company_id, tax_code, name, tax_type, scope_type, inventory_item_id, rate_bps, calculation_method, tax_account_id, effective_from, effective_to, status, approval_request_id, requires_approval, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_terminals	id, company_id, register_id, device_key, device_label, app_version, last_seen_at, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	0
pos_transaction_comments	id, company_id, transaction_id, idempotency_key, created_by, created_at, updated_at	id	Enabled	5
pos_transaction_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	5
pos_transactions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	5
procurement_contracts	id, company_id, contract_type, doc_number, end_date, notes, start_date, supplier, value, created_at, updated_at	id	Enabled	0
procurement_purchases	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
profiles	id, company_id, full_name, email, role, phone, avatar_url, is_active, created_at, updated_at, customer_ref, onboarding_tour_completed_at, onboarding_tour_role_track, preferred_name, first_name, middle_name, last_name, date_of_birth, gender, address, country, preferred_language, currency_display, profile_timezone, date_format, theme_preference, notification_preferences, avatar_storage_key, profile_completed_at	id	Enabled	9
project_expenses	id, company_id, amount, description, expense_date, project_ref, created_at, updated_at	id	Enabled	0
project_milestones	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
project_tasks	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
projects	id, company_id, budget, client, end_date, manager, name, start_date, status, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
property_agents	id, company_id, profile_id, agent_code, full_name, phone, email, licence_number, commission_rate, status, branch_label, metadata, created_by, created_at, updated_at	id	Enabled	0
property_applications	id, company_id, application_number, unit_id, tenant_id, agent_id, requested_start_date, proposed_rent, status, decision_note, decided_by, decided_at, idempotency_key, metadata, created_by, created_at, updated_at	id	Enabled	0
property_approvals	id, company_id, entity_type, entity_id, action, status, requested_by, decided_by, note, requested_at, decided_at	id	Enabled	0
property_audit_log	id, company_id, actor_id, action, entity_type, entity_id, details, created_at	id	Enabled	0
property_budgets	id, company_id, portfolio_id, fiscal_year, category, budget_amount, status, approved_by, approved_at, created_by, created_at	id	Enabled	0
property_buildings	id, company_id, portfolio_id, property_code, name, property_type, address, country, region, district, ward, village, latitude, longitude, year_built, floors, status, metadata, created_by, created_at, updated_at	id	Enabled	0
property_contracts	id, company_id, contractor_code, name, phone, email, trade, tax_number, status, created_by, created_at, updated_at	id	Enabled	0
property_documents	id, company_id, entity_type, entity_id, document_type, title, storage_key, file_url, document_date, expires_at, verification_status, uploaded_by, metadata, created_at	id	Enabled	0
property_expenses	id, company_id, expense_number, property_id, unit_id, work_order_id, category, description, amount, expense_date, status, payment_method, payment_reference, approved_by, approved_at, created_by, created_at, updated_at	id	Enabled	0
property_handovers	id, company_id, lease_id, handover_type, handover_date, keys_count, meter_snapshot, signed_by_tenant, signed_by_manager, notes, created_by, created_at	id	Enabled	0
property_inspection_items	id, company_id, inspection_id, area_name, condition, notes, estimated_cost, created_at	id	Enabled	0
property_inspections	id, company_id, lease_id, inspection_type, inspection_date, condition_summary, status, inspector_id, metadata, created_at	id	Enabled	0
property_insurances	id, company_id, property_id, unit_id, insurer, policy_number, cover_type, premium, start_date, end_date, status, notes, created_by, created_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
property_integration_events	id, company_id, target_module, entity_type, entity_id, event_type, status, payload, created_by, created_at, processed_at	id	Enabled	0
property_invoice_lines	id, company_id, invoice_id, line_type, description, quantity, unit_amount, line_total, account_code, created_at	id	Enabled	0
property_invoices	id, company_id, invoice_number, lease_id, tenant_id, unit_id, invoice_type, period_start, period_end, issue_date, due_date, subtotal, tax_amount, late_fee_amount, total_amount, amount_paid, status, currency, idempotency_key, notes, created_by, created_at, updated_at	id	Enabled	0
property_leases	id, company_id, lease_number, unit_id, tenant_id, owner_id, application_id, start_date, end_date, rent_amount, service_charge_amount, deposit_amount, rent_frequency, notice_days, status, terms, created_by, approved_by, approved_at, terminated_at, created_at, updated_at	id	Enabled	0
property_ledger_entries	id, company_id, source_type, source_id, account_code, entry_type, amount, currency, metadata, created_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
property_listings	id, company_id, unit_id, agent_id, listing_type, asking_amount, commission_rate, status, available_from, published_at, expires_at, description, metadata, created_by, created_at, updated_at	id	Enabled	0
property_maintenance_requests	id, company_id, request_number, unit_id, lease_id, tenant_id, category, priority, title, description, status, requested_at, completed_at, created_by, created_at, updated_at	id	Enabled	0
property_meter_readings	id, company_id, meter_id, reading_date, reading_value, previous_value, consumption, captured_by, source, notes, created_at	id	Enabled	0
property_notices	id, company_id, lease_id, tenant_id, notice_type, title, body, notice_date, effective_date, status, created_by, created_at	id	Enabled	0
property_notifications	id, company_id, recipient_profile_id, tenant_id, notice_id, notification_type, title, body, channel, status, scheduled_for, sent_at, dedupe_key, created_at	id	Enabled	0
property_owners	id, company_id, profile_id, owner_type, legal_name, phone, email, national_id, tin, kyc_status, status, notes, metadata, created_by, created_at, updated_at	id	Enabled	0
property_payments	id, company_id, payment_number, invoice_id, tenant_id, amount, payment_method, provider_code, provider_reference, status, idempotency_key, paid_at, posted_by, metadata, created_at	id	Enabled	0
property_plots	id, company_id, portfolio_id, plot_code, title_number, land_use, area_sqm, address, region, district, ward, latitude, longitude, owner_id, status, metadata, created_by, created_at, updated_at	id	Enabled	0
property_portfolios	id, company_id, portfolio_code, name, description, currency, timezone, status, created_by, created_at, updated_at	id	Enabled	0
property_receipts	id, company_id, payment_id, receipt_number, channel, recipient_phone, issued_at, metadata	id	Enabled	0
property_reconciliations	id, company_id, payment_id, invoice_id, expected_amount, actual_amount, variance, status, reviewed_by, reviewed_at, notes, created_by, created_at	id	Enabled	0
property_rent_schedules	id, company_id, lease_id, next_invoice_date, frequency, active, last_invoice_id, created_at, updated_at	id	Enabled	0
property_service_charges	id, company_id, unit_id, name, amount, frequency, status, created_by, created_at, updated_at	id	Enabled	0
property_tax_fees	id, company_id, code, name, applies_to, rate, flat_amount, status, created_by, created_at, updated_at	id	Enabled	0
property_tenant_documents	company_id, tenant_id, document_type, document_number, storage_key, file_url	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	verification_status, expires_at, metadata, uploaded_by, created_at			
property_tenants	id, company_id, profile_id, tenant_code, full_name, phone, email, national_id, tin, kyc_status, status, address, emergency_contact, metadata, created_by, created_at, updated_at	id	Enabled	0
property_units	id, company_id, building_id, plot_id, owner_id, unit_code, unit_type, floor_label, bedrooms, bathrooms, area_sqm, rent_amount, service_charge_amount, deposit_amount, currency, status, furnishing, notes, metadata, created_by, created_at, updated_at	id	Enabled	0
property_utility_meters	id, company_id, unit_id, utility_type, meter_number, unit_of_measure, rate, status	id	Enabled	0
property_work_orders	id, company_id, work_order_number, request_id, contractor_id, assigned_profile_id, estimated_cost, actual_cost, status, due_date, completion_note, created_by, created_at, updated_at	id	Enabled	0
purchase_order_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
resource_bookings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
restaurant_alerts	id, company_id, outlet_id, alert_key, alert_type, severity, title, body, status, due_at, created_at	id	Enabled	0
restaurant_audit_events	id, company_id, outlet_id, actor_id, action, subject_type, subject_id, detail, created_at	id	Enabled	0
restaurant_bill_splits	id, company_id, parent_order_id, split_order_id, split_number, amount, status	id	Enabled	0
restaurant_combo_items	id, company_id, parent_menu_item_id, child_menu_item_id, quantity	id	Enabled	0
restaurant_customers	id, company_id, guest_id, name, phone, email, loyalty_points, status, data	id	Enabled	0
restaurant_dining_areas	id, company_id, outlet_id, name, area_type, layout, status	id	Enabled	0
restaurant_fiscal_profiles	id, company_id, outlet_id, tax_profile_id, tin, vrn, business_name, trading_name, physical_address, region, district, device_serial, provider_code, environment, status, receipt_prefix, fiscalized_at, data, created_by, created_at, updated_at	id	Enabled	0
restaurant_fiscal_receipts	id, company_id, outlet_id, fiscal_profile_id, order_id, internal_reference, official_receipt_number, fiscal_serial, verification_code, qr_payload, status, gross_amount, vat_amount, net_amount, currency, idempotency_key, provider_response, failure_reason,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	queued_at, submitted_at, verified_at, created_at, updated_at			
restaurant_kitchen_tickets	id, company_id, outlet_id, order_id, ticket_number, station, status, opened_at, completed_at	id	Enabled	0
restaurant_menu_categories	id, company_id, outlet_id, name, sort_order, status	id	Enabled	0
restaurant_menu_items	id, company_id, outlet_id, category_id, inventory_item_id, sku, name, description, price, cost_price, preparation_minutes, station, tax_rate, status, data	id	Enabled	0
restaurant_mobile_payments	id, company_id, outlet_id, order_id, profile_id, provider_reference, phone_last_four, amount, currency, status, provider_payload, failure_reason, expires_at, paid_at, created_by, created_at, updated_at	id	Enabled	0
restaurant_mobile_profiles	id, company_id, outlet_id, provider, merchant_label, merchant_account_reference, collection_mode, status, webhook_configured, data, created_by, created_at, updated_at	id	Enabled	0
restaurant_modifier_groups	id, company_id, outlet_id, name, min_select, max_select, status	id	Enabled	0
restaurant_modifier_options	id, company_id, group_id, inventory_item_id, name, price_delta, status	id	Enabled	0
restaurant_order_lines	id, company_id, order_id, menu_item_id, name, quantity, unit_price, discount_amount, status, modifiers, notes, stock_consumed, created_at	id	Enabled	0
restaurant_orders	id, company_id, outlet_id, table_id, reservation_id, customer_id, hotel_folio_id, waiter_employee_id, order_number, order_type, status, subtotal, discount_amount, tax_amount, service_charge_amount, tip_amount, total_amount, currency, opened_at, closed_at, data	id	Enabled	0
restaurant_outlets	id, company_id, property_id, branch_id, name, code, time-zone, currency, tax_rate, service_charge_rate, status, data, created_at, updated_at	id	Enabled	0
restaurant_payments	id, company_id, order_id, method, amount, reference, status, received_by, received_at, data	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
restaurant_promotions	id, company_id, outlet_id, code, name, discount_type, discount_value, starts_at, ends_at, status	id	Enabled	0
restaurant_purchases	id, company_id, request_id, inventory_item_id, quantity, unit_cost, received_quantity	id	Enabled	0
restaurant_purchases_requests	id, company_id, outlet_id, supplier_id, request_number, status, total_amount, currency, data, created_at	id	Enabled	0
restaurant_recipeIngredients	id, company_id, menu_item_id, inventory_item_id, quantity, unit, waste_pct	id	Enabled	0
restaurant_refunds	id, company_id, order_id, payment_id, reason, amount, status, idempotency_key, created_by, created_at	id	Enabled	0
restaurant_reservations	id, company_id, outlet_id, table_id, customer_id, reference, reservation_at, duration_minutes, covers, status, notes, created_at	id	Enabled	0
restaurant_shifts	id, company_id, outlet_id, employee_id, role, starts_at, ends_at, status, opening_cash, closing_cash, data, created_at	id	Enabled	0
restaurant_staff_roles	id, company_id, outlet_id, employee_id, role, status	id	Enabled	0
restaurant_suppliers	id, company_id, name, phone, email, address, status, data	id	Enabled	0
restaurant_tables	id, company_id, outlet_id, area_id, code, capacity, status, position, current_order_id, data, updated_at	id	Enabled	0
restaurant_tax_profiles	id, company_id, outlet_id, code, name, tax_type, rate_percent, is_inclusive, is_default, is_active, legal_basis, created_at, updated_at	id	Enabled	0
restaurant_wastages	id, company_id, outlet_id, inventory_item_id, quantity, reason, cost, created_by, created_at	id	Enabled	0
rst_menu	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
rst_orders	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
rst_reservations	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
rst_tables	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sales_invoice_items	id, company_id, name, status, amount, notes, data, created_at, updated_at, invoice_id, item_name, item_sku, qty, rate, sort_order	id	Enabled	2
sales_invoices	id, company_id, name, status, amount, notes, data, created_at, updated_at, doc_number, customer, issue_date, due_date, order_id, amount_paid	id	Enabled	1
sales_order_items	id, company_id, name, status, amount, notes, data, created_at, updated_at, order_id, item_name, item_sku, qty, rate, sort_order	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
sales_order_returns_items	id, company_id, name, status, amount, notes, data, created_at, updated_at, return_id, item_name, item_sku, qty, rate	id	Enabled	0
sales_order_returns	id, company_id, name, status, amount, notes, data, created_at, updated_at, order_id, reason	id	Enabled	0
sales_orders	id, company_id, customer, doc_number, order_date, owner_id, quotation_id, sales_order_items, sales_order_returns, status, created_at, updated_at, quotation_reference, owner_name	id	Enabled	0
sales_payments	id, company_id, name, status, amount, notes, data, created_at, updated_at, invoice_id, method, payment_date, reference	id	Enabled	12
sales_quotation_items	id, company_id, name, status, amount, notes, data, created_at, updated_at, quotation_id, item_name, item_sku, qty, rate, sort_order	id	Enabled	1
sales_quotations	id, company_id, name, status, amount, notes, data, created_at, updated_at, doc_number, customer, issue_date, valid_until, owner_id	id	Enabled	4
sales_subscriptions	id, company_id, name, status, amount, notes, data, created_at, updated_at, doc_number, customer, plan, cycle, start_date, next_billing_date	id	Enabled	1
sch_academic_years	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_admissions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_announcements	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_approval_requests	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_assessment_sessions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_assessments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_assignment_submissions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_assignments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_attendance_records	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_attendance_sessions	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_audit_logs	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
sch_books	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_classes	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_departments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
sch_disciplinary_records	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_documents	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_enrollments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_exams	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_fee_invoice_links	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_fee_invoices	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_fee_structures	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_fees	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_grading_scales	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_guardians	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_hostel_allocations	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_hostels	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_inventory_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_inventory_movements	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_library_loans	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_messages	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_notifications	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_payments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_portal_links	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_report_cards	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_scholarships	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_streams	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
sch_student_guardians	company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_students	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_subjects	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_teacher_assignments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_teachers	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_terms	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_timetables	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_transport	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sch_transport_assignments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
scheduled_reports	id, company_id, format, frequency, last_run, recipient_email, report_type, status, created_at, updated_at	id	Enabled	0
scm_shipments	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
scm_vehicles	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
signatures	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sms_group_members	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sms_groups	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
sms_templates	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
stock_audit_items	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
stock_audits	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	1

Table	Observed columns	Primary key	RLS	Rows
subscription_events	id, company_id, subscription_id, payment_id, event_type, previous_status, new_status, actor_profile_id, actor_type, details, created_at	id	Enabled	6
subscription_invoices	id, company_id, subscription_id, payment_id, invoice_number, status, currency, subtotal, tax_amount, total_amount, paid_amount, issued_at, due_at, paid_at, document_data, created_at, updated_at	id	Enabled	0
subscription_notifications	id, company_id, subscription_id, notification_key, notification_type, title, message, status, scheduled_for, delivered_at, read_at, metadata, created_at	id	Enabled	2
subscription_payments	id, company_id, subscription_id, plan_id, provider, internal_reference, idempotency_key, provider_order_id, amount, fee, net_amount, currency, phone, description, billing_cycle, status, initiated_by, provider_response, verified_at, paid_at, failure_reason, created_at, updated_at	id	Enabled	2
subscription_usage	id, company_id, usage_key, period_start, period_end, usage_value, limit_value, source, metadata, recorded_at	id	Enabled	0
support_agents	id, company_id, profile_id, team_id, availability, workload_limit, is_active, created_at, updated_at	id	Enabled	0
support_call_log	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
support_chat_conversations	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	3
support_chat_messages	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	6
support_message_templates	id, company_id, name, provider, channel, language, category, body, variables, approval_status, is_active, created_by, created_at, updated_at	id	Enabled	0
support_sla_policies	id, company_id, name, priority, first_response_minutes, resolution_minutes, warning_minutes, is_active, created_at, updated_at	id	Enabled	0
support_team_members	id, company_id, team_id, profile_id, role, created_at	id	Enabled	0
support_teams	id, company_id, name, department_name, is_active, created_by, created_at, updated_at	id	Enabled	0
support_ticket_activities	id, company_id, ticket_id, actor_profile_id, event_type, details, created_at	id	Enabled	0
support_ticket_messages	id, company_id, name, status, amount, notes, data, created_at, updated_at, ticket_id, body, sender_kind, sender_profile_id, channel, is_internal, delivery_status, provider_message_id, sent_at	id	Enabled	0
support_ticket_notifications	id, company_id, ticket_id, author_profile_id, body, kind, created_at	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
support_tickets	id, company_id, assignee, category, created_date, customer, doc_number, priority, status, subject, support_ticket_messages, created_at, updated_at, assigned_profile_id, team_id, source_channel, customer_reference, due_at, resolved_at, closed_at	id	Enabled	0
tenant_subscription	id, company_id, plan_id, status, billing_cycle, amount, currency, started_at, renewed_at, expires_at, grace_expires_at, cancelled_at, cancellation_reason, source_payment_id, metadata, created_at, updated_at, offer_code, paid_months, bonus_months, total_months, duration_days	id	Enabled	2
user_table_preferences	company_id, user_id, preference_key, value, updated_at	company_id, user_id, preference_key	Enabled	0
vicoba_loans	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
vicoba_meetings	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
vicoba_members	id, company_id, name, status, amount, notes, data, created_at, updated_at	id	Enabled	0
whatsapp_accounts_links	company_id, profile_id, phone_e164, code_hash, expires_at, used_at, created_by, created_at	id	Enabled	0
whatsapp_accounts	id, company_id, provider, phone_number_id, display_phone_number, enabled, allowed_capabilities, created_by, created_at, updated_at	id	Enabled	0
whatsapp_contacts	id, company_id, profile_id, phone_e164, display_name, preferred_language, linked_at, last_seen_at, created_at, updated_at	id	Enabled	0
whatsapp_conversations	id, company_id, contact_id, status, last_message_at, context_expires_at, created_at, updated_at	id	Enabled	0
whatsapp_message_events	provider_message_id, company_id, phone_e164, event_type, status, payload_hash, error_category, received_at, processed_at	id	Enabled	0
whatsapp_messages	id, company_id, name, status, amount, notes, data, created_at, updated_at, provider_message_id, direction, phone_e164, body, message_type, provider_timestamp, conversation_id, contact_id, request_id, error_category, tool_name, ai_model	id	Enabled	0
workflow_marketplace_templates	id, category, description, install_count, is_official, name, published_by_company_name, steps, trigger_type, created_at, updated_at	id	Enabled	0
workflows	id, company_id, condition, enabled, last_run, name, steps, trigger_type, created_at, updated_at	id	Enabled	0
workforce_approval_limits	company_id, target_profile_id, target_role_id, permission_id, currency, single_transaction_limit,	id	Enabled	0

Table	Observed columns	Primary key	RLS	Rows
	daily_limit, requires_checker, status, effective_from, effective_to, approval_request_id, assigned_by, assigned_at, revoked_by, revoked_at, version, metadata			
workforce_data_scopes	company_id, target_profile_id, target_role_id, scope_type, scope_id, effect, status, effective_from, effective_to, approval_request_id, assigned_by, assigned_at, revoked_by, revoked_at, version, metadata	id	Enabled	0
workforce_members	company_id, profile_id, employee_id, role_id, status, effective_from, effective_to, approval_request_id, assigned_by, assigned_at, revoked_by, revoked_at, version, metadata	id	Enabled	0
workforce_modules	company_id, target_profile_id, target_role_id, module_id, permission_action, effect, status, effective_from, effective_to, approval_request_id, assigned_by, assigned_at, revoked_by, revoked_at, version, metadata	id	Enabled	0
workforce_permissions_conflicts	company_id, conflict_code, permission_a_id, permission_b_id, severity, resolution_policy, status, description, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	21
workforce_permissions	company_id, code, module_id, resource, permission_action, description, is_sensitive, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	140
workforce_role_permissions	company_id, role_id, permission_id, effect, status, effective_from, effective_to, approval_request_id, granted_by, granted_at, revoked_by, revoked_at, version, metadata	id	Enabled	469
workforce_roles	id, company_id, code, name, role_kind, description, hierarchy_level, is_assignable, status, created_by, created_at, updated_by, updated_at, version, metadata	id	Enabled	42
workspaces	id, company_id, channel_ref, department, description, members, name, created_at, updated_at	id	Enabled	0

4 3. Compliance conclusion

The evidence supports a substantial existing Supabase architecture with canonical identity, tenancy, billing, subscription, and module persistence surfaces already present. The important open work is targeted: protect payment posting with atomic idempotency, review exposed SECURITY DEFINER signatures, consolidate overlapping RLS policies only after semantic proof, maintain provider secret boundaries, and keep demo behavior explicit and non-operational. This report does not support recreating the schema, adding duplicate identity tables, or applying blanket production DDL.

4.1 References

[1] Repository-audited master book source at github.com/EzraMpapi/SMART-MANAGER-MANUS/blob/d20a9b922e8596d54f3c7538b6389f71f4aef869/docs/smart-manager-book/master-book/SMART_MANAGER_MASTER_BOOK_EN_SW.md. [2] Full-system audit at github.com/EzraMpapi/SMARTMANAGER-MANUS/blob/d20a9b922e8596d54f3c7538b6389f71f4aef869/FULL_SYSTEM_AUDIT_REPORT.md. [3] Read-only Supabase table inventory at github.com/EzraMpapi/SMARTMANAGER-MANUS/blob/d20a9b922e8596d54f3c7538b6389f71f4aef869/docs/smart-manager-book/master-book/evidence/live_supabase_tables_2026-08-24.json. [4] Saved advisor counts at github.com/EzraMpapi/SMARTMANAGER-MANUS/blob/d20a9b922e8596d54f3c7538b6389f71f4aef869/docs/smart-manager-book/master-book/evidence/advisor_counts_2026-08-24.txt. Supabase Row Level Security documentation: supabase.com/docs/guides/database/postgres/row-level-security.