



CODEK K180

Wireless Barcode Scanner

Product Specification



UROVO PTE. LIMITED



Scanning Performance

Image sensor	1280*1080 CMOS
Light Source	Warm white LED
Illumination	650nm laser, red crosshairs
Imager field of View	38°H x 33°V nominal
Viewing angle	Roll 360°, Skew $\pm 60^\circ$, Pitch $\pm 60^\circ$

Physical parameters

Weight	95g
External dimension	138.5mm*42.3mm*36.9mm
Prompt mode	Buzzer, Power indicator, Bluetooth indicator, Scanning indicator, vibrating motor
Input voltage	2500mAh
Charging port	Type-C, Pogo pin (with two contacts)
Button	Scan button, power on/off button

Environmental parameters

Working temperature	-20°C ~ 50°C
Charging temperature	5°C - 40°C
Storage temperature	-40°C ~ 70°C
Humidity	5% RH~95% RH (non-condensing)
Ambient Light Immunity	0~100000 Lux
ESD	ESD per EN61000-4-2, +/-19 KV Air, +/-17 KV Direct, +/-8 KV Indirect



Drop Specification	1.2m
Environmental Sealing	None

Wireless performance

Bluetooth Spec	BT5.2
Bluetooth Frequency	2.4GHz
Transmission distance	80m
Port	HID
Storage capacity	1MByte
Battery capacity	2500mA
Charging Time	Less than 3 hours
Work Lasting Time	More than 20 hours

Accessories Guide

Software	Debug and manage software; Battery level inquiry; Supports software reading of software and firmware versions, including SN information
Supported languages	ANSI, English UK, English (US) , French, German, Italian, Japanese, Polish, Spanish and Swedish ,
Accessories	Charging stand, Bluetooth receiver