



# UROVO P8100P 4G

## Specifications



UROVO Technology Co., Ltd.



## Specifications

|                      |                    |                                                                                                                                       |
|----------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| Performance          | Model              | UROVO P8100P                                                                                                                          |
|                      | O.S.               | Android 13, GMS                                                                                                                       |
|                      | Processor          | Octa-core 2.45GHz                                                                                                                     |
|                      | Memory             | RAM: 4GB, ROM: 64GB<br>RAM: 8GB, ROM: 128GB(optional)                                                                                 |
|                      | Extended memory    | Micro SD card, Up to 256 GB                                                                                                           |
| Basic specifications | Dimensions         | 255.4*175*18.5mm                                                                                                                      |
|                      | Weight             | 826g                                                                                                                                  |
|                      | Display            | 10.1 inch display, 1200*1920                                                                                                          |
|                      | Touch Screen       | Ultra sensitive capacitive touch panel , support multi-touch, works with gloves and wet fingers                                       |
|                      | Main battery       | 10000mAh, QC charging                                                                                                                 |
|                      | Buttons            | PWR key, Vol+/- key, scan key                                                                                                         |
|                      | Camera             | Front 5MP,Rear 13MP with flash                                                                                                        |
|                      | Sensors            | Light + Accelerator+ Geomagnetic + Gyro                                                                                               |
|                      | Scanning           | Professional scan engine<br>Support international standard 1D/2D barcode;<br>Support barcode displayed on screen and colored barcode; |
|                      | Slots              | Micro SD/TFx1 , Nano- SIMx2, PSAMx1 (optional)                                                                                        |
|                      | Audio              | Dual-microphone with noise cancellation<br>Dual-Speaker, rated power 1.2W<br>Support 3.5mm audio jack                                 |
|                      | Interfaces         | USB Type-C、 3.5mm ear phone jack、 Pogopin                                                                                             |
| Network Connections  | Positioning        | GPS, A-GPS, BEIDOU, GLONASS, Galileo                                                                                                  |
|                      | WAN                | Dual-SIM, Dual-Standby                                                                                                                |
|                      |                    | 4G, 3G, 2G                                                                                                                            |
|                      | Bluetooth          | BT 5.0 + BR/EDR + BLE                                                                                                                 |
| Environment          | Wi-Fi              | 2.4G/5G, IEEE 802.11a/b/g/n/ac/d/h/i/r/k/v/w/ax ready<br>Roaming: 802.11r /OKC/ PMKID caching                                         |
|                      | Temperature        | -20°C to 60°C                                                                                                                         |
|                      | Storage            | -40°C to 70°C                                                                                                                         |
|                      | Humidity           | 5%RH ~ 95%RH (No condensation)                                                                                                        |
|                      | Drop Specification | Multiple 1.2 m drop to concrete at room temperature                                                                                   |
|                      | Sealing            | IP67                                                                                                                                  |

## Data Capture Specifications

### 1) Camera

| Rear Camera |                                |
|-------------|--------------------------------|
| functions   | Flash light, Auto-focus, Video |
| Pixels      | 13MP                           |



| Front Camera |                 |
|--------------|-----------------|
| Pixels       | 5MP, Fix-focus, |

## 2) Scanner Engine

| Spec               | 2D Imager Engine Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Scan Angels Tilt   | 360°                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Scan Angels Pitch  | ±60°                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Scan Angels Skew   | ±60°                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Laser safety level | Class 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Barcodes support   | Linear: Codabar, Code 11, Code 128, Code 2 of 5, Code 39, Code 93 and 93i, EAN/JAN-13, EAN/JAN 8, IATA Code 2 of 5, Interleaved 2 of 5, Matrix 2 of 5, MSI, GS1 Databar, UPC-A, UPC E, UPC-A/EAN-13 with Extended Coupon Code, Coupon GS1 Code 32(PARAF), EAN-UCC Emulation, GS1 Data Bar<br>2D Stacked: Codablock A, Codablock F, PDF417, MicroPDF417<br>2D Matrix: Aztec Code, Data Matrix, MaxiCode, QR Code, Chinese Sensible (Han Xin), Grid Matrix, Dot Code<br>Postal: Australian Post, British Post, Canadian Post, China Post, Japanese Post, Korea Post, Netherlands Post, Planet Code, Postnet |

## 3) RFID(HF)

| RFID             | HF                                                                                                                                          |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| Protocol         | ISO15693<br>ISO14443: ISO14443 Type A,ISO14443 Type B<br>MIFARE: Mifare S50,Mifare S70,Mifare UltraLight,Mifare Pro,Mifare Desfire 、 FeliCa |
| Frequency        | 13.56MHz                                                                                                                                    |
| Reading Distance | Read distance 0-6cm (ISO15693),0-4cm(ISO14443A/B)                                                                                           |

## Network Connections

### 1) Positioning

| Positioning     | Specification                                                                                                    |
|-----------------|------------------------------------------------------------------------------------------------------------------|
| Mode            | GPS、 A-GPS、 BeiDou、 GLONASS、 Galileo                                                                             |
| Frequency       | GPS ( L1 1.575GHz C/A code) , BeiDou ( B1 1.561GHz) , GLONASS(L1 1.602GHz),Galileo (E1 1.589 GHz / E2 1.561 GHz) |
| Cold start time | Less than 40s                                                                                                    |
| Max channel     | 31 channel                                                                                                       |
| sensitivity     | -130dB(SNR value 40dBHz)                                                                                         |
| Precision       | 5-10 Meters (open space)                                                                                         |

### 2) Wireless LAN

| WLAN | Specification |
|------|---------------|
|------|---------------|



|                         |                                                                                                |
|-------------------------|------------------------------------------------------------------------------------------------|
| Protocol                | IEEE 802.11a/b/g/n/ac/d/h/i/r/k/v/w/ (2.4G/5G dual band Wi-Fi) ,Wi-Fi 6 Ready(802.11 ax ready) |
| Frequency               | 2.4G、 5G                                                                                       |
| Security and Encryption | EAP-TLS,EAP-TTLS,PEAP-MSCHAPv2,PEAP-TLS, PEAP-GTC,PWD,SIM,AKA<br>WEP,WPA/WPA2-PSK              |
| Fast roaming            | Support 802.11r fast roaming                                                                   |

### 3) Wireless WAN

| WAN                            | Specification                                                                                                                                                                                                                                               |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Mode                           | Dual SIM Dual Standby                                                                                                                                                                                                                                       |
| Worldwide Radio Frequency Band | 4G/3G/2G:<br>TD-LTE(B34/B38/B39/B40/B41)<br>LTE(B1/B2/B3/B4/B5/B7/B8/B12/B13/B14/B17/B19/<br>B20/B25/B26/B28A/B28B/B66)<br>WCDMA(B1/B2/B4/B5/B8)<br>TD-SCDMA(B34/B39)<br>CDMA2000 1x EV-DO Rev.A BC0 (800MHz)<br>CDMA1x<br>GSM/EDGE/GPRS(850/900/1800/1900) |

### 4) Wireless PAN

| BT    | Specification       |
|-------|---------------------|
| Mode  | BT 5.0+BR/EDR+BLE   |
| Range | More than 10 Meters |

### Optional Accessories

| Accessory | Type                                                                                    |
|-----------|-----------------------------------------------------------------------------------------|
| Standard  | Type-C cable,QC adaptor                                                                 |
| Optional  | Multi-functional Cradle,Hand Strap, Holster, LAN port dock, Stylus, Scanning hand rests |