



UROVO i5300L

Smart POS Payment Terminal

Specifications



UROVO PTE. LIMITED



Specifications

O.S.	Android 13
Processor	Quad-core A53 2.0GHz
Memory	RAM: 2GB ROM: 16GB RAM: 3GB ROM: 32GB (optional)
Display	5" Display 480*854, (720*1280 optional) Customer display, 128*32 mono display (optional) Customer display, 2" top color non-touch screen (optional)
Button	PWR button, Vol+/- button
Network Connection	4G/ 3G/ 2G Bluetooth 5.0 Wi-Fi: IEEE 802.11 a/b/g/n/ac 2.4GHz/5GHz
Camera	No front camera (0.3MP FF optional) Top 0.3MP FF camera No rear camera (5MP AF optional) The front and top cameras cannot be supported at the same time, Front+Rear or Top+Rear.
Scanning	Camera decoding, supporting 1D/ 2D barcode
Payment	Magnetic stripe card IC Card Contactless Card
Thermal Printer	Media roll size: 40mm Media width: 58mm printing paper Resolution: 203dpi (8dot/mm) Print speed: 60~70mm/s Support 1D/2D bar code printing
Audio	Speaker
Positioning	GPS, A-GPS, BEIDOU, GLONASS, Galileo
Slot	Slot option 1 (default): 1 SIM1+1 Nano SIM2+1 SAM1+1 SAM2+1 MicroSD
	Slot option 2 (optional): 1 eSIM +1 Nano SIM2+1 SAM1+1 SAM2+1 MicroSD
Interface	1 x Type-C USB OTG 6 Pins Pogopin (optional)
Notification LED	Contactless Notification LED, Blue/ Yellow/ Green/ Red Power LED
Battery	3.6V/5200mAh
Adaptor	Input: 100~240V AC 50~60Hz Output: 5V/2A
Environment	Operating: 0°C~50°C Storage: -20°C ~ 70°C Humidity: 5%RH ~ 95%RH (No condensation)
Physical	L x W x H (mm): 174*81*60mm (32.9mm thinnest) Weight (g): 416g



Certification	PCI PTS 6.x, EMV L1&L2, EMV Contactless L1, MasterCard Contactless, Visa PayWave etc.
---------------	---