Architecture 1001: x86-64 Assembly Pass1Parameter.c with GCC

Xeno Kovah – 2021
xeno@darkmentor.com

All materials is licensed under a Creative Commons “Share Alike” license.

- http://creativecommons.org/licenses/by-sa/4.0/

You are free:

to Share — to copy, distribute and transmit the work

to Remix — to adapt the work

Under the following conditions:

Attribution — You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

Share Alike — If you alter, transform, or build upon this work, you may distribute the resulting work only under the same, similar or a compatible license.

Attribution condition: You must indicate that derivative work
"Is derived from Xeno Kovah's 'Architecture 1001: x86-64 Assembly’ class, available at https://ost.fyi"

Pass1Parameter.c

Adding a single argument

```c
int func(int a){
    int i = a;
    return i;
}
int main(){
    return func(0x11);
}
```

```
func:
0x000055555555129 <+0>:     endbr64
0x00005555555512d <+4>:     push   %rbp
0x00005555555512e <+5>:     mov    %rsp,%rbp
0x000055555555131 <+8>:     mov    %edi,-0x14(%rbp)
0x000055555555134 <+11>:    mov    -0x14(%rbp),%eax
0x000055555555137 <+14>:    mov    %eax,-0x4(%rbp)
0x00005555555513a <+17>:    mov    -0x4(%rbp),%eax
0x00005555555513d <+20>:    pop    %rbp
0x00005555555513e <+21>:    retq
main:
0x55555555513f <main>: endbr64
0x555555555143 <main+4>:    push   %rbp
0x555555555144 <main+5>:    mov    %rsp,%rbp
0x555555555147 <main+8>:    mov    $0x11,%edi
0x55555555514c <main+13>:   callq  0x555555555129
   <func>
0x555555555151 <main+18>:   pop    %rbp
0x555555555152 <main+19>:   retq
```

The stack looks like this at line 0x00005555`5555513d in func():

