Architecture 1001:
x86-64 Assembly
The Binary Bomb Lab!

Xeno Kovah – 2021
xeno@darkmentor.com

All materials is licensed under a Creative Commons “Share Alike” license.

- http://creativecommons.org/licenses/by-sa/4.0/

You are free:

to Share — to copy, distribute and transmit the work

to Remix — to adapt the work

Under the following conditions:

Attribution — You must attribute the work in the manner specified by the author or licensor (but not in any way that suggests that they endorse you or your use of the work).

Share Alike — If you alter, transform, or build upon this work, you may distribute the resulting work only under the same, similar or a compatible license.

Attribution condition: You must indicate that derivative work
"Is derived from Xeno Kovah's 'Architecture 1001: x86-64 Assembly’ class, available at https://ost.fyi"

Binary Bomb Lab

Binary Bomb Lab

- From CMU architecture class:

Binary Bomb Lab

- From CMU architecture class:
  - http://csapp.cs.cmu.edu/

Binary Bomb Lab

- From CMU architecture class:
  - http://csapp.cs.cmu.edu/
    - Though I originally had it in the easier University of Minnesota variant

Binary Bomb Lab

- From CMU architecture class:
  - http://csapp.cs.cmu.edu/
    - Though I originally had it in the easier University of Minnesota variant
- Thanks to Randal E. Bryant & David R. O'Hallaron for providing the source code so it could be ported between various architectures

Binary Bomb Lab

- From CMU architecture class:
  - http://csapp.cs.cmu.edu/
    - Though I originally had it in the easier University of Minnesota variant
- Thanks to Randal E. Bryant & David R. O'Hallaron for providing the source code so it could be ported between various architectures
- The textbook for the class which the bomb lab is a part of is "Computer Systems: A Programmer's Perspective, 3rd Edition, Prentice Hall, 2016; Bryant and O'Hallaron"

Binary Bomb Lab 2

- **Goal is to to determine the program's desired input, to stop it from exploding**

Phase 1 Walkthrough

EXPERT MODE!

- If you already know a thing or two about asm (and were just here for the 64 bit update), let's see how far you can get how fast if you play it on expert mode, without symbol information. Execute the following command in the directory where the bomb resides:
  - Ubuntu: *strip ./bomb*
  - Windows: *del ./bomb.pdb*
- This is more like what you will actually see with malware. You're not going to get symbols in that case.
- *Now* go ahead and see how fast you can go through the rounds ;)

Hints:

- Standard C library documentation is your friend!
- Remember to stay *focused on your goal!* Do you need to understand every piece of the code? Or do you just need to know the *exit condition* for the level, and *walk backwards* from that?