

A Complex Namespace for the **rho** Calculus

Paired messages, two quotations, and an intertwining COMM

L.G. Meredith
F1R3FLY.io

Version 6 — a record of the core calculus

Abstract

This note records, in one place, the core of a variant of the **rho** calculus designed so that the namespace carries the structure of a complex scalar field rather than that of a free commutative monoid. It gives the term language, the scalar multiplication and its action on processes, the structural theory, the reduction relation, the two multiplicatives, the evaluation product and the pole against which the dagger is defined. Three changes are made to the term language and one to the reduction relation. Messages carry *pairs of sequences* of processes, so that a message is a formal difference, negation is structural, and the namespace is graded by rank. Names are quotations of such pairs, so that negation is an operation on *addresses* and not merely a decoration on sends; negation then lifts uniquely to processes, and requiring reduction to commute with that lifting is what selects the deposit convention of the communication rule. There are two quotation operators, of necessity two dropping operators, and receipts bind a pair of sequences of variables because negation acts on a receipt by exchanging them rather than by descending into it; the two quotations are read as a real and an imaginary sector, and a drop reads a name into the sector it asks for by *rotating* the name there. Communication between participants of opposite polarity exchanges the components of the received pair, so that opposite polarity contributes the sign; the rest of the phase is not computed from the term at all but declared, by a coefficient riding on the payload and one on the receipt, which combine by multiplication. That the rotation must be declared rather than derived is proved rather than assumed, and it is what withdraws the intertwining rule of earlier versions. The note states what has been settled, states the design forks that have not, and enumerates the obligations the design incurs. It also records the evaluation product against which the eventual pairing is defined, together with the pole and the residuation that give the dagger, taking the pole to be the zero process and the perp to be residuation to it, and it defines the two multiplicatives that the sequence structure makes available. It proves almost nothing. Its purpose is to fix notation and to make the open questions precise enough to be worked on.

Contents

1	What this note is	2
1.1	Scope	2
1.2	Status markers	3
1.3	Revision note	3
1.4	Notational rules	4

2	Syntax	4
2.1	Sorts	4
2.2	Negation	5
3	Scalars	6
4	Sectors, polarity, and the group of a name	7
4.1	Two quotations force two drops	7
4.2	The four names of an address	8
5	Structural theory	9
6	Reduction	10
6.1	Matching is sector-blind and polarity-blind	10
6.2	The rule	10
6.3	The four-case refinement	12
7	Phase	13
7.1	Why the rotation must be declared	13
7.2	The coefficient rides on the payload	14
7.3	What the naive guard buys, and what it does not	14
8	Tensor and par	15
8.1	Par	15
8.2	Tensor	16
8.3	Two consequences and two conjectures	16
8.4	The heterogeneous cases	17
9	Conservativity	18
10	Evaluation and residuation	18
10.1	Inert states and evaluation	18
10.2	The pole, and residuation	20
10.3	The pairing	21
11	The dagger, in one paragraph	22
12	Obligations	23
13	What this note does not do	25

1 What this note is

1.1 Scope

The present document is a *record*, not an argument. It writes down the term language, the structural theory and the reduction relation of a variant calculus that has emerged from a sequence of design decisions, together with the reasons each piece is present. It does not develop the semantics that motivated the design; that semantics — an interpretation of the operations

of quantum mechanics over a reflective process calculus, with processes as vectors, names as scalars, evaluated contexts as covectors and contexts as operators — is the subject of separate work, and is recalled here only far enough to explain why each feature was added.

Two things are deliberately excluded. The note gives no metatheory: no subject reduction, no congruence result, no decidability. And it gives no semantics: no interpretation map, no inner product, no dagger beyond the one line needed to say which operation the dagger is built from. Both are named as obligations in Section 12.

1.2 Status markers

Throughout, claims carry one of three markers.

SETTLED The design decision has been taken and the consequences worked through. It may still be wrong, but it is not open.

FORK Two or more readings are consistent with what has been settled, and the choice has not been made. The alternatives are stated.

OPEN An obligation the design incurs and does not discharge.

1.3 Revision note

Version 1 of this note had receipts bind a pair of name variables and stated the communication rule in two clauses, one per relative polarity. Both features are withdrawn. Negation on names lifts uniquely to processes (Proposition 9), the whole received pair is deposited into a single bound variable, and the polarity clause becomes a factor in one rule. The change is not cosmetic: requiring reduction to be equivariant for the lifted negation *selects* the deposit convention, and version 1’s convention fails that test (Remark 35). The surviving pair sort occurs only on messages and inside quotations.

Version 3 makes three further changes. Messages, binders and quotations carry *sequences* rather than single processes, with rank as a grading (Definition 2); the two multiplicatives $\otimes$ and $\wp$ are defined and distinguished by whether the binders are shared (Section 8); and the cross cases of the dropping operators are settled by *rotation* rather than projection to zero (Definition 18), which restores unconditional reflection and discharges the observability obligation. Two consequences are recorded rather than assumed: slotwise parallel composition cannot be the addition (Proposition 59), so the sum in the evaluation product is external; and the sector table for the multiplicatives is the same table as for communication, so the fork over that table cannot be settled independently for the two (Remark 66).

Version 4 corrects a bug in version 2 which version 3 inherited. Receipts bind a *pair* of sequences of variables, one per polarity, and negation acts on a receipt by exchanging them. Version 2 had removed the second binder on the ground that it was derivable as $\ominus$ of the first; that argument is circular, since $\ominus$ is defined by recursion over names and has no clause for a variable, so with a single binder the lifting of negation is undefined on open terms — and every body under a binder is open. Remark 10 gives the argument, Remark 33 records what survives of the version 2 collapse, and the communication rule of Definition 32 is restated to deposit slotwise into both sequences.

Version 5 changes the reduction relation. Channel matching is *sector-sensitive* — it was blind to the sector in versions 1–4, which made the relative-polarity function ill defined and discarded

the sender's sector outright (Remark 30). The four-case refinement is refuted by equivariance rather than left open (Section 6.3). And the sector rotation is removed from the rule: no constant rate is available (Proposition 39) and no function of the payload can serve (Proposition 41), so the rotation is declared, by a coefficient on the payload and one on the receipt, combined by multiplication (Proposition 45). Two results of earlier versions are withdrawn with their reasons recorded: phase is not path length (Remark 36), and amplitude is not multiplicity (Remark 38). Obligation 6 records what this leaves of the sectors, and is now the live question of the design.

Version 6 removes the motivating section that opened versions 1–5, which recited four defects of the unexpanded namespace and had fallen behind the calculus: one of the four is discharged by the conjugation the note now builds, and a second is answered by the coefficient discipline rather than by the sector placement the section argued for. The defects that still bear on a definition are recorded at that definition instead. In its place, and immediately after the term language, Section 3 gives the two operations the calculus owed and had never stated in current form: multiplication of scalars, which multiplies coefficients in Θ and combines contents slotwise, and its lifting to an action on processes.

1.4 Notational rules

The calculus is called the **rho** calculus and is never written with the Greek letter that follows pi; the name abbreviates *reflective higher order*, and the transliteration is the pun. Quotation is written @ and dropping *; corner quotes are not used. Pairs are written with angle brackets, $\langle Q_p, Q_n \rangle$.

2 Syntax

2.1 Sorts

The calculus has three sorts: processes, pairs and names. Pairs are the new sort. A pair is intended as a formal difference of processes, its first component positive and its second negative. Pairs occur in two places only, on messages and inside quotations; binders do not mention them, for the reason given in Remark 33.

Definition 1 (Grammar).

$$\begin{aligned} P, Q &::= 0 \mid P \mid Q \mid \text{for}(\theta'(\vec{y}_p, \vec{y}_n) \leftarrow x)P \mid x!A \mid *_l x \mid *_r x \\ A, B &::= \theta(\vec{P}, \vec{Q}) \\ x, y &::= @_l A \mid @_r A \end{aligned}$$

Four points of reading. A send carries a pair of *sequences* of processes scaled by a coefficient θ drawn from a phase group Θ (Section 7), not a process. A receipt carries a coefficient of its own. A receipt binds a pair of sequences of name variables, of the same length, one sequence per polarity — this is forced, and Remark 10 gives the reason. And a name is a quotation of such a pair, tagged with a sector l or r .

Definition 2 (Rank, and well-formedness). SETTLED. A pair $\langle \vec{P}, \vec{Q} \rangle$ is well formed when $|\vec{P}| = |\vec{Q}|$, and its *rank* is that common length; the rank of a name is the rank of the pair it quotes, and the rank of a prefix is the common length of its two binder sequences, or of its two payload sequences. A receipt $\text{for}(\langle \vec{y}_p, \vec{y}_n \rangle \leftarrow x)P$ is well formed when $|\vec{y}_p| = |\vec{y}_n|$. Only well-formed terms are terms.

Remark 3 (Why the two sequences must have equal length). $\ominus$ exchanges the two sequences (Definition 7), so it preserves rank only under the condition of Definition 2. Since x and $\ominus x$ must share an address (Definition 21) and rank is part of an address (Definition 29), unequal lengths would put a name and its negation at different addresses and the polarity structure would not close. The condition is not a patch: a name is a formal difference of two elements of the *same* grade, which is the only difference a graded module admits.

Remark 4 (Why pairs of sequences and not sequences of pairs). **SETTLED.** The sign is one $\mathbb{Z}/4$ element per name, global to it, not one per slot. Were each slot to carry its own polarity, $\ominus$ would negate every slot and so act as $(-1)^n$ on a name of rank n — the identity on even ranks, hence $\ominus(A \otimes B) = A \otimes B$, which is trivial exactly where Section 8 makes it interesting. Designating one privileged slot instead is not canonical and does not survive concatenation.

Convention 5 (Drops in process position). $*_s x$ is stipulated above to be a process, whereas the pair quoted by x has two components. We take $*_s x$ to denote the *positive* component of the s -sector content of x , so that $*_s(\ominus x)$ is the negative component. No generality is lost and the ordinary reading of $*$ is preserved.

Convention 6 (Abbreviations). We write $x!Q$ for $x!\langle Q, 0 \rangle$. Together with Convention 5 and the choice $@ := @_l$, $* := *_l$, this is what makes the ordinary rho calculus a sub-language; see Section 9.

2.2 Negation

Definition 7 (Negation on pairs and names). $\ominus$ is defined on pairs and on names by component exchange at the top:

$$\ominus\langle P, Q \rangle := \langle Q, P \rangle, \quad \ominus @_s A := @_s(\ominus A) \quad (s \in \{l, r\}).$$

The definition does not recurse into the components.

Proposition 8 (Negation is a total involution on names). $\ominus$ is defined on every name without reference to reduction, and $\ominus \ominus x = x$.

Proof. Immediate from component exchange being an involution on ordered pairs. $\square$

Proposition 9 (Unique lifting to processes). **SETTLED.** There is exactly one extension of $\ominus$ from names to processes which is a homomorphism of the term algebra, namely

$$\begin{aligned} \ominus 0 &:= 0, & \ominus(P \mid Q) &:= \ominus P \mid \ominus Q, & \ominus(x!\langle P, Q \rangle) &:= (\ominus x)!\langle \ominus P, \ominus Q \rangle, \\ \ominus(\text{for}(\langle \vec{y}_p, \vec{y}_n \rangle \leftarrow x)P) &:= \text{for}(\langle \vec{y}_n, \vec{y}_p \rangle \leftarrow \ominus x) \ominus P, & \ominus(*_s x) &:= *_s(\ominus x). \end{aligned}$$

It satisfies $\ominus \ominus P = P$, and it descends to $\equiv$ and to $\equiv_N$.

Proof. Processes are freely generated by the term formers over names, so a map on names extends uniquely to an endomorphism of the term algebra; the displayed clauses are that extension. Involutivity follows by induction from Proposition 8. For $\equiv$, the clauses are homomorphic and leave the binder alone, so associativity, commutativity and the unit are preserved. For $\equiv_N$, applying $\ominus$ to the quote-drop law (Definition 27) at x yields the quote-drop law at $\ominus x$, since $*_s(\ominus x)$ is the negative component of x . $\square$

Remark 10 (Why the binder must be a pair of sequences). SETTLED, and it corrects an error of version 2, which bound a single sequence. The clause for the receipt in Proposition 9 *exchanges* the two binder sequences; it does not push $\ominus$ inside. That is not a stylistic choice, and the single-binder presentation cannot be repaired.

$\ominus$ is defined by structural recursion over names, and names are quotations (Definition 1); there is no clause for a name *variable*, because variables are not names but placeholders for them. So $\ominus y$ is not a term. With a single binder sequence, $\ominus$ applied to a receipt would produce a body containing $\ominus y_i$ for bound y_i , and the lift would be undefined on open terms — which is fatal, since every body under a binder is open. With two binder sequences, $\ominus$ never has to be applied to a variable: it permutes which variable plays which role, and the terms it produces are terms.

This also withdraws the argument by which version 2 removed the second binder. That argument said the negative variable is redundant because it equals $\ominus$ of the positive one — which presupposes $\ominus$ on variables, the very thing that is unavailable. The redundancy claim was circular. Making $\ominus$ a primitive former on names would be the alternative repair, at the price of names that are no longer simply quotations; it is not taken.

Remark 11 (What the lift is, and is not). It is worth being explicit, because the notation invites a conflation that the rest of the note depends on avoiding. The lifted $\ominus$ is an *automorphism of the term algebra* — a relabelling of the namespace — and not an additive inverse. In particular $P \mid \ominus P$ is inert and is not 0: a send and its mirror have no receipt between them, so nothing reduces. Cancellation does not come from $\ominus$ on processes; it comes from the completion equations on pairs, and orthogonality accordingly comes from where Remark 90 says it does.

Homomorphism for $\mid$ is therefore a *consequence* of freeness, not a design decision, and it carries none of the algebraic content it would carry if $\ominus$ were an inverse.

Remark 12 (Why the pair is inside the quotation). SETTLED. If pairs occurred only on messages, then names would quote single processes and $\ominus x$ would be undefined: negation would be an operation on messages that the namespace cannot express, so x and $\ominus x$ would not both be addresses, the polarity of a participant in a communication could not be stated, and Proposition 9 would have nothing to lift. Placing the pair inside the quotation makes negation an operation on addresses and lets the reduction rule mention $\ominus x$ as a name like any other.

There is a second reason, of a different kind. Under the reading in which parallel composition is addition on processes and name multiplication is $@P \cdot @Q = @(P \mid Q)$, quotation is an exponential. Completing to formal differences *before* exponentiating gives a namespace that is the exponential image of a group; completing afterwards does not, and that is why earlier attempts to obtain negation dynamically, as a consequence of annihilation, kept having to produce the sign at reduction time rather than having it available in the syntax.

3 Scalars

Names are the scalars of the intended interpretation, so the calculus owes a multiplication on them and an action of them on processes. Both are given here, immediately after the term language, because everything downstream — the multiplicatives of Section 8, the coefficient discipline of Section 7, the pairing of Section 10 — is written in terms of them.

Definition 13 (Scalar product). For names of equal rank and equal sector,

$$@_s(\theta\langle\vec{P}, \vec{Q}\rangle) \cdot @_s(\theta'\langle\vec{P}', \vec{Q}'\rangle) := @_s(\theta\theta'\langle\vec{P} \mid \vec{P}', \vec{Q} \mid \vec{Q}'\rangle)$$

with $|$ taken slotwise and $\theta\theta'$ the product in Θ . For unequal sectors the product carries the phases with it, by Definition 22.

Definition 14 (Scalar action on processes). For a name x and a process P ,

$$x \cdot P := P\{x \cdot z / z : z \in \text{FN}(P)\}$$

— each free name of P is multiplied by x — with bound names chosen so that no free name is captured. On a payload the action is slotwise, $x \cdot \theta\langle\vec{P}, \vec{Q}\rangle := \theta\langle x \cdot \vec{P}, x \cdot \vec{Q}\rangle$.

Remark 15 (The two halves of a scalar). Definition 13 multiplies two things at once, and they are of different kinds. The coefficients multiply in Θ ; the contents combine by slotwise parallel composition. Under the reading in which parallel composition is addition on processes and quotation is an exponential, addition of contents *is* multiplication of names, so the two halves are the same operation seen at two resolutions: θ carries the part of the scalar that no structure of the term can supply (Proposition 41), and the content carries the part that reflection makes visible.

Two consequences of the shape. The product is commutative and associative, because $|$ and Θ both are. And it has a unit *per rank*, namely $@_s(1\langle\vec{0}, \vec{0}\rangle)$ at that rank, rather than a single unit — which is the graded form of the observation that $\otimes$ has no unit at all (Remark 61).

Remark 16 (The action is a shift, not a scaling). Definition 14 is an injective endomorphism of the term algebra: it translates every free name by x and identifies nothing. So $x \cdot 0 \neq 0$ in general, and the action is not a module action — it permutes the basis rather than combining it. This is the reason the linear structure cannot be internal to the namespace and the formal sums of Corollary 60 are needed, and it is the reason the coefficient θ is carried as a decoration rather than realised as a factor in the content: multiplying a name by another name moves the address, whereas scaling must leave it fixed (Remark 47).

Channels multiply by Definition 13, and that is the operation both multiplicatives of Section 8 use on the channel.

4 Sectors, polarity, and the group of a name

4.1 Two quotations force two drops

Proposition 17 (Collapse). Suppose the calculus has two quotation operators $@_l, @_r$ and a single dropping operator $*$ satisfying $*(@_s A) = A$ for both s , together with the quote-drop law $@_s(*x) \equiv_N x$. Then $@_l A \equiv_N @_r A$ for every A .

Proof. Instantiate the quote-drop law at $x := @_r A$ and $s := l$: $@_l A = @_l(*(@_r A)) \equiv_N @_r A$. $\square$

So the two quotations are distinguishable only if the drops are split as well; a map has at most one two-sided inverse. This is why Definition 1 carries $*_l$ and $*_r$ and not a single $*$.

Definition 18 (Sector reading, by rotation). SETTLED. $*_s$ reads a name *into* the sector s , rotating it there first when it is not already there:

$$*_s(@_s A) := A, \quad *_l(@_r A) := A, \quad *_r(@_l A) := \ominus A.$$

Equivalently, $*_s x := *_s(i^{-k} x)$ where k is the least rotation of Definition 22 carrying x into sector s . The asymmetry between the two cross clauses is exactly the asymmetry of Definition 22: the descending passage from r to l carries the pair exchange, the ascending one does not.

Remark 19 (Rotation, not projection). SETTLED, replacing an earlier clause that sent the cross cases to $\langle 0, 0 \rangle$. Three reasons, of increasing weight.

Equivariance. Every other convention in this design has been fixed by requiring compatibility with the $\mathbb{Z}/4$ action of Definition 22; see Remark 35. Zero is a fixed point of that action, so a clause landing on zero cannot commute with it, and the drops would be the one place in the calculus where the group action is not respected. Rotation commutes with it by construction.

Reflection. With a projection to zero, $@_l(*_l(@_r A)) = @_l\langle 0, 0 \rangle \neq @_r A$, so the quote-drop law holds only when the sectors agree and reconstruction is available only on the diagonal. That is a weakening of the one property for which this calculus was chosen as a host. Under rotation the law is unconditional; see Definition 27.

Observability. Under projection, a context may apply both drops to a name and read off which one yields 0, so the sector is classically readable — a superselection rule rather than a phase, and in tension with Definition 29, which makes $@_l A$ and $@_r A$ one address. Under rotation both drops succeed and differ by a phase, so no context can read the sector by comparing them. Global phase is unobservable and relative phase is not, which is the correct behaviour, and it arrives as a consequence rather than as a discipline imposed by restricting where drops may occur.

Two costs, stated plainly. The drops become interdefinable — $*_r x = \ominus *_l(i^{-1}x)$ throughout — so they are no longer independent term formers, and Proposition 17 must be read with Remark 20 in view. And a drop may now introduce a sign into process position, which adds one more source to the occurrence counting of Obligation 17.

Remark 20 (The collapse argument still applies). Proposition 17 shows that a *single* drop forces the two quotations to coincide. Rotation does not supply a single drop; it supplies two drops related by an operation which is not itself a drop, so the argument is untouched in substance. It is no longer the clean statement it was when the drops were independent, and it should be reproved rather than assumed — see Obligation 13.

4.2 The four names of an address

Each name has an underlying pair and two binary attributes: its sector, l or r , and its polarity, which is the choice between a pair and its exchange. Fixing the underlying pair up to exchange therefore leaves four names.

Definition 21 (Address and phase). For $x = @_s A$, write $\text{sec}(x) := s$ and let $\text{addr}(x)$ be the pair A taken up to $\ominus$. The four names sharing an address are

$$@_l A, \quad @_r A, \quad @_l(\ominus A), \quad @_r(\ominus A).$$

Definition 22 (The imaginary unit). SETTLED, with the caveat of Remark 24. Multiplication by i is the successor map on the cycle

$$@_l A \mapsto @_r A \mapsto @_l(\ominus A) \mapsto @_r(\ominus A) \mapsto @_l A.$$

Equivalently: passing from l to r leaves the pair alone, and passing from r to l exchanges it.

Proposition 23. *The map of Definition 22 has order four, its square is $\ominus$, and the four names of an address form a torsor under $\mathbb{Z}/4$ with $\text{ph}(-)$ the resulting coordinate, $\text{ph}(@_l A) = 1$.*

Proof. Two applications carry $@_l A$ to $@_l(\ominus A)$, which is $\ominus$ by Definition 7; $\ominus$ is an involution by Proposition 8, so the map has order four. The action is free and transitive on the four names by Definition 21. $\square$

Remark 24 (Why i is not the composite of two independent involutions). This is the most delicate point in the design and it must not be glossed. Sector exchange and pair exchange are each involutions, and if they are taken as *independent* the group they generate is the Klein four-group. The Klein four-group is the group of the split-complex numbers, in which $j^2 = +1$ and there are zero divisors, $(1+j)(1-j) = 0$. Zero divisors are fatal here, since a pairing would then vanish for reasons having nothing to do with orthogonality. Definition 22 is precisely the stipulation that the two exchanges are *not* independent: the descending passage from r to l carries the pair exchange with it, so that the generated group is cyclic of order four rather than Klein. The asymmetry is not decoration. It is the content of the requirement $i^2 = -1$, and it is what a design with two free involutions cannot supply.

Remark 25 (Only one doubling). Name multiplication is parallel composition, hence commutative. The Cayley–Dickson construction preserves commutativity once and loses it at the second step. A namespace whose product is parallel composition therefore admits exactly one doubling and no more: the calculus can be complex, and cannot be quaternionic, for a structural reason rather than by stipulation.

5 Structural theory

Definition 26 (Structural congruence). $\equiv$ is the least congruence containing alpha-equivalence and satisfying associativity, commutativity and 0 as unit for $|$, together with

$$\ominus \ominus A \equiv A.$$

Definition 27 (Name equivalence). $\equiv_N$ is the least congruence satisfying

$$@_s(*_s x) \equiv_N i^k x, \quad \frac{A \equiv B}{@_s A \equiv_N @_s B}$$

together with $@_s(\theta A) \equiv_N @_s(\theta' A)$, which keeps the payload coefficient out of a name’s identity (Remark 47); here k is the rotation of Definition 18. The first law is unconditional: under rotation every name is reconstructible from either drop, up to the phase the rotation introduced, so reflection holds at every name and not only on the diagonal.

Remark 28 (The completion equations, and where they live). FORK, and the most consequential one in the note. A pair is intended as a formal difference, which suggests two further equations:

$$\langle Q, Q \rangle \equiv 0, \quad \langle P, Q \rangle \equiv \langle P \mid R, Q \mid R \rangle.$$

These are what make the pair sort the group completion of processes rather than merely an ordered pair. But $\equiv_N$ contains $\equiv$ under quotation, and COMM fires on $\equiv_N$. Imposing them therefore makes them equations *on addresses*, which the matcher must decide.

The two readings differ sharply.

- **Arithmetic names.** The completion equations hold on names. Cancellation is then real, $\ominus$ is genuine negation, and destructive interference is the matcher discovering that a pair’s components have become congruent. The cost is that unique factorisation is lost, the monomial basis with it, and the decidability of name matching becomes a serious question.

- **Coloured names.** The completion equations do not hold on names, which are then a free set with a $\mathbb{Z}/4$ action. Negation is a label carried along and read by the reduction rule, exactly as the sector is. The matcher is untouched; the arithmetic is deferred to a coefficient layer outside the calculus.

The reduction rule of Section 6 never asks whether two differently-signed names are equal, only whether they share an address, so the coloured reading suffices for the operational semantics as it stands. The arithmetic reading is what the semantic programme wants. The note takes neither; it records that the choice determines whether cancellation is a structural event or an external one.

6 Reduction

6.1 Matching is sector-blind and polarity-blind

Definition 29 (Address matching). SETTLED, correcting versions 1–4. A receipt at x and a send at x' are *matched* when $x' \equiv_N x$ or $x' \equiv_N \ominus x$: name equivalence up to polarity, and nothing else. The coefficient of Definition 1 is not part of a name’s identity (Definition 27); the *sector* is.

Remark 30 (Why matching is not sector-blind). Earlier versions of this note made matching blind to the sector as well, on the ground that $@_l A!Q \mid @_r A!Q$ should be one address carrying a superposition rather than two messages no receiver can hear. That reading is withdrawn, for three reasons of increasing weight.

$@_l A$ and $@_r A$ are different names. Firing COMM across them means firing on a relation strictly coarser than $\equiv_N$, which the calculus does nowhere else, and which would break the injectivity of addressing on which unforgeability rests.

Definition 31 is ill defined under sector-blindness. It gives $\delta(x, x')$ a value in $\{\text{id}, \ominus\}$, but sector-blind matched names may differ by any element of the $\mathbb{Z}/4$ torsor, and δ cannot name i or $-i$. The definition and the matching relation contradicted each other.

Under sector-blind matching with the deposit computed from the receipt, a receipt served by a send at $@_l A$ and by a send at $@_r A$ produces the *same* reduct. The sender’s sector is then not a phase but discarded information — so sector-blindness does not merely coarsen matching, it makes half the phase data inert.

Polarity-blindness stays: it is what allows the sign to be produced at all, and it is what the equivariance argument of Proposition 34 turns on.

6.2 The rule

Definition 31 (Relative polarity). For matched x and x' , the *relative polarity* $\delta(x, x')$ is the identity when $x' = x$ and $\ominus$ when $x' = \ominus x$. It is well defined by Definition 21, since matched names differ by an element of the $\mathbb{Z}/4$ torsor and polarity is the component of that element which Definition 22 squares to.

Definition 32 (COMM). Let $t := \text{sec}(x)$. For matched x, x' in the sense of Definition 29,

$$\text{for}(\theta' \langle \vec{y}_p, \vec{y}_n \rangle \leftarrow x) P \mid x'! \theta \langle \vec{Q}_p, \vec{Q}_n \rangle \rightarrow P \{ N_i / y_{p,i}, \ominus N_i / y_{n,i} \}_i$$

where, writing $\delta := \delta(x, x')$ for the relative polarity,

$$N_i := @_t(F(\theta', \theta) \delta \langle Q_{p,i}, Q_{n,i} \rangle)$$

with F the phase rule of Proposition 45. The sector is *preserved*: the deposited quotation is in the sector the receipt listened on. The rule is closed under parallel composition and under $\equiv$ in the usual way.

One clause, two effects.

Phase: the participants declare it. SETTLED, replacing the intertwining rule of versions 1–4. The rotation applied to the deposited datum is $F(\theta', \theta)$, a function of what the receipt and the sender each declare, and it is trivial when both declare nothing. The sector is not touched. Section 7 derives F and explains why no rule computing the rotation from the structure of the term can do this job.

Polarity: opposition exchanges the pair. SETTLED. When the participants have opposite polarity, δ is $\ominus$ and the deposited pair is exchanged, which by Definition 7 is multiplication by $\ominus$. So opposite polarity contributes the sign, and $i^2 = \ominus 1$ is realised as: two sector rotations equal one polarity exchange.

Remark 33 (One clause, two binder sequences). Version 1 of this note stated COMM in two clauses, one per relative polarity, and bound a pair of variables. Version 2 collapsed both, to one clause and one binder. Only the first collapse survives.

One clause stands. The polarity case is not a second rule but the factor δ , which is the statement that the relative group element of the two participants is the phase deposited — visible in the rule rather than distributed over two of them.

One binder does not. Version 2 argued that the negative variable is redundant, being $\ominus$ of the positive one. Remark 10 shows the argument is circular: $\ominus$ is not defined on variables, so the purported derivation of one binder from the other is not a term of the calculus, and with a single binder the lifting of $\ominus$ is undefined on open terms. The pair of sequences is restored, and what it buys is precisely that $\ominus$ acts on a receipt by *exchanging* the two sequences.

Version 1's deposit convention remains withdrawn, for the reason in Remark 35: it is the convention, not the binder, that equivariance rejects. Each variable now receives a rank-one name that is itself a formal difference, N_i or $\ominus N_i$, rather than a payload parked in the positive slot.

Proposition 34 (Equivariance). $P \rightarrow P'$ implies $\ominus P \rightarrow \ominus P'$.

Proof. By Proposition 9, $\ominus$ carries the redex $\text{for}(\langle \vec{y}_p, \vec{y}_n \rangle \leftarrow x)P \mid x!A$ to $\text{for}(\langle \vec{y}_n, \vec{y}_p \rangle \leftarrow \ominus x)\ominus P \mid (\ominus x)!(\ominus A)$, which is again a redex: matching is polarity-blind (Definition 29) and $\delta(\ominus x, \ominus x') = \delta(x, x')$. Reducing it binds $y_{n,i}$ to $@_u(\delta \langle Q_{n,i}, Q_{p,i} \rangle) = \ominus N_i$ and $y_{p,i}$ to $\ominus \ominus N_i = N_i$, which is the image under $\ominus$ of the original substitution, since $\ominus$ leaves the N_i in the roles the exchanged binder assigns them. Hence both routes give $\ominus P\{N_i/y_{p,i}, \ominus N_i/y_{n,i}\}$, using $\ominus @_s B = @_s(\ominus B)$ and the commutation of $\ominus$ with substitution. $\square$

Remark 35 (Equivariance is a selection principle). Proposition 34 is not decoration; it is what picks the deposit convention out of the alternatives. Requiring reduction to commute with the unique lifting of Proposition 9 rules out the earlier convention, under which the deposited

name was always $@_{\text{op}(t)}\langle Q, 0 \rangle$ with the payload in the positive slot: nothing of that shape lies in the image of an equivariant rule, since $\ominus @ \langle Q, 0 \rangle = @ \langle 0, Q \rangle$, and the failure is uniform at one application of $\ominus$ per communication. Depositing the whole pair is the unique repair, and it is the convention of Definition 32. That the same convention also collapses the second COMM clause is the reason to prefer it on grounds other than symmetry. It does *not* collapse the binder; see Remark 10.

Remark 36 (Phase is not path length — a withdrawal). Versions 1–4 recorded, as the most attractive consequence of the intertwining rule, that the sector of a name is the parity of the number of communications producing it, so that relative phase is the parity of a difference of derivation lengths — length-asymmetric reconvergence supplied for free, with no cost functor and no weight map. That is withdrawn along with the rule.

The reason it had to go is recorded in Section 7: a rule which rotates on every communication couples the sectors at the price of making phase accumulate with path length, and then two histories interfere only if their lengths agree modulo four, which is a condition on the reduction graph that nothing enforces. A rule which never rotates has no such problem and no coupling either. There is no constant rate between the two, so the rotation must be supplied per candidate.

The companion observation, that a step changing no process still rotates the sector and so gives the fictitious identity step an independent justification, goes with it.

6.3 The four-case refinement

Remark 37. FORK. Definition 32 computes the deposited sector from the receipt’s channel alone. But Definition 29 makes matching sector-blind, so a receipt at $@_l A$ may be served by a send at $@_r A$, and the rule as stated ignores the sender’s sector. The natural completion is that the two sectors *multiply*:

	send l	send r
recv l	1	i
recv r	i	-1

with -1 realised as $\ominus$ on the deposited pair and the off-diagonal entries being exactly the intertwining of Definition 32. Under this reading the rule of Definition 32 is the off-diagonal half of the table, and $i^2 = -1$ is a case of the reduction rule rather than a separate stipulation.

SETTLED, and refuted. Write the $\mathbb{Z}/4$ tags additively and let $f(\alpha, \beta)$ be the deposited tag for a receipt at α served by a send at β . Equivariance under the lifted $\ominus$ (Proposition 34) requires $f(\alpha + 2, \beta + 2) = f(\alpha, \beta) + 2$, since negating both participants must negate the deposit. The symmetric reading $f(\alpha, \beta) = \alpha + \beta$ gives $f(\alpha + 2, \beta + 2) = f(\alpha, \beta) + 4 = f(\alpha, \beta)$ and fails. The general solution is $f(\alpha, \beta) = \alpha + h(\beta - \alpha)$: the deposit depends on the receipt’s own tag, shifted by a function of the relative tag.

The refinement is therefore not available, and with it goes the only motive for sector-blind matching (Remark 30). What survives is the question of which h , and Section 7 shows that no constant h will do.

Remark 38 (Amplitude is not multiplicity — a withdrawal). Versions 1–4 read $@_l A!Q \mid @_r A!Q$ as one address carrying one copy in each sector, hence as $(1+i)$ times a send at A , and concluded that Gaussian coefficients are realised as multiplicity under parallel composition with no external coefficient algebra. Under Definition 29 those are two messages at two channels and the reading is unavailable.

Amplitudes live in the formal sums, which Corollary 60 had already forced for an unrelated reason, and in the payload coefficients of Section 7. The two conclusions agree; what is lost is the claim that no coefficient layer was needed.

7 Phase

Definition 32 defers the rotation to a function F of two declared coefficients. This section says why the rotation cannot be computed from the term, derives F , and records what the naive form can and cannot do.

7.1 Why the rotation must be declared

Proposition 39 (No constant rate). *Let the deposited tag be $f(\alpha, r) = \alpha + h(r)$, where $r \in \{0, 2\}$ is the relative polarity of the two participants — the only freedom left once Section 6.3 is settled and matching is sector-sensitive. Then cancellation forces $h(2) - h(0) = 2$, and the two solutions with h constant are exhaustive and both defective.*

Proof. For the constraint: consider $\text{for}(Y \leftarrow x)P \mid x!A \mid (\ominus x)!(\ominus A)$, whose two candidates deposit $@_{\alpha+h(0)}A$ and $@_{\alpha+h(2)}(\ominus \ominus A) = @_{\alpha+h(2)}A$ — the same content. If P does not use the datum the outcomes coincide, so their coefficients add, and a message composed with its own negation must sum to zero; hence the tags differ by two.

The two solutions are $h(0) = 1$ and $h(0) = 0$. With $h(0) = 1$ every communication rotates, so the sector of a name is the parity of the derivation length and two histories interfere only when their lengths agree; with $h(0) = 0$ no communication rotates, so a program begun in one sector remains there, and since matching is sector-sensitive the two sectors are non-interacting copies of the calculus and i is inert. $\square$

Remark 40 (The dilemma, and what it means). Proposition 39 is better read as an explanation than as an obstacle. *Rotation at communication is the only coupling between the sectors, and coupling them is exactly what makes phase accumulate with path length.* The reconvergence worry is therefore not an artefact of a convention: it is the price of i doing anything at all, so long as the rate is a constant of the rule.

Both horns are removed by making the rotation a parameter of the site rather than of the rule. Ordinary same-polarity communication then carries no rotation by default, which restores easy reconvergence, while the sectors still couple wherever a program asks them to. Phase becomes *arranged* rather than *accrued*.

Proposition 41 (The rotation cannot be derived from the payload). *There is no function $\theta = \theta(A)$ of the payload alone that supports interference.*

Proof. Interference requires two candidates at one site reaching the same outcome with different phases. If the outcome is determined by the payload and the phase is a function of the payload, then candidates with coinciding outcomes have coinciding phases, so the relative phase at every recombination site is zero and nothing cancels. A derived phase is constant exactly where it must vary. $\square$

Remark 42 (Rank is not a candidate either). The one structural quantity that might have served is rank (Definition 2). It fails twice: it is additive under $\otimes$, so phase-equals-rank is a global function of the term, and a global function of the term is a gauge rather than a phase.

So the coefficient is a free parameter at the site, as it is in the ZX-calculus, where the phase decorates the spider. The remaining question is where to attach it.

7.2 The coefficient rides on the payload

Definition 43 (Scaled payloads). SETTLED. A payload is $\theta\langle\vec{P}, \vec{Q}\rangle$ with θ drawn from a phase group Θ , and a receipt carries a coefficient $\theta' \in \Theta$ of its own. A payload so scaled is a *scaled formal difference*: a coefficient times a difference of two same-grade tuples, which is an element of a graded module over Θ written in the syntax.

Remark 44 (Why the payload and not the prefix). A phase on the prefix is a property of the *act*; a phase on the payload is a property of the *thing sent*, and only the second survives being received. Under $x!\theta A$ the coefficient is consumed at the site and the datum arrives bare, so a received name cannot carry its own amplitude and cannot be forwarded, stored or recombined with it. Under Definition 43 it can. A scalar has to travel with its vector.

Proposition 45 (The phase rule). $F(\theta', \theta) = \theta' \cdot \theta$, the product in Θ , and this is forced.

Proof. Phases compose along a derivation, so F must be a homomorphism in each argument; a trivial receipt against a trivial send must rotate nothing, so $F(1, 1) = 1$; and $\ominus$ -equivariance is automatic, both coefficients being $\ominus$ -invariant decorations (Remark 46). A bihomomorphism of groups preserving the unit is multiplication. $\square$

Remark 46 (Coefficients are $\ominus$ -invariant). $\ominus(\theta A) := \theta(\ominus A)$. Were $\ominus$ to act on θ as well, the cancelling pair $x!\theta A$ and $(\ominus x)!\theta(\ominus A)$ would no longer differ by exactly two and the argument of Proposition 39 would fail at the site it exists to serve. So -1 is $\ominus$ and is not a value of θ ; see Remark 52.

Remark 47 (Coefficients are not part of an address). $@_s(\theta A) \equiv_N @_s(\theta' A)$: scaling a message must not move it to a channel that no receiver of the original is listening at, which is the same requirement that makes Definition 14 a shift rather than a scaling (Remark 16), applied one level up: multiplying a name by a name moves the address, so a coefficient must not be a factor in the content. The coefficient is carried as a decoration on the name, which is the status the sector was originally given and, by Remark 30, cannot have.

Remark 48 (Scaling and the multiplicatives). Definition 13 already multiplies the coefficients. Concatenation is different: tuples with different coefficients do not concatenate to a scaled tuple, so on payloads $\theta A ++ \theta' B := (\theta\theta')(A ++ B)$, with the coefficient pulled out in front rather than distributed slotwise. This is the syntactic shadow of a tensor of scaled vectors scaling by the product, and Definition 55 is to be read with it.

7.3 What the naive guard buys, and what it does not

The guard here is as simple as it can be: θ' is a constant of the receipt, not a formula evaluated against the candidate.

Remark 49 (Interference is arranged by senders). The obvious objection to a constant θ' is that it cannot give different candidates different phases, and phase-conditional-on-data is one of the two things interference requires. The objection is misplaced. At a contended channel the candidates differ by *which message wins*, and each message carries its own θ ; by Proposition 45 the deposited phases therefore vary across candidates by exactly the amount the senders declared. The receipt

needs no formula language, no evaluation against the payload, and no purity argument, because the variation lives in the data rather than in the test.

Proposition 50 (The rank-one ceiling). *With θ' constant, the row of amplitudes at a receipt over the candidates $1, \dots, m$ is $(\theta'\theta_1, \dots, \theta'\theta_m)$, a scalar multiple of the vector of the senders' declarations. Every row of the clause matrix is proportional to that vector, so the matrix has rank one. No rank-one matrix is unitary except trivially, and none is basis-changing.*

Remark 51 (Where the ceiling sits). Proposition 50 is not an argument against the naive guard; it is a clean statement of its limit. The naive form suffices for phase composition, for the stochastic and probabilistic readings, and for cancellation — and it is insufficient for basis change, hence for universality. Recovering rank requires θ' to depend on the candidate, which is the non-naive guard: a formula evaluated against the payload, with the purity discipline that entails. The naive form is the default; the guard-computed θ' is the extension that buys rank.

Remark 52 (Where the sign lives). FORK, and it must be settled. There are now two possible carriers of a sign: the pair, through $\ominus$, and the coefficient, if $-1 \in \Theta$. Cancellation lands in neither unless they are identified,

$$@_s(\ominus A) \equiv_N - @_s A,$$

without which a message and the message with negated payload deposit structurally different names, their outcomes do not coincide, and nothing cancels: the sign becomes a label rather than an arithmetic fact.

But that equation makes the two carriers redundant. The recommendation of this note is that Θ be *sign-free* and the pair remain the sole carrier of -1 , because cancellation must be structural: the matcher discovering $\langle Q, Q \rangle \equiv 0$ is what makes destructive interference an operational event rather than an entry in an external ledger. If instead Θ carries the sign, the matcher inherits arithmetic in the coefficient ring, which is Obligation 10 returning one level up and in a worse form.

8 Tensor and par

With sequences in hand there are two ways to combine two prefixes at two channels, and they are the two multiplicatives. Both keep the channels together and differ only in what happens to the binders: sharing a binder merges the two continuations' access to a single datum, which is context-merging; keeping the binders apart gives each continuation its own. The distinction is not available in a calculus with only $|$, and its availability here is what allows $\otimes$ and $\wp$ to be different operations rather than one degenerate one.

8.1 Par

Definition 53 (Par of prefixes).

$$\begin{aligned} \text{for}(\vec{Y}^1 \leftarrow x)P_1 \wp \text{for}(\vec{Y}^2 \leftarrow u)P_2 &:= \text{for}(\vec{Y} \leftarrow x \cdot u)(P_1 \wp P_2) \{ \vec{Y} / \vec{Y}^1, \vec{Y} / \vec{Y}^2 \} \\ x!A \wp u!B &:= (x \cdot u)!(A \wp B) \end{aligned}$$

where $\vec{Y}$ abbreviates a binder pair $\langle \vec{y}_p, \vec{y}_n \rangle$, the fresh $\vec{Y}$ has the common rank, and $A \wp B$ is slotwise. Substitution of one binder pair for another is polarity-respecting: positives for positives, negatives for negatives.

Remark 54 (Par is a comultiplication). The identification of $\vec{y}^1$ and $\vec{y}^2$ with one $\vec{y}$ is a sharing, and sharing a datum between two continuations is copying it. Copying a basis element is the Frobenius comultiplication — in the graphical calculus, the spider that fans one wire out to two. So Definition 53 builds *correlated* composites, which is a legitimate and wanted operation, and it is not a tensor: see Remark 57.

8.2 Tensor

Definition 55 (Tensor of prefixes).

$$\begin{aligned} \text{for}(\vec{Y}^1 \leftarrow x)P_1 \otimes \text{for}(\vec{Y}^2 \leftarrow u)P_2 &:= \text{for}(\vec{Y}^1 ++ \vec{Y}^2 \leftarrow x \cdot u)(P_1 \otimes P_2) \\ x!A \otimes u!B &:= (x \cdot u)!(A ++ B) \end{aligned}$$

where $++$ is concatenation, taken slotwise on pairs, so that binder pairs concatenate polarity by polarity. Both are extended by

$$(P_1 \mid P_2) \otimes Q := (P_1 \otimes Q) \mid (P_2 \otimes Q), \quad 0 \otimes Q := 0$$

and symmetrically in the second argument.

Proposition 56 (Interchange). *For x, u of the appropriate ranks,*

$$(\text{for}(\vec{Y}^1 \leftarrow x)P_1 \otimes \text{for}(\vec{Y}^2 \leftarrow u)P_2) \mid (x!A \otimes u!B) \rightarrow P_1\{A/\vec{Y}^1\} \otimes P_2\{B/\vec{Y}^2\}$$

modulo the phase of Definition 32, provided substitution distributes over $\otimes$.

Remark 57 (Why the tensor needs separate binders). Under Definition 53 the same computation gives $P_1\{\text{@}(A \wp B)/\vec{Y}^1\} \wp P_2\{\text{@}(A \wp B)/\vec{Y}^2\}$: each continuation receives the *whole* combined payload rather than its own factor. Recovering the factors would require splitting a product of names, hence unique factorisation, which the completion equations of Remark 28 destroy. So interchange is exactly what separates the two operations, and it is the reason the tensor concatenates rather than shares.

Remark 58 (Rank is the tensor grade). Concatenation adds rank, so $\otimes$ grades the namespace, and the grading is free rather than symmetric because concatenation is not commutative. The symmetry of $\otimes$ is therefore an explicit permutation — a braiding, not strict commutativity — and symmetrisation or antisymmetrisation of a rank is a choice of twist rather than a property of the syntax. This does not reopen the Cayley–Dickson bound recorded above: that concerns the scalars, which remain commutative, so the calculus is still complex and not quaternionic.

8.3 Two consequences and two conjectures

Proposition 59 (Slotwise par is not the addition). *Let $A = \langle \vec{a}, \cdot \rangle$ and B be of rank two and C of rank one, and suppose addition of same-rank names were slotwise $\mid$. Then*

$$(A + B) \otimes C = \langle a_1 \mid b_1, a_2 \mid b_2, c \rangle, \quad (A \otimes C) + (B \otimes C) = \langle a_1 \mid b_1, a_2 \mid b_2, c \mid c \rangle$$

which differ: the untouched factor is duplicated. Hence $\otimes$ is not bilinear for slotwise $\mid$.

Corollary 60 (The sum in $\odot$ is external). *Remark 77 is resolved against the internal reading. The linear structure must be formal sums over names as basis elements; slotwise parallel composition retains a role, but as the name product of Definition 13, not as the addition. Names accordingly carry two operations, $\cdot$ and $\otimes$, and $\otimes$ does not distribute over $\cdot$ — which is expected of a graded product and is not a defect.*

Remark 61 (Zero, and the missing unit). $0 \otimes Q = 0$ makes 0 the additive unit and the multiplicative annihilator at once, so $0 \cdot P = 0$ holds. That is worth noting because it is not true of the scalar action: $x \cdot 0 \neq 0$ by Remark 16, and the collision between the two units — the additive unit of the content and the multiplicative unit of the namespace — was one of the standing defects of the unexpanded calculus. The other end is not resolved. $\otimes$ has no unit, since a unit would need channel content of rank zero and a body that is itself a unit, and no term serves for both prefix kinds. The structure is a non-unital graded rig, which is the same shape the join exhibits, and the fictitious identity step is its formal unitalisation.

Conjecture 62 (Multiplicativity of evaluation). $\Downarrow (P \otimes Q) = \Downarrow P \otimes \Downarrow Q$, equivalently

$$\langle P_1 \otimes P_2 \mid Q_1 \otimes Q_2 \rangle = \langle P_1 \mid Q_1 \rangle \cdot \langle P_2 \mid Q_2 \rangle.$$

This is the criterion by which the operation earns its name, and it is what makes the failure of $\otimes$ to preserve single steps harmless. By distributivity a redex of P appears once per component of Q in $P \otimes Q$, so one step becomes a layer of steps and the image of $\otimes$ is not closed under $\rightarrow$; but the pairing looks only at terminal states, so non-closure in between costs nothing provided the endpoints agree. Two things follow if the conjecture holds: $(P \otimes Q)^\dagger = P^\dagger \otimes Q^\dagger$, and the states of Definition 84 are closed under $\otimes$, which is what makes it an operation on states rather than on terms.

Conjecture 63 (De Morgan). $(P \otimes Q)^\dagger = P^\dagger \wp Q^\dagger$.

If this holds the structure is $*$ -autonomous rather than degenerately compact-closed, and the operator algebra ceases to be weaker than the state space. It is the criterion the two multiplicatives must jointly satisfy, and it is the reason for defining both rather than only the one the semantics immediately needs.

8.4 The heterogeneous cases

Remark 64 (Mixed prefix kinds are not defined, and should not be). SETTLED. $\otimes$ and $\wp$ are defined on like prefixes — receipt with receipt, send with send — and are undefined on a receipt against a send. That is not a gap. A receipt and a send at a common address are the two poles of an interaction, and their combination is the *pairing* of Definition 88, not a monoidal product: in the graphical calculus $\otimes$ is the product and the mixed case is the cup. The tensor-of-agents material in the earlier work restricts to what it calls homogeneous pairings for the same reason.

Remark 65 (Drops, and openness). $*_s x \otimes Q$ unfolds when x is a concrete quotation and is stuck when x is a bound variable, so $\otimes$ is total on closed terms and partial on open ones. This is the reflection obstacle in its usual place and is not removed by anything in this section.

Remark 66 (Different sectors, and a coherence argument). $@_l A \otimes @_r B$ multiplies channels of different sectors, hence multiplies their phases, hence uses precisely the table of Section 6.3. So the sector rule for the multiplicatives and the sector rule for COMM are one table, and the

fork recorded there cannot be settled independently for the two. This is an internal coherence argument and is therefore stronger than the conservativity argument of Remark 69, which is about backward compatibility with a calculus this one does not claim to extend.

Remark 67 ($\otimes$ is not a congruence). After tensoring, the composite listens at $x \cdot u$ and no longer at x , so messages elsewhere in an ambient term addressed to x can no longer reach it. $\otimes$ builds a new system rather than composing systems in place. This is the honest successor to the renaming device used in the earlier work to keep the two sides of a tensor from interacting: separation is now compositional address arithmetic rather than hygiene, which is a real improvement. It is still not *secure*, since $x \cdot u$ is computable by anyone; unforgeable separation continues to require a name-restriction operator.

9 Conservativity

Proposition 68 (Embedding). *FORK, stated as a target rather than a theorem. Let $\iota(-)$ send an ordinary rho term to the term of Definition 1 obtained by*

$$\begin{aligned} \iota(x!Q) &:= \iota(x)!\langle \iota(Q), 0 \rangle, & \iota(@P) &:= @_l \langle \iota(P), 0 \rangle, \\ \iota(\text{for}(y \leftarrow x)P) &:= \text{for}(\langle y, y' \rangle \leftarrow \iota(x))\iota(P), & \iota(*x) &:= *_l \iota(x) \end{aligned}$$

with y' fresh, homomorphically elsewhere. Then $\iota(-)$ is injective and preserves $\equiv$.

Remark 69 (Conservativity fails for reduction, and deliberately). The image of $\iota(-)$ is not closed under $\rightarrow$. A single communication moves a name off the real axis, so an ordinary rho program is not, in this calculus, a program that stays classical. This is not an oversight to be repaired: it is the content of Remark 36, since a calculus in which ordinary programs remained on the real axis would be one in which no phase ever accumulated. The design is a genuinely different calculus, not an extension, and it should be presented as such.

If a conservative reduction is wanted, the diagonal entries of the table in Section 6.3 supply it: under that reading, a real receipt served by a real send stays real, and the ordinary calculus embeds as the real sub-calculus. That is an argument for the refinement, and is recorded here rather than in Section 6.3 because it is the strongest one.

10 Evaluation and residuation

The calculus above is a term language and a reduction relation. The construction it serves needs two further operations: an evaluation, which runs a composite to its terminal states and collects them, and a pole, against which the dagger is obtained by residuation. Both are recorded here. Following the design decision that the pole be taken as simply as possible for the time being, $\perp$ is the zero process and $P^\perp$ is residuation to it — the linear perp.

10.1 Inert states and evaluation

Definition 70 (Inert). *P is inert when $P \not\rightarrow$; that is, when no COMM applies to any of its components under $\equiv$. Write **Inert** for the inert processes.*

Inertness is not triviality: 0 is inert, and so is $x!A$ with no matching receipt. The distinction matters throughout what follows, and is the reason $\perp$ below is not simply “is inert”.

Definition 71 (Evaluation product).

$$P \odot Q := \sum_{\substack{R \in \text{Inert} \\ P|Q \rightarrow^* R}} R$$

where the sum ranges over terminal states with multiplicity, one summand per *causal history* ending at R .

Proposition 72 (Commutativity). $P \odot Q \equiv Q \odot P$.

Proof. $|$ is commutative and the index of the sum mentions P and Q only through $P | Q$. $\square$

Definition 73 (Evaluation). $\Downarrow P := 0 \odot P$.

Remark 74 (Histories, not paths). SETTLED, and load-bearing rather than hygienic. Indexing the sum by reduction *sequences* rather than by causal histories counts the linearisations of a partial order, so m independent redexes contribute a spurious factor of $m!$. The multiplicity in Definition 71 is therefore the number of histories, equivalently the number of maximal chains in the reduction order modulo permutation of independent steps. Concurrency squares are filled; what is summed is what survives the quotient.

Remark 75 (What $\odot$ is not). Three properties fail, and each failure is informative rather than repairable.

No unit. $0 \odot P = \Downarrow P$, which is P only when P is already inert. So 0 is a unit on Inert and nowhere else, which is one reason the carrier of the eventual algebra must be cut down — see Section 10.2.

Not idempotent. $P \odot P \neq P$ in general, because two copies of a process interact. This is a feature: it is what makes multiplicity meaningful, and it is why the additive structure cannot be mixed choice, whose idempotence would force $2 = 1$.

Not associative. $(P \odot Q) \odot S$ forces $P | Q$ to reach a terminal state before S arrives, so any global reduction of $P | Q | S$ that schedules a communication between P and S early, destroying a P – Q redex, is a history of the unbracketed composite and of no bracketed one. The bracketed product undercounts, and the deficit is exactly the cross-redexes. Writing M_R for the operator $\square | R$ and T for one-step reduction, the deficit is the commutator $[T, M_R]$: the redexes between R and the state that existed in neither alone. M_R alone is diagonal in the occupation basis and commutes with every M_S ; T alone is the off-diagonal part; neither is interesting, and their failure to commute is where the content of the construction lives.

Convention 76 (The n -ary form). Because of the last item, the primitive is not the binary product but the family of symmetric n -ary evaluations

$$\odot(R_1, \dots, R_n) := \sum_{\substack{R \in \text{Inert} \\ R_1 | \dots | R_n \rightarrow^* R}} R$$

with one global evaluation and no bracketing. Symmetry under permutation is Proposition 72. Nothing needs to be associative because nothing is composed twice; factorisation of an n -ary evaluation into lower ones then becomes a property that holds exactly on causally independent components, rather than an axiom.

Remark 77 (What the sum is). **FORK**. Under the reading in which parallel composition is addition, the formal sum of Definition 71 is available in the calculus: it is the parallel composition of the terminal states. That reading is attractive, since it needs no new former and no tagging, and multiplicity is then counted by $|$ itself.

It has a hazard that must be checked before it is adopted. Inertness is not preserved by parallel composition: $x!A$ and $\text{for}(\langle \vec{y}_p, \vec{y}_n \rangle \leftarrow x)P$ are each inert and their composition is not. So the parallel composition of the summands may reduce further, and the sum would not be a normal form. The alternative is an external formal sum over the multiset of terminal states, which is inert by fiat and costs a coefficient layer outside the calculus.

Two things are settled regardless. Tagging the summands with fresh names is *not* the way to defeat idempotence: a retained tag is a which-path record, distinguishing summands permanently and preventing exactly the coincidence of outcomes on which the addition of coefficients depends. And quotation carries $|$ to the name product, so quoting an internalised sum yields a *product* of quotes; whichever reading is taken, the sum must not be internalised beneath a quotation.

Remark 78 (Partiality). $\odot$ is partial and the sum may be infinite. Non-confluence is not itself an obstacle — the sum is over all terminal states, not over a chosen one — but divergence is: a composite with no terminal state contributes the empty sum, and a composite with infinitely many contributes a sum that requires a summability condition before it denotes anything. Both are recorded as Obligation 2.

10.2 The pole, and residuation

Definition 79 (Residual). For formulae φ, ψ of the generated spatial logic, $\varphi \triangleright \psi$ is the right adjoint to the separating conjunction:

$$P \models \varphi \triangleright \psi \quad \text{iff} \quad \forall R. R \models \varphi \Rightarrow P | R \models \psi.$$

Definition 80 (The pole). $\perp$ is the behavioural formula

$$P \models \perp \quad \text{iff} \quad \Downarrow P \equiv 0,$$

that is, every terminal state of P is the zero process.

Definition 81 (Linear perp). $P^\perp := \{Q \mid P \odot Q \equiv 0\}$, and for a set S of processes, $S^\perp := \bigcap_{P \in S} P^\perp$.

Proposition 82 ($P^\perp$ is residuation to $\perp$). $Q \in P^\perp$ iff $Q \models \psi_P \triangleright \perp$, where ψ_P is a formula whose extension is the equivalence class of P in the logic.

Proof. By Definition 79, $Q \models \psi_P \triangleright \perp$ iff $Q | R \models \perp$ for every R in the extension of ψ_P ; by Definition 80 that is $\Downarrow (Q | R) \equiv 0$, which is $R \odot Q \equiv 0$ by Definitions 71 and 73. $\square$

Corollary 83 (Symmetry). $Q \in P^\perp$ iff $P \in Q^\perp$.

Definition 84 (States). P is a *state* when $\{P\}^{\perp\perp} = \{P\}^{\perp\perp}$ is generated by P , that is, when P is $\perp\perp$ -closed. The states are the carrier of everything that follows.

Remark 85 (The closure is the null-space quotient). $\{P\}^{\perp\perp}$ is the set of processes annihilated by every annihilator of P , so biorthogonal closure is closure under the testing preorder induced by the pole, with the tests being annihilators and success being reduction to the zero process. Three consequences.

It supplies the collapse that quotation cannot. Quotation is injective on $\text{Proc}/\equiv$ and therefore identifies nothing; every identification in the eventual pairing comes from $\odot$ and from this closure, that is, from reduction.

It fixes the equivalence at which the construction lives, and the equivalence it fixes is *testing*, not bisimulation. Since $\equiv_N$ is intensional and testing is not, the coefficient object and the state space sit at different equivalences; that is a known tension and it is not resolved here.

It destroys freeness. $\text{Proc}/\equiv$ under $|$ is free commutative on the non-parallel components, and closed sets are not freely generated. The occupation basis is a coordinate system for the unclosed calculus and does not survive into the closed one.

Remark 86 (Totality fails, and how it is repaired). Not every process has an annihilator: a persistent or replicating process at a name no one else holds has none, so $\psi_P \triangleright \perp$ is unsatisfiable and the dagger is partial. Definition 84 is the repair adopted here — restrict to the closed elements, which is the standard move — and it is the reason the states are cut down rather than the pole loosened. The alternative, kept in reserve, is to relativise the pole to a residue, taking $R \vdash P \perp Q$ when every terminal state of $P | Q$ is R ; that would make the pairing residue-valued in exactly the way the intended semantics wants, at the cost of a family of poles rather than one.

Remark 87 (Canonical witnesses are forced). $P^\perp$ is a set, and the dagger must be a term, because it is going to be quoted. Quotation does not respect any behavioural equivalence, so a representative must be chosen and not merely existentially quantified. The choice adopted is by minimal structural complexity, the measure already present for names and processes, with ties broken by the summation of Definition 71 when the minimum is not unique.

10.3 The pairing

Definition 88 (Dagger and pairing). For a state P , $P^\dagger$ is the canonical witness of $\psi_P \triangleright \perp$ in the sense of Remark 87, composed with the sector and polarity correction of Section 11. The pairing is

$$\langle P | Q \rangle := @_l \langle P^\dagger \odot Q, 0 \rangle$$

and, for a reified operator, using Convention 76,

$$\langle P | K | Q \rangle := @_l \langle \odot(P^\dagger, K_x^*, x! \langle Q, 0 \rangle), 0 \rangle$$

with x private to the composite and $K_x^* := \text{for}(\langle y, y' \rangle \leftarrow x) K[*_l y]$ the abstraction corresponding to K .

Remark 89 (Why the quotation is outermost, and why the operator is reified). Two points, each answering an earlier error.

$\odot$ lands in Proc and the scalars are names, so the pairing must pass through a quotation to change sort; a definition that has $\odot$ produce a scalar directly collapses the two sorts at precisely the place where the collapse is dangerous. The quotation is applied once, after evaluation, and contributes no identifications of its own.

Reifying K removes the bracketing question rather than answering it. Filling a hole and then evaluating, or evaluating and then filling, differ by the cross-redexes of Remark 75; passing the argument along a private wire means there is no hole-filling anywhere, and the bracket is manifestly the three-point evaluation it should have been. Privacy of x is required, not cosmetic: it is what prevents $P^\dagger$ from intercepting the operator's wire, and renaming cannot supply it in a calculus where any party may construct any quotation.

Remark 90 (Annihilation is normalisation, not orthogonality). An immediate and initially unwelcome consequence. $\langle P \mid P \rangle = @_l \langle 0, 0 \rangle$, the unit of the name product, so annihilation gives 1. The pole is a *normalisation* condition: $P^\dagger$ is the process that reduces P to the unit, and $\langle P \mid P \rangle = 1$ is a theorem rather than a stipulation. That is a gain, but it vacates the position orthogonality was expected to occupy, and the correspondence table of the earlier work, which reads “orthogonality is process annihilation”, is backwards on this point.

Orthogonality must therefore come from cancellation among the summands of Definition 71, which requires additive inverses on those summands. This is precisely what the pair sort supplies and what an unexpanded namespace could not, its scalars being a free commutative monoid with no inverses: two histories reaching the same terminal state with opposite polarity cancel, and $\langle P \mid Q \rangle = 0$ is the vanishing of a sum of nonzero contributions rather than the absence of any. The expansion of the namespace and the definition of the pairing are answerable to each other at exactly this point.

11 The dagger, in one paragraph

The construction this calculus serves requires an antilinear involution on states. Section 10 supplies the pole and the residuation; what remains is the sector and polarity content, recorded here.

First, the dagger is not a syntactic polarity swap on term formers. It is obtained by residuation against a pole: $Q^\dagger$ is a witness of $\psi_Q \triangleright \perp$, in the sense made precise by Proposition 82 and Remark 87. This makes the dagger a property first and a term second, hence stable under any presentation generating the same logic. The choice of $\perp$ as the zero process is the simplest available and is provisional; Remark 86 records the relativised alternative.

Second, the sector and polarity components of the dagger are now fixed. Flipping both sectors is the map $(a, b) \mapsto (b, a)$, which in the complex numbers is $z \mapsto i \cdot \bar{z}$ and not conjugation; taken as the dagger it makes the pairing skew-Hermitian and puts $\langle P \mid P \rangle$ in the imaginary sector, so positivity fails outright. The correction is to compose the sector flip with a pair exchange,

$$@_l \mapsto \ominus @_r, \quad @_r \mapsto \ominus @_l,$$

which is $z \mapsto -i\bar{z}$, is involutive, and is assembled entirely from operations Definitions 7 and 22 already provide. Since Proposition 9 lifts $\ominus$ to processes, this composite acts on a whole process rather than name by name, which is what the pairing of Definition 88 requires and what an earlier presentation could not write down. Remark 11 remains in force: $\ominus$ supplies the dagger's polarity component and is not itself the dagger.

Remark 91 (The positivity obligation, made precise). Since every communication rotates the sector and the dagger rotates it once more, the sector in which $\langle P \mid P \rangle$ lands depends on the number of communications consumed in the annihilation of $P^\dagger$ against P , modulo four. Positivity therefore requires that all annihilation paths of $P^\dagger \mid P$ agree modulo four. This is a

graded confluence condition, weaker than confluence, and it is not obviously true. It is cheap to test on the ladder of mutually annihilating names, and it should be tested before anything further is built on the dagger.

12 Obligations

Obligation 1 (Cross-redexes and the unit of evaluation). Remark 75 makes $\odot$ non-associative, with the deficit $[T, M_R]$. Convention 76 sidesteps the question for a single evaluation but does not answer it: composing operators, $\langle P \mid K_1 K_2 \mid Q \rangle$, reintroduces it in the form of whether the wires create cross-redexes. Determine the condition under which the n -ary evaluation factors, and check it against the reified operators of Definition 88.

Obligation 2 (Summability). Discharge Remark 78: give the condition under which the sum of Definition 71 denotes when the set of terminal states is infinite. Over a positive codomain monotone convergence suffices; with the pair sort supplying signs it does not, and an absolute-summability condition on the annihilation profile is the candidate.

Obligation 3 (The sum, internal or external). Settle Remark 77. If the sum is parallel composition, show that the composite of the terminal states is inert, or characterise when it is not. If external, say where the coefficient layer lives and how it interacts with Remark 28.

Obligation 4 (Matching the logic to the pole). Proposition 82 uses a formula ψ_P whose extension is the equivalence class of P . If that logic separates more finely than $\perp\perp$ -equivalence, then $P \mapsto P^\dagger$ does not factor through the states of Definition 84 and the dagger is ill defined on them. Either take the characteristic formula in a logic whose adequacy target is the pole's equivalence, or define the dagger on terms and prove separately that it descends.

Obligation 5 (The four-case table). DISCHARGED, and refuted: see Section 6.3. Equivariance under the lifted $\ominus$ requires $f(\alpha + 2, \beta + 2) = f(\alpha, \beta) + 2$, which the symmetric reading fails. The conservativity argument previously recorded as the strongest one in its favour does not survive the collision, being an argument about backward compatibility with a calculus this one does not claim to extend.

Obligation 6 (Do the sectors still earn their keep?). THE LIVE QUESTION. With phase carried by the payload coefficient (Section 7) and the rotation supplied per candidate, Definition 32 preserves the sector, so no rule ever moves a name between sectors; and matching is sector-sensitive (Remark 30), so the two sectors do not communicate. By Proposition 39 that is the $h(0) = 0$ horn, under which the sectors are superselected and i is inert as a feature of the namespace.

What remains load-bearing is the *pair*, which carries the sign structurally and is what makes cancellation an event the matcher can discover. What may now be idle is the doubling of the quotation: i is a value of Θ , phase composition is multiplication in Θ (Proposition 45), and the $\mathbb{Z}/4$ coupling of Definition 22 — the one stipulation in the whole design, and the least comfortable thing in this note — would be unnecessary.

The test is cheap and should be run before any further development: write down what breaks if $@_l$ and $@_r$ are identified while the pair is kept. Sections 4 and the sector clauses of Definitions 18, 27 and 32 are what would collapse.

Obligation 7 (Rank, and the non-naive guard). Proposition 50 caps the naive guard at rank one, hence below basis change. Specify the guard-computed θ' — a formula evaluated against the candidate, with the purity discipline that entails — and determine what rank it reaches. This is the gap between a calculus that composes phases and one that computes with them.

Obligation 8 (The phase group). Fix Θ . Remark 52 recommends that it be sign-free, with the pair carrying -1 ; that recommendation has to be checked against the requirement that Θ contain enough phases to be useful, since a sign-free group containing i has $i^2 = -1$ in it whether or not the syntax admits the value. Settle also whether Θ is a group or a rig, and whether the formal sums of Corollary 60 take coefficients in Θ or in something larger.

Obligation 9 (Arithmetic or coloured names). Settle Remark 28: whether the completion equations hold on names, and hence whether cancellation is a structural event decided by the matcher or an external one deferred to a coefficient layer.

Obligation 10 (Decidability of name matching). COMM fires on $\equiv_N$. Under the arithmetic reading of Remark 28, the matcher must normalise formal differences nested through quotation. Termination is not obvious, and this is the practical gate on the entire design.

Obligation 11 (Freshness). The property that a quotation of P is not free in P is what obviates a freshness operator and underwrites freshness by quotation. Its proof proceeds by structural complexity. Both quotation operators must increase that measure, which is routine; but the quote-drop law of Definition 27 relates a name to a term built from its own drops, and the completion equations, if adopted, shorten terms non-structurally. The mutual recursion of $\equiv$ and $\equiv_N$ was already the delicate part of the metatheory. That argument must be redone rather than adapted.

Obligation 12 (Observability of the sector). DISCHARGED by Definition 18, and recorded because it was open in earlier versions. When the cross cases of the drops projected to 0 , a context could apply both drops and read the sector, making it a superselection rule; the remedy contemplated was to restrict drops to guard position. Under rotation both drops succeed and differ by a phase, so the sector is not readable by comparing them and no restriction on where drops may occur is needed. See Remark 19.

Obligation 13 (Reprove the collapse proposition). Under Definition 18 the two drops are interdefinable, so Proposition 17 no longer concerns independent term formers. Remark 20 argues that the substance survives; the proof should be redone rather than assumed.

Obligation 14 (Substitution and the tensor). Proposition 56 is conditional on substitution distributing over $\otimes$. Discharge or refute it; the interchange law, and with it the distinction between the two multiplicatives, turns on this.

Obligation 15 (The two conjectures). Settle Conjectures 62 and 63. The first decides whether $\otimes$ deserves its name and whether the states are closed under it; the second decides whether the structure is $*$ -autonomous or degenerately compact-closed.

Obligation 16 (Rank and arity). Definition 2 gives a name a rank and a prefix an arity, and Definitions 13 and 55 keep them apart: channels multiply, so their contents combine slotwise and their rank is unchanged, while payloads concatenate and arity adds. Whether the two numbers should instead be identified — which would require channels to concatenate as well, making $\otimes$ uniformly concatenation — is open, and it is the cleanest remaining question about the graded structure.

Obligation 17 (Scalar extraction and occurrence counts). For a race to interfere, its candidates must reach the same outcome with different coefficients. Consuming from $@_l A$ rather than $@_r A$ yields $P\{ @_r Q/y \}$ rather than $P\{ @_l Q/y \}$, and these are the same outcome up to phase only if the sector can be extracted from the name to the term, that is, only if there is a homomorphism from processes to $\mathbb{Z}/4$ under which substitution multiplies. The natural candidate is sector degree, the product of sectors over name occurrences — but then the phase is raised to the power of the number of occurrences of y , so extraction holds only when y occurs exactly once. Occurrence count is the exponent on the phase. Either linear use of names bound from graded channels is required, or multiplicative phase in occurrences is accepted and scalar extraction abandoned. This is a linearity requirement of a different kind from the ones previously considered and declined, and the earlier reasons for declining do not apply to it.

Obligation 18 (Positivity). Discharge or refute Remark 91: that all annihilation paths of $P^\dagger \mid P$ agree in length modulo four.

Obligation 19 (Two gradings on names). This calculus grades names by sector. A separate line of work grades them by binding structure, unforgeable names being those introduced by a name-restriction operator and classical ones being quotations. The two gradings are independent, so there are four kinds of name, and their interaction is unstated. The conjecture worth testing is that sectors should live only in the unforgeable namespace, which would also confine Obligation 12.

Obligation 20 (Metatheory). Nothing in this note is proved beyond Propositions 8, 17 and 23. Subject reduction for the sector grading, whether bisimulation is a congruence in the presence of two quotations, and whether the sector is visible to bisimulation at all, are all open. The last is pressing: an inert distinction that $\equiv$ can see and $\sim$ cannot is exactly the configuration in which the spatial layer strictly refines behaviour, and the sign structure would then be behaviourally invisible.

13 What this note does not do

It does not give the interpretation map, and it does not establish that the resulting scalars form a rig — only that of the four obstructions to their doing so, one is discharged and the other three have each been given a place to be repaired. The evaluation and the pole of Section 10 are stated, not developed: nothing is proved about $\odot$ beyond commutativity, the pole is the simplest one available and is provisional, and the summability question of Obligation 2 is open, so the pairing of Definition 88 is a definition and not yet a well-defined operation. It does not treat the join, whose generalisation to graded messages requires a sum over matchings with coefficients in a group ring, and whose normalisation may or may not remain the right unit. And it takes no position on whether the resulting calculus is worth the cost of Obligation 10, which is the question a reader should keep in view throughout.

References

- [1] L.G. Meredith and M. Radestock. *A reflective higher-order calculus*. Electronic Notes in Theoretical Computer Science, 141(5), 2005.

- [2] R. Milner. *Communicating and Mobile Systems: the Pi-Calculus*. Cambridge University Press, 1999.
- [3] L. Caires and L. Cardelli. *A spatial logic for concurrency*. Information and Computation, 186(2), 2003.
- [4] L. Caires. *Behavioral and spatial observations in a logic for the pi-calculus*. In Foundations of Software Science and Computation Structures, 2004.
- [5] J.-Y. Girard. *Linear logic*. Theoretical Computer Science, 50(1), 1987.
- [6] S. Abramsky and B. Coecke. *A categorical semantics of quantum protocols*. In Logic in Computer Science, 2004.
- [7] B. Coecke and A. Kissinger. *Picturing Quantum Processes*. Cambridge University Press, 2017.
- [8] J. Leifer and R. Milner. *Deriving bisimulation congruences for reactive systems*. In CONCUR, 2000.
- [9] P. Selinger and B. Valiron. *A lambda calculus for quantum computation with classical control*. Mathematical Structures in Computer Science, 16(3), 2006.
- [10] J. Baez. *The octonions*. Bulletin of the American Mathematical Society, 39(2), 2002.