

APPorte — Competitive Benchmark Analysis

Phase 1 (Initial Exploration) & Phase 2 (Competitive Reference) — Updated Version

Computer Engineering

Department of Computer Science, Faculty of Engineering, Science and Administration

Universidad de La Frontera (UFRO), Temuco, Chile

Course: User Experience Design and Human-Computer Interaction (UXD-HCI), 2026

Professor: Jaime Díaz

Team: Luis Jaramillo (Project Manager) · Vicente Salazar (Analyst) · Felipe Seguel (Designer)

1. Purpose and Methodology

This benchmark applies the competitive analysis methodology defined for the course, examining existing direct, analogous, and design-reference solutions to identify domain standards, design gaps, and differentiation opportunities for APPorte. Following Jesse James Garrett's UX Elements model, this benchmark feeds primarily into the Strategy plane (what market needs exist) and the Scope plane (which features are standard versus differentiating).

This document consolidates both phases of the benchmark:

- **Phase 1 — Initial Exploration:** an initial, broad scan of the volunteer-coordination ecosystem that informed the UX Personas and the Value Proposition Canvas.
- **Phase 2 — Competitive Reference:** an in-depth analysis of the most relevant tools, completed now that the problem is defined and the navigation flow and HD interfaces already exist. This phase explicitly documents which patterns were adopted or rejected, connecting the benchmark to design decisions already justified in the project README.

2. Tools Selected and Rationale

Tool selection followed the course requirement of covering all three categories with a deliberate, justified choice rather than the most popular options.

Tool	Category	Why it was included
Moviliza-T	Direct competitor	Solves the same problem (matching volunteers to opportunities) for the same user profile (volunteers and the social entities that need them).
Chile Alerta	Analogous competitor	Solves a similar problem — real-time disaster information and citizen reporting in Chile — but for a different segment: the general public seeking information, not coordinated volunteer brigades.
Waze	Design reference	Does not compete in the emergency or volunteering domain, but sets the global UX standard for real-time, crowd-sourced map reporting — the same interaction pattern APPorte's heat map and alert feed are built around.

3. Domain-Specific Dimensions

In addition to the mandatory base dimensions, the following four dimensions were defined as specific to the emergency-response domain. They are applied consistently across all three tools and are directly tied to APPorte's central problem (coordination chaos under crisis conditions).

- **Offline / low-connectivity support:** Whether the tool remains usable, even partially, without a stable internet connection — critical during infrastructure damage.
- **One-handed, high-stress usability:** Whether the interface can be operated with one hand, with large tap targets and minimal text, under physical and cognitive stress.
- **Time to first critical action:** How many taps separate app launch from the most critical piece of information or action.
- **Multi-channel alert redundancy:** Whether alerts reach the user through more than one channel (push, sound, vibration, voice) rather than a silent visual change only.

4. Tool Profiles

4.1 Moviliza-T — Direct Competitor

Identification

- **Name & developer:** Volunteer-matching mobile application developed by Grupo CECAP / im3dia for Castilla-La Mancha, Spain.
- **Platform:** Android and iOS (multi-platform).
- **Store URL:** play.google.com/store/apps/details?id=com.im3dia.movilizat
- **Date analyzed:** June 2026, current store listing.

Target user profile

Social entities and NGOs that publish volunteer opportunities, and individual volunteers who browse and apply to activities matching their personal interests (sports, culture, education, leisure).

Value proposition

Real-time, geolocation-based matching between volunteer supply (opportunities published by entities) and demand (volunteers seeking activities), with non-formal learning recognised through an official certificate.

Main features

- Geolocated feed of active volunteer offers, ranked by proximity.
- Interest-based filtering (sport, culture, education, leisure, etc.).
- One-click application; the entity is notified directly.
- Certification of completed volunteer hours.
- Bidirectional sync between the app and the web management platform.

Onboarding flow

Open app → browse the geolocated offer list (no mandatory account creation to view) → select interests/filters → apply with one click → wait for the entity to make contact. No tutorial or progressive disclosure was found in the store materials.

Navigation patterns

Home uses a horizontal-scroll card list of volunteer offers. The map of emergencies/incidents observed by the group is not a primary tab; it sits nested inside the "Entities" section, requiring several taps and prior knowledge of where to look.

Visual design and consistency

Large entity photographs dominate the cards, prioritising organisational branding over urgency. Legal text, eligibility requirements, and institutional objectives are presented as dense paragraphs rather than scannable chunks.

Accessibility observable

No dark mode or explicit high-contrast option is advertised. Small font sizes on cards and legal disclaimers reduce legibility, which is particularly relevant for stressed or older users.

Domain-specific dimensions

- **Offline support:** None found — full functionality depends on a live connection to sync supply and demand.
- **One-handed usability:** Partial — the horizontal card scroll requires more precise touch control than a single vertical list.
- **Time to critical action:** High — reaching the map requires 3+ taps, buried under the entity directory.
- **Multi-channel alerts:** Low — push notifications only for new postings, no sound/vibration urgency tiers.

Highlights (positive aspects)

- Geolocation-based offer matching removes manual searching effort and is presented as the first volunteering app in Europe with this feature, a genuine UX innovation for the domain.
- Official certification of non-formal learning increases the incentive to complete volunteering hours, reinforcing long-term engagement.

Improvable aspects (usability issues, Nielsen heuristics)

- Heuristic 8 — Aesthetic and minimalist design: dense legal and institutional text on the Lobby screen competes directly with the action the user actually came to perform (finding an opportunity).
- Heuristic 6 — Recognition rather than recall: the emergency/incident map is nested behind "Entities" instead of living in primary navigation, forcing users to remember a non-obvious path instead of recognising it.

4.2 Chile Alerta — Analogous Competitor

Identification

- **Name & developer:** Independent Chilean seismic/disaster alert application (developer: Matías Gutiérrez).
- **Platform:** Android, iOS, and a web/desktop version.
- **URL:** app.chilealerta.com (store id net.TBMSP.Tool.ChileAlerta)
- **Date analyzed:** June 2026, current store listing and app website.

Target user profile

The general Chilean public seeking immediate information about earthquakes, tsunamis, volcanic activity, and weather — an informational audience, not a coordinated response team.

Value proposition

Positioned as the most complete free seismic-alert service in Chile, combining official institutional sources (SENAPRED, SHOA) with citizen-sensor and community reporting.

Main features

- Real-time seismic monitor with a 3-tier colour-coded alert system (green / orange / red).
- Community chat room with a live map of user reports.
- Voice notifications in addition to push and visual alerts.
- 3D visualisers for volcanic and seismic activity, plus national/international bulletins.

Onboarding flow

Install → grant location and notification permissions → optionally filter by country/severity → land directly on the live monitor screen. Friction is low: there is no tutorial standing between installation and the core alert feed.

Navigation patterns

Flat bottom-tab structure: monitor, map, chat, reports, and news are each one tap from the home screen.

Visual design and consistency

Utilitarian interface where the green/orange/red colour code is the primary visual language. User reviews on both stores describe a cluttered, outdated visual style and at least one inactive section (a "news" tab that is not kept up to date).

Accessibility observable

Voice notifications support non-visual alerting, a meaningful accessibility plus. However, report cards are text-dense, and several App Store reviews describe notification volume as overwhelming ("more than 30 notifications in under an hour"), which is itself an accessibility and trust problem.

Domain-specific dimensions

- **Offline support:** No in-app offline mode; the core multiband emergency signal (SAE) is a separate, carrier-level system, not an app feature.
- **One-handed usability:** Good — flat bottom navigation and large colour blocks support quick one-handed reading.
- **Time to critical action:** Very low — current alerts are visible at launch, 1 tap maximum.
- **Multi-channel alerts:** Strong — push, sound, vibration, voice, and colour tiers are combined.

Highlights (positive aspects)

- The 3-level colour-coded severity system (green/orange/red) communicates risk instantly without requiring the user to read anything — a directly relevant model for APPorte's own alert tags.
- Blending official institutional data (SENAPRED/SHOA) with citizen-sensor reports balances authority and speed, which is exactly the trade-off APPorte must manage between official channels and volunteer-submitted reports.

Improvable aspects (usability issues, Nielsen heuristics)

- Heuristic 4 — Consistency and standards: user reviews report an unmaintained "News" section and inconsistent visual styling across screens, which confuses first-time users.
- Heuristic 1 — Visibility of system status (in its negative form): uncontrolled notification volume erodes trust and drives users to disable alerts altogether — the opposite of the safety outcome the app is designed for. APPorte must cap and prioritise its own alert frequency to avoid the same failure.

4.3 Waze — Design Reference

Identification

- **Name & developer:** Real-time GPS navigation application, owned by Google.
- **Platform:** Android and iOS.
- **URL:** waze.com
- **Date analyzed:** June 2026, current version and public documentation.

Target user profile

Drivers seeking real-time navigation and road-condition awareness. This is not a volunteering or disaster-coordination audience — Waze is included purely as a UX pattern reference, as defined by the course methodology (a tool that sets a relevant experience standard without competing directly).

Value proposition

GPS navigation enriched by real-time, community-reported road conditions, so users avoid hazards before reaching them.

Main features relevant to APPorte

- One-tap incident reporting through a persistent floating action button.
- More than 25 colour-coded map icons organised by severity and type (traffic, police, accident, weather, road closure).
- A live map showing other active users ("ghosts") to convey real-time community presence.
- A gamified point system that rewards reporting activity.

Onboarding flow

The map loads instantly with live icons; no setup is required just to view road conditions. An account is only needed to report incidents or save routes — viewing the live map has zero onboarding friction.

Navigation patterns

A single, persistent map view. Reporting and search are floating action buttons layered over the map, never buried inside a menu.

Visual design and consistency

Bright, high-contrast colour coding (red/orange/yellow by severity) with large icons designed for at-a-glance reading while in motion — a constraint directly comparable to APPorte's "outdoors, smoke, stress" use case.

Accessibility observable

Voice guidance supports hands-free use while driving, and the icon-first communication style reduces reliance on reading text under cognitive load.

Domain-specific dimensions

- **Offline support:** Limited — Waze explicitly requires connectivity for live data and does not offer a true offline mode.
- **One-handed usability:** Good — the map-plus-floating-button pattern is built for one-handed use.
- **Time to critical action:** Very low — the map and active alerts are visible at launch; reporting takes one tap.
- **Multi-channel alerts:** Moderate — voice guidance plus visual alerts, but no SMS or non-app fallback.

Highlights (positive aspects)

- The one-tap report button with an icon-based incident taxonomy lets users share critical information in seconds without typing — directly transferable to APPorte's emergency-reporting flow.
- Live "ghost" avatars create a sense of an active, present community, the same trust signal volunteer coordination needs in order to feel staffed in real time.

Improvable aspects (usability issues, Nielsen heuristics)

- Heuristic 2 — Match between system and the real world: more than 25 distinct icons require a learning curve (documented by multiple tech guides explaining "what each icon means"), too much cognitive overhead for a first-time, high-stress user. APPorte's own icon set must stay far smaller.
- Heuristic 8 — Aesthetic and minimalist design: the gamification layer (points, ranks, crowned avatars) is appropriate for commuting but becomes visual noise in a crisis interface. APPorte should adopt the reporting pattern while explicitly rejecting the game layer.

5. Synthetic Comparative Table

Each cell describes how the dimension is implemented, rather than a simple yes/no, as required by the methodology. The "APPorte (Proposal)" column reflects decisions already taken in the current HD interfaces, plus one explicitly open item.

Dimension	Moviliza-T	Chile Alerta	Waze	APPorte (Proposal)
Platform	Android / iOS	Android / iOS / Web	Android / iOS	Android / iOS, Spanish UI
Primary navigation	Horizontal card scroll; map nested under "Entities"	Flat bottom-tab bar	Single persistent map + floating buttons	Bottom navigation from a central Home (Foro); flattened tree
Time to critical action	3+ taps (buried)	1 tap	1 tap	≤ 3 taps (target, per Structure plane)
Offline support	None	None (carrier-level SAE only)	None / limited	Not yet implemented — open differentiation opportunity (see Section 6)
Multi-channel alerts	Push only	Push + sound + vibration + voice	Voice + visual	Visual tags + distance sorting; voice/sound channel recommended
One-handed usability	Partial (precise scroll required)	Good (flat, large blocks)	Good (map + FAB)	Large tap-friendly areas (per Skeleton plane)
Visual alert coding	None (image-led branding)	3-tier colour system (green/orange/red)	25+ colour-coded icons	Colour-coded markers: red = emergencies, blue

				= volunteers, yellow = alerts
Onboarding friction	Low, but text-heavy Lobby	Low	Very low (view without account)	Low (target — no barrier to viewing the Foro feed)

6. Findings and Design Decisions (Phase 2)

This section is the explicit bridge between the benchmark and APPorte's navigation flow and Low-Fi/HD decisions, as required for the Phase 2 deliverable.

Adopted patterns

- Colour-coded map markers (red = emergencies, blue = volunteers, yellow = alerts) — adopted from Waze's and Chile Alerta's severity colour-coding, because both demonstrate that colour alone communicates urgency faster than text under stress.
- One-tap reporting affordance — adopted from Waze's floating report button and applied to APPorte's "New Collection Point" flow, replacing manual address typing with one-tap geolocation capture.
- Flat, tab-based navigation reaching core actions in three taps or fewer — adopted from Chile Alerta's bottom-tab structure, explicitly rejecting Moviliza-T's entity-first hierarchy that buries the map.

Rejected patterns

- Gamification (points, ranks, avatars) from Waze — rejected because reward mechanics distract from the urgency of a crisis-response tool and could trivialise the emergency context.
- Dense legal/informational text blocks from Moviliza-T's Lobby — rejected in favour of iconography and bullet points, consistent with the Skeleton-plane decision already documented in the project README.

Open gap identified

- None of the three benchmarked tools offers genuine offline functionality, despite this being a recognised critical need in the emergency domain (Section 3). This is flagged as a real differentiation opportunity for APPorte's next iteration rather than a solved problem — it should be discussed with the teaching team as a possible scope addition, not silently left out of the documentation.

7. Required Visual Artifacts — Status

The course methodology requires three visual artifacts in addition to this written analysis. Their current status is documented here so the repository structure stays transparent for evaluators.

- **Annotated screenshots (min. 3 per tool):** Still pending. Each must include a short title, visual annotation (arrows/boxes/numbers), and a justification under two lines. Recommended captures: Moviliza-T's Lobby and its nested entity map; Chile Alerta's monitor screen and a colour-tier alert; Waze's report flow and live map with ghosts.

- **Feature Map:** Still pending. Recommend a short FigJam or Miro session classifying every feature named in Section 4 as Standard (present in all three tools), Differentiating (present in some), or Opportunity (absent in all three but relevant to APPorte — e.g. offline support).
- **Synthetic comparative table:** Completed in Section 5 of this document, including the required "APPorte (Proposal)" row for Phase 2.

8. Relationship to the Evaluation Rubric

This benchmark feeds the following rubric criteria directly:

- **Benchmark: Clarifications and Constraints:** The comparative table (Section 5) documents which features are standard across tools and which the group will not implement, satisfying the requirement for explicit clarifications and constraints.
- **Deliverables linked to UX Elements planes:** Section 1 explicitly states the Strategy and Scope planes this benchmark feeds, as required.
- **Navigation Flow: Complete Diagram:** Section 6 documents which navigation patterns from the benchmark were adopted or rejected, directly connecting this analysis to the existing navigation diagram and Low-Fi decisions.