

Sensor Day-wise Summaries

Sensor Details

ID: Sensor_001

Location: District A

Type: Temperature

Latitude: 6.79065

Longitude: 79.88634

ID: Sensor_002

Location: Park B

Type: Light Intensity

Latitude: 6.78205

Longitude: 79.90804

ID: Sensor_003

Location: School C

Type: Rain

Latitude: 6.79347

Longitude: 79.89807

ID: Sensor_004

Location: Beach D

Type: Wind

Latitude: 6.79326

Longitude: 79.89377

ID: Sensor_005

Location: Mall E

Type: Humidity

Latitude: 6.79519

Longitude: 79.89937

ID: Sensor_006

Location: Highway F

Type: Air Quality

Latitude: 6.80264

Longitude: 79.8899

ID: Sensor_007

Location: Residential G

Type: UV Index

Latitude: 6.79378

Longitude: 79.89403

Air Quality

Date: 2023-10-05

Count: 5

Mean: 92.6

Standard Deviation: 76.02

Minimum Value: 2.48

25th Percentile: 52.54

Median (50th Percentile): 70.55

75th Percentile: 143.02

Maximum Value: 194.39

Date: 2023-10-06

Count: 24

Mean: 98.58

Standard Deviation: 52.4

Minimum Value: 2.99

25th Percentile: 64.97

Median (50th Percentile): 97.9

75th Percentile: 132.16

Maximum Value: 183.61

Date: 2023-10-07

Count: 24

Mean: 112.61

Standard Deviation: 53.48

Minimum Value: 11.1

25th Percentile: 85.62

Median (50th Percentile): 120.07

75th Percentile: 155.28

Maximum Value: 196.06

Date: 2023-10-08

Count: 24

Mean: 104.75

Standard Deviation: 51.28

Minimum Value: 18.57

25th Percentile: 63.28

Median (50th Percentile): 116.96

75th Percentile: 131.41

Maximum Value: 197.52

Date: 2023-10-09

Count: 24

Mean: 107.31

Standard Deviation: 62.36

Minimum Value: 6.89

25th Percentile: 53.34

Median (50th Percentile): 91.32

75th Percentile: 163.52

Maximum Value: 197.08

Date: 2023-10-10

Count: 24

Mean: 121.93

Standard Deviation: 58.49

Minimum Value: 9.54

25th Percentile: 86.31

Median (50th Percentile): 130.44

75th Percentile: 170.99

Maximum Value: 195.55

Date: 2023-10-11

Count: 24

Mean: 96.58

Standard Deviation: 65.26

Minimum Value: 2.64

25th Percentile: 46.17

Median (50th Percentile): 90.22

75th Percentile: 155.01

Maximum Value: 197.23

Date: 2023-10-12

Count: 24

Mean: 93.01

Standard Deviation: 67.42

Minimum Value: 1.45

25th Percentile: 34.53

Median (50th Percentile): 73.2

75th Percentile: 162.88

Maximum Value: 196.6

Date: 2023-10-13

Count: 24

Mean: 102.81

Standard Deviation: 47.01

Minimum Value: 13.03

25th Percentile: 73.98

Median (50th Percentile): 99.12

75th Percentile: 147.2

Maximum Value: 176.75

Date: 2023-10-14

Count: 24

Mean: 78.06

Standard Deviation: 65.03

Minimum Value: 4.52

25th Percentile: 20.11

Median (50th Percentile): 63.53

75th Percentile: 128.32

Maximum Value: 199.77

Date: 2023-10-15

Count: 24

Mean: 109.34

Standard Deviation: 63.7

Minimum Value: 3.84

25th Percentile: 57.61

Median (50th Percentile): 123.74

75th Percentile: 164.75

Maximum Value: 194.49

Date: 2023-10-16

Count: 24

Mean: 86.21

Standard Deviation: 64.41

Minimum Value: 3.94

25th Percentile: 22.32

Median (50th Percentile): 84.37

75th Percentile: 140.88

Maximum Value: 192.04

Date: 2023-10-17

Count: 24

Mean: 99.54

Standard Deviation: 61.46

Minimum Value: 5.71

25th Percentile: 44.31

Median (50th Percentile): 109.82

75th Percentile: 134.25

Maximum Value: 198.74

Date: 2023-10-18

Count: 24

Mean: 121.2

Standard Deviation: 59.82

Minimum Value: 14.76

25th Percentile: 66.4

Median (50th Percentile): 138.14

75th Percentile: 171.36

Maximum Value: 199.58

Date: 2023-10-19

Count: 11

Mean: 82.61

Standard Deviation: 64.7

Minimum Value: 18.55

25th Percentile: 32.02

Median (50th Percentile): 47.62

75th Percentile: 129.52

Maximum Value: 191.74

Humidity

Date: 2023-10-05

Count: 5

Mean: 81.6

Standard Deviation: 12.27

Minimum Value: 64.01

25th Percentile: 76.44

Median (50th Percentile): 84.2

75th Percentile: 86.36

Maximum Value: 97.01

Date: 2023-10-06

Count: 24

Mean: 69.15

Standard Deviation: 15.99

Minimum Value: 50.52

25th Percentile: 57.06

Median (50th Percentile): 62.7

75th Percentile: 84.0

Maximum Value: 98.58

Date: 2023-10-07

Count: 24

Mean: 68.55

Standard Deviation: 15.19

Minimum Value: 50.35

25th Percentile: 56.97

Median (50th Percentile): 65.46

75th Percentile: 74.76

Maximum Value: 99.03

Date: 2023-10-08

Count: 24

Mean: 72.34

Standard Deviation: 15.33

Minimum Value: 50.02

25th Percentile: 57.59

Median (50th Percentile): 74.92

75th Percentile: 82.71

Maximum Value: 98.86

Date: 2023-10-09

Count: 24

Mean: 75.49

Standard Deviation: 14.55

Minimum Value: 50.86

25th Percentile: 67.27

Median (50th Percentile): 73.74

75th Percentile: 88.17

Maximum Value: 99.24

Date: 2023-10-10

Count: 24

Mean: 77.17

Standard Deviation: 13.16

Minimum Value: 53.42

25th Percentile: 72.71

Median (50th Percentile): 77.22

75th Percentile: 84.33

Maximum Value: 98.73

Date: 2023-10-11

Count: 24

Mean: 76.33

Standard Deviation: 14.38

Minimum Value: 53.88

25th Percentile: 66.78

Median (50th Percentile): 76.94

75th Percentile: 87.31

Maximum Value: 98.16

Date: 2023-10-12

Count: 24

Mean: 72.42

Standard Deviation: 11.97

Minimum Value: 54.09

25th Percentile: 62.77

Median (50th Percentile): 69.94

75th Percentile: 79.82

Maximum Value: 95.95

Date: 2023-10-13

Count: 24

Mean: 75.02

Standard Deviation: 15.96

Minimum Value: 50.72

25th Percentile: 61.52

Median (50th Percentile): 76.0

75th Percentile: 88.49

Maximum Value: 99.15

Date: 2023-10-14

Count: 24

Mean: 78.66

Standard Deviation: 15.19

Minimum Value: 51.28

25th Percentile: 66.51

Median (50th Percentile): 76.76

75th Percentile: 93.01

Maximum Value: 98.83

Date: 2023-10-15

Count: 24

Mean: 73.65

Standard Deviation: 14.77

Minimum Value: 50.27

25th Percentile: 60.17

Median (50th Percentile): 74.18

75th Percentile: 85.22

Maximum Value: 99.95

Date: 2023-10-16

Count: 24

Mean: 76.49

Standard Deviation: 15.23

Minimum Value: 52.22

25th Percentile: 63.8

Median (50th Percentile): 74.34

75th Percentile: 89.12

Maximum Value: 99.92

Date: 2023-10-17

Count: 24

Mean: 77.6

Standard Deviation: 13.55

Minimum Value: 50.74

25th Percentile: 70.38

Median (50th Percentile): 78.69

75th Percentile: 85.98

Maximum Value: 97.14

Date: 2023-10-18

Count: 24

Mean: 71.98

Standard Deviation: 13.54

Minimum Value: 51.22

25th Percentile: 61.62

Median (50th Percentile): 70.4

75th Percentile: 81.2

Maximum Value: 99.55

Date: 2023-10-19

Count: 11

Mean: 73.17

Standard Deviation: 15.78

Minimum Value: 50.1

25th Percentile: 62.88

Median (50th Percentile): 73.95

75th Percentile: 83.23

Maximum Value: 97.29

Light Intensity

Date: 2023-10-05

Count: 5

Mean: 0.0

Standard Deviation: 0.0

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 0.0

Maximum Value: 0.0

Date: 2023-10-06

Count: 24

Mean: 129.74

Standard Deviation: 210.61

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 185.84

Maximum Value: 650.97

Date: 2023-10-07

Count: 24

Mean: 168.09

Standard Deviation: 265.13

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 210.12

Maximum Value: 762.35

Date: 2023-10-08

Count: 24

Mean: 154.68

Standard Deviation: 226.62

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 220.19

Maximum Value: 753.94

Date: 2023-10-09

Count: 24

Mean: 179.87

Standard Deviation: 256.46

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 340.32

Maximum Value: 912.39

Date: 2023-10-10

Count: 24

Mean: 131.52

Standard Deviation: 186.39

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 234.4

Maximum Value: 595.77

Date: 2023-10-11

Count: 24

Mean: 130.78

Standard Deviation: 202.33

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 239.47

Maximum Value: 651.5

Date: 2023-10-12

Count: 24

Mean: 233.85

Standard Deviation: 315.16

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 452.99

Maximum Value: 995.74

Date: 2023-10-13

Count: 24

Mean: 132.48

Standard Deviation: 186.62

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 230.07

Maximum Value: 748.34

Date: 2023-10-14

Count: 24

Mean: 176.6

Standard Deviation: 264.71

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 290.3

Maximum Value: 865.53

Date: 2023-10-15

Count: 24

Mean: 134.56

Standard Deviation: 229.03

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 152.42

Maximum Value: 713.43

Date: 2023-10-16

Count: 24

Mean: 119.85

Standard Deviation: 234.09

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 114.22

Maximum Value: 882.52

Date: 2023-10-17

Count: 24

Mean: 169.53

Standard Deviation: 256.68

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 411.0

Maximum Value: 764.32

Date: 2023-10-18

Count: 24

Mean: 162.73

Standard Deviation: 274.68

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 181.09

Maximum Value: 974.42

Date: 2023-10-19

Count: 11

Mean: 150.21

Standard Deviation: 235.7

Minimum Value: 0.0

25th Percentile: 0.0

Median (50th Percentile): 0.0

75th Percentile: 265.2

Maximum Value: 683.85

Rain

Date: 2023-10-05

Count: 5

Mean: 26.65

Standard Deviation: 12.64

Minimum Value: 13.46

25th Percentile: 23.25

Median (50th Percentile): 23.6

75th Percentile: 25.25

Maximum Value: 47.68

Date: 2023-10-06

Count: 24

Mean: 19.88

Standard Deviation: 13.83

Minimum Value: 2.85

25th Percentile: 9.47

Median (50th Percentile): 16.65

75th Percentile: 28.56

Maximum Value: 49.68

Date: 2023-10-07

Count: 24

Mean: 20.35

Standard Deviation: 15.03

Minimum Value: 1.2

25th Percentile: 6.12

Median (50th Percentile): 18.51

75th Percentile: 33.42

Maximum Value: 45.7

Date: 2023-10-08

Count: 24

Mean: 30.98

Standard Deviation: 14.08

Minimum Value: 1.73

25th Percentile: 23.68

Median (50th Percentile): 34.68

75th Percentile: 43.03

Maximum Value: 49.74

Date: 2023-10-09

Count: 24

Mean: 22.66

Standard Deviation: 14.2

Minimum Value: 3.88

25th Percentile: 10.34

Median (50th Percentile): 20.87

75th Percentile: 27.97

Maximum Value: 46.87

Date: 2023-10-10

Count: 24

Mean: 21.55

Standard Deviation: 12.71

Minimum Value: 0.37

25th Percentile: 11.71

Median (50th Percentile): 17.04

75th Percentile: 29.93

Maximum Value: 42.57

Date: 2023-10-11

Count: 24

Mean: 29.62

Standard Deviation: 15.44

Minimum Value: 1.5

25th Percentile: 16.6

Median (50th Percentile): 33.1

75th Percentile: 41.67

Maximum Value: 49.88

Date: 2023-10-12

Count: 24

Mean: 25.3

Standard Deviation: 14.21

Minimum Value: 0.05

25th Percentile: 14.64

Median (50th Percentile): 27.05

75th Percentile: 37.29

Maximum Value: 46.3

Date: 2023-10-13

Count: 24

Mean: 25.22

Standard Deviation: 13.97

Minimum Value: 4.05

25th Percentile: 12.88

Median (50th Percentile): 26.04

75th Percentile: 36.29

Maximum Value: 48.19

Date: 2023-10-14

Count: 24

Mean: 24.41

Standard Deviation: 15.32

Minimum Value: 0.79

25th Percentile: 11.3

Median (50th Percentile): 23.85

75th Percentile: 36.63

Maximum Value: 49.45

Date: 2023-10-15

Count: 24

Mean: 25.49

Standard Deviation: 16.98

Minimum Value: 0.76

25th Percentile: 7.99

Median (50th Percentile): 30.84

75th Percentile: 39.65

Maximum Value: 48.81

Date: 2023-10-16

Count: 24

Mean: 26.84

Standard Deviation: 12.89

Minimum Value: 3.09

25th Percentile: 18.4

Median (50th Percentile): 26.11

75th Percentile: 33.66

Maximum Value: 49.77

Date: 2023-10-17

Count: 24

Mean: 26.89

Standard Deviation: 13.95

Minimum Value: 3.03

25th Percentile: 16.55

Median (50th Percentile): 31.57

75th Percentile: 36.34

Maximum Value: 48.63

Date: 2023-10-18

Count: 24

Mean: 25.04

Standard Deviation: 12.32

Minimum Value: 4.13

25th Percentile: 13.27

Median (50th Percentile): 26.83

75th Percentile: 34.48

Maximum Value: 43.4

Date: 2023-10-19

Count: 11

Mean: 20.2

Standard Deviation: 13.65

Minimum Value: 0.61

25th Percentile: 9.64

Median (50th Percentile): 20.47

75th Percentile: 32.45

Maximum Value: 36.75

Temperature

Date: 2023-10-05

Count: 5

Mean: 30.87

Standard Deviation: 2.84

Minimum Value: 26.39

25th Percentile: 30.94

Median (50th Percentile): 31.21

75th Percentile: 31.54

Maximum Value: 34.27

Date: 2023-10-06

Count: 24

Mean: 30.68

Standard Deviation: 2.32

Minimum Value: 26.02

25th Percentile: 29.38

Median (50th Percentile): 30.43

75th Percentile: 32.3

Maximum Value: 34.82

Date: 2023-10-07

Count: 24

Mean: 30.65

Standard Deviation: 2.48

Minimum Value: 25.12

25th Percentile: 29.28

Median (50th Percentile): 30.97

75th Percentile: 32.49

Maximum Value: 34.53

Date: 2023-10-08

Count: 24

Mean: 31.24

Standard Deviation: 2.49

Minimum Value: 26.04

25th Percentile: 30.15

Median (50th Percentile): 31.81

75th Percentile: 32.68

Maximum Value: 34.61

Date: 2023-10-09

Count: 24

Mean: 30.61

Standard Deviation: 2.7

Minimum Value: 25.71

25th Percentile: 28.58

Median (50th Percentile): 30.63

75th Percentile: 32.81

Maximum Value: 34.97

Date: 2023-10-10

Count: 24

Mean: 30.34

Standard Deviation: 2.4

Minimum Value: 25.27

25th Percentile: 28.95

Median (50th Percentile): 30.55

75th Percentile: 31.81

Maximum Value: 33.95

Date: 2023-10-11

Count: 24

Mean: 30.32

Standard Deviation: 3.17

Minimum Value: 25.04

25th Percentile: 26.67

Median (50th Percentile): 31.32

75th Percentile: 33.11

Maximum Value: 34.54

Date: 2023-10-12

Count: 24

Mean: 30.33

Standard Deviation: 3.07

Minimum Value: 25.11

25th Percentile: 28.6

Median (50th Percentile): 30.45

75th Percentile: 32.96

Maximum Value: 34.98

Date: 2023-10-13

Count: 24

Mean: 30.95

Standard Deviation: 2.39

Minimum Value: 27.74

25th Percentile: 29.02

Median (50th Percentile): 30.13

75th Percentile: 33.33

Maximum Value: 34.98

Date: 2023-10-14

Count: 24

Mean: 30.5

Standard Deviation: 2.74

Minimum Value: 25.23

25th Percentile: 29.07

Median (50th Percentile): 30.3

75th Percentile: 32.76

Maximum Value: 34.46

Date: 2023-10-15

Count: 24

Mean: 31.0

Standard Deviation: 2.99

Minimum Value: 26.34

25th Percentile: 27.34

Median (50th Percentile): 31.63

75th Percentile: 33.59

Maximum Value: 34.86

Date: 2023-10-16

Count: 24

Mean: 31.41

Standard Deviation: 2.49

Minimum Value: 25.89

25th Percentile: 30.23

Median (50th Percentile): 31.83

75th Percentile: 33.24

Maximum Value: 34.44

Date: 2023-10-17

Count: 24

Mean: 31.54

Standard Deviation: 3.17

Minimum Value: 25.05

25th Percentile: 29.98

Median (50th Percentile): 32.33

75th Percentile: 34.18

Maximum Value: 34.71

Date: 2023-10-18

Count: 24

Mean: 31.44

Standard Deviation: 2.28

Minimum Value: 25.64

25th Percentile: 30.77

Median (50th Percentile): 31.57

75th Percentile: 32.87

Maximum Value: 34.68

Date: 2023-10-19

Count: 11

Mean: 30.31

Standard Deviation: 3.19

Minimum Value: 25.49

25th Percentile: 27.75

Median (50th Percentile): 30.64

75th Percentile: 32.7

Maximum Value: 34.67

UV Index

Date: 2023-10-05

Count: 5

Mean: 6.09

Standard Deviation: 3.61

Minimum Value: 3.04

25th Percentile: 3.16

Median (50th Percentile): 4.39

75th Percentile: 8.98

Maximum Value: 10.88

Date: 2023-10-06

Count: 24

Mean: 5.2

Standard Deviation: 2.79

Minimum Value: 0.58

25th Percentile: 2.81

Median (50th Percentile): 5.35

75th Percentile: 7.28

Maximum Value: 10.44

Date: 2023-10-07

Count: 24

Mean: 4.77

Standard Deviation: 3.08

Minimum Value: 0.39

25th Percentile: 2.3

Median (50th Percentile): 5.27

75th Percentile: 7.09

Maximum Value: 9.27

Date: 2023-10-08

Count: 24

Mean: 5.96

Standard Deviation: 3.28

Minimum Value: 0.27

25th Percentile: 3.46

Median (50th Percentile): 5.53

75th Percentile: 8.71

Maximum Value: 10.88

Date: 2023-10-09

Count: 24

Mean: 5.9

Standard Deviation: 3.29

Minimum Value: 0.47

25th Percentile: 3.55

Median (50th Percentile): 5.5

75th Percentile: 9.27

Maximum Value: 10.58

Date: 2023-10-10

Count: 24

Mean: 5.65

Standard Deviation: 3.2

Minimum Value: 0.17

25th Percentile: 3.01

Median (50th Percentile): 6.14

75th Percentile: 8.39

Maximum Value: 10.72

Date: 2023-10-11

Count: 24

Mean: 5.59

Standard Deviation: 3.12

Minimum Value: 0.1

25th Percentile: 2.85

Median (50th Percentile): 5.09

75th Percentile: 8.17

Maximum Value: 10.83

Date: 2023-10-12

Count: 24

Mean: 4.83

Standard Deviation: 3.45

Minimum Value: 0.2

25th Percentile: 1.15

Median (50th Percentile): 5.35

75th Percentile: 8.06

Maximum Value: 9.9

Date: 2023-10-13

Count: 24

Mean: 6.46

Standard Deviation: 3.48

Minimum Value: 0.48

25th Percentile: 2.99

Median (50th Percentile): 7.65

75th Percentile: 9.37

Maximum Value: 10.98

Date: 2023-10-14

Count: 24

Mean: 6.16

Standard Deviation: 3.55

Minimum Value: 0.2

25th Percentile: 3.52

Median (50th Percentile): 6.49

75th Percentile: 9.16

Maximum Value: 10.82

Date: 2023-10-15

Count: 24

Mean: 6.17

Standard Deviation: 2.65

Minimum Value: 1.2

25th Percentile: 4.7

Median (50th Percentile): 6.19

75th Percentile: 8.28

Maximum Value: 10.68

Date: 2023-10-16

Count: 24

Mean: 5.45

Standard Deviation: 3.17

Minimum Value: 0.02

25th Percentile: 3.12

Median (50th Percentile): 6.14

75th Percentile: 7.81

Maximum Value: 10.9

Date: 2023-10-17

Count: 24

Mean: 5.61

Standard Deviation: 2.76

Minimum Value: 0.19

25th Percentile: 4.09

Median (50th Percentile): 5.52

75th Percentile: 7.69

Maximum Value: 9.93

Date: 2023-10-18

Count: 24

Mean: 4.5

Standard Deviation: 3.15

Minimum Value: 0.78

25th Percentile: 2.08

Median (50th Percentile): 3.42

75th Percentile: 6.33

Maximum Value: 10.69

Date: 2023-10-19

Count: 11

Mean: 4.21

Standard Deviation: 3.36

Minimum Value: 0.39

25th Percentile: 0.95

Median (50th Percentile): 5.6

75th Percentile: 6.8

Maximum Value: 9.54

Wind

Date: 2023-10-05

Count: 5

Mean: 13.89

Standard Deviation: 13.51

Minimum Value: 0.31

25th Percentile: 4.8

Median (50th Percentile): 12.29

75th Percentile: 16.89

Maximum Value: 35.15

Date: 2023-10-06

Count: 24

Mean: 27.22

Standard Deviation: 13.97

Minimum Value: 3.02

25th Percentile: 17.95

Median (50th Percentile): 27.49

75th Percentile: 37.69

Maximum Value: 49.58

Date: 2023-10-07

Count: 24

Mean: 17.1

Standard Deviation: 12.59

Minimum Value: 0.92

25th Percentile: 5.05

Median (50th Percentile): 18.07

75th Percentile: 27.24

Maximum Value: 38.92

Date: 2023-10-08

Count: 24

Mean: 23.48

Standard Deviation: 13.79

Minimum Value: 3.65

25th Percentile: 12.56

Median (50th Percentile): 23.22

75th Percentile: 32.91

Maximum Value: 45.37

Date: 2023-10-09

Count: 24

Mean: 29.82

Standard Deviation: 14.46

Minimum Value: 6.63

25th Percentile: 16.6

Median (50th Percentile): 33.54

75th Percentile: 41.52

Maximum Value: 49.99

Date: 2023-10-10

Count: 24

Mean: 25.43

Standard Deviation: 12.94

Minimum Value: 2.47

25th Percentile: 17.08

Median (50th Percentile): 23.16

75th Percentile: 37.45

Maximum Value: 46.2

Date: 2023-10-11

Count: 24

Mean: 23.48

Standard Deviation: 15.74

Minimum Value: 2.82

25th Percentile: 12.74

Median (50th Percentile): 18.57

75th Percentile: 38.68

Maximum Value: 49.42

Date: 2023-10-12

Count: 24

Mean: 24.9

Standard Deviation: 14.41

Minimum Value: 0.09

25th Percentile: 16.75

Median (50th Percentile): 27.6

75th Percentile: 33.55

Maximum Value: 48.47

Date: 2023-10-13

Count: 24

Mean: 24.78

Standard Deviation: 14.75

Minimum Value: 3.04

25th Percentile: 10.27

Median (50th Percentile): 24.42

75th Percentile: 37.59

Maximum Value: 46.27

Date: 2023-10-14

Count: 24

Mean: 25.22

Standard Deviation: 12.93

Minimum Value: 1.12

25th Percentile: 13.17

Median (50th Percentile): 27.38

75th Percentile: 35.55

Maximum Value: 47.11

Date: 2023-10-15

Count: 24

Mean: 28.82

Standard Deviation: 15.33

Minimum Value: 2.57

25th Percentile: 17.26

Median (50th Percentile): 29.18

75th Percentile: 43.08

Maximum Value: 49.56

Date: 2023-10-16

Count: 24

Mean: 24.88

Standard Deviation: 12.49

Minimum Value: 2.95

25th Percentile: 14.67

Median (50th Percentile): 22.86

75th Percentile: 37.33

Maximum Value: 43.01

Date: 2023-10-17

Count: 24

Mean: 20.82

Standard Deviation: 13.42

Minimum Value: 0.25

25th Percentile: 13.55

Median (50th Percentile): 17.11

75th Percentile: 25.93

Maximum Value: 48.61

Date: 2023-10-18

Count: 24

Mean: 27.78

Standard Deviation: 15.71

Minimum Value: 1.18

25th Percentile: 15.63

Median (50th Percentile): 26.17

75th Percentile: 41.35

Maximum Value: 49.86

Date: 2023-10-19

Count: 11

Mean: 22.75

Standard Deviation: 14.26

Minimum Value: 1.16

25th Percentile: 11.81

Median (50th Percentile): 19.12

75th Percentile: 32.41

Maximum Value: 45.26