

1

- Status

 </>
 </r>
 </r>
- Console Output
- Edit Build Information
- Delete build '#8'
- (a) Timings
- Git Build Data
- Pipeline Overview
- Pipeline Console
- Restart from Stage
- Replay
- Pipeline Steps
- ← Previous Build

Salida de consola

- Сору

View as plain text

```
Started by user Fabricio Caicedo
Obtained Jenkinsfile from git https://github.com/F4brii/cs-talle2
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/Pipeline
[Pipeline] {
```

```
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential a072d44f-15d4-45fa-a1af-3750cff27337
 > git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Pipeline/.git #
timeout=10
Fetching changes from the remote Git repository
 > git config remote.origin.url https://github.com/F4brii/cs-talle2 # timeout=10
Fetching upstream changes from https://github.com/F4brii/cs-talle2
 > git --version # timeout=10
 > git --version # 'git version 2.39.5'
using GIT_ASKPASS to set credentials
 > git fetch --tags --force --progress -- https://github.com/F4brii/cs-talle2
+refs/heads/*:refs/remotes/origin/* # timeout=10
 > git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision f0851475fc89126c515bceec079dcef34dd9754f
(refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
 > git checkout -f f0851475fc89126c515bceec079dcef34dd9754f # timeout=10
Commit message: "prueba"
 > git rev-list --no-walk 9e8916c14eb15d17dc0767a5468ac1a50f03fb6b # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Paso 1: Preparación)
[Pipeline] echo
Paso 1: Iniciando la preparación del entorno...
[Pipeline] dir
Running in /var/jenkins_home/workspace/Pipeline/Seleniumhooks/Test
[Pipeline] {
[Pipeline] echo
Cambiando al directorio 'my_project'...
[Pipeline] echo
Instalando dependencias de Python...
[Pipeline] sh
+ pip install -r requirements.txt --break-system-packages
Collecting selenium==4.10.0
 Using cached selenium-4.10.0-py3-none-any.whl (6.7 MB)
```

```
Requirement already satisfied: pytest==7.4.0 in /usr/local/lib/python3.11/dist-
packages (from -r requirements.txt (line 2)) (7.4.0)
Requirement already satisfied: pytest-html==3.2.0 in /usr/local/lib/python3.11/dist-
packages (from -r requirements.txt (line 3)) (3.2.0)
Requirement already satisfied: urllib3[socks]<3,>=1.26 in
/usr/local/lib/python3.11/dist-packages (from selenium==4.10.0->-r requirements.txt
(line 1)) (2.3.0)
Requirement already satisfied: trio~=0.17 in /usr/local/lib/python3.11/dist-packages
(from selenium==4.10.0->-r requirements.txt (line 1)) (0.28.0)
Requirement already satisfied: trio-websocket~=0.9 in /usr/local/lib/python3.11/dist-
packages (from selenium==4.10.0->-r requirements.txt (line 1)) (0.11.1)
Requirement already satisfied: certifi>=2021.10.8 in /usr/local/lib/python3.11/dist-
packages (from selenium==4.10.0->-r requirements.txt (line 1)) (2024.12.14)
Requirement already satisfied: iniconfig in /usr/local/lib/python3.11/dist-packages
(from pytest==7.4.0->-r requirements.txt (line 2)) (2.0.0)
Requirement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages
(from pytest==7.4.0->-r requirements.txt (line 2)) (24.2)
Requirement already satisfied: pluggy<2.0,>=0.12 in /usr/local/lib/python3.11/dist-
packages (from pytest==7.4.0->-r requirements.txt (line 2)) (1.5.0)
Requirement already satisfied: py>=1.8.2 in /usr/local/lib/python3.11/dist-packages
(from pytest-html==3.2.0->-r requirements.txt (line 3)) (1.11.0)
Requirement already satisfied: pytest-metadata in /usr/local/lib/python3.11/dist-
packages (from pytest-html==3.2.0->-r requirements.txt (line 3)) (3.1.1)
Requirement already satisfied: attrs>=23.2.0 in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium==4.10.0->-r requirements.txt (line 1)) (24.3.0)
Requirement already satisfied: sortedcontainers in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium==4.10.0->-r requirements.txt (line 1)) (2.4.0)
Requirement already satisfied: idna in /usr/local/lib/python3.11/dist-packages (from
trio\sim=0.17->selenium==4.10.0->-r requirements.txt (line 1)) (3.10)
Requirement already satisfied: outcome in /usr/local/lib/python3.11/dist-packages
(from trio~=0.17->selenium==4.10.0->-r requirements.txt (line 1)) (1.3.0.post0)
Requirement already satisfied: sniffio>=1.3.0 in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium==4.10.0->-r requirements.txt (line 1)) (1.3.1)
Requirement already satisfied: wsproto>=0.14 in /usr/local/lib/python3.11/dist-
packages (from trio-websocket~=0.9->selenium==4.10.0->-r requirements.txt (line 1))
(1.2.0)
Requirement already satisfied: pysocks!=1.5.7,<2.0,>=1.5.6 in
/usr/local/lib/python3.11/dist-packages (from urllib3[socks]<3,>=1.26-
>selenium==4.10.0->-r requirements.txt (line 1)) (1.7.1)
Requirement already satisfied: h11<1,>=0.9.0 in /usr/local/lib/python3.11/dist-
packages (from wsproto>=0.14->trio-websocket~=0.9->selenium==4.10.0->-r
requirements.txt (line 1)) (0.14.0)
```

```
Installing collected packages: selenium
 Attempting uninstall: selenium
    Found existing installation: selenium 4.27.1
   Uninstalling selenium-4.27.1:
      Successfully uninstalled selenium-4.27.1
Successfully installed selenium-4.10.0
WARNING: Running pip as the 'root' user can result in broken permissions and
conflicting behaviour with the system package manager. It is recommended to use a
virtual environment instead: https://pip.pypa.io/warnings/venv
+ pip install --upgrade selenium --break-system-packages
Requirement already satisfied: selenium in /usr/local/lib/python3.11/dist-packages
(4.10.0)
Collecting selenium
  Using cached selenium-4.27.1-py3-none-any.whl (9.7 MB)
Requirement already satisfied: urllib3[socks]<3,>=1.26 in
/usr/local/lib/python3.11/dist-packages (from selenium) (2.3.0)
Requirement already satisfied: trio~=0.17 in /usr/local/lib/python3.11/dist-packages
(from selenium) (0.28.0)
Requirement already satisfied: trio-websocket~=0.9 in /usr/local/lib/python3.11/dist-
packages (from selenium) (0.11.1)
Requirement already satisfied: certifi>=2021.10.8 in /usr/local/lib/python3.11/dist-
packages (from selenium) (2024.12.14)
Requirement already satisfied: typing_extensions~=4.9 in
/usr/local/lib/python3.11/dist-packages (from selenium) (4.12.2)
Requirement already satisfied: websocket-client~=1.8 in
/usr/local/lib/python3.11/dist-packages (from selenium) (1.8.0)
Requirement already satisfied: attrs>=23.2.0 in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium) (24.3.0)
Requirement already satisfied: sortedcontainers in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium) (2.4.0)
Requirement already satisfied: idna in /usr/local/lib/python3.11/dist-packages (from
trio~=0.17->selenium) (3.10)
Requirement already satisfied: outcome in /usr/local/lib/python3.11/dist-packages
(from trio~=0.17->selenium) (1.3.0.post0)
Requirement already satisfied: sniffio>=1.3.0 in /usr/local/lib/python3.11/dist-
packages (from trio~=0.17->selenium) (1.3.1)
Requirement already satisfied: wsproto>=0.14 in /usr/local/lib/python3.11/dist-
packages (from trio-websocket~=0.9->selenium) (1.2.0)
Requirement already satisfied: pysocks!=1.5.7,<2.0,>=1.5.6 in
/usr/local/lib/python3.11/dist-packages (from urllib3[socks]<3,>=1.26->selenium)
(1.7.1)
Requirement already satisfied: h11<1,>=0.9.0 in /usr/local/lib/python3.11/dist-
```

```
packages (from wsproto>=0.14->trio-websocket~=0.9->selenium) (0.14.0)
  Installing collected packages: selenium
    Attempting uninstall: selenium
      Found existing installation: selenium 4.10.0
      Uninstalling selenium-4.10.0:
        Successfully uninstalled selenium-4.10.0
  Successfully installed selenium-4.27.1
  WARNING: Running pip as the 'root' user can result in broken permissions and
  conflicting behaviour with the system package manager. It is recommended to use a
  virtual environment instead: https://pip.pypa.io/warnings/venv
   [Pipeline] }
  [Pipeline] // dir
  [Pipeline] }
   [Pipeline] // stage
  [Pipeline] stage
  [Pipeline] { (Paso 2: Ejecutar pruebas unitarias)
  [Pipeline] echo
  Paso 2: Ejecutar pruebas unitarias...
  [Pipeline] dir
  Running in /var/jenkins_home/workspace/Pipeline/Seleniumhooks/Test
  [Pipeline] {
  [Pipeline] echo
  Cambiando al directorio 'my_project'...
  [Pipeline] echo
  Instalando dependencias de Python...
  [Pipeline] sh
  + python3 -m unittest test0.py
  Ε
  ______
  ERROR: test_load (test0.eis_test.test_load)
  Traceback (most recent call last):
    File "/var/jenkins home/workspace/Pipeline/Seleniumhooks/Test/test0.py", line 9, in
  setUp
      self.browser = webdriver.Chrome()
                     ^^^^^^
    File "/usr/local/lib/python3.11/dist-
  packages/selenium/webdriver/chrome/webdriver.py", line 45, in __init__
      super().__init__(
Panel de Control
                 Pipeline
                            #8
      self.service.start()
```

```
File "/usr/local/lib/python3.11/dist-
packages/selenium/webdriver/common/service.py", line 108, in start
    self.assert_process_still_running()
  File "/usr/local/lib/python3.11/dist-
packages/selenium/webdriver/common/service.py", line 121, in
assert_process_still_running
    raise WebDriverException(f"Service {self._path} unexpectedly exited. Status code
was: {return_code}")
selenium.common.exceptions.WebDriverException: Message: Service
/root/.cache/selenium/chromedriver/linux64/131.0.6778.264/chromedriver unexpectedly
exited. Status code was: 127
Ran 1 test in 0.022s
FAILED (errors=1)
[Pipeline] }
[Pipeline] // dir
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Pipeline completado. Limpieza finalizada.
[Pipeline] script
[Pipeline] {
[Pipeline] emailext
Sending email to: destinatario@example.com
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
ERROR: script returned exit code 1
Finished: FAILURE
```