

## Basic Web Accessibility Checklist for Quality Assurance

## **Automated Testing**

Was the code checked with axe?

#### **Semantics and Structure**

• Can **structure**, **information**, **and relationships** conveyed through visual presentation (in headings, lists, menus, forms, etc.) be **programmatically determined**?

### Readability

• Has the **reading order** been tested to confirm that all content on the page is available in a **logical order for assistive technologies**?

#### **Images**

- Do all linked, informative, and decorative <img> elements have appropriate alternative text (e.g., alt attributes)?
- Do all informative background images have alternative text that can be read by assistive technologies?

### **Keyboard and Navigation**

- When interacting with a page with the keyboard, is **focus always visible**, is it **managed when necessary**, and does it follow a **logical order**?
- Can all functionality be accomplished using only the keyboard?
- Do all **keyboard-only (and touchscreen) interactions** follow expected patterns so users know how to interact with all widgets on the page?
- Can keyboard-only users always move focus without ever getting trapped?

#### **Tables**

 Are data tables marked up to convey the correct relationships between data cells and their associated column or row header cells?

#### **Form Labels**

- Do form controls have visible labels? Are the label and control programmatically associated?
- Are related fields grouped and associated with a common label (if present)?

#### **Form Errors**

- Are error descriptions programmatically associated with their form element?
- If an error is detected on form submission, are screen reader users made aware of it?
- If a validation error occurs during user input or when a user moves focus, is the error message spoken by a screen reader?

Page **1** of **2** Version 2019.11.13



# Basic Web Accessibility Checklist for Quality Assurance

## **Custom Controls**

- Do all **custom controls, scripted components and widgets** provide **names and roles** to mimic native HTML controls and are they programmatically determinable?
- For **scrolling, moving, blinking, dynamic or auto-updating content**, are mechanisms provided to stop, pause, hide, and control it?

## **Context Changes**

- Has it been verified that when an **element receives focus**, for example by tabbing to it, **no major change of context is automatically triggered**?
- Has it been verified that when a person **changes the setting** of a user interface component, **no major change of context is automatically triggered** unless they have been notified beforehand?

### **Timing**

• Can the **time limit** for completing a task be **turned off, adjusted, or extended** by the user — unless an exception applies?

Page **2** of **2** Version 2019.11.13