Flow 2: Landing page only (with admin)

Goal: Publish campaign pages without a full website.

You get: branded landing pages at `/p/<slug>` with a working form, plus the admin that runs them.

Products to tick: Landing Pages (leave Website off). There is no starter-website step.

Setup wizard › Enable modules › Build › Publish

> **Before you start:** install and sign in first using the **Installation** guide (Admin > Documents > Installation).


> Screenshots are from a running KDL OS install where these modules are already enabled, so cards show **Enabled** and **Disable**. On a fresh install the same cards show **Available** with an **Install** button (see the card mockup in Part C).

Part B. First-run setup wizard

On a fresh install a **Setup wizard** opens over the admin. It asks three things, in this order.

B1. Step 1 of 2: your company


Company name, application name, logo, favicon, email, phone and address. You enter this once; it is used by the admin, the website and every module. Change it any time in **Admin Settings > Identity**. **Ask me later** closes the wizard without saving.



Setup wizard, step 1 (real screen)


B2. Step 2 of 2: what are you building?

Tick the products you need. **Admin is always on** and has no card. Each product turns on the modules it needs, and the wizard shows what changes before you press **Next**.



Mockup of the wizard's product step (Admin is always on, so it has no card).

B3. Only if Website is ticked: starter website



Mockup of the wizard's website step (shown only when Website is ticked).

Yes, create my website builds a ready 5-page site (Home, About, Services, Contact, FAQ) you can edit. **Skip** starts with no pages.


> Missed or dismissed the wizard? Company details live in **Admin Settings > Identity**; products live at **/admin/settings/products**. Nothing is deleted when you turn a product off.

Part C. Install and enable the modules

After you sign in (and answer or close the wizard), open **Modules** in the left sidebar. This is where every capability is switched on. A module has to be **installed** once and then **enabled**; a module that is off has no menu entry and its routes return 404. Data is never deleted by turning a module off.


C1. What the Modules screen shows

At the top: a **search box**, the filter chips **All, Enabled, Installed, Available, Disabled**, and **Show internal**. Below: one card per module with its status badge and buttons. A padlock beside the name means a **core** module that is always on (Auth, Application Identity, Media, Modules, Settings, User Management, Users).



Modules: 13 cards in the default view, status badges and Disable / Settings buttons


Badge	Button on the card	What pressing it does
Available (not installed yet)	**Install**	Registers the module's permissions and seeds its data. It becomes **Installed**.
Installed	**Enable**	Routes and menu items go live immediately. It becomes **Enabled**.
Enabled	**Disable**	Routes return 404 and menu entries disappear. Data is kept. **Settings** edits the module's JSON settings.
Disabled	**Enable**	Switches it back on with its data intact.




Mockup: the four states of one module card and the button each one shows.

C2. Install, then enable: the two clicks


1. Press **Install** on the card. A confirmation asks you to confirm.



2. A green message says the module was installed, and the card now shows **Enable**.



3. Press **Enable** and confirm. Menu items for the module appear in the sidebar straight away (refresh the page if they do not).




> **Dependencies are handled for you.** Installing or enabling a module also installs and enables everything it needs, in the right order. A module cannot be disabled while another enabled module still needs it; disable that one first.

> **Conflicts:** if two modules cannot run together, KDL OS shows a **Switch** dialog listing the modules that will be disabled. It is non-destructive; press **Enable & switch** to continue or **Cancel**.

C3. Default view versus "Show internal"

The default view shows 13 top-level cards. **Frontend** is a **bundle**: it stands for Website, Landing Pages, Forms, FAQ, Gallery, Testimonials, Team, Catalog, Work, Sectors and Projects Content together. Press **Show internal** to list every individual module (37), such as **Landing Pages**, **Website** and **Templates** (the Studio).




Show internal: every individual module appears (37)

Modules this flow needs

	Modules
Must be on	Landing Pages (brings Forms), Page Editor UI, Themes
Optional	Notifications, Membership
Can stay off	Frontend bundle, Website, Templates, Sectors, Catalog, Work, FAQ, Team


C4. Do this for the Landing page flow

1. Search **page editor**. On the **Page Editor UI** card press **Install**, confirm, then **Enable**, confirm.




Search "page editor"

2. Search **themes**. On **Themes** press **Install**, confirm, **Enable**, confirm.



Search "themes"

3. Press **Show internal**, search **landing**. On the **Landing Pages** card press **Install**, confirm, **Enable**, confirm. Forms (which landing pages need) and the Page Editor are installed for you.




Show internal, search "landing": the Landing Pages card

4. Refresh. **Frontend > Brands** (and **/admin/landing-pages**) now exist. Leave Website, Templates, Sectors, Catalog and Work off.

C5. The shortcut: let KDL OS do it from the products you tick

The Setup wizard (Part B) and **Admin Settings > Products** (**/admin/settings/products**) enable every module the products need, in dependency order, and show **What this selection does** before you press **Apply products**. Use the Modules screen when you want one module at a time or need to switch something off.




Admin Settings > Products

Part D. Build it

Set the company details once


Admin Settings > Identity. Name, logos, favicon, brand colours, contact details, social links. Everything else reads from here.



Admin Settings > Identity

Pick the look


Admin Settings > Themes. Choose **Website** (public site) or **Admin app** (this panel) at the top, **Simple** for colours and fonts or **Advanced** for every token, then **Publish**.



Admin Settings > Themes

Build a landing page


1. **Frontend > Brands**, choose **Landing Pages** (or open **/admin/landing-pages**). Four ready designs: Lead generation, Product launch, Event or webinar, Special offer.
2. **Use this template** (or **View template** first). Name it, **Create and edit**.
3. In the editor change text, images, buttons and the form block. **Insert block** adds sections.
4. **Save**. The finished pages list shows each page with **Preview** and **Convert**.
5. **Publish** when the checks pass. The page is public at `/p/<slug>`.
6. Extras: **Duplicate**, **Rename**, per-page branding, **Save as template**.
7. Forms: create under **Frontend > Brands > Forms**, then pick it in the Contact Form block. Messages arrive in the admin.




Landing Pages: templates and your pages

Run the admin


Need	Screen
Add and suspend people	**Users**
Decide who can do what	**Access Control > Roles / Permissions** (Super Admin, Developer, Admin, User)
See who did what	**Access Control > Activity Log**
Alerts	**Notifications** (bell, top right)
Connect outside tools	**Integrations**
Files and images	**Media > Library**; storage under **Settings > Storage**



Users



Access Control > Roles



Activity Log

Check it worked

- Open the public address in a private window, signed out.
- Top bar, header and footer match Home on every page.
- Every menu link opens a page; forms send (web app) or show your contact details (static).
- The admin sidebar shows only the modules your flow needs.
- `docker compose ps` shows every service up and `backend` healthy.

Everyday commands

Run inside the `kdl-os` folder.

I want to	Type
Stop (keeps data)	`docker compose down`
Start again	`docker compose up -d`
See what runs	`docker compose ps`
Update to the latest code	`git pull` then `docker compose up -d --build`
Read backend logs	`docker compose logs backend --tail 100`

> `docker compose down -v` deletes **all your data**. Do not use it unless you want to start from zero.

If something goes wrong

Problem	Do this
A variable is missing	Wrong folder, or A3 was skipped. Go to `kdl-os` and repeat A3.
Port already in use	Close the program using it (for example a local site on port 80).
Build stops with Killed or out of memory	Give Docker 8 GB (A1), run A4 again.
502 Bad Gateway	Still starting. Wait 1 to 2 minutes and refresh.
Wrong password	Did you run A5? First password is `kdl-dev-seed-password`.
Account locked / 429	Wait a minute, or `docker compose restart backend`.