
## Step 1. Sign in

> KDL OS must already be installed and running. If not, follow the **Installation** guide first (Admin > Documents > Installation).

Open **http://localhost/login**. Email `admin@kdl.com`, password `kdl-dev-seed-password`. KDL OS asks you to choose a new password on first sign-in.





The sign-in screen

> Forgot the password or locked out? `docker compose exec backend node scripts/reset-admin-password.js --email admin@kdl.com --password 'Admin@123'` (at least 8 characters), then sign in with it. 429 or "Account locked" while testing: wait a minute or `docker compose restart backend`.

## Step 2. Open Application Identity


After you sign in, open **Admin Settings > Identity** in the left menu. This is where the application name, logo and favicon are set.




Admin Settings > Identity

## Step 3. Open Modules, install and enable Frontend


Click **Modules** in the left menu. Find the **Frontend** card (use the search box if you need to). On a fresh install the card shows **Install**: click it and confirm, then click **Enable** and confirm. The badge changes to **Enabled**.




Modules: the Frontend card

## Step 4. Click Brands and select Landing Pages

Click **Frontend > Brands** in the left menu. Three cards appear: Web app, Landing Pages and Collateral. Click the **Landing Pages** card to open it.





Brands: click the Landing Pages card

## Step 5. Choose a landing page template

Open **Landing Pages** (http://localhost:3001/admin/landing-pages). Ready-made designs are already listed under **Start from a template**: Lead generation, Product launch, Event or webinar and Special offer. Click **View template** to preview one, then click **Use this template** to start from it. Every word, picture and colour can be changed afterwards in the editor.

If you need a fully custom page, click **New landing page** instead. This guide follows the template route.





Landing Pages: start from a template

## Step 6. Name the page and create it

A **New landing page** window opens with the template you picked already selected. Fill in two things, then continue:

- **Name**: the title you see in the admin, for example "Summer offer".
- **Slug**: the last part of the public web address. The page will be published at `/p/<slug>`; the full address is shown under the field.

To use a different design, click another option under **Template** (choose **Blank** for a page with only a header and footer). Then click **Create and edit** to open the page in the editor.





New landing page window

## Part B. First-run setup wizard

On a fresh install a **Setup wizard** opens over the admin. It asks three things, in this order.

### B1. Step 1 of 2: your company


Company name, application name, logo, favicon, email, phone and address. You enter this once; it is used by the admin, the website and every module. Change it any time in **Admin Settings > Identity**. **Ask me later** closes the wizard without saving.




Setup wizard, step 1 (real screen)


### B2. Step 2 of 2: what are you building?

Tick the products you need. **Admin is always on** and has no card. Each product turns on the modules it needs, and the wizard shows what changes before you press **Next**.




Mockup of the wizard's product step (Admin is always on, so it has no card).

### B3. Only if Website is ticked: starter website




Mockup of the wizard's website step (shown only when Website is ticked).

**Yes, create my website** builds a ready 5-page site (Home, About, Services, Contact, FAQ) you can edit. **Skip** starts with no pages.


> Missed or dismissed the wizard? Company details live in **Admin Settings > Identity**; products live at **/admin/settings/products**. Nothing is deleted when you turn a product off.

## Part C. Install and enable the modules

After you sign in (and answer or close the wizard), open **Modules** in the left sidebar. This is where every capability is switched on. A module has to be **installed** once and then **enabled**; a module that is off has no menu entry and its routes return 404. Data is never deleted by turning a module off.


### C1. What the Modules screen shows

At the top: a **search box**, the filter chips **All, Enabled, Installed, Available, Disabled**, and **Show internal**. Below: one card per module with its status badge and buttons. A padlock beside the name means a **core** module that is always on (Auth, Application Identity, Media, Modules, Settings, User Management, Users).




Modules: 13 cards in the default view, status badges and Disable / Settings buttons


| Badge | Button on the card | What pressing it does |
|---|---|---|
| **Available** (not installed yet) | **Install** | Registers the module's permissions and seeds its data. It becomes **Installed**. |
| **Installed** | **Enable** | Routes and menu items go live immediately. It becomes **Enabled**. |
| **Enabled** | **Disable** | Routes return 404 and menu entries disappear. Data is kept. **Settings** edits the module's JSON settings. |
| **Disabled** | **Enable** | Switches it back on with its data intact. |





Mockup: the four states of one module card and the button each one shows.

## C2. Install, then enable: the two clicks


1. Press **Install** on the card. A confirmation asks you to confirm.




2. A green message says the module was installed, and the card now shows **Enable**.




3. Press **Enable** and confirm. Menu items for the module appear in the sidebar straight away (refresh the page if they do not).





> **Dependencies are handled for you.** Installing or enabling a module also installs and enables everything it needs, in the right order. A module cannot be disabled while another enabled module still needs it; disable that one first.

> **Conflicts:** if two modules cannot run together, KDL OS shows a **Switch** dialog listing the modules that will be disabled. It is non-destructive; press **Enable & switch** to continue or **Cancel**.

## C3. Default view versus "Show internal"

The default view shows 13 top-level cards. **Frontend** is a **bundle**: it stands for Website, Landing Pages, Forms, FAQ, Gallery, Testimonials, Team, Catalog, Work, Sectors and Projects Content together. Press **Show internal** to list every individual module (37), such as **Landing Pages**, **Website** and **Templates** (the Studio).





Show internal: every individual module appears (37)

## Modules this flow needs

| | Modules |
|---|---|
| **Must be on** | Landing Pages (brings Forms), Page Editor UI, Themes |
| **Optional** | Notifications, Membership |
| **Can stay off** | Frontend bundle, Website, Templates, Sectors, Catalog, Work, FAQ, Team |


## C4. Do this for the Landing page flow

1. Search **page editor**. On the **Page Editor UI** card press **Install**, confirm, then **Enable**, confirm.





Search "page editor"

2. Search **themes**. On **Themes** press **Install**, confirm, **Enable**, confirm.




Search "themes"

3. Press **Show internal**, search **landing**. On the **Landing Pages** card press **Install**, confirm, **Enable**, confirm. Forms (which landing pages need) and the Page Editor are installed for you.





Show internal, search "landing": the Landing Pages card

4. Refresh. **Frontend > Brands** (and **/admin/landing-pages**) now exist. Leave Website, Templates, Sectors, Catalog and Work off.

## C5. The shortcut: let KDL OS do it from the products you tick

The Setup wizard (Part B) and **Admin Settings > Products** (**/admin/settings/products**) enable every module the products need, in dependency order, and show **What this selection does** before you press **Apply products**. Use the Modules screen when you want one module at a time or need to switch something off.





Admin Settings > Products

# Part D. Build it

## Set the company details once


**Admin Settings > Identity**. Name, logos, favicon, brand colours, contact details, social links. Everything else reads from here.




Admin Settings > Identity

## Pick the look


**Admin Settings > Themes**. Choose **Website** (public site) or **Admin app** (this panel) at the top, **Simple** for colours and fonts or **Advanced** for every token, then **Publish**.




Admin Settings > Themes

## Build a landing page


1. **Frontend > Brands**, choose **Landing Pages** (or open **/admin/landing-pages**). Four ready designs: Lead generation, Product launch, Event or webinar, Special offer.
2. **Use this template** (or **View template** first). Name it, **Create and edit**.
3. In the editor change text, images, buttons and the form block. **Insert block** adds sections.
4. **Save**. The finished pages list shows each page with **Preview** and **Convert**.
5. **Publish** when the checks pass. The page is public at `/p/<slug>`.
6. Extras: **Duplicate**, **Rename**, per-page branding, **Save as template**.
7. Forms: create under **Frontend > Brands > Forms**, then pick it in the Contact Form block. Messages arrive in the admin.





Landing Pages: templates and your pages

## Run the admin


| Need | Screen |
|---|---|
| Add and suspend people | **Users** |
| Decide who can do what | **Access Control > Roles / Permissions** (Super Admin, Developer, Admin, User) |
| See who did what | **Access Control > Activity Log** |
| Alerts | **Notifications** (bell, top right) |
| Connect outside tools | **Integrations** |
| Files and images | **Media > Library**; storage under **Settings > Storage** |




Users




Access Control > Roles




Activity Log

## Check it worked

- Open the public address in a private window, signed out.
- Top bar, header and footer match Home on every page.
- Every menu link opens a page; forms send (web app) or show your contact details (static).
- The admin sidebar shows only the modules your flow needs.
- `docker compose ps` shows every service up and `backend` healthy.

## Everyday commands

Run inside the `kdl-os` folder.

| I want to | Type |
|---|---|
| Stop (keeps data) | `docker compose down` |
| Start again | `docker compose up -d` |
| See what runs | `docker compose ps` |
| Update to the latest code | `git pull` then `docker compose up -d --build` |
| Read backend logs | `docker compose logs backend --tail 100` |

> `docker compose down -v` deletes **all your data**. Do not use it unless you want to start from zero.

## If something goes wrong

| Problem | Do this |
|---|---|
| A variable is missing | Wrong folder, or A3 was skipped. Go to `kdl-os` and repeat A3. |
| Port already in use | Close the program using it (for example a local site on port 80). |
| Build stops with Killed or out of memory | Give Docker 8 GB (A1), run A4 again. |
| 502 Bad Gateway | Still starting. Wait 1 to 2 minutes and refresh. |
| Wrong password | Did you run A5? First password is `kdl-dev-seed-password`. |
| Account locked / 429 | Wait a minute, or `docker compose restart backend`. |