الأتمتة بدون كود - دليل بناء سير عمل ذكي

الأسبوع الخامس - مسار الأتمتة الذكية - برنامج LLM4Yemen

No-Code AI Automation - A Guide to Intelligent Workflows

د. فضل محمد الأكوع

Dr. Fadhl Mohammed Alakwaa

2026

English · عربي

الأتمتة بدون كود - دليل بناء سير عمل ذكي

No-Code AI Automation - A Guide to Intelligent Workflows

الأسبوع الخامس - مسار الأتمتة الذكية - برنامج LLM4Yemen

د. فضل محمد الأكوع

Dr. Fadhl Mohammed Alakwaa

الطبعة الأولى — 2026 · First Edition

جميع الحقوق محفوظة للمؤلف

بسم الله الرحمن الرحيم

إهداء

إلى كل من يريد دخول عالم الأتمتة دون أن يكون مبرمجاً. إلى الشباب اليمني والعربي الذين يبحثون عن مهارات عملية قابلة للبيع والعمل. وإلى طلاب برنامج *LLM4Yemen*: هذا الكتاب خطوة نحو بناء دخل ومعرفة ومهارة في عالم الذكاء الاصطناعي.

تنبيه

هذا الكتاب أُنتج بمساعدة نموذج Claude Opus 4.7 من شركة Anthropic، تحت إشراف وتوجيه المؤلف. التوجيه الفكري واختيار الموضوع والمراجعة والمسؤولية النهائية للمؤلف الدكتور فضل محمد الأكوع. الكتاب لأغراض تثقيفية وإثرائية، ولا يُغني عن استشارة المتخصصين في الموضوعات القانونية والطبية والمالية والشرعية.

Notice

This book was produced with the assistance of Anthropic's Claude Opus 4.7 model, under the author's direction and supervision. Intellectual direction, topic selection, review, and final responsibility rest with the author, Dr. Fadhl Mohammed Alakwaa. The book is for educational purposes and does not substitute for consultation with specialists in legal, medical, financial, or religious matters.

المحتويات

المقدمة	1
الفصل الأوّل: لماذا الأتمتة هي رافعتك المالية الحقيقية	2
الفصل الثاني: المنصّات الثلاث الكبرى — Zapier و Make و n8n	3
الفصل الثالث: مفاهيم الأتمتة الأساسية	4
الفصل الرابع: ربط الذكاء الاصطناعي بالأتمتة	5
الفصل الخامس: أتمتة البريد الإلكتروني والرسائل	6
الفصل السادس: أتمتة المحتوى والنشر	7
الفصل السابع: أتمتة الأبحاث والمراقبة	8
الفصل الثامن: أتمتة العمل الحرّ والإنتاجية الشخصية	9
الفصل التاسع: الأتمتة بمساعدة Claude Projects و GPTs المخصّصة	10

الفصل العاشر: التسعير والبيع — أتمتةٌ كخدمة للعملاء 11

الفصل الحادي عشر: التحدّيات الواقعية والصيانة والمشروع الختامي 12

الخاتمة 13

المصادر والمراجع 14

الملحق أ: مكتبة الوصفات الثلاثين 15

الملحق ب: مصفوفة تَكامل الأدوات 16

الملحق ج: قَوالب حاسبة التَكلفة (٣ قوالب) 17

الملحق د: مَعجم مصطلحات الأتمتة (عربي ↔ إنجليزي) 18

المقدمة

﴿ وَأَن لَّيْسَ لِلْإِنسَانِ إِلَّا مَا سَعَىٰ ﴾ — النجم: 39

كلمة قبل أن تبدأ

أنت تقرأ هذا الكتاب لأنك تريد أن تتحرّر من قيدٍ قديم: قيد الساعة. كلّ مستقلّ في العالم يبيع وقته بسعرٍ محدّد، ثمّ يصطدم بسقفٍ بسيط: لا يمكن لإنسان أن يعمل أكثر من اثنتي عشرة ساعةً يومياً قبل أن ينكسر. السقف الحقيقي ليس الموهبة، ولا اللغة، ولا حتى البلد الذي وُلدتَ فيه — السقف هو عدد الساعات التي تستطيع أن تبقى فيها مستيقظاً ومركّزاً.

الأتمتة هي الطريقة الوحيدة التي عَرَفها المستقلّون لكسر هذا السقف دون أن يكسروا أنفسهم. حين تبني نظاماً يعمل بدلاً منك بينما تنام، حين تجعل الذكاء الاصطناعي يقرأ ويصنّف ويردّ ويُرسل ويُسجّل — أنت لم تَعُد تبيع وقتك، بل تبيع نتائج النظام الذي بنيتَه.

هذا الكتاب هو الأسبوع الخامس — مسار (أ) — من برنامج LLM4Yemen. الأسابيع السابقة علّمتك أن تَستخدم الذكاء الاصطناعي بنفسك. هذا الأسبوع يعلّمك أن تجعل الذكاء الاصطناعي يعمل بدونك.

لمن هذا الكتاب

هذا الكتاب لطالبٍ في «المسار أ» — مسار «المستخدم القوي». أنت لست مبرمجاً، ولن تكتب سطراً واحداً من Python أو JavaScript. لكنّك أتقنتَ في الأسابيع الماضية:

- كتابة أوامر مهيكلة بدورٍ وسياقٍ وقيود
- استخدام Claude و ChatGPT و NotebookLM بثقة
- استخدام Midjourney و ElevenLabs لإنتاج المحتوى
- إدارة الملفّات والمتصفّح وحسابات Google

هذا الكتاب يبني على هذه المهارات، لا يُعيد شرحها. إن لم تكن قد أتممتَ الأسابيع 1 و 2 و 4، فالأفضل أن تعود إليها قبل أن تبدأ هنا.

ما الفرق بين هذا الكتاب وكتب الأتمتة الأخرى

كتب الأتمتة الأخرى تشرح أداةً واحدة (Zapier فقط، أو Make فقط)، أو تشرح المفاهيم بشكلٍ نظري دون مشاريع حقيقية، أو تتحدّث عن «التحوّل الرقمي» وكأنك مديرٌ تنفيذي في شركةٍ كبيرة. هذا الكتاب مختلف:

أوّلاً، هو لمستقلٍّ يمنيّ في عام 2026 — لا لمديرٍ في وادي السيليكون. أمثلتنا من حياتك: مصمّمة في صنعاء تؤتمت استقبال عملائها، خرّيج جامعة عدن يبني نظاماً لتوزيع المحتوى لعلامةٍ تجارية في دبي، يمنيٌّ مهاجر في ديترويت يدير وكالة أتمتة من غرفته.

ثانياً، هو عمليّ بالكامل. كلّ فصلٍ من الفصل الثالث فصاعداً يحتوي على ثلاثة بناءات (مبتدئ، متوسّط، متقدّم) ينتهي بها الفصل بأن يكون لديك أتمتةٌ تعمل فعلاً في حسابك.

ثالثاً، هو صادق في الأرقام. لن نقول لك «اربح ١٠٠٠ دولار في الأسبوع الأوّل». سنقول لك: السنة الأولى ١٠٠٠ دولار، السنة الثانية بين ١٠٠٠ و ٣٠٠٠ شهرياً، السنة الثالثة وما بعدها بين ٣٠٠٠ و ١٠٠٠٠ شهرياً للقلّة التي تستمرّ. هذه أرقامٌ واقعية، ليست وعوداً.

رابعاً، يحتوي على مكتبةٍ كاملة من ٣٠ وصفة جاهزة للنشر. أيّ وصفةٍ منها يمكنك أن تبيعها لعميلٍ غداً.

ماذا ستملك بعد هذا الكتاب

في نهاية هذا الكتاب، ستكون عندك ستّة أصول حقيقية لا يستطيع أحد أن يأخذها منك:

أوّلاً: ثماني أتمتاتٍ تعمل في حسابك على الأقلّ، كلّ واحدةٍ مرتبطة بحسابٍ أو أداةٍ أو بريدٍ حقيقي.

ثانياً: «مركز قيادة المستقلّ» — أتمتةٌ شخصية تدير عملك أنت، من استلام العميل إلى تسليم المشروع.

ثالثاً: مكتبةُ ٣٠ وصفةٍ يمكنك تخصيص كلٍّ منها لعميلٍ محدّد وبيعها مقابل ٣٠٠ إلى ٣٠٠٠ دولار للبناء الواحد.

رابعاً: عرضُ خدمةِ أتمتةٍ مكتوبٍ على صفحةٍ واحدة، جاهزٌ للإرسال.

خامساً: فهمٌ حقيقيّ لتكاليف الأتمتة (المنصّة، استدعاءات الذكاء الاصطناعي) لتسعّر العميل بثقة.

سادساً: جدولُ صيانةٍ شهري يبقي أتمتاتك حيّةً ولا تنكسر.

من لا يحقّق هذه السّتّة، لا يكون قد أتمّ الكتاب، ولا أسبوعَه الخامس.

بنية الكتاب

أحد عشر فصلاً، كلٌّ منها يضيف طبقةً عملية:

- **الفصل الأوّل**: الرافعة المالية الحقيقية — لماذا الأتمتة وليس مجرّد المهارة.
- **الفصل الثاني**: المنصّات الثلاث الكبرى — Zapier و Make و n8n.
- **الفصل الثالث**: المفاهيم الأساسية — المُحفّز، الإجراء، التدفّق.
- **الفصل الرابع**: ربط الذكاء الاصطناعي بالأتمتة.
- **الفصل الخامس**: أتمتة البريد والرسائل.
- **الفصل السادس**: أتمتة المحتوى والنشر.
- **الفصل السابع**: أتمتة الأبحاث والمراقبة.
- **الفصل الثامن**: أتمتة العمل الحرّ والإنتاجية الشخصية.
- **الفصل التاسع**: Claude Projects و GPTs المخصّصة.
- **الفصل العاشر**: التسعير والبيع — الأتمتة كخدمة.
- **الفصل الحادي عشر**: التحدّيات الواقعية، الصيانة، والمشروع الختامي.

ثمّ أربعة ملاحق: مكتبة الوصفات الثلاثين، مصفوفة التكامل بين الأدوات، قوالب حاسبة التكلفة، ومعجم المصطلحات.

كيف تقرأ هذا الكتاب

لا تقرأه مرّةً واحدة. اقرأ فصلاً، ثمّ نفّذ بناءاته الثلاثة قبل أن تبدأ الفصل التالي. كلّ فصل يحتوي على:

- آيةٌ في الفاتحة، تذكّرك أنّ تنظيم الوقت أمانة.
- مثالا سير عملٍ على الأقلّ، مكتوبَين بالتفصيل، بمخطّطٍ نصّي ولقطات شاشة.
- وصفاتٌ قابلة للبيع، في صناديق زرقاء.
- ثلاثة بناءات في نهاية الفصل: مبتدئ، متوسّط، متقدّم.
- صناديق تلميحات (ذهبية) وتحذيرات (حمراء).
- قائمة تقييمٍ ذاتي قبل الانتقال.

الإطار الإسلامي للأتمتة

قد يقول قائل: «الأتمتة كسل، والكسل مذمومٌ في الإسلام». هذا فهمٌ قاصر. الكسل أن تترك العمل، أمّا الأتمتة فأن تنظّمه. النبيّ ﷺ أرشد إلى تنظيم الجهد حين قال: «إنّ الله يحبّ إذا عمل أحدُكم عملاً أن يُتقنه». الإتقان لا يعني تكرار المهمّة الواحدة ألف مرّة بيدك حين تستطيع آلةٌ ذكية أن تفعلها بدقّةٍ ثابتة. الإتقان أن تركّز عقلك على ما لا تستطيع الآلة فعله: الحكم، والإبداع، والعلاقات الإنسانية.

ثمّ إنّ الإسلام كرّه الإسراف، والوقت أعزّ ما يُسرَف. حين تقضي ثماني ساعاتٍ شهرياً تصنّف بريدك يدوياً وأنت تستطيع أن تفعل ذلك في خمس عشرة دقيقة بأتمتةٍ ذكية، فأنت تُسرف ساعاتٍ كان يمكن أن تكون مع أهلك، أو في طلب علم، أو في نوافل العبادة. الأتمتة في هذا السياق ليست رفاهية — هي حسن تدبير.

كلمة أخيرة قبل البدء

هذا الكتاب مكتوبٌ بافتراضٍ واحد: أنّك ستفتح المنصّة فعلاً، وستضغط الأزرار فعلاً، وستربط الحسابات فعلاً. القراءة وحدها لن تبني لك أتمتةً واحدة. كلّ فصلٍ يطلب منك بناءً واحداً على الأقلّ، وكلّ بناءٍ يحتاج بين خمس عشرة دقيقة وتسعين دقيقة من العمل الفعلي.

اِبدأ الآن. افتح Make أو Zapier في علامة تبويبٍ ثانية. ضع هذا الكتاب على شاشةٍ صغيرة بجوارها. واقرأ الفصل الأوّل وأنت مستعدٌّ للبناء.

والله يبارك في وقتك حين تنظّمه.

الفصل الأوّل: لماذا الأتمتة هي رافعتك المالية الحقيقية

﴿ وَالْعَصْرِ ۝ إِنَّ الْإِنسَانَ لَفِي خُسْرٍ ﴾ — العصر: 1-2

١. ثلاثة مستقلّين، يومٌ واحد

تخيّل ثلاثة مستقلّين يَمنيّين يستيقظون في صباحٍ واحد. كلّهم في الخامسة والعشرين من العمر، كلّهم يحملون شهادةً جامعية، كلّهم أتقنوا كتابة محتوى تسويقي بالعربية. الفرق الوحيد بينهم هو علاقتهم بالأتمتة.

المستقلّ الأوّل (لا أتمتة): يستيقظ، يفتح Upwork، يقرأ خمسين فرصة، يكتب عرضاً يدوياً لعشرين منها. الواحد منها يأخذ منه ربع ساعة. النتيجة: خمس ساعات في اليوم تُصرف على العروض. حين يُقبل عرضٌ منها، يبدأ المشروع، يكتب المقال يدوياً، يُرسله، ثمّ ينتظر. سعره: ٢٠ دولاراً في الساعة. سقفه السنوي: ٢٠ ألف دولار، إن كان محظوظاً جداً.

المستقلّ الثاني (أتمتةٌ بسيطة): استيقظ، فأرسل له Make تنبيهاً على Telegram بأفضل خمس فرصٍ في تخصّصه (التصفية حدثت تلقائياً ليلاً). فتح أربعةً منها،

كتب عرضاً مخصّصاً بمساعدة قالبٍ في Claude Project يقرأ منشور العميل ويُخرج عرضاً جاهزاً للمراجعة. الأربع عروض استغرقت منه نصف ساعة. النتيجة: عشر مرّاتٍ من الإنتاجية في وقت العروض. حين يُقبل المشروع، يستخدم سلسلة قوالب وأتمتة لإخراج المحتوى أسرع. سعره الفعلي يصبح ١٠٠ دولار في الساعة لأنه أنجز عمل خمس ساعاتٍ في ساعة. سقفه السنوي: ٧٠ ألف دولار.

المستقلّ الثالث (نظامٌ متكامل): لم يفتح Upwork أصلاً اليوم. أتمتته رصدت العملاء المحتملين، صنّفتهم، أرسلت لهم رسائل أوّلية باللغة المناسبة، رتّبت اجتماعاتٍ مع المهتمّين، ونسّقت في Calendly. هو يفتح هاتفه ليرى أنّه عُيِّن في مشروعَين بقيمة ١٢٠٠ دولار وهو نائم. عمله الفعلي يصبح: مراجعة العمل الذي أتمتته أنتجته، إصلاح ١٠٪ منه، تسليمه. سعره الفعلي ٣٠٠ دولار في الساعة لأنّ النظام يقوم بـ ٧٠٪ من العمل. سقفه السنوي: ١٢٠ ألف دولار، أحياناً أكثر.

ثلاث رواتب مختلفة، نفس المهارة الأساسية، نفس البلد، نفس عدد ساعات اليقظة في اليوم. الفرق: من بنى نظاماً، ومن لم يَبنِ.

٢. الرياضيات الصارمة للرافعة

دعنا نضع رقماً على ما حدث. مهمّة بسيطة: «اقرأ منشور عميلٍ على Upwork، اكتب عرضاً مخصّصاً يستحقّ القراءة». المستقلّ الأوّل يفعلها يدوياً في خمس عشرة دقيقة. المستقلّ الثاني يفعلها بسلسلة: قراءة المنشور بـ Claude Project،

اقتراح خمس نقاط ربط بين خبرته والمنشور، صياغة عرض، مراجعتها بدقيقتين. المجموع: أربع دقائق.

المهمّة	يدوياً	بأتمتة	التوفير
كتابة عرض Upwork	١٥ دقيقة	٤ دقائق	٧٣٪
تصنيف بريد العميل اليومي	٤٠ دقيقة	٣ دقائق	٩٢٪
توزيع مقال على ٧ منصّات	٩٠ دقيقة	٨ دقائق	٩١٪
كتابة فاتورةٍ لمشروع	٢٠ دقيقة	١ دقيقة	٩٥٪
متابعة عميلٍ بعد التسليم	١٥ دقيقة	٠ (آلي)	١٠٠٪

في الشهر، إن كنتَ تنفّذ هذه المهامّ بالأرقام التي نراها عند المستقلّين الفعليّين، فالمجموع الذي تخسره يدوياً يقترب من ٤٠ ساعة شهرياً. أربعون ساعة شهرياً = أسبوعُ عملٍ كاملٌ مهدور، شهرياً، إلى الأبد، لا تستردّه.

٣. أين يتسرّب وقت المستقلّ في «المسار أ»

سنكون صادقين معك. إن كنتَ مستقلّاً في المسار أ — كاتب محتوى، مترجم، مصمّم، متخصّص بحث، صانع وسائط — فوقتك يتسرّب في خمسة أماكن محدّدة:

التسرّب الأوّل: البحث. قبل كلّ مشروع، تقضي ساعتَين تبحث عن العميل، عن منافسيه، عن جمهوره. هذا العمل قابلٌ للأتمتة بنسبة ٨٠٪.

التسرّب الثاني: تنظيم الملفّات. تنزّل ملفّاتٍ من العميل، ترفع نتائجك، تضعها في مجلّداتٍ، تسمّيها بمنطقٍ خاصّ بك. هذا قابلٌ للأتمتة بنسبة ٩٥٪.

التسرّب الثالث: استقبال العميل. كتابة رسالة الترحيب الأولى، إرسال نموذج الاستبيان، حجز اجتماع، إرسال العقد، استلام الدفعة الأولى. هذه السلسلة كلّها قابلة للأتمتة بنسبة ٩٠٪.

التسرّب الرابع: التوزيع. حين تُنهي مقالاً، تنشره على LinkedIn، تختصره لـ Twitter، تصمّم له صورة، تُرسله للنشرة البريدية. هذا قابلٌ للأتمتة بنسبة ٨٥٪.

التسرّب الخامس: المتابعة والفواتير. ترسل تذكيرات، تكتب فواتير، تتابع عملاء قدامى لاستعادتهم. هذا قابلٌ للأتمتة بنسبة ١٠٠٪.

مجموع هذه التسرّبات في حياة مستقلٍّ نشط: ٤٠ إلى ٦٠ ساعة شهرياً. أسبوعُ عملٍ كامل، شهرياً.

٤. تدقيق الأتمتة في أسبوع

هذه أوّل مهمّةٍ في الكتاب. سنسمّيها «تدقيق الأتمتة الشخصي». اِفعلها قبل أن تكمل قراءة هذا الفصل:

اليوم الأوّل: افتح ورقةً بسيطة، اكتب فيها كلّ ما فعلتَه اليوم في عملك بدقّةٍ ربع ساعية. لا تَكتب «عمل»، بل «كتابة بريدٍ لعميل»، «بحث عن منافسي العميل»، «إعادة تسمية ٢٠ ملفّاً». تحديد دقيق.

اليوم الثاني: نفس الشيء.

اليوم الثالث إلى السابع: نفس الشيء.

اليوم السابع مساءً: انظر إلى الورقة. ضع علامةً (آ) بجانب أيّ مهمّةٍ تتكرّر مرّتَين أو أكثر في الأسبوع. هذه قائمتك. كلّ مهمّةٍ في القائمة هي مرشّحةٌ للأتمتة.

[لقطة شاشة: ورقة تدقيق الأتمتة الشخصي بعد سبعة أيّام، عشرات السطور بعلامات (آ) خضراء بجانب المهامّ المتكرّرة]

ستتفاجأ. متوسّط ما يخرج من هذا التدقيق هو ١٢ إلى ٢٠ مهمّةً متكرّرة. كلّ واحدةٍ منها يمكن أن توفّر بين ساعةٍ و عشر ساعات شهرياً. مجتمعةً، هي ٤٠ إلى ٨٠ ساعة شهرياً يمكن استرجاعها.

٥. الأثر التراكمي

الأتمتة لا تكسبك ساعاتٍ مرّةً واحدة فقط. الأتمتة التي تبنيها اليوم تعمل غداً، وبعد غد، وبعد سنة. لِنحسب:

أتمتةٌ توفّر لك ساعةً واحدة شهرياً = ١٢ ساعة سنوياً = ١٢٠ ساعة في عشر سنوات. ساعةٌ واحدة شهرياً، عشر سنوات: ١٢٠ ساعة. هذا أكثر من شهر عملٍ كامل، استرجعتَه بأتمتةٍ بنيتَها مرّة.

إن بنيتَ في سنتك الأولى ٢٠ أتمتةً متوسّطها يوفّر ساعتَين شهرياً، فإنّك تكسب ٤٨٠ ساعةً سنوياً، أو ٣ أشهرٍ من العمل، إلى الأبد، بسبب جهدٍ بضعة أيّامٍ من بناءٍ في سنتك الأولى.

هذه الرياضيات هي سرّ كلّ مَن انتقل من «مستقلّ يبيع وقته» إلى «وكالةٍ صغيرة تبيع نتائج».

٦. الانتقال من مستقلٍّ إلى وكالة

إن كنتَ تتساءل لماذا بعض الزملاء «انفجروا» فجأةً ودخلوا في عالم الوكالات الصغيرة، بينما أنت تكافح في نفس السقف منذ سنتَين، فالإجابة شبه دائماً: الأتمتة.

المستقلّ يُجبر على رفض المشاريع لأنّه ليس عنده وقت. الوكالة تقبل المشاريع لأنّ ٧٠٪ من العمل يقوم به نظامٌ آليّ، والإنسان يراجع ويُسلّم. هذه ليست خدعة — هي تطوّرٌ طبيعيٌّ يحدث حين يبني المستقلّ ما يكفي من الأنظمة ليجعل المشروع التالي يأخذ منه نصف الوقت الذي أخذه الذي قبله.

٧. الميزة اليمنية في عالم الأتمتة

قد تظنّ أنّ كونك في اليمن عائق. في عالم الأتمتة، هذا قد يكون ميزة:

الميزة الأولى: تكلفة وقتك أقلّ من تكلفة وقت الأمريكي أو الأوروبي. هذا يعني أنّك تستطيع أن تستثمر ٢٠ ساعةً في تعلّم Make بدون قلق، بينما المستقلّ الأمريكي يحسب التكلفة مقابل ٢٠٠٠ دولار من الإيرادات الفائتة.

الميزة الثانية: السوق العربي قليل المنافسة في الأتمتة. ٩٠٪ من المستقلّين العرب لا يعرفون Make ولا يعرفون كيف يستخدمون Claude في سير عمل. أنت في الأقلّية النادرة.

الميزة الثالثة: العملاء العرب يدفعون لمن يحلّ لهم مشكلة الكفاءة، حتى لو كانوا لا يفهمون «الأتمتة» كمصطلح. عرض «أوفّر عليك ٢٠ ساعةً شهرياً من الردّ على رسائل العملاء» يبيع نفسه.

الميزة الرابعة: العملاء الغربيّون يبحثون عن مستقلّين بأسعار معقولة وقدراتٍ تقنية. أنت تستطيع أن تقدّم عروضاً تنافسية ٤٠٪ أرخص من المستقلّ الأمريكي مع نفس النتيجة، وتربح في الفارق.

٨. أرقام الدخل الحقيقية في 2026

سأكتب لك أرقاماً، قد لا تعجبك أوّلاً، لكنّها تبيّن لك المسار الواقعي:

السنة الأولى: تتعلّم وتبني لنفسك. متوسّط الدخل من الأتمتة: ٠ إلى ٢٠٠ دولار شهرياً. هذا الرقم ليس فشلاً — هو السنة التي تبني فيها الأنظمة التي ستُنتج لك في السنوات التالية.

السنة الثانية: تبدأ ببيع البناءات لعملاء. متوسّط الدخل: ٥٠٠ إلى ٢٠٠٠ دولار شهرياً. تأخذ بنائَين أو ثلاثة شهرياً بأسعارٍ متواضعة.

السنة الثالثة: تنتقل إلى الاحتفاظ (retainers). متوسّط الدخل: ٢٠٠٠ إلى ٥٠٠٠ دولار شهرياً. ٣ إلى ٥ عملاء يدفعون لك شهرياً مقابل صيانة ما بنيتَه لهم.

السنة الرابعة وما بعدها: وكالةٌ صغيرة. ٥٠٠٠ إلى ١٢٠٠٠ دولار شهرياً للقلّة التي تستمرّ. هنا تبدأ بتوظيف ١-٢ من المسار أ كمساعدين، وتلقي العملاء الكبار.

ليس كلّ من يبدأ يصل إلى السنة الرابعة. لكن مَن يصل، يبني بيتاً ويتزوّج ويُعيل أسرة، كلّه من أتمتةٍ بُنيت في غرفته.

٩. ما الذي يفصلك عن الـ ١٠٠٠ دولار الأولى

سؤالٌ يُسأل دائماً: «ما الفصل الذي يأخذني إلى دخلٍ حقيقي؟». الجواب الصادق: ليس فصلاً واحداً — بل تنفيذُ كلّ فصل. لكن تركيب القفل هو هذا:

1. تتعلّم منصّةً واحدة (Make عادةً) — الفصلان ٢ و ٣.
2. تربط الذكاء الاصطناعي — الفصل ٤.

3. تبني ٥ أتمتاتٍ لنفسك أوّلاً، حتّى تثبت أنّك تستطيع — الفصول ٥-٨.
4. تأخذ واحدةً من هذه الأتمتات وتُعَدِّلها ليناسب عميلاً تعرفه — الفصل ١٠.
5. تتقاضى ٣٠٠ إلى ٥٠٠ دولار للبناء الواحد — الفصل ١٠.
6. تكرّر مع ٣ عملاء.

هذا هو طريق الـ ١٠٠٠ دولار الأولى. متوسّط الزمن من فتح هذا الكتاب إلى استلام أوّل ٥٠٠ دولار: شهران إلى أربعة أشهر، إن كنت تنفّذ ٥-٨ ساعاتٍ أسبوعياً.

١٠. تلميحات وتحذيرات قبل أن نبدأ

تلميح: لا تحاول إتقان الأدوات الثلاث (*Zapier* و *Make* و *n8n*) في الوقت نفسه. اختر واحدة في الفصل الثاني، وامكث معها ثلاثة أشهر على الأقلّ.

تحذير: المستقلّ الذي «يعرف عن» الأتمتة بدون أن «يبني» شيئاً، لا يكسب ديناراً. كلّ فصلٍ في هذا الكتاب ينتهي ببناءاتٍ ملموسة. لا تتجاوز الفصل قبل أن تبني واحداً منها على الأقلّ.

١١. تقييمٌ ذاتيّ لنهاية الفصل

اِفحص نفسك:

☐ أستطيع أن أشرح بكلماتي لماذا الأتمتة هي رافعةٌ ماليّة، لا مجرّد توفيرٍ للوقت.

☐ أعرف أين تتسرّب ساعاتي من عملي الحالي. ☐ أنا واقعيٌّ بشأن السنة الأولى: لن أحقّق دخلاً كبيراً، بل سأبني أنظمةً. ☐ أنا مستعدٌّ لقضاء ساعةٍ يومياً على الأقلّ في الأشهر الثلاثة المقبلة في بناء وتعلّم الأتمتة.

إن وضعتَ علامة على كلّ بندٍ، أنت جاهزٌ للفصل الثاني. وإن لم، فأعد قراءة هذا الفصل قبل أن تتقدّم. الأسس مهمّة.

الفصل الثاني: المنصّات الثلاث الكبرى — Zapier و Make و n8n

﴿ يَسْأَلُونَكَ مَاذَا أُحِلَّ لَهُمْ ۖ قُلْ أُحِلَّ لَكُمُ الطَّيِّبَاتُ ﴾ — المائدة: 4

١. لماذا ثلاث منصّات فقط

سوق الأتمتة يحتوي على عشرات المنصّات: Workato، Pabbly Connect، Make، n8n، Microsoft Power Automate، Pipedream، Tray.io، IFTTT، Activepieces، Zapier. لو حاولنا تغطية كلّها، لما تعلّمتَ شيئاً. لذا سنركّز على الثلاث الكبرى التي تغطّي ٩٥٪ من حالات استخدام المستقلّ في عام 2026:

- **Zapier**: الأبسط في التعلّم، الأكبر في عدد التطبيقات المدعومة، الأغلى في السعر.
- **Make** (سابقاً Integromat): واجهة بصرية بشكل لوحة، أرخص بكثير من Zapier، قويّة جداً.

- **n8n**: مفتوحة المصدر، تستضيفها بنفسك مجاناً، الأقوى من الثلاث، الأكثر تقنية.

اختيار واحدةٍ من هذه الثلاث يفتح لك ٩٥٪ من فرص العملاء. إن كنتَ تتعلّم Pabbly Connect حالياً، توقّف، وانتقل إلى Make أو Zapier — العملاء يعرفون هذه الأسماء، والمساعدة على الإنترنت لها أكبر بمئات المرّات.

٢. Zapier — السهلة باهظة الثمن

تأسّست Zapier في 2011 وهي أوّل من شعبَن الأتمتة لغير المبرمجين. واجهتها مبنية على «الزَّاب» (Zap): المُحفّز ← الإجراء.

[لقطة شاشة: واجهة Zapier تعرض زاباً بسيطاً يبدأ من Gmail وينتهي بـ Slack]

الإيجابيات:

- أكبر مكتبة تطبيقاتٍ مدعومة في السوق (أكثر من ٧٠٠٠ تطبيق في 2026).
- الواجهة الأبسط للمبتدئ. تُختار من قائمة، تُعبّأ حقولاً، تنتهي.
- المساعدة الكثيفة على Reddit و YouTube بالعربية والإنجليزية.

السلبيات:

- السعر. الخطّة المجّانية تعطيك ١٠٠ مهمّة شهرياً فقط، ومعظم الأتمتات تستهلك ٥-١٠ مهمّاتٍ في كلّ تشغيل.
- الخطّة الاحترافية تبدأ من ٢٠ دولاراً شهرياً (٧٥٠ مهمّة)، ومن يعمل بجدّ يصل بسرعةٍ إلى خطّة ٤٩ دولاراً (٢٠٠٠ مهمّة) أو ٧٩ دولاراً (٥٠٠٠ مهمّة).
- بنيةٌ خطيّة بسيطة. لا توجد فروع متشعّبة سهلة، لا حلقاتٍ مرنة، لا منطقٍ معقّد.

متى تختار Zapier: إن كنتَ تعمل لعميلٍ أمريكي يدفع جيّداً، ويستخدم تطبيقاً غير شائعٍ موجودٍ فقط على Zapier، وأنت لا تريد أن تخوض تعقيد Make.

٣. Make — التوازن المثالي

Make هي منصّةٌ تشيكية أُسّست تحت اسم Integromat ثمّ أعيدت تسميتها في 2022. واجهتها بصرية كاملة: ترى السيناريو كاملاً على لوحةٍ كبيرة، وتسحب الموديولات وتربطها.

[لقطة شاشة: لوحة Make تُظهر سيناريو من ٧ موديولات مرتبطة بدوائر مع خطوط بينها]

الإيجابيات:

- السعر. الخطّة المجّانية ١٠٠٠ عملية شهرياً (مقابل ١٠٠ مهمّة في Zapier — وعملية Make غالباً = مهمّة Zapier). هذا يكفي للتعلّم والمشاريع الصغيرة الأولى.
- واجهة بصرية رائعة تجعل سير العمل قابلاً للفهم بنظرة. هذا مهمّ حين تشرح للعميل ما بنيتَه.
- منطق متقدّم: تشعّبات، حلقات، معالجة أخطاء، فلاتر، مجمّعات بياناتٍ، كلّ ذلك بدون كود.
- مكتبة تطبيقاتٍ تكبر بسرعة (أكثر من ١٧٠٠ تطبيق في 2026)، تكفي لمعظم الحالات.

السلبيات:

- منحنى التعلّم أعلى قليلاً من Zapier. المفاهيم مثل «المُحوِّل» و«المُجمِّع» تحتاج تفسيراً.
- بعض التطبيقات النادرة لا توجد في Make، فتحتاج إلى استخدام موديول HTTP العامّ.
- الواجهة بالإنجليزية فقط.

متى تختار Make: في معظم الأحوال. إن كنتَ مستقلّاً يمنياً يبدأ في 2026، وتتساءل عن أيّ منصّةٍ تتعلّم — اِبدأ بـ Make. هذا ما يوصي به هذا الكتاب لـ ٩٥٪ من القرّاء.

٤. n8n — الأقوى للتقنيّين

n8n منصّةٌ مفتوحة المصدر، أُسّست في 2019 في ألمانيا. تستطيع أن تستضيفها بنفسك على خادمٍ بسيط (٥ دولارات شهرياً) وتشغّل أتمتاتٍ بلا حدودٍ.

[لقطة شاشة: واجهة n8n السوداء بعقدٍ ملوّنة — فيها تنسيقُ JSON ظاهرٌ في عقدةٍ واحدة]

الإيجابيات:

- المرونة الكاملة. تستطيع أن تكتب JavaScript مباشرةً في عقدٍ خاصّة، تستطيع أن تستدعي أيّ API.
- التكلفة. بعد إعداد الخادم، التشغيل مجّانيٌّ تماماً، حتّى لو نفّذتَ مليون عمليّة شهرياً.
- خصوصية البيانات. كلّ شيءٍ يجري على خادمك، فلا تخاف على بيانات العملاء الحسّاسة.
- المساعدة المجتمعية كبيرة وحرّة.

السلبيات:

- منحنى التعلّم الأعلى من الثلاث. حتّى البدء يحتاج إلى إعداد خادم، إعداد دومين، إعداد SSL — أو استخدام n8n Cloud المدفوع.
- الواجهة موجّهة للتقنيّين أكثر. ستُلامس JSON أحياناً.

- أقلّ مكتبة تطبيقاتٍ مدعومة بصورةٍ رسميّة (لكنّها تُكمّل الفجوة بمرونة HTTP).

متى تختار n8n: إن كنتَ تعمل لعميلٍ يدفع لك ١٠٠٠+ دولار شهرياً مقابل أتمتاتٍ كثيفة العمليات، أو إن كنتَ تنوي بناء وكالةٍ صغيرة — n8n يعطيك هامشاً ربحياً ضخماً لأنّ التكلفة شبه صفر.

> **تلميح**: في برنامج *LLM4Yemen*، نوصي بأن يبدأ طالب المسار أ بـ *Make*. حين يصل دخلك إلى ٢٠٠٠ دولار شهرياً، فكّر في الانتقال إلى *n8n* لتقليل تكاليفك.

٥. مقارنةٌ سريعة

المنصّة	n8n	Make	Zapier
السعر/شهر	$٢٠-٧٩	$٩-٢٩	$٥ VPS
سهولة	٩/١٠	٧/١٠	٥/١٠
المرونة	٥/١٠	٨/١٠	١٠/١٠
مكتبة التطبيق	+٧٠٠٠	+١٧٠٠	+٤٠٠

٦. شجرة قرار: أيّ منصّة لك أنت؟

اِسأل نفسك هذه الأسئلة بالترتيب:

1. هل لديك ميزانية ٢٠ دولاراً شهرياً للأدوات؟
2. لا ← اذهب إلى Make (المجّانية ١٠٠٠ عملية تكفي للتعلّم).
3. نعم ← استمرّ.
4. هل تعمل لعميلٍ يستخدم تطبيقاً غريباً (HubSpot الكامل، Salesforce، أحد ERPs)؟
5. نعم ← فحَص دعم Zapier أوّلاً، ثمّ Make.
6. لا ← استمرّ.
7. هل أنت مرتاحٌ للنظر إلى JSON أحياناً؟
8. نعم ← فكّر في n8n.
9. لا ← اِبقَ على Make.

10. هل تتوقّع أن تنفّذ أكثر من ١٠٠٠٠ عملية شهرياً قريباً؟

11. نعم ← خطّط للانتقال إلى n8n.

12. لا ← Make تكفيك سنوات.

النتيجة المعتادة لطالب يمنيّ في 2026: **Make**.

٧. التسجيل من اليمن — الواقع

سنكون صادقين: الدفع من اليمن صعبٌ. هذه طرقٌ مَرّ بها مستقلّون قبلك:

Make: يقبل بطاقات Visa الدولية. إن لم يكن لديك بطاقةٌ، استخدم Wise (سابقاً TransferWise) — تسجيل من اليمن صعب لكنّه ممكن مع جواز سفر. بدائل: Payoneer، أو بطاقة افتراضية من خدمة عربية مثل Eddenec أو Manama Card.

Zapier: نفس الشيء. يقبل Visa دولية، PayPal، Stripe في بعض البلدان.

n8n: إن استضفته بنفسك على VPS صغير، فأنت تحتاج فقط لدفع VPS — والمزوّدون مثل Hetzner و Contabo يقبلون PayPal و Bitcoin.

⚠ **تحذير**: لا تستخدم بطاقاتٍ افتراضية مجهولة المصدر. بعضها يُغلق فجأةً ويأخذ معه اشتراكاتك. ابحث عن سمعة المزوّد قبل التسجيل، وتأكّد من إمكانية تجديد البطاقة.

٨. ما الذي تستطيع شحنه فعلاً بالطبقة المجّانية؟

Make المجّانية (١٠٠٠ عملية شهرياً):

- ٥٠ تشغيل لأتمتةٍ من ٢٠ موديولاً، أو
- ٢٠٠ تشغيل لأتمتةٍ من ٥ موديولات، أو
- ١٠٠٠ تشغيل لأتمتةٍ من موديول واحد (نادر).

هذا يعني: تستطيع أن تشحن لعميلٍ واحد أتمتةً تعمل ٥-١٠ مرّاتٍ يومياً، طوال الشهر، مجّاناً.

Zapier المجّانية (١٠٠ مهمّة شهرياً):

- ٥-٢٠ تشغيلاً لأتمتةٍ من ٥-٢٠ خطوة. ضيّق جداً، يصلح للتعلّم فقط، لا للإنتاج.

n8n المستضافة ذاتياً:

- لا حدود. تشغّل ما تشاء.

التوصية: ابدأ Make بالمجّان، وحين تأخذ عميلك الثاني، انتقل إلى خطّة Make Core بـ ٩ دولارات شهرياً (١٠٠٠٠ عملية) — تحرّرك تماماً.

٩. استراتيجية «المرساة + المدى»

اِستراتيجيةُ المستقلّ الذكيّ ليست أن يُتقن واحدةً ويتجاهل الباقي. الاستراتيجية:

المرساة: منصّةٌ تتقنها كأنّها لغتك الأمّ. سترى السيناريو في خيالك قبل بنائه. تعرف كلّ الموديولات، كلّ الاختصارات، كلّ الفخاخ. هذه — بالنسبة لـ ٩٥٪ منكم — هي Make.

المدى: تعرف الأخريَين بمستوى «أستطيع أن أهاجر»، أي تعرف كيف تبدأ سيناريو، كيف تربط حساباً، كيف تجد المساعدة. لا تتقنهما، لكنّك لست عاجزاً عنهما.

لماذا؟ لأنّ العميل سيقول لك يوماً: «نحن نستخدم Zapier في الشركة، هل تستطيع أن تبني لنا فيها؟» — تقول نعم بثقة، تقضي يومين في الترحيل، تشحن.

١٠. سيناريو «مرحبا أتمتة»

سنبني الآن أوّل سيناريو لك على Make. اسمه: «مرحبا أتمتة». هدفه واحد: حين يضاف صفّ جديد إلى Google Sheet معيّن، يصل لك إشعارٌ على Telegram.

المتطلّبات: - حساب Make (مجّاني) - حساب Google - حساب Telegram، وبوت أنشأتَه عبر BotFather

المخطّط النهائي:

```
┌──────────────────┐    ┌──────────────────┐
│  Google Sheets   │──→│  Telegram Bot    │
│  (إرسال رسالة)   │    │  (صفّ جديد)      │
└──────────────────┘    └──────────────────┘
```

الخطوات:

1. اِفتح Make.com ← سجّل دخولاً ← اِنقر «Create a new scenario».
2. اِبحث عن «Google Sheets» ← اختر «Watch Rows».
3. اِربط حساب Google، اختر السبريدشيت، اختر الورقة.

4. إضغط على الدائرة بجوار Google Sheets → ابحث عن «Telegram Bot» → اختر «Send a Text Message or a Reply».
5. إربط بوتك (الـ token الذي حصلت عليه من BotFather).
6. إكتب نصّ الرسالة، واسحب من الموديول السابق `{{Name}}` و `{{Email}}` لتظهر في الرسالة.
7. إضغط «Run once».

اختبار النجاح: - تَفتح Google Sheet، تكتب صفّاً جديداً. - خلال ١٥ ثانية، يصلك إشعارٌ على Telegram يحوي محتوى الصفّ. - إن لم يصل، انظر إلى لوحة Make: ستظهر العملية مع أيّ خطأ.

[لقطة شاشة: لوحة Make بعد التشغيل الناجح، تظهر عملية صحيحة بعلاماتٍ خضراء]

١١. تلميحات وتحذيرات للفصل

تلميح: عند بناء أوّل سيناريو، لا تشغّل «*Schedule*» مباشرة. شغّله بـ «*Run once*» أو «*Immediately*» يدوياً عشر مرّات على الأقلّ، حتّى تتأكّد أنه لا يحوي حلقةً لانهائية.

⚠ **تحذير**: لا تربط *Make* بحساب *Google* يحتوي على بريدٍ شخصيٍّ حسّاس. أنشئ حساب *Google* جديداً مخصّصاً لاختباراتك، حتّى لا تخاطر بأن تُرسل أتمتةٌ خاطئة بريداً غير مقصود.

١٢. تقييمٌ ذاتي

☐ أعرف الفرق بين Zapier و Make و n8n في ثلاث جمل. ☐ اخترتُ منصّةً واحدةً (Make غالباً) سأركّز عليها الفصول الستّة المقبلة. ☐ أنشأتُ حسابي على المنصّة المختارة. ☐ بنيتُ سيناريو «مرحبا أتمتة» وشغّلتُه بنجاح مرّةً واحدة على الأقلّ.

أربع علامات؟ تقدّم إلى الفصل الثالث. ثلاث؟ توقّف وأكمل ما ينقص.

الفصل الثالث: مفاهيم الأتمتة الأساسية

﴿ وَخَلَقْنَاكُمْ أَزْوَاجًا ۝ وَجَعَلْنَا نَوْمَكُمْ سُبَاتًا ﴾ — النبأ: 8-9

١. لماذا تحتاج إلى المفاهيم قبل الأدوات

في الفصل الثاني بنينا «مرحبا أتمتة» بدون أن نشرح كثيراً. كان ذلك مقصوداً — أردنا أن تنجز شيئاً قبل أن تحفظ مصطلحات. الآن، وقد اختبرتَ المنصّة، ستفهم المفاهيم بسهولة.

كلّ منصّةٍ من الثلاث تستخدم تقريباً نفس الكلمات بمسمّياتٍ مختلفة. سنتعلّم المفاهيم العامّة، ثمّ كلمات Make و Zapier و n8n لكلٍّ منها.

٢. النموذج الذهنيّ: الوصفة

أتمتةٌ ناجحة تُشبه وصفةَ طبخ:

- **المكوّنات** = البيانات (بريد، صفّ في جدول، رسالة WhatsApp).

- **الخطوات** = الموديولات (افحص البريد، استدعِ Claude، أرسل رسالة).
- **النتيجة** = ما يحدث في العالم (صفّ جديد، رسالة مُرسلة، ملف محفوظ).
- **الحرارة** = المُحفّز (متى تبدأ الوصفة).
- **الأدوات** = الحسابات والمنصّات.

حين تخطّط لأيّ أتمتة، اسأل نفسك هذه الخمسة. إن غاب مكوّنٌ منها، سيفشل البناء.

٣. المُحفّز (Trigger)

المُحفّز هو الحدث الذي يُشعل سير العمل. أنواعه:

أ. مُحفّز فوري (instant / webhook): يُشعل في اللحظة. مثلاً: حين يصل بريدٌ جديد، تُشعل الأتمتة فوراً. سرعةٌ عالية، تكلفةٌ صفر، لكنّه يحتاج إلى أن التطبيق يدعم webhooks.

ب. مُحفّز دوريّ (polling): يفحص كلّ ١٥ دقيقة، أو كلّ ساعة، إن كان هناك جديد. مثلاً: «افحص هذا المجلّد كلّ ١٥ دقيقة، وإن وجدتَ ملفّاً جديداً، شغّل». سهلٌ لكنّه يستهلك عمليات.

ج. مُحفّز مجدول (schedule): يعمل في وقتٍ محدّد. مثلاً: «كلّ يومٍ في السابعة صباحاً، شغّل الأتمتة».

د. مُحفّز يدويّ (manual): تشغّله بنفسك بضغطة زرّ. مفيدٌ للأتمتات الكبيرة التي لا تريد أن تشتغل تلقائياً.

> 💡 **تلميح**: ابدأ دائماً بمحفّزٍ يدويّ أو مجدول حين تَختبر. حين يصبح كلّ شيءٍ مستقرّاً، حوّله إلى مُحفّز فوري إن كان مدعوماً.

٤. الإجراء (Action)

الإجراء هو خطوةٌ تفعل شيئاً. أنواعه:

أ. إنشاء (create): «أنشئ صفّاً في Sheet»، «أرسل بريداً»، «انشر تغريدة». **ب. قراءة (read / get)**: «اقرأ محتوى ملفّ»، «اقرأ بيانات صفّ». **ج. تعديل (update)**: «حدّث صفّاً موجوداً»، «عدّل اسم ملفّ». **د. حذف (delete)**: نادر في أتمتات المستقلّين، لكنّه موجود. **هـ. بحث (search)**: «ابحث في Sheet عن صفّ يطابق هذا الشرط، أعطني صفّاً واحداً».

٥. الفلتر (Filter)

الفلتر هو شرطٌ بين خطوتَين. لا تتجاوز الأتمتة الفلترَ إلا إن تحقّق الشرط. مثلاً:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Sheet    │──►│ Claude   │──►│ Filter   │──►│ mail
│ (بريد)   │   │ (مهمّ؟)  │   │ (تصنيف)  │   │ (تسجي
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

في Make، الفلتر يَظهر بين موديولين كأيقونة دائرة صغيرة. تنقر عليها، تكتب الشرط («إن كان نصّ البريد يحوي كلمة "عاجل"، اِعبُر»).

٦. المنسّق (Formatter)

المنسّق يُحوّل البيانات من شكلٍ إلى آخر. أمثلة:

- نصّ ← تاريخ
- تاريخ بالعربية ← تاريخ ISO
- نصّ كبير ← نصّ صغير
- اسم كامل ← اسم أوّل + اسم عائلة
- JSON ← جدول

كلّ منصّةٍ تسمّيها مختلفاً: Zapier تسمّيها «Formatter»، Make تسمّيها «Tools» أو n8n، Text Parser تسمّيها «Set» أو «Function».

٧. الحلقة (Loop / Iterator)

الحلقة هي تكرارٌ على قائمة. مثلاً: لديك ١٠ ملفّاتٍ، وتريد أن تعالج كلّ واحدٍ على حدة. الحلقة تأخذ القائمة، وتشغّل ما بعدها مرّةً لكلّ عنصر.

في Make، الحلقة تسمّى «Iterator» للفتح، و«Aggregator» لإعادة التجميع.

[لقطة شاشة: سيناريو Make يُظهر Iterator يأخذ قائمةَ بريدٍ ويعالج كلّ بريدٍ على حدة]

٨. المسار (Path / Router)

المسار يُقسّم سير العمل إلى فروعٍ مختلفة بناءً على شرط. مثلاً:

```
┌──► مسار 1: مهمّ ──► Claude ──►
│
Router ──► Gmail ──┼──► مسار 2: عادي ──► Sheet ──► م
│
└──► مسار 3: spam ──► حذف
```

الراوتر مهمّ جداً في الأتمتات الذكيّة، لأنّ نتائج Claude قد تتطلّب ٣ مساراتٍ مختلفة بناءً على التصنيف.

٩. مُعالج الأخطاء (Error Handler)

الموديول يفشل أحياناً: انقطاع الإنترنت، انتهاء صلاحية المصادقة، حدود السعر (rate limit). معالج الأخطاء يقول للأتمتة ما تفعل في هذه الحالة:

- **تجاهل**: تَستمرّ كأنّ شيئاً لم يحدث.
- **توقّف وأبلغني**: ترسل لك إشعاراً وتتوقّف.
- **أعد المحاولة**: تنتظر دقيقة ثمّ تُحاول مرّةً أخرى، حتّى ٥ مرّات.
- **مسار بديل**: تنتقل إلى مسارٍ احتياطي.

> ⚠ **تحذير**: أتمتةٌ بدون معالج أخطاء = قنبلةٌ موقوتة. حين يفشل موديولٌ في الثالثة فجراً، أنت لا تعرف، والعميل يتفقّدك صباحاً غاضباً. ضع معالج أخطاء على كلّ موديول *AI* وكلّ موديول *HTTP* في كلّ سيناريو إنتاجي.

١٠. القراءة مقابل الكتابة

كلّ تطبيقٍ يدعم قراءةً، أو كتابةً، أو الاثنَين. هذا مهمّ:

- **يدعم القراءة فقط** (نادر): RSS feeds، بعض APIs.
- **يدعم الكتابة فقط** (نادر): بعض إشعارات المستخدم.

- **يدعم الاثنَين** (الغالب): Notion، Google Sheets، Gmail،
Airtable، WhatsApp Business.

قبل بناء أيّ سيناريو، تأكّد أنّ التطبيق يدعم العمليّة التي تحتاجها. اِنظر إلى صفحة integration في موقع المنصّة.

١١. Webhooks لغير المبرمجين

webhook = «رابطٌ خاص يستقبل بياناتٍ من تطبيقٍ آخر». تحتاجه حين:

- يريد تطبيقٌ أن يُخبر سيناريوك بأنّ شيئاً حدث.
- لا توجد integration رسمية بين التطبيقَين.
- تحتاج إلى تشغيل سيناريو من زرّ على موقعك أو نموذج.

في Make: تنشئ موديول «Custom webhook» ← «Webhooks»،
يعطيك رابطاً، تنسخه، تَلصقه في التطبيق المُرسِل.

[لقطة شاشة: شاشة Make تُظهر موديول webhook مع الرابط في الأسفل]

١٢. المتغيّرات وتدفّق البيانات

كلّ موديولٍ يُنتج بياناتٍ. هذه البيانات متاحةٌ لأيّ موديولٍ بعده. مثلاً:

- موديول Gmail يُنتج: `{{From}}`, `{{Subject}}`, `{{Body}}`, `{{Date}}`.
- موديول Claude يأخذ `{{Body}}` ويُنتج `{{Classification}}`, `{{Summary}}`.
- موديول Sheet يكتب صفّاً بـ `{{From}}`, `{{Classification}}`, `{{Summary}}`.

في Make، تسحب الحقل من الموديول السابق إلى الحقل الذي تكتب فيه. هذا «تَمرير المتغيّر».

١٣. سير العمل الأوّل: نموذج ← AI ← جدول

سنبني الآن سيناريو حقيقياً نستخدمه طوال بقيّة الكتاب. أيّ عميل بحاجة إلى تصنيف رسائل النموذج (form) سيستفيد منه.

القصّة: عميلٌ يستقبل ٣٠-٥٠ طلباً يومياً عبر نموذج Google Forms على موقعه. كلّ طلبٍ نوعه مختلف (استفسار سعر، شكوى، عرض تعاون، spam).

يدوياً، يأخذ منه ساعتَين يومياً ليصنّفهم. سنبني له أتمتةً تصنّف تلقائياً وتسجّل في Sheet مرتّب.

المخطّط النهائي:

```
┌──────────────┐   ┌──────────────┐   ┌──────────────┐
│ Telegram     │──►│ Sheet        │──►│ Claude       │──►│ Google Forms
│ (طلب جديد)   │   │ (تصنيف)      │   │ (تسجيل)      │
└──────────────┘   └──────────────┘   └──────────────┘
```

[لقطة شاشة: السيناريو في Make بأربع موديولات مرتبطة]

الخطوات:

1. أنشئ نموذج Google Forms بسيطاً بـ ٣ حقول: الاسم، البريد، الرسالة.
2. أنشئ Sheet مرتبطاً بالنموذج (أوتوماتيكي عند إنشاء النموذج).
3. أنشئ سيناريو جديداً في Make.
4. أضف Watch Rows ← Google Sheets ← اختر السبريدشيت.
5. أضف Create a Message Completion ← Anthropic Claude.
   (إن لم يكن لديك حساب Anthropic، تخطّي إلى الفصل التالي وعد).
6. System: «أنت مساعدٌ يصنّف رسائل العملاء إلى أربع فئات: استفسار سعر، شكوى، عرض تعاون، spam. أعد كلمةً واحدة فقط من هذه الأربع.»

7. User: {{Body}}
8. أضف Google Sheets → Update a Row (في Sheet مختلف، أو نفس Sheet مع عمود جديد).
9. اكتب التصنيف من Claude في عمود «الفئة».
10. أضف فلتراً قبل Telegram: «إن كانت الفئة = استفسار سعر»، اعبر.
11. أضف Telegram Bot → Send Message → نصّ يحوي اسم العميل + رسالته.

اختبار النجاح: - تملأ النموذج برسالة استفسار سعر. - خلال دقيقتَين، يَظهر صفّ في Sheet مع تصنيف صحيح. - يصلك إشعار Telegram.

ما الذي قد يخطئ: - Claude يُرجع جملةً كاملة بدل كلمةٍ واحدة. الحلّ: أضف في system: «لا تُضف أيّ شرحٍ أو علامات ترقيم». - النموذج لا يُشعل السيناريو. الحلّ: تأكّد أنّ Sheet مرتبط فعلاً بالنموذج، وأنّ Make يفحص كلّ ١٥ دقيقة. - Telegram لا يستقبل. الحلّ: تأكّد من Bot Token وأنّك بدأتَ محادثةً مع البوت أوّلاً.

١٤. المنصّة كموازنة بين السرعة والتكلفة

كلّ موديولٍ يُكلّف عملياتٍ على Make. هذا السيناريو يستهلك ٤ عمليات لكلّ تشغيل. إن استقبلتَ ٣٠ طلباً يومياً، فهذا ١٢٠ عملية يومياً، أو ٣٦٠٠ عملية شهرياً. هذا يتجاوز الخطّة المجّانية. الخيارات:

1. ترقية إلى خطّة Core (٩ دولار، ١٠٠٠٠ عملية).
2. تقليل الموديولات: ضمّ Sheet update مع التصنيف معاً.
3. تشغيل الفلتر مبكراً: لا تستدعي Claude لكلّ شيء، بل لما يبدو فعلاً غير spam.

> **تلميح**: في كلّ سيناريو، اسأل: «أيّ موديولٍ هنا قد لا يُستحقّ التشغيل؟». ضع فلتراً قبله. كلّ فلتر مبكر = توفير في العمليات وفي تكلفة الـ *AI*.

١٥. ثلاثة بناءاتٌ تخرج بها من هذا الفصل

البناء الأوّل (مبتدئ — ٢٠ دقيقة): سيناريو «الاستيقاظ الذكي»

السيناريو: كلّ صباح في السابعة، يصلك على Telegram: الطقس في صنعاء + أوّل ٥ بنود في To-Do الخاص بك في Notion + آخر ٣ رسائل بريدٍ غير مقروءة.

المنصّة: Make.

المخطّط:

```
┌──────────────┐   ┌──────────────┐   ┌──────────────┐   ┌──────────────┐
│  Telegram    │──►│   Notion     │──►│  Weather     │──►│              │
│ (٧:٠٠ ص)     │   │   (API)      │   │ (مهامّ)      │   │              │
└──────────────┘   └──────────────┘   └──────────────┘   └──────────────┘
```

اختبار النجاح: تستيقظ غداً، تجد رسالةً في Telegram تحوي ما طلبتَ.

البناء الثاني (متوسّط — ٤٥ دقيقة): مصنّف بريدٍ ذكي

السيناريو: كلّ بريدٍ جديد في Gmail يُصنّف بـ Claude إلى ٤ فئات (مهمّ، عادي، إعلاني، spam)، ثمّ يُلصق له labels في Gmail تلقائياً.

المنصّة: Make.

المخطّط:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│  Gmail   │──►│  Claude  │──►│ Filter   │──►│ il       │
│ (بريد)   │   │ (جديد؟)  │   │ (تصنيف)  │   │ el)      │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

اختبار النجاح: تُرسل لنفسك بريداً تجريبياً يحوي كلمة «عرض ٧٠٪»، تجد بعد دقيقتَين أنه صُنّف «إعلاني» تلقائياً.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): نظام طلباتٍ كاملٍ لمصمّمٍ مستقلّ

السيناريو: عميلٌ يملأ نموذج طلب تصميم على موقعك. السيناريو يأخذ الطلب، يصنّف نوع التصميم بـ Claude (شعار، بانر، عرض تقديمي)، يحسب سعراً تقديرياً (شعار = ٢٠٠ دولار، بانر = ٥٠ دولار، عرض = ٤٠٠ دولار)، يحفظ في Airtable، ويرسل بريداً تأكيدياً للعميل بالسعر، ثمّ يُشعرك على Telegram.

المنصّة: Make.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Telegram │──►│  Gmail   │──►│ Airtable │──►│Calculator│
│ (نموذج)  │  │(تصنيف)   │  │ (سعر)    │  │ (تخزين)  │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

اختبار النجاح: - تَملأ النموذج بطلب «تصميم شعار لمتجري». - خلال ٣٠ ثانية: صفّ في Airtable، بريد للعميل بسعر «٢٠٠ دولار»، إشعار Telegram لك.

التعديل للعميل: خَصْم سعرٍ (٢٠٠ دولار → ١٥٠ دولار)، استبدال شعار شركتك بشعار عميلك في النموذج، استبدال بريدك ببريد عميلك في الإشعار.

١٦. تقييمٌ ذاتي

☐ أستطيع شرح الفرق بين Trigger و Action و Filter في جملةٍ واحدةٍ لكلٍّ. ☐ أستطيع شرح الفرق بين Webhook و Polling و Schedule. ☐ بنيتُ على الأقلّ بناءَين من الثلاثة في الأعلى. ☐ أستطيع نظرياً شرح ما هو معالج الأخطاء ولماذا أحتاجه.

ثلاث علامات على الأقلّ؟ تابع. أقلّ؟ كرّر البناءات.

الفصل الرابع: ربط الذكاء الاصطناعي بالأتمتة

﴿ وَعَلَّمَ آدَمَ الْأَسْمَاءَ كُلَّهَا ﴾ — البقرة: 31

١. الفكرة التي تفتح كلّ شيء

أتمتةٌ بدون ذكاء اصطناعي = نقل ميكانيكيّ للبيانات. أتمتةٌ مع ذكاء اصطناعي = موظّفٌ ذكيّ يعمل لك ٢٤ ساعة بدون توقّف. الفرق بينهما هو فرقٌ بين «روبوت كومبيوتر» و«مساعد إداريّ يفهم». في هذا الفصل، تتعلّم النمط الذي ستستخدمه في كلّ سيناريو إنتاجي بعد اليوم:

```
┌──────────────┐    ┌──────────────┐    ┌──────────────┐
│  مُحفّز      │──►│خطوة AI       │──►│  إجراء       │
│  (حدث)       │    │  (فهم)       │    │  (نتيجة)     │
└──────────────┘    └──────────────┘    └──────────────┘
```

كلّ عملٍ معرفيّ تفعله ذهنياً قابلٌ لأن يصبح خطوة AI في سيناريو: تصنيف، تلخيص، ترجمة، استخراج، صياغة، مقارنة، إعادة كتابة بنبرةٍ مختلفة، الإجابة على أسئلة في وثيقة.

٢. الموديولات الرسمية للذكاء الاصطناعي في 2026

كلّ منصّةٍ تدعم رسمياً عدداً من نماذج الذكاء الاصطناعي. ما يهمّك:

Anthropic Claude (موصى به في هذا الكتاب): - متاح في Make و Zapier و n8n. - النماذج الرئيسية: Claude Opus 4.6 (الأذكى، الأغلى)، Claude Sonnet 4.6 (التوازن)، Claude Haiku 4.5 (الأسرع، الأرخص). - ممتازٌ بشكلٍ خاصّ في العربية واتّباع التعليمات الدقيقة.

OpenAI ChatGPT: - متاحٌ في كلّ المنصّات. - النماذج: GPT-4o، GPT-4 Turbo، إلخ. - مكتبة plugins واسعة، لكنّ الأداء على العربية أضعف قليلاً من Claude.

Google Gemini: - متاحٌ بشكلٍ متزايد. - نقطة قوّة: مجّاني للاستخدام الخفيف، ومتكامل مع Google Workspace.

ElevenLabs، **Cohere** (صوت)، **Stability AI** (صور): لحالات مخصّصة.

٣. كيف تستدعي AI من Make

في Make، تَبحث في «Add a module» عن «Anthropic Claude».
ستظهر لك خيارات:

- **Create a Message Completion**: الأكثر استخداماً. تُرسل system + user، يُرسل Claude نصّاً.
- **Create a Tool Use**: للحالات المتقدّمة (وكلاء).
- **Make an API Call**: استدعاءٌ مرن إن لم يفِك الموديول الرسمي.

[لقطة شاشة: شاشة موديول Claude في Make تُظهر حقول model و system و user و max_tokens]

أوّل مرّة، يطلب منك المفتاح (API key). تحصل عليه من console.anthropic.com → API Keys → Create. اِنسخ المفتاح، اِلصقه في Make. لا تشاركه مع أحد.

٤. نمط HTTP العامّ

ماذا لو كان النموذج الذي تريده غير مدعومٍ رسمياً (مثلاً نموذجٌ عربيّ من جامعةٍ معيّنة)؟ تستخدم موديول HTTP. مثال لاستدعاء Claude مباشرة:

URL: https://api.anthropic.com/v1/messages

Method: POST **Headers**:

```
x-api-key: YOUR_KEY
anthropic-version: 2023-06-01
content-type: application/json
```

Body:

```
}
,"model": "claude-sonnet-4-6"
,max_tokens": 1024"
] :"messages"
{"role": "user", "content": "صنّف هذا البريد..."}
[
{
```

[لقطة شاشة: موديول HTTP في Make مع الحقول معبّأة]

> ⚠ **تحذير**: لا تَكتب مفتاح *API* في حقلٍ ظاهر. استخدم *«Connections»* في *Make*، أو ضع المفتاح في إعداد الـ

environment variable في *n8n*. لو تَسرّب مفتاحك، شخصٌ آخر يستطيع أن يستخدمه على حسابك ويحرق رصيدك.

٥. إدارة المفاتيح للمستقلّ

كلّ عميلٍ يفترض أن يملك مفتاحه الخاص، وتفوتر استخدامه عليه مباشرة. هكذا:

الطريقة المفضّلة: العميل يفتح حساب Anthropic، يضيف بطاقته، يعطيك مفتاحاً. أنت تَستخدمه في سيناريوه. هكذا الفاتورة تذهب إليه مباشرةً، وأنت تأخذ أتعابك على البناء والصيانة، لا على الاستخدام.

الطريقة البديلة: مفتاحك أنت، وتَفوتر العميل ٣٠٠٪ من تكلفة الاستخدام (تكلفتك + هامش ٢٠٠٪). هذا يصبح إدارياً مرهقاً عند تعدّد العملاء.

الطريقة المختلطة: أنت تَستخدم مفتاحك للتطوير والاختبار، ثمّ تستبدله بمفتاح العميل قبل التسليم.

٦. التحكّم بالتكلفة

استدعاء Claude يكلّف بناءً على الـ tokens (الكلمات تقريباً) المُرسلة والمُستقبلة. الأسعار في 2026:

النموذج	إدخال (لكلّ مليون token)	إخراج (لكلّ مليون token)
Claude Opus 4.6	$١٥	$٧٥
Claude Sonnet 4.6	$٣	$١٥
Claude Haiku 4.5	$٠.٨	$٤

في الممارسة، رسالة بريدٍ متوسّطة تُكلّف ٠.٠٠١ إلى ٠.٠٠٥ دولار للتصنيف. ١٠٠٠ تصنيف شهرياً = ٢-٥ دولار. مقبول.

لكن: إن وضعتَ Opus على سيناريو يفعل ١٠ آلاف استدعاء يومياً، وكلّ استدعاء يُرسل وثيقة طويلة، فأنت أمام ٥٠٠ دولار شهرياً.

> **تلميح**: ابدأ كلّ مشروعٍ بـ *Haiku*. إن وجدتَ النتيجة غير كافية، ارفع إلى *Sonnet*. لا ترفع إلى *Opus* إلا في حالاتٍ نادرة (تحليلٌ معقّد، توليد طويل).

ضع تنبيهاً في Anthropic Console: «أرسل لي بريداً إن تجاوز الاستهلاك ٢٠$ في اليوم». هذا يمنع كارثة.

٧. القالب داخل سيناريو

كتابة قالب AI داخل أتمتة تختلف عن المحادثة. في المحادثة، يكفيك السياق الذي تكلّمتَ به. في الأتمتة، كلّ تشغيل بداية جديدة. لذا قالبك يحتاج إلى:

نموذج system جيّد:

```
أنت موظّفٌ متخصّصٌ في تصنيف رسائل العملاء.
ستستقبل نصّ بريد. أعد كلمةً واحدةً فقط من القائمة:
- استفسار_سعر
- شكوى
- عرض_تعاون
- دعم_فني
- spam
لا تكتب أيّ شرح. لا تكتب علامات ترقيم. كلمةٌ واحدةٌ فقط.
```

user مع المتغيّرات:

```
نصّ البريد:
{{Body}}
```

هذا أوضح من «صنّف هذا»، ويُنتج نتيجةً يستطيع الموديول التالي قراءتها بدون عبث.

٨. الحصول على JSON منظّم

أحياناً تحتاج بياناتٍ متعدّدةً من Claude، لا كلمةً واحدة. مثلاً: التصنيف + الأهمّية + اللغة + اقتراح الردّ. الحلّ: اطلب JSON.

system:

```
أنت محلّل بريد.
أعد JSON صالحاً فقط، بهذا الشكل بالضبط:
{
  "category": "<استفسار_سعر|شكوى|spam|عادي>",
  "priority": "<مرتفع|متوسّط|منخفض>",
  "language": "<ar|en|fr>",
  "suggested_reply": "<نصّ ردّ مقترح>"
}
لا تكتب أيّ نصّ خارج الـ JSON.
```

في Make، استخدم بعد ذلك موديول «Parse JSON». يأخذ نصّ Claude ويُحوّله إلى متغيّراتٍ منفصلة: {{category}}, {{priority}}, إلخ.

[لقطة شاشة: موديول Parse JSON في Make يستقبل خرج Claude ويُنتج حقولاً منفصلة]

٩. سير عمل: تصنيف بريد العميل بـ Claude

نُكمل سيناريو الفصل الثالث بإضافة Claude.

المخطّط النهائي:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Claude   │→│Parse JSON│→│ Sheet    │→│ Router   │
│ (تسجيل)  │  │          │  │ (تحليل)  │  │ (بريد)   │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

```
──────┐
      ▼
┐  ┌──────────┐
│  │Slack: مهمّ│
┘  └──────────┘
```

خطوات البناء:

1. Watch Emails ← Gmail ← اختر inbox.

2. Claude → Create a Message Completion. استخدم القالب من القسم السابق.
3. JSON → Parse JSON. الموديول يَطلب «sample» — انسخ نموذج JSON من القالب.
4. Sheet → Add a Row. أضف عموداً لكلّ حقلٍ من الـ JSON.
5. Router → فروع بحسب `{{priority}}`.
6. الفرع الأوّل: Slack → Send Message → نصّ يحوي `{{From}}`، `{{Subject}}`، `{{suggested_reply}}`.
7. الفرع الثاني: تخطّي (Sheet موجود سابقاً).
8. الفرع الثالث: Gmail → Trash Message.

اختبار النجاح: - تَستقبل بريداً يحوي «أحتاج عرض سعر اليوم»، يصنّف «استفسار_سعر»، أولويّة «مرتفع»، يصلك إشعار Slack. - تَستقبل spam، يُحذف تلقائياً.

ما الذي قد يخطئ: - Claude يعيد JSON غير صحيح (نسي قوساً). الحلّ: أضف في system: «إن كنتَ غير متأكّد، أعد JSON الافتراضي بكلّ حقلٍ = unknown». - الراوتر لا يتفرّع. الحلّ: تأكّد أنّ شروطك تستخدم الحقل المحلّل من JSON، لا النصّ الكامل من Claude.

١٠. وصفة للبيع: «مصنّف بريد العملاء»

الوصفة: مصنّف بريد العملاء القيمة للعميل: يوفّر له ٤-٨ ساعات شهرياً من فرز البريد، ويضمن أنّ الرسائل المهمّة لا تضيع. **الوقت الموفّر**: ٦ ساعات/شهر متوسّطاً. **المنصّة الموصى بها**: *Make*. **التكلفة الشهرية**: ٢-٤$ لاستدعاءات *Claude* + ٩$ *Make Core* = ١٣$. **المخطّط**: *Gmail → Claude → Parse JSON → Sheet + Slack + Gmail Label*. **الخطوات**: كما في القسم ٩ أعلاه. **التخصيص للعميل**: تغيير الفئات في *system*، تغيير شرط الراوتر، تخصيص نصّ الإشعار. **السعر المقترح**: ٤٥٠$ بناء + ٧٥$ شهرياً صيانة (٦ شهور حدّ أدنى).

هذه أوّل وصفةٍ في مكتبتك. ستكون عندك ٣٠ في نهاية الكتاب.

١١. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٥ دقيقة): مترجم رسائل WhatsApp

السيناريو: حين يصل لك في Gmail بريدٌ بالإنجليزية، يُترجمه Claude للعربية، يُرسله لك على Telegram.

المخطّط:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Telegram │──►│ Claude   │──►│ Filter   │──►│ Gmail    │
│ (بريد)   │   │ (EN فقط) │   │ (ترجمة)  │   │ (إرسال)  │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

اختبار النجاح: ترسل لنفسك بريداً إنجليزياً، يصلك على Telegram مترجماً عربياً.

البناء الثاني (متوسّط — ٤٥ دقيقة): مولّد ملخّصاتٍ لمستندات Google

السيناريو: حين تُضيف ملفّ Google Doc جديد إلى مجلّدٍ معيّن، Claude يقرأ المحتوى، يُنتج ملخّصاً من ٥ نقاط، يكتبه في أعلى الملفّ.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Docs     │→│ Claude   │→│ Docs     │→│ Drive    │
│(ملفّجديد)│  │(قراءة)   │  │(ملخّص)   │  │(إدراج)   │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

اختبار النجاح: تضع مقالاً من ٣ صفحاتٍ في المجلّد، خلال ٣ دقائق، الملخّص في أعلاه.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): مولّد عروض Upwork ذكي

السيناريو: تُلصق رابط منشور Upwork في نموذج Google، السيناريو يقرأ المنشور (عبر web scraper)، يستخرج المتطلّبات، يصيغ عرضاً مخصّصاً بصوتك (يَقرأ من Notion ملفّ سيرتك)، يحفظه في Sheet للمراجعة، يُشعرك بـ Telegram.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Telegram │→│ Sheet    │→│ Claude   │→│ Notion   │→│ Drive    │
│(رابط)    │  │(منشور)   │  │(سيرتك)   │  │(عرض)     │  │(حفظ)     │
└──────────┘  └──────────┘  └──────────┘  └──────────┘  └──────────┘
```

اختبار النجاح: تَلصق رابط Upwork، خلال دقيقتَين عرضٌ مكتوبٌ بصوتك في Sheet، جاهزٌ للنسخ بعد مراجعة دقيقة.

التعديل للعميل: استبدال Upwork بـ Bonsai أو LinkedIn، استبدال ملفّك بملفّ العميل، استبدال صوتك بصوت العميل (يَكفي إعطاء Claude ٣ نماذج من كتابة العميل).

الوصفة: مولّد عروض ذكي القيمة للعميل: يقلّص زمن كتابة العرض من ١٥ دقيقة إلى دقيقتَين. **الوقت الموفّر**: ٢٥ ساعة/شهر للمستقلّ النشط. **المنصّة**: *Make*. **التكلفة الشهرية**: ٥-١٠$ *Claude* + ٩$ *Make* = ١٥-١٩$. **السعر المقترح**: ٧٠٠$ بناء + ١٠٠$ شهرياً.

١٢. تلميحات وتحذيرات

تلميح: حين يَضيع *Claude* ويعطي ردوداً غير متّسقة، الحلّ ليس تغيير النموذج. الحلّ هو تحسين *system*. أوّل ٥ كلماتٍ في *system* هي الأكثر تأثيراً. ابدأ بدورٍ واضح: «أنت ...».

⚠ **تحذير**: مفتاح *Anthropic* لو تَسرّب على *GitHub* *(مثلاً)*، ينتشر سريعاً. خلال ساعات قد يصلك إنذار بفاتورةٍ ٥٠٠$. اِفحص دائماً قبل أن تَدفع كوداً عاماً، وأعد توليد المفاتيح كلّ ٣ أشهر.

١٣. تقييمٌ ذاتي

☐ أعرف الفرق بين استدعاء Claude الرسمي و HTTP. ☐ أنا مرتاحٌ لكتابة system prompt مكوّن من ٤ سطور. ☐ أستطيع طلب JSON من Claude وتحليله بـ Parse JSON. ☐ بنيتُ على الأقلّ بناءً واحداً من الثلاثة. ☐ وضعتُ تنبيه ميزانية في Anthropic Console.

خمسة من خمسة؟ ممتاز. أربعة؟ جيّد. أقلّ؟ توقّف وأكمل.

الفصل الخامس: أتمتة البريد الإلكتروني والرسائل

﴿ وَإِذَا حُيِّيتُم بِتَحِيَّةٍ فَحَيُّوا بِأَحْسَنَ مِنْهَا أَوْ رُدُّوهَا ﴾ — النساء: 86

١. لماذا البريد والرسائل أوّلاً

البريد والرسائل هي «الواجهة الأولى» بينك وبين العميل. حين يَدفع لك عميلٌ ١٥٠٠ دولار، فإنّ ٧٠٪ من الانطباع الذي يتشكّل عنده عنك يأتي من تجربته في التواصل: سرعةُ ردّك، نبرتُك، تنظيمك. الأتمتة في هذه المنطقة تعطيك قدرةً ثلاثية:

- ردٌّ في أقلّ من دقيقة على كلّ رسالةٍ، حتّى وأنت نائم.
- نبرةٌ ثابتة، مهنيّة، خاليةٌ من الأخطاء.
- لا رسالةَ تضيع، لا متابعةَ تُنسى.

العميل الذي يحصل على ردٍّ خلال دقيقةٍ من إرسال نموذج اتّصال يَشعر أنّه أمام شركةٍ كبيرة، لا فردٍ في غرفةٍ في صنعاء. هذا يَرفع السعر الذي يقبله ٢٠-٤٠٪.

٢. مقارنة توفير الوقت — البريد والرسائل

المهمّة	يدويّ/شهر	آليّ/شهر	التوفير
فرز ٢٠٠ بريدٍ يومياً	٢٠ ساعة	٤٥ دقيقة	٩٦٪
ردود تأكيد على نموذج	٦ ساعات	٠ (آلي)	١٠٠٪
متابعة العميل بعد التسليم	٤ ساعات	١٠ دقائق	٩٦٪
ردود WhatsApp المتكرّرة	١٢ ساعة	ساعة واحدة	٩٢٪
نشرةٌ بريدية أسبوعية	٨ ساعات	١٥ دقيقة	٩٧٪

مجموع التوفير المحتمل لمستقلٍّ نشط: ٤٠-٥٠ ساعة شهرياً. هذه ساعات يستطيع أن يبيعها أو يهديها لأهله.

٣. أتمتة Gmail — التصنيف والردّ

القصّة: مستقلٌّ يستقبل ٢٠٠ بريدٍ يومياً. ٣٠٪ منها spam، ٤٠٪ نشرات يَفترض أن يقرأها ولا يَردّ، ٢٠٪ من عملاء حاليين، ١٠٪ فرص جديدة. كلّ بريدٍ من القسم الأخير يجب أن يَردّ عليه خلال الساعة. كلّ بريدٍ من spam يجب أن يُحذف. النشرات تُجمَع للقراءة المسائية.

المخطّط النهائي:

```
┌────────┐  ┌──────────┐  ┌────────┐  ┌────────┐
| Gmail  |→| Claude |→| Router  |  | Slack |
|  (مهمّ)|  | (٤ مسار)|  | (فهم)  |  |(جديد)|
└────────┘  └──────────┘  └────────┘  └────────┘

                    |
┌──────────┬──────────┴──────────┬────────┐
▼          ▼                     ▼        ▼

────┐ ┌──────────┐    ┌────────┐ ┌──────┐
abel:   |    |label:    | |label| |  حذف|
 | |newsletter|    | client   | |new_lead|
────┘ └──────────┘    └────────┘ └──────┘

▼

──────┐
Gmail |
|  (مسوّد
──────┘
```

خطوات البناء:

1. Watch Emails → Gmail في Inbox.

2. Claude → Create Message Completion. system: ``` أنت موظّف فرز بريد لمستقلّ. صنّف البريد إلى:

3. spam (إعلاناتٌ غير مطلوبة)

4. newsletter (نشرة معروفة)

5. client (من عميلٍ حالي)

6. new_lead (فرصة جديدة)

7. personal (شخصي) أعد JSON: {"category": "...", "priority": "high|medium|low", "summary": "ملخّص بسطر"} ```

8. Parse JSON.

9. Router بأربعة مسارات بحسب category.

10. مسار spam: Gmail → Trash Message.

11. مسار newsletter: Gmail → Add Label «نشرات».

12. مسار client: Gmail → Add Label «عميل»، ثمّ Slack → Send Message: «بريد من عميل: {{summary}}».

13. مسار new_lead: Gmail → Add Label «فرصة»، ثمّ Gmail → Create a Draft → نصّ ترحيب مكتوب مسبقاً، يحوي اسم المرسل من البريد. هذه مسوّدة، تُراجعها وترسلها أنت بنفسك.

اختبار النجاح: - تختبر بثلاثة بريدات تجريبية: واحدٌ يبدو spam، واحدٌ من عميل، واحدٌ من شخصٍ جديدٍ يطلب خدمة. - النتيجة المرجوّة: spam في المهملات، عميل بإشعار Slack، الفرصة بمسوّدة جاهزة.

ما الذي قد يخطئ: - Claude يُرجع label خاطئاً. الحلّ: أعطِ ٣ أمثلة في system لكلّ فئة. - Gmail labels لا تُنشأ. الحلّ: أنشئها يدوياً أوّلاً، ثمّ شغّل السيناريو.

[لقطة شاشة: واجهة Gmail بعد التشغيل، تُظهر الـ labels الجديدة على بريدات مختلفة]

٤. أتمتة WhatsApp Business

WhatsApp مهمٌّ جداً للعميل العربي. الكثير منهم لا يُحبّون البريد، يفضّلون WhatsApp. هذا واقع.

كيف:

1. لا تستطيع أتمتة WhatsApp الشخصي مباشرة (ضدّ شروط WhatsApp). تَستطيع أتمتة WhatsApp Business عبر:
2. **WhatsApp Business API** الرسمي (يَحتاج اعتماداً، كلفته ٢٥-١٠٠$ شهرياً).
3. **Twilio**: بديلٌ معروف، أرخص للبدء.
4. **WATI**: منصّةٌ متخصّصة.
5. اشترِ رقماً، اعتمده عبر Meta Business Manager.

6. اربطه بـ Make عبر «WhatsApp Business integration» الرسمية.

سيناريو شائع: الردّ التلقائي بـ AI:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│WhatsApp  │──►│ Filter   │──►│ Claude   │──►│ WhatsApp │
│(رسالة)   │  │ (فهم)    │  │(يَستطيع؟)│  │ (ردّ)    │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
                                  │
                                  ▼
                              (إن لم يستط
                              ┌──────────┐
                              │ Slack    │
                              │(تدخّل)   │
                              └──────────┘
```

في الفلتر، Claude يقرّر: «هل أستطيع الردّ بثقةٍ على هذه الرسالة؟». إن نعم، يَردّ. إن لا، يحوّل إلى صاحب الحساب.

تلميح: الرسائل الأولى يجب أن تَتضمّن دائماً «أنا مساعدٌ آلي للسيد فلان. سيردّ هو شخصياً قريباً». الشفافيةُ تَكسب ثقة العميل، والكتمانُ يَخسرها حين يَكتشف.

٥. أتمتة Telegram Bots

Telegram أبسطُ بكثيرٍ من WhatsApp:

1. اِفتح BotFather على Telegram.
2. اكتب `/newbot`، اختر اسماً.
3. احصل على Token.
4. اِربطه بـ Make → Telegram Bot.

البوت يستطيع: استقبال رسائل، إرسال رسائل، استقبال أوامر (`/start`, `/help`)، إرسال صور وملفّات.

سيناريو شائع: مساعد شخصي بالحوار:

تكتب للبوت «اِحفظ: اجتماع مع عمر يوم الثلاثاء الساعة ٤»، البوت يأخذ النصّ، يُمرّره لـ Claude، Claude يستخرج `{task: "اجتماع مع عمر", date:`

"الثلاثاء"، `time: "16:00"}`، السيناريو يُضيف صفّاً في Notion (أو Calendar)، يَردّ عليك «حُفظ ✅».

[لقطة شاشة: محادثة Telegram مع البوت تُظهر «إحفظ: ...» ثمّ ردّ البوت «حُفظ ✅»]

٦. النشرات البريدية الآلية

القصّة: عميلٌ يَملك مدوّنة، يريد إرسال نشرةٍ أسبوعية لمشتركيه يلخّص آخر ٥ مقالات. يدوياً يأخذ منه ٤ ساعاتٍ كلّ أسبوع.

المخطّط النهائي:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Telegram │──►│ Mailchimp│──►│ Claude   │──►│ RSS      │
│ (الجمعة) │   │ (آخر5)   │   │ (صياغة)  │   │ (إرسال)  │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

خطوات البناء:

1. Schedule → كلّ جمعة في ٩:٠٠ ص.
2. RSS → اقرأ آخر ٥ عناصر من فيد المدوّنة.
3. Aggregator → اجمع العناوين والروابط في نصٍّ واحد.

4. Claude → صُغ نشرةً بريدية من ٣ فقرات بصوت ودود، تَلخّص الـ ٥ مقالات وتدعو للقراءة.
5. Mailchimp → Create Campaign → إملأ الموضوع والمحتوى.
6. Mailchimp → Send Campaign.
7. Telegram → أَخبر العميل بأنّ النشرة أُرسلت.

> **الوصفة: مولّد النشرة الأسبوعية القيمة للعميل**: يحوّل ٤ ساعاتٍ أسبوعية إلى ١٥ دقيقة مراجعة. **الوقت الموفّر**: ١٥ ساعة/شهر. **المنصّة**: *Make*. **التكلفة الشهرية**: *Claude* ١-٢$ + *Mailchimp* مجّاني للقوائم الصغيرة + *Make* ٩$ = ١٢$. **السعر المقترح**: ٦٠٠$ بناء + ١٢٥$ شهرياً.

٧. التذكيرات والمتابعات الآلية

سيناريو: حين تُسلّم مشروعاً، يجب أن تتابع العميل بعد ٣ أيّام، ٧ أيّام، ١٤ يوماً، ٣٠ يوماً. كلّ متابعةٍ بنبرةٍ مختلفة.

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Trigger  │→│  Delay   │→│  Claude  │→│  Gmail   │
│ (إرسال)  │  │ (صياغة)  │  │ (٣ أيّام)│  │ (تسليم)  │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

```
└──────────┘ └──────────┘ └──────────┘ └──────────┘
                                          │
Claude → Gmail → ٧ Delay ▸ ────┤
Claude → Gmail → ١٤ Delay ▸ ────┤
Claude → Gmail → ٣٠ Delay ▸ ────┘
```

في Make، تستخدم موديول «Sleep» للانتظار، أو تستخدم Delay scheduler. كلّ Delay يُنتج رسالةً مختلفة: - يوم ٣: «هل العمل يلبّي توقّعاتك؟» - يوم ٧: «إن كنتَ راضياً، تقييمٌ على Upwork يُسعدنا.» - يوم ١٤: «اقترح لك تعديلاً جديداً في X.» - يوم ٣٠: «هل تحتاج مشروعاً مماثلاً هذا الشهر؟ خصمٌ ١٠٪ للعملاء العائدين.»

> ⚠ **تحذير**: لا تُرسل المتابعة الرابعة (السعر) إن لم يَكن العميل قد ردّ على الأولى. أضف فلتراً يَفحص: «هل ردّ العميل على المتابعة السابقة؟ إن لم ← أرسِل. إن نعم ← توقّف عن السلسلة.»

٨. القانون والأخلاق

أتمتة الرسائل تَدخل منطقةً تنظيمية. أنت تحتاج أن تَعرف الأساسيات:

- **GDPR (أوروبا)**: لا تُرسل رسائلَ تسويقية إلا لمن صرّح بقَبولها. ضع رابط «إلغاء الاشتراك» في كلّ نشرة.
- **CAN-SPAM (أمريكا)**: نفس الفكرة، مع شرط ذكر عنوانٍ بريدي مادّي في كلّ رسالة.
- **شروط WhatsApp**: لا تُرسل رسائلَ غير مطلوبة (cold outreach) — هذا يُغلق رقمك.
- **شروط LinkedIn**: لا تَستخدم أتمتةً لإرسال رسائلَ بكميّة. LinkedIn يَكشفها بسرعة.

> ⚠ **تحذير**: أتمتةٌ ترسل ١٠٠٠ رسالةٍ يومياً «*cold*» على *WhatsApp* تُغلق الرقم خلال أسبوع. الأتمتة لرسائل مَن يتصل بك أوّلاً، أو لمَن أعطى صراحةً موافقته، فقط.

٩. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٠ دقيقة): الردّ الآلي على نموذج اتّصال

السيناريو: حين يَملأ زائرٌ نموذج اتصال على موقعك (Google Forms أو Typeform)، يَستلم خلال دقيقتَين بريداً ودوداً يحوي اسمه مع ملخّص رسالته، ووعدٌ بردٍّ خلال ٢٤ ساعة.

المخطّط:

```
┌──────────┐   ┌──────────┐   ┌──────────┐
│  Form    │→  │ Claude   │→  │ Gmail    │
│  (ردّ)   │   │ (صياغة)  │   │ (جديد)   │
└──────────┘   └──────────┘   └──────────┘
```

اختبار النجاح: تَملأ النموذج باسم تجريبي، يصلك بريد تأكيد خلال دقيقتَين.

البناء الثاني (متوسّط — ٤٠ دقيقة): مصنّف Gmail الكامل

السيناريو: ما بَنيناه في القسم ٣ أعلاه. ابنه كاملاً.

اختبار النجاح: ٣ بريدات تجريبية تَدخل ٣ مساراتٍ مختلفة في Gmail.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): سلسلة متابعة العميل بعد التسليم

السيناريو: تَملأ نموذجاً بسيطاً «اسم العميل، بريد العميل، تاريخ التسليم»، تَنطلق سلسلةُ ٤ متابعاتٍ خلال ٣٠ يوماً، كلّ واحدةٍ بنبرةٍ مختلفة، تُرسل تلقائياً.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Gmail    │→│ Claude   │→│Schedule  │→│ Sheet    │
│ (تسليم)  │  │ (تسجيل)  │  │ (دوري)   │  │ (صياغة)  │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

في Sheet عمودٌ لكلّ ردٍّ مستلم. سيناريو ثانٍ يَفحص دورياً ويَتوقّف عن المتابعة إن ردّ العميل.

اختبار النجاح: تُسجّل عميلاً تجريبياً (نفسك) بتاريخ اليوم، تستقبل المتابعة الأولى بعد ٣ أيّام تجريبية (يَمكن تقصير المدّة في الاختبار).

التعديل للعميل: استبدال نبرة الرسائل، تعديل المدد، إضافة طلب تقييم في يوم ٧.

> **الوصفة: سلسلة متابعة العميل القيمة للعميل**: تزيد التقييمات الإيجابية على *Upwork/Fiverr* بـ ٣٠٪، تَستردّ ٢٠٪ من العملاء بعد ٣٠ يوماً. **الوقت الموفّر**: ٤ ساعات/شهر. **التكلفة الشهرية**: ١-٢$

Claude + ٩$ *Make* = ١١$. **السعر المقترح**: ٤٠٠$ بناء + ٧٥$ شهرياً.

١٠. تلميحات وتحذيرات

💡 **تلميح**: حين تَكتب *system prompt* للبريد، أعطِ *Claude* مثالاً واحداً لكلّ فئة. هذا يَرفع دقّة التصنيف من ٧٥٪ إلى ٩٥٪.

⚠ **تحذير**: حلقات الردّ التلقائي (*auto-reply*) تَخلق حلقاتٍ لانهائية. إن ردّت أتمتتك على ردٍّ آلي من عميل، وردّ هو على ردّك، ستَدور الرسائل إلى الأبد. ضع دائماً فلتراً: «لا تُرسل إن كان الموضوع يَبدأ بـ *Re:* *Re:*».

١١. تقييمٌ ذاتي

☐ بنيتُ مصنّف Gmail الكامل (البناء الثاني). ☐ أعرف الفرق بين WhatsApp Business API و WhatsApp الشخصي. ☐ أستطيع كتابة سلسلة متابعةٍ تَبدأ بعد حدثٍ معيّن. ☐ أعرف القوانين الأساسية: CAN، GDPR-

SPAM، شروط WhatsApp. ☐ ضَبطتُ فلتر «لا حلقات ردّ» في كلّ سيناريو ردّ تلقائي.

الفصل السادس: أتمتة المحتوى والنشر

﴿ اقْرَأْ بِاسْمِ رَبِّكَ الَّذِي خَلَقَ ﴾ — العلق: 1

١. مضاعِف توزيع المحتوى

اِكتب مقالاً واحداً، احصل على عشر قطعٍ من المحتوى. ست منصّات، أسبوعٌ من النشر، تكلفةُ توليد قريبة من الصفر. هذا هو السحر الذي تَفتحه أتمتة المحتوى.

النموذج الذي يَستخدمه صانعو المحتوى الناجحون في 2026 يُسمّى «pillar + leaves»:

- **Pillar**: محتوى أساسيٌّ طويل (مقال ٢٠٠٠ كلمة، فيديو ٢٠ دقيقة، حلقة بودكاست ساعة).
- **Leaves**: مشتقّاتٌ قصيرة تَنبت من الـ pillar — تغريدات، صورٌ مع اقتباسات، فيديوهات قصيرة، منشورات LinkedIn، نشرة بريدية.

أتمتة المحتوى = pipeline يَأخذ pillar واحداً ويُنتج كلّ الـ leaves تلقائياً.

٢. مقارنة توفير الوقت — المحتوى

المهمّة	يدويّ/شهر	آليّ/شهر	التوفير
تحويل مقال إلى ٧ منشورات	١٢ ساعة	٣٠ دقيقة	٩٦٪
تَوليد صور المنشورات	٨ ساعات	٢٠ دقيقة	٩٦٪
جدولة النشر على ٥ منصّات	٦ ساعات	١٠ دقائق	٩٧٪
ترجمة المقال للإنجليزية	١٠ ساعات	٥ دقائق	٩٩٪
كتابة show notes للبودكاست	٤ ساعات	١٥ دقيقة	٩٤٪

٣. المسارات الأربعة الأساسية

المسار الأوّل: المقال ← ١٠ منشورات

```
┌──────────┐   ┌──────────────┐   ┌──────────┐   ┌──────────┐
│ Schedule │ ─►│ Buffer/      │ ─►│ Claude   │ ─►│ eet      │
│ (مقال)   │   │ (٧مقاطع)     │   │ Hootsuite│   │ (نشر)    │
└──────────┘   └──────────────┘   └──────────┘   └──────────┘
```

المسار الثاني: فيديو ← مقال + اجتماعي

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│Buffer    │→│ Notion   │→│ Claude   │→│Whisper API│→│
│(فيديو)   │  │(transcript)│  │(تَفكيك)  │  │(مقال)    │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

المسار الثالث: بودكاست → ملاحظات + مقاطع

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│Multiple  │→│ Claude   │→│ Whisper  │→│ RSS      │
│(بودكاست) │  │(transcript)│  │(تحليل)   │  │outputs   │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

المسار الرابع: مقالٌ عربيٌّ → نسخة إنجليزية + توزيع

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│Buffer    │→│ Notion   │→│ Claude   │→│ Notion   │
│(مقال عربي)│  │(ترجمة)   │  │(مقال EN) │  │(منشورات) │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

٤. سير العمل: «مقالٌ واحد → ١٠ مخرجات»

سَنبني هذا السيناريو خطوةً بخطوة. هو الأهمّ في الفصل، والأكثر طلباً من العملاء.

القصّة: عميلٌ يَكتب مقالاً واحداً أسبوعياً على مدوّنته (٢٠٠٠ كلمة). يريد أن يُنشر:

1. تغريدةٌ رئيسية (X/Twitter).
2. ٥ تغريدات في thread واحد.
3. منشور LinkedIn (٧٠٠ كلمة، نبرة مهنية).
4. منشور Instagram (نصٌّ + اقتراح صورة).
5. نشرة بريدية (ملخّص + رابط).
6. فيديو سكربت لـ TikTok/Shorts (٦٠ ثانية).
7. ٣ صور اقتباسات.
8. منشور Threads.
9. ملخّصٌ بصوتيٍّ (يُولَّد بـ ElevenLabs).

المخطّط النهائي:

```
┌──────────┐  ┌──────────┐  ┌────────┐  ┌──────────┐
│ Sheet    │──►│ Buffer   │──►│Parse JSON│──►│ Claude   │──►
│(article) │  │(9pieces) │  │          │  │(٥منصّات) │
└──────────┘  └────────┘  └──────────┘  └──────────┘
                                                  │
                                                  ├──► DALL-E (٣ صور)
```

ElevenLabs (audio) ►──┤
Telegram (إشعار للعميل) ►──└

خطوات البناء التفصيلية:

1. **Webhook**: يَستقبل JSON من Notion أو نموذج: {"title":
"...", "tags" ,"..." :"body": [...]}.

2. **Claude (الموديول الكبير)**: system:

أنت محرّر محتوى متعدّد المنصّات.
ستستقبل مقالاً. أنتج JSON بالحقول:
- twitter_main: تغريدة جذّابة (٢٨٠ حرفاً).
- twitter_thread: مصفوفة من ٥ تغريدات.
- linkedin: منشور احترافي (٧٠٠ كلمة).
- instagram: نصّ Instagram + اقتراح صورة.
- newsletter: ملخّص (١٥٠ كلمة) + دعوة قراءة.
- tiktok_script: سكربت ٦٠ ثانية.
- quote_1, quote_2, quote_3: اقتباسات قصيرة (١٥ كلم
- threads_post: منشور Threads.
- audio_script: نصّ صوتي (٢ دقيقة).

المقال:

{{body}}

1. **Parse JSON**: يَفصل الحقول.

2. **Buffer (أو Hootsuite)**: لكلّ منصّة، أنشئ Post.

3. **DALL-E** (أو Midjourney عبر Imagine API): أنشئ ٣ صور للاقتباسات.

4. **ElevenLabs**: حوّل audio_script إلى ملفّ صوتي.

5. **Sheet**: سجّل التاريخ، عدد المنشورات، الروابط بعد النشر.

6. **Telegram**: «نُشر المقال في ٥ منصّات. اطّلع على Sheet للروابط.»

[لقطة شاشة: Sheet بعد التشغيل تُظهر تاريخ، عنوان مقال، ٧ روابط منصّات، رابط ملفّ صوتي]

الوصفة: مقال واحد → ١٠ مخرجات القيمة للعميل: يضاعف الوصول ١٠ مرّاتٍ على نفس عدد ساعات الكتابة. **الوقت الموفّر**: ٣٠-٤٠ ساعة/شهر للناشر النشط. **التكلفة الشهرية**: ١٠-٢٠$ *Claude* +

٥-٢٠$ *DALL-E* + ٢٠$ *ElevenLabs* + ٩$ *Make* = ٤٤-٦٩$.

السعر المقترح: ١٢٠٠$ بناء + ٢٥٠$ شهرياً صيانة.

٥. توليد الصور في الـ pipeline

في 2026، عندك ثلاثة خياراتٍ رئيسية لتوليد الصور داخل أتمتة:

DALL-E 3 عبر OpenAI: - متاح رسمياً في Make و Zapier. - جودة عالية، لا يحتاج إعداداتٍ معقّدة. - التكلفة: ٠.٠٤-٠.٠٨$ للصورة.

Midjourney عبر Imagine API (طرف ثالث): - جودة فنّية أعلى. - يَحتاج اشتراكاً منفصلاً. - التكلفة: ٠.٠٢-٠.٠٥$ للصورة.

Stable Diffusion عبر Stability API: - مرونةٌ عالية. - التكلفة: ٠.٠١-٠.٠٢$ للصورة.

تلميح: استخدم *Claude* لتوليد الـ *prompt* للصورة، ثمّ مرّر الـ *prompt* لـ *DALL-E*. هذا يُنتج صوراً أفضل بـ ٤٠٪ من توليد الـ *prompt* يدوياً.

مثال على نمط الـ prompt الذي يُنتجه Claude:

```
at illustration showing a smartphone with floating"
ion icons (Gmail, WhatsApp, Telegram), in deep navy
d colors, minimalist style, high contrast, suitable
"for LinkedIn quote graphic, 1080x1080
```

٦. النمط «الكتابة دفعةً، النشر تلقائياً»

أحد أعظم الأنماط في أتمتة المحتوى هو فصلُ زمن الكتابة عن زمن النشر:

- **يوم الإثنين**: تَكتب ١٠ منشورات.
- **الأتمتة**: تَنشر منشوراً يومياً على مدى الأسبوعَين.

كيف:

1. أنشئ Sheet بعمودَين: `content`, `scheduled_date`, `status`.
2. سيناريو يَعمل كلّ ساعة: يَفحص هل هناك صفّ بـ scheduled_date اليوم وحالة pending ← يَنشر ← يُغيّر الحالة إلى posted.
3. تَكتب ٢٠ صفّاً صباح الإثنين، تَختار «الجمعة المقبلة» لخمسةٍ منها، وهكذا.

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Buffer   │→│ Filter   │→│ Sheet    │→│ Schedule │
│(كل ساعة) │  │ (قراءة)  │  │(اليوم؟)  │  │ (نشر)    │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
                                                  │
                                                  ▼
                                            ┌──────────┐
                                            │ Sheet    │
                                            │(تحديث)   │
                                            └──────────┘
```

٧. الترجمة الآلية للمحتوى

سيناريو شائع: لديك مقال عربي، تريد نسخةً إنجليزية. أو العكس. Claude متفوّق في الترجمة الأدبية مقارنةً بـ Google Translate، لكنّ هناك تفاصيلَ:

system جيّد للترجمة:

```
أنت مترجمٌ محترف من العربية إلى الإنجليزية.
- حافظ على المعنى الكامل، لا الترجمة الحرفية.
- اِستخدم نبرةً تَتناسب مع جمهور [المهنيّين/العامّ/الأكا
- اِترك مصطلحاتٍ تقنية مثل "API" بالإنجليزية.
```

- إن ورد اقتباسٌ من القرآن، اترك العربية وأضف ترجمةً
- لا تَختصر، لا تَزِد، حافظ على الطول التقريبي.
أعِد الترجمة فقط، بدون تعليقاتٍ خارجية.

Pipeline ترجمة + نشر:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Buffer   │──►│ Notion   │──►│ Claude   │──►│ Notion   │
│ (عربي)   │  │ (ترجمة)  │  │ (إنجليزي)│  │ (EN posts)│
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

٨. تحويل البودكاست إلى محتوى

القصّة: عميلٌ صاحب بودكاست يُنشر حلقةً أسبوعية. يريد: - ملاحظات الحلقة (show notes) مكتوبة. - ٣ مقاطع قصيرة (clips) للسوشيال. - اقتباسات بصور. - نشرة بريدية أسبوعية.

المخطّط:

```
┌──────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Notion+Buffer │──►│ Claude   │──►│ Whisper  │──►│ S
│ (حلقة)│  │(transcript)│  │ (تحليل)  │  │ (نشر)
└──────┘  └──────────┘  └──────────┘  └──────────┘
```

Whisper API (من OpenAI) يَفكّ الصوت إلى نصّ مع timestamps.

Claude يَستلم النصّ، يَكتب show notes، يَختار ٣ مقاطع جديرة بالـ clipping (مع timestamps)، يَستخرج اقتباسات.

> 💡 **تلميح**: لا تُرسل ساعةً كاملة لـ *Claude* في طلبٍ واحد. اِفصل النصّ إلى أجزاء (*chunks*) من ١٠ دقائق، عالج كلّ جزءٍ على حدة، ثمّ ادمج النتائج. هذا أرخص بـ ٤٠٪.

٩. ثلاث بناءات

البناء الأوّل (مبتدئ — ٣٠ دقيقة): مولّد تغريدات من المقال

السيناريو: تَلصق رابط مقالك في نموذج، السيناريو يقرأ المقال (web scraper)، Claude يولّد ٥ تغريدات، يَكتبها في Sheet للمراجعة.

المخطّط:

```
┌─────────┐  ┌─────────┐  ┌──────────┐  ┌───────┐
│  Form   │─►│ Scraper │─►│ Claude   │─►│ Sheet │
```

```
| (رابط) |   | (محتوى) |   | (تغريدات) |   | (تخزين) |
└────────┘   └─────────┘   └──────────┘   └─────────┘
```

اختبار النجاح: تلصق رابطاً، تجد ٥ تغريدات في Sheet خلال دقيقتَين.

البناء الثاني (متوسّط — ٦٠ دقيقة): مقال ← ٧ منشورات + جدولة

السيناريو: عند نشر مقالٍ جديد على Notion، السيناريو يَستخرجه، Claude يولّد ٧ منشورات، Buffer يجدولها على ٧ أيّام مختلفة.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
| Buffer   |→| Iterator |→| Claude   |→| Notion   |
| (جديد)   |  | (٧نقاط)  |  | (تكرار)  |  | (جدولة)  |
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

اختبار النجاح: تنشر مقالاً، تجد بعد ٥ دقائق ٧ منشوراتٍ مجدولةً في Buffer على ٧ أيّام.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): مولّد المحتوى الكامل (pillar + leaves)

السيناريو: ما بَنيناه في القسم ٤. ابنه كاملاً.

اختبار النجاح: تَدفع مقالاً، تستلم ٩ مخرجاتٍ (٥ منصّات + ٣ صور + ١ صوت) في أقلّ من ٥ دقائق.

التعديل للعميل: تخصيص نبرة كلّ منصّة، إضافة منصّات (Threads، Bluesky، Mastodon)، استبدال صوت ElevenLabs بصوت العميل.

١٠. تحذير حول جودة المحتوى الآلي

⚠ **تحذير**: المحتوى المولَّد آلياً، إن نُشر بدون مراجعة بشرية، يَفقد الجمهور خلال ٣ أشهر. الخوارزميات تَكشفه أو تُهمّشه. الحلّ: استخدم الأتمتة لتوليد المسوّدة، ودائماً اِجعل العميل يَراجع لمدّة ٥ دقائق قبل النشر. الأتمتة لا تَعني «يدٌ لا تَلمس». الأتمتة تَعني «يدٌ تَلمس مرّةً واحدة بدلاً من عشر».

١١. تقييمٌ ذاتي

☐ بنيتُ على الأقلّ بناءً واحداً من الثلاثة. ☐ أعرف الفرق بين DALL-E و Midjourney و Stable Diffusion في المنصّة. ☐ أعرف نمط «الكتابة دفعة، النشر تلقائياً». ☐ أستطيع كتابة system prompt للترجمة العربية-الإنجليزية. ☐ أفهم أن المحتوى الآلي بدون مراجعة يَخسر الجمهور.

الفصل السابع: أتمتة الأبحاث والمراقبة

﴿ قُلْ سِيرُوا فِي الْأَرْضِ فَانظُرُوا كَيْفَ بَدَأَ الْخَلْقَ ﴾ — العنكبوت: 20

١. لماذا المراقبة الآلية ذهبٌ خفيّ

كلّ مستقلٍّ يُخبرك أنّه يَقضي ساعاتٍ في «مراقبة السوق»: قراءة الأخبار، تَتبّع منافسي العميل، البحث عن فرصٍ في Upwork، فحص الأسعار. هذه الساعات لا تَدخل في فاتورةٍ، لكنّها تَستهلك أيّامك. الأتمتة هنا لا توفّر ساعاتٍ فقط — هي تَكسر سقفاً لم تَكن تَعرفه:

- بدون أتمتة، تَتابع ٥-١٠ مصادر.
- مع أتمتة، تَتابع ١٠٠-١٠٠٠ مصدرٍ، بدون عناء.

عميلٌ يَدفع لك ٢٠٠٠ دولار شهرياً مقابل تقريرٍ يومي يَعرض «ما تَغيّر في سوقي اليوم»، لا يَستطيع أحدٌ صديقٌ أن يَفعله بدون نظام. أنت بالنظام تَفعله في ١٥ دقيقة.

٢. مقارنة توفير الوقت — المراقبة

المهمّة	يدويّ/شهر	آليّ/شهر	التوفير
متابعة ٥ منافسين	٢٠ ساعة	٣٠ دقيقة	٩٧٪
فلترة فرص Upwork	١٥ ساعة	١٠ دقائق	٩٩٪
متابعة أبحاثٍ علمية	٣٠ ساعة	٣٠ دقيقة	٩٨٪
رصد المناقصات الحكومية	١٢ ساعة	٢٠ دقيقة	٩٨٪
تَتبّع أسعار السوق	٦ ساعات	٠ (آلي)	١٠٠٪

٣. الأنماط الأربعة الأساسية للمراقبة

النمط الأوّل: RSS + AI summarizer مصادرٌ تَدعم RSS (مدوّنات، أخبار، Substack). RSS feed → Claude يلخّص → Telegram أو email.

النمط الثاني: web scraping لمواقعَ لا تَدعم RSS. تستخدم Apify أو Browse AI لجلب البيانات → معالجة → تخزين.

النمط الثالث: API monitoring لمنصّاتٍ ذات API (GitHub، Reddit، Hacker News). تستدعي API دورياً → Claude يَفلتر → تنبيه.

النمط الرابع: diff detection يَفحص الموقع كلّ ساعة، يقارن بالنسخة السابقة، إن تَغيّر شيء ← تنبيه. مفيدٌ جداً لمراقبة الأسعار.

٤. سير عمل: ملخّص الأخبار اليمنية اليومي

القصّة: عميلٌ يَملك شركة استشارات سياسية، يحتاج ملخّصاً يومياً للأخبار اليمنية من ١٠ مصادر، مرتّباً بالأهمّية، باللغتَين العربية والإنجليزية، يصله الساعة السابعة صباحاً.

المخطّط النهائي:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Schedule │──►│ Email ١٠ │──►│ Notion   │──►│ Claude   │
│ (٧:٠٠ ص) │   │ (آخر ٢٤ساعة)│ │ (تَرتيب) │   │ (أرشفة)  │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

خطوات البناء:

1. **Schedule**: كلّ يومٍ في ٦:٤٥ ص.
2. **١٠ موديولات RSS**:
3. Yemen News Agency
4. Al-Masdar Online
5. Al-Akhbar

6. Yemen Online Press
7. Yemen Times
8. Al-Sahwa
9. Sabba News (أو SABA)
10. Saba News
11. News Yemen
12. Yemen Iqtisad
13. **Aggregator**: يجمع كلّ المخرجات.
14. **Filter**: يَأخذ فقط المنشور خلال ٢٤ ساعة الماضية.
15. **Claude**:

أنت محرّر أخبار. ستستقبل قائمةً من المقالات.
أعد تقريراً HTML بهذا الترتيب:
1. خبر اليوم الأهمّ (سياسي، اقتصادي، أو إنساني)
2. ٣-٥ أخبار مهمّة في كلّ فئة (سياسة، اقتصاد، أمن، مد
3. اختصار كلّ خبر في جملتَين
4. ترجمة إنجليزية مختصرة في القسم الثاني
أرفق روابط المصادر.

1. **Notion**: أرشف بتاريخ اليوم.
2. **Gmail**: أرسل HTML إلى العميل.
3. **Telegram**: رسالةٌ مختصرة لك «التقرير اليومي أُرسل ✅».

[لقطة شاشة: التقرير المُرسَل في Gmail يَظهر مرتّباً بقسمَين عربي وإنجليزي مع روابط]

> **الوصفة: ملخّص الأخبار اليومي القيمة للعميل**: يحوّل ٣٠ دقيقة من البحث الصباحي إلى ٥ دقائق من القراءة المنظّمة. **الوقت الموفّر**: ١٥ ساعة/شهر. **التكلفة الشهرية**: ٤-٨$ *Claude* + ٩$ *Make* = ١٣-١٧$. **السعر المقترح**: ٧٠٠$ بناء + ١٥٠$ شهرياً.

٥. مراقبة فرص Upwork ذكية

القصّة: مستقلّ يَفقد فرصاً لأنه لا يَستطيع تَفقّد Upwork كلّ ساعة. يحتاج نظاماً يَفحص ٧ tags/keywords، يُفلتر بـ Claude (يَستبعد عروض «$5/hr»، يَستبعد التي عمرها أكثر من ٤ ساعات)، يَختار أفضل ٥ يومياً، يُرسلها له.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Telegram │  │ Claude   │  │ Filter   │  │ Upwork   │
│ (كل ساعة)│  │RSS feeds │  │ (جودة)   │  │ (تَرتيب) │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

Upwork RSS قابلٌ للتفصيل بـ keywords. مثلاً، RSS لـ "AI consultant" يُنتج كلّ منشورٍ يَحوي هذه الكلمات. تَستطيع أن تَستهلك ٥-١٠ feeds مختلفة، تُجمّعها، تُفلتر، تُلخّص.

system prompt:

```
أنت مساعد مستقلّ. ستستقبل قائمة فرصٍ من Upwork.
احذف:
- أيّ فرصةٍ بسعرٍ أقلّ من ١٠$/ساعة
- أيّ فرصةٍ بميزانية ثابتة < ١٠٠$
- العروض التي تطلب ٢٠+ proposal بالفعل
- العروض من عملاء بدون مدفوعاتٍ سابقة
رتّب الباقي بالأهمّية. أعد ٥ فرصٍ كأقصى حدّ بصيغة JSON:
"title": "", "budget": "", "url": "", "why_match"}]
```

> **تلميح**: العملاء المهمّون في *Upwork* عادةً «*Payment verified*» بنجمةٍ ذهبية. اطلب من *Claude* إعطاء أولويّة لهذه.

٦. مراقبة منافسي العميل

القصّة: عميلك صاحبُ متجر إلكتروني، يريد أن يَعرف فوراً متى يُغيّر ٣ منافسين أسعارهم.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Slack    │──►│ Filter   │──►│ Compare  │──►│ Apify    │
│ (كل ساعة) │  │ (scrape) │  │ (diff DB) │  │ (تَغيّر؟) │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

التفاصيل:

1. Apify لديها ready-made actor للمواقع الكبرى (Amazon، Shopify generic).
2. كلّ تشغيل يَجلب الأسعار الحالية.
3. يُقارن بالأسعار في Sheet (تخزين دائم).
4. إن اختلف سعرٌ بأكثر من ٥٪، أرسل تنبيهاً مع: المنتج، السعر القديم، السعر الجديد، الرابط.

> ⚠ **تحذير**: قبل *scrape* أيّ موقع، اِفحص ملفّ `robots.txt` (مثلاً `https://example.com/robots.txt`) واِقرأ شروط الاستخدام. بعض المواقع تَمنع *scraping* صراحةً، ومخالفتها قد تُعرّضك (أو عميلك) لإجراءاتٍ قانونية.

٧. مراقبة الأبحاث الأكاديمية

القصّة: عميلٌ باحثٌ في الذكاء الاصطناعي، يريد ملخّصاً أسبوعياً لأبحاث arXiv الجديدة في مجاله.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Notion   │→│ Claude   │→│ Filter   │→│ arXiv RSS│→
│ (الجمعة) │  │ (أبحاث)  │  │ (تَخصّص) │  │ (تَلخيص) │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

arXiv يَدعم RSS بِفلترة فئة (cs.CL، cs.LG، إلخ). Claude يَختار الـ ١٠ الأكثر صلةً ويُلخّصها.

٨. مراقبة المناقصات الحكومية

القصّة: عميلٌ مُقاول، يريد رصد المناقصات في اليمن، السعودية، والإمارات.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Email    │──►│ Airtable │──►│ Claude   │──►│ Scraper  │
│ (صباح)   │  │ (٥مواقع) │  │ (تَصفية) │  │ (تخزين)  │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

Browse AI أو Apify لِسحب المناقصات الجديدة. Claude يَفلتر بناءً على معايير العميل (قيمة دنيا، تَخصّص، منطقة).

٩. أساسيات web scraping للمستقلّ غير المبرمج

ثلاث أدواتٍ تَكفيك:

Apify: - ٣٠٠٠+ actor جاهز. - مثال: «Amazon Product Scraper» تُعطيه رابط منتج، يُعطيك السعر، التَقييم، الوصف. - متكاملٌ رسمياً مع Make. - التكلفة: ٤٩$/شهر للخطّة المتوسّطة، أو الدفع حسب الاستخدام (٠.١-١$ لكلّ ١٠٠٠ صفحة).

Browse AI: - بدون كود، تَختار العنصر بالنقر. - ممتازٌ لمتاجر إلكترونية وlistings. - التكلفة: ٤٩-٢٤٩$/شهر.

ScrapingBee: - API بسيط، تَستدعي عبر HTTP. - يَدير proxies و JavaScript تلقائياً. - التكلفة: ٤٩-٢٤٩$/شهر.

> **تلميح**: ابدأ *Browse AI* مجّاناً (٥٠ *scrape* شهرياً)، يَكفي للتعلّم. حين تأخذ عميلاً، اِطلب منه دفع تكاليف *Apify* على حسابه.

١٠. مبدأ scraping المحترم

scraping ليس قرصنة، لكنّه يحتاج أخلاقيات:

1. **اِحترم robots.txt**: لا تَجمع ما يَمنع الموقع جمعه.
2. **لا تَتجاوز ١ طلبٍ كلّ ١٠ ثوانٍ**: لا تُحمّل خوادم الموقع.
3. **اِقرأ شروط الاستخدام**: بعض المواقع تَمنع التجاري.
4. **لا تَجمع بياناتٍ شخصية**: GDPR يُجرّم جمع بريد، اسم، صورة بدون إذن.
5. **أُعطِ القيمة، لا تَسرقها**: scraping صفحاتٍ عامّة لتَلخيصها لعميلك = حلال. scraping محتوى مدفوع = حرام.

⚠ **تحذير**: *scraping LinkedIn* ضدّ شروطها بشكل صريح. إن فعلتَه، يُغلق حسابك. لا تَفعل. استخدم *LinkedIn Sales Navigator API* الرسمية بدلاً من ذلك.

١١. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٥ دقيقة): تَلخيص آخر ٥ مقالات من مدوّنة

السيناريو: تُسجّل rss feed مدوّنةٍ تتابعها، السيناريو يَفحص يومياً، يَستخرج آخر ٥ مقالاتٍ جديدة، Claude يلخّصها، يُرسلها لـ Telegram.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Schedule │→│   RSS    │→│ Claude   │→│ Telegram │
│ (إرسال)  │  │ (تلخيص)  │  │ (آخر ٥)  │  │ (يومي)   │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

اختبار النجاح: غداً صباحاً، تَستلم على Telegram ٥ ملخّصاتٍ من مدوّنتك المختارة.

البناء الثاني (متوسّط — ٤٥ دقيقة): مرشّح فرص Upwork

السيناريو: ما بَنيناه في القسم ٥ أعلاه. ابنه كاملاً.

اختبار النجاح: خلال ساعة، تستلم ٥ فرصٍ مرتّبة بالأولويّة.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): التقرير اليومي الكامل لعميل

السيناريو: ما بَنيناه في القسم ٤. ابنه كاملاً، خصّصه لعميل (يمكن أن يكون نفسك مؤقّتاً)، اِربط بـ Notion للأرشفة وبـ Gmail للإرسال.

اختبار النجاح: غداً ٧:٠٠ ص، يَستلم العميل التقرير كاملاً.

التعديل للعميل: - استبدال ١٠ مصادر RSS بـ ١٠ مصادر تَخصّ مجاله. - تَخصيص system prompt ليُركّز على نوع الأخبار التي تَهمّه. - اختيار اللغة الرئيسية (عربي فقط، أو ثنائي).

الوصفة: التقرير الذكي اليومي القيمة للعميل: يَستبدل ٣٠-٤٥ دقيقة قراءة يدوية بـ ٥ دقائق قراءة منظّمة. **الوقت الموفّر**: ١٥-٢٠ ساعة/شهر. **التكلفة الشهرية**: ١٥-٢٥$. **السعر المقترح**: ١٠٠٠-١٥٠٠$ بناء + ٢٠٠-٣٠٠$ شهرياً.

١٢. تقييمٌ ذاتي

☐ بنيتُ بناءً واحداً على الأقلّ من الثلاثة. ☐ أعرف الفرق بين Apify و Browse AI و ScrapingBee. ☐ قَرأتُ ملفّ robots.txt لموقعٍ واحد على الأقلّ وفهمتُه. ☐ أستطيع أن أبني RSS-based monitoring بدون مساعدة. ☐ أعرف لماذا scraping LinkedIn ممنوع.

الفصل الثامن: أتمتة العمل الحرّ والإنتاجية الشخصية

﴿ وَأَن لَّيْسَ لِلْإِنسَانِ إِلَّا مَا سَعَىٰ ۝ وَأَنَّ سَعْيَهُ سَوْفَ يُرَىٰ ﴾ — النجم: *39-40*

١. المستقلّ بوصفه شركةَ موظّفٍ واحد

أنت لست «شخصاً يَكتب» أو «شخصاً يصمّم». أنت شركة. شركة تَستقبل عملاء، تَدير مشاريع، تَفوتر، تَتابع، تَرسل عقوداً، تَدفع ضرائب (في بعض الحالات)، تَبني سمعةً. كلّ هذا يَحتاج نظاماً.

في الفصول السابقة بنينا أتمتاتٍ لعملاء. في هذا الفصل، نَبني أتمتةً لك أنت — «مركز قيادة المستقلّ». حين يَنتهي هذا الفصل، يَكون عندك نظامٌ يَدير عملك، يستقبل العملاء، ينظّمهم، يُتابعهم، ويُسجّل كلّ شيء.

٢. الأنظمة الستّة للمستقلّ

أيّ مستقلٍّ ناجحٍ في 2026 يَملك ستّةَ أنظمة، يدوية أو آليّة:

1. **Lead capture**: من أين يَأتي العملاء، وإلى أين تَذهب بياناتهم.
2. **CRM**: قاعدة بيانات العملاء، حالاتهم، آخر تواصل.
3. **Project intake**: ماذا يَحدث حين يقبل عرضك.
4. **Time tracking & invoicing**: تَسجيل الساعات، إصدار الفواتير.
5. **Follow-up**: متابعة العميل بعد التسليم، استرداد عملاء قدامى.
6. **Knowledge base**: أرشيفٌ لكلّ ما تَعلّمتَه عن كلّ عميل.

في الـ ٣٠ دقيقة المقبلة، سنَبني ٤ من هذه الستّة. الأخريان (٢ و ٦) تَستحقّ بناءً منفصلاً.

٣. مقارنة توفير الوقت — الإنتاجية الشخصية

المهمّة	يدويّ/شهر	آليّ/شهر	التوفير
إنشاء بنية مجلّد كلّ مشروع	٢ ساعة	٠ (آلي)	١٠٠٪
تَسجيل الساعات يدويّاً	٤ ساعات	١ ساعة	٧٥٪
إصدار الفاتورة الشهرية	٣ ساعات	١٥ دقيقة	٩٢٪
تَسجيل تواصل مع كلّ عميل	٦ ساعات	٠ (آلي)	١٠٠٪

المهمّة	يدويّ/شهر آليّ/شهر التوفير
إعداد عرضٍ مخصّصٍ لعميل	٤ ساعات ٣٠ دقيقة ٨٧٪

٤. سير عمل: «استقبال عميلٍ جديد»

القصّة: حين يَقبل عميلٌ عرضك ويُوقّع، يَجب أن يَحدث ٧ أشياءٍ متتابعة:

1. تُنشأ بنية مجلّدات للمشروع في Google Drive.
2. يُضاف العميل إلى Notion (CRM).
3. يُرسل بريد ترحيب مع روابط المجلّدات.
4. يُحجز اجتماع kickoff في Calendar.
5. يُرسل عقد عبر HelloSign.
6. تُنشأ مهمّة «استلام الدفعة الأولى» في Todoist.
7. يُشعرك Telegram «مشروع جديد بدأ ✅».

كلّ هذا يَنطلق من حدثٍ واحد: تَملأ نموذج Google Forms يَحوي بيانات العميل والمشروع.

المخطّط النهائي:

```
┌──────────────┐
│ Google Form │
```

```
|     (intake) |
┘──────────────└
              │
              ▼
──────────────────────────────────────────────┐
                                              │
▼      ▼          ▼          ▼          ▼
┐ ┐──────┐ ┐──────────┐ ┐────────┐ ┐──────────┐
 | | Notion | | Calendar | |HelloS| | Todoist   |
(تـ)| | (عقـد) | |(kickoff)| |  (CRM) | |  (مـجلّـدات) |
┘└ ┘──────┘ ┘──────────┘ ┘────────┘ ┘──────────┘
                                              │
──────────────────────────────────────────────┘
                  │
                  ▼
              ┐──────────┐
              |   Gmail  |
               | (تـرحيب)|
              ┘──────────┘
                  |
                  ▼
              ┐──────────┐
              | Telegram |
```

```
│    (إشعار)    │
└──────────────┘
```

الخطوات:

1. **Form**: حقول الاسم، البريد، اسم المشروع، نوع الخدمة، السعر، تاريخ التسليم.
2. **Drive**: Create a Folder ← اسم: `[clientName]` - `[projectName]` ← داخلها 4 مجلّداتٍ فرعية: `Brief-01`, `Drafts-02`, `Final-03`, `Invoices-04`.
3. **Notion**: Add Page in CRM database ← اسم العميل، الحالة «Active»، تاريخ البدء.
4. **Calendar**: Create Event ← خلال ٣ أيّامٍ من اليوم في ٢:٠٠ م، عنوان «Kickoff: [project]».
5. **HelloSign**: Send a Document for Signature ← القالب المُسبق، إملأ المتغيّرات.
6. **Todoist**: Add Task ← «استلام دفعة ٥٠٪ من [client]» ← تاريخ بعد ٧ أيّام.
7. **Gmail**: Send Email ← بريد ترحيبٍ يحوي روابط المجلّدات، رابط Calendar، نسخة من العقد.

8. **Telegram**: Send Message → «مشروع جديد: [project] مع [client]، السعر [price]».

[لقطة شاشة: لوحة Make تُظهر السيناريو الكامل بـ ٧ موديولات، خطوط خضراء بعد التشغيل الناجح]

> **الوصفة: استقبال عميلٍ جديد القيمة للعميل (لك)**: يَختصر نصف ساعة من الإجراءات الإدارية لكلّ مشروعٍ جديد. **الوقت الموفّر**: ١٠-١٥ ساعة شهرياً (للمستقلّ بـ ٥+ مشاريع). **التكلفة الشهرية**: ٩$ *Make* فقط. **السعر المقترح للعملاء**: ٨٠٠$ بناء + ١٢٥$ شهرياً.

٥. سير عمل: «مولّد العروض»

القصّة: تَجد فرصةً جيّدة. تنسخ رابط المنشور أو نصّه، تُلصقه في نموذج.

السيناريو: 1. يُمرّر النصّ لـ Claude مع ملفّ سيرتك الذاتية في Notion. 2. Claude يَقرأ ويُحدّد ٣ نقاطٍ تَربطك بالمشروع. 3. يَكتب عرضاً مخصّصاً (٢٥٠ كلمة). 4. يَحفظ الـ draft في Google Doc. 5. يُرسل لك رابط Doc لتُراجع وتُرسل.

المخطّط:

```
┌──────┐  ┌──────┐  ┌──────┐  ┌──────┐  ┌──────┐
|Telegram| → | Doc | → | Claude | → | Notion | → | rm |
|(منشور)|  |(سيرتي)|  |(عرض)|  |(draft)|  |(راب)|
└──────┘  └──────┘  └──────┘  └──────┘  └──────┘
```

system prompt الكامل:

أنت كاتب عروض مستقلّ متخصّصٌ في تَخصيص العروض حسب المنش
ستستقبل: 1) منشور عميل من Upwork/منصّة، 2) سيرة ذاتي

استخرج:
- ٣ متطلّباتٍ مذكورة في المنشور
- ٣ مهاراتٍ من السيرة تَطابقها

اِكتب عرضاً من ٤ فقرات (٢٥٠ كلمة):
1. تَحيّة موجزة + جملة تَلتقط محور المشروع
2. لماذا أنت مناسب (اِربط ٣ نقاطٍ من السيرة بـ ٣ متطلّ
3. اقتراح أوّلي للمنهجية (٢-٣ خطوات)
4. سعر، مدّة، دعوة للحوار

نبرة: مهنيّة، واثقة، بدون مبالغة. لا تَستخدم «أنا أفضل

اختبار النجاح: تُلصق منشور Upwork حقيقياً، تَستلم في Telegram رابط Doc يحوي عرضاً قابلاً للنسخ.

٦. سير عمل: «الفاتورة من Toggl»

القصّة: تَستخدم Toggl لتَسجيل ساعاتك. كلّ نهاية شهر، تَفتح Toggl، تَستخرج الساعات لكلّ عميل، تَكتب فاتورةً يدوياً. يأخذ منك ٣ ساعات. الأتمتة تُحوّلها إلى ١٥ دقيقة.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Gmail    │──►│ Stripe   │──►│ Claude   │──►│ Toggl    │
│ (آخرشهر) │  │ (ساعات)  │  │ (ملخّص)  │  │ (فاتورة) │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

التفاصيل:

1. آخر يومٍ في الشهر، يَفحص السيناريو ساعات Toggl لكلّ عميل.
2. Claude يَكتب «وصف العمل المُنجز» بناءً على tags الساعات («تَصميم شعار»، «مراجعة»، «تصدير»).
3. Stripe Invoice (أو Wave، أو موديول مخصّص) يُنشئ فاتورة بـ description المولّد.

4. Gmail يُرسل الفاتورة للعميل.

> 💡 **تلميح**: في 2026، *Wave Accounting* و *Stripe Invoicing* مَجانيّان للأساسيات. *Wave* تَدعم تكاملاً مباشراً مع *Stripe*. *Make* تُكلّف ٢.٩٪ + ٠.٣$ لكلّ معاملة.

٧. مساعدك الشخصي عبر Telegram

الحلم: أن تَفتح Telegram وتَكتب «اِحجز اجتماع مع سامي يوم الثلاثاء عند الرابعة، أعطني تذكيراً قبلها بساعة»، فيُنفّذ مساعدُك الذكي كلّ شيء.

المخطّط:

```
┌──────────┐  ┌──────────┐  ┌──────────┐  ┌──────────┐
│ Router   │──►│ Claude   │──►│ Telegram │──►│ +١٠      │
│ (رسالة)  │  │ (فهم)    │  │ (intent) │  │ مسارات   │
└──────────┘  └──────────┘  └──────────┘  └──────────┘
```

Claude يَستلم الرسالة، يَستخرج intent (احجز، أضف مهمّة، اِبحث، ذكّرني)، ثمّ Router يُوجّه إلى الموديول الصحيح:

- **احجز اجتماعاً** → Calendar.
- **أضف مهمّة** → Todoist.
- **اِحفظ ملاحظة** → Notion.
- **ذكّرني** → Schedule + Telegram لاحقاً.
- **ابحث في ملاحظاتي** → Claude → Notion search → Telegram.

system للفهم:

```
أنت مساعدٌ شخصيّ. ستستقبل رسالة. أعد JSON:
}
"add_task | save_note | reminder | search_notes
"params": {
"title": "...",
"datetime": "...",
"details": "..."
}
{
لا تكتب شيئاً خارج الـ JSON.
```

الوصفة: المساعد الشخصي بالحوار القيمة: يحوّل *Telegram* إلى واجهةٍ موحّدة لكلّ أدواتك (*Calendar, Todoist, Notion*). **الوقت الموفّر**: ٥-١٠ ساعات/شهر للمستقلّ المنظّم. **التكلفة**: ٢-٥$ *Claude* + ٩$ *Make* = ١٤$. **السعر المقترح**: ٦٥٠$ بناء + ٩٠$ شهرياً.

٨. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٠ دقيقة): مولّد بنية المشروع

السيناريو: تَملأ نموذجاً بسيطاً بـ «اسم المشروع، اسم العميل»، السيناريو يُنشئ مجلّداً في Drive باسم محدّد، داخله ٤ مجلّدات فرعية، ثمّ يُرسل لك الرابط.

المخطّط:

```
┌──────────┐   ┌──────────┐   ┌────────┐
│ Form     │→  │ Drive    │→  │ Telegram │
│ (رابط)   │   │ (مجلّدات) │   │        │
└──────────┘   └──────────┘   └────────┘
```

اختبار النجاح: ملء النموذج يُنتج مجلّداً منظّماً في Drive في ١٠ ثوانٍ.

البناء الثاني (متوسّط — ٤٥ دقيقة): مولّد العروض من الفصل

السيناريو: ما بَنيناه في القسم ٥. ابنه كاملاً.

اختبار النجاح: لصق منشور Upwork حقيقي يُنتج Doc بعرضٍ مخصّص في دقيقتَين.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): مركز القيادة الكامل

السيناريو: نظامٌ واحد يَجمع: استقبال العميل (القسم ٤) + الفاتورة الشهرية (القسم ٦) + المساعد الشخصي (القسم ٧).

اختبار النجاح: ٣ سيناريواتٍ مَنفصلة، كلٌّ منها يَعمل بشكلٍ مستقل، يُغطّي مرحلةً من دورة حياة المشروع.

التعديل لعميل: - استبدال Notion CRM الخاصّ بك بـ Notion CRM للعميل. - تَعديل بنية المجلّد بحسب صناعة العميل (محامٍ ≠ مصمّم ≠ مترجم). - تخصيص نبرة بريد الترحيب.

الوصفة: مركز قيادة المستقلّ الكامل القيمة: يَستبدل ٣-٤ ساعاتٍ من الإدارة شهرياً بـ ٣٠ دقيقة مراجعة. **الوقت الموفّر**: ٢٠-٣٠ ساعة/شهر. **السعر**: ١٥٠٠-٢٥٠٠$ بناء + ٢٥٠$ شهرياً.

٩. تلميحات وتحذيرات

تلميح: لا تَبنِ مركز القيادة كلّه دفعةً واحدة. اِبنِ نظاماً، اِستخدمه أسبوعاً، عدّله، ثمّ ابنِ التالي. الأنظمة المتعجّلة تَنكسر بسرعة.

تحذير: حين يَستلم *Notion CRM* بياناتٍ شخصية لعملاء، تَأكّد من إعدادات الخصوصية. لا تُشارك *Database* مع زملاء أو زوجة بدون التأكّد. بعض العملاء يَطلبون تواقيعَ *NDA* تَمنع ذلك.

١٠. تقييمٌ ذاتي

☐ بنيتُ بناءً واحداً على الأقلّ من الثلاثة. ☐ عندي Notion CRM أو Airtable يَستلم العملاء الجدد تلقائياً. ☐ أعرف كيف أتمتة فاتورتي الشهرية. ☐ مساعدي الشخصي على Telegram يَفهم على الأقلّ ٣ intents.

الفصل التاسع: الأتمتة بمساعدة Claude Projects و GPTs المخصّصة

> ﴿ وَفَوْقَ كُلِّ ذِي عِلْمٍ عَلِيمٌ ﴾ — يوسف: 76

١. الطبقة المتوسّطة بين المحادثة والأتمتة الكاملة

ليس كلّ سير عمل يَستحقّ بناء سيناريو في Make. بعض المهامّ تَنفع فيها «طبقة وسطى»: مساعدٌ ذكيٌّ مخصّص، مدرَّبٌ على سياقٍ محدّد، تستدعيه يدوياً حين تحتاجه.

هذه الطبقة الوسطى هي: - **Claude Projects** (من Anthropic). - **Custom GPTs** (من OpenAI). - **Gems** (من Google Gemini).

كلّ واحدةٍ منها تَفعل نفس الشيء تقريباً: مساعدٌ مخصّصٌ بسياق ثابت، تستدعيه في محادثة.

متى تَستخدم Claude Project بدل سيناريو Make؟

- المهمّة تَتكرّر، لكن ليس بشكل آلي تماماً.
- السياق ثابت (نفس النبرة، نفس النوع من الملفّات).
- الإنسان يَحتاج أن يَلمس الناتج قبل استخدامه.
- التكلفة المنخفضة مهمّة (ضمن اشتراك Claude Pro فقط، بلا API).

متى تَستخدم Make سيناريو بدل Claude Project؟

- يَجب أن يَعمل دون تَدخّل بشري.
- يَجب أن يُشغّل عدّة أدواتٍ معاً (Sheet + Email + Slack).
- التشغيل آليٌّ بناءً على حدثٍ خارجي.
- التكرار يومي أو أكثر.

٢. ما هو Claude Project

Claude Project = محادثة Claude لكنّها مَخصّصة: - لها **system instructions** ثابتة (تَعريف الدور). - لها **knowledge base** (ملفّاتٌ ترفعها مرّة، Claude يَقرأها في كلّ محادثة). - محفوظةٌ، تَفتحها وتُكمل العمل دون أن تُعيد الشرح.

[لقطة شاشة: واجهة Claude Project تُظهر اللوحة الجانبية مع system instructions وقسم Knowledge وأزرار المحادثة]

في 2026، Claude Projects متاحٌ ضمن خطّة Pro ($20/شهر) وأعلى.

٣. أربعة Claude Projects للمستقلّ

Project 1: «مراجع المحتوى الخاصّ بي»

System instructions:

أنت محرّر محتوى خبير. مهمّتك مراجعة كلّ نصٍّ أُرسله لك.
- اِبحث عن: أخطاء نحوية، تكرار، جملٍ طويلة (>٢٥ كلمة)
- أعد: قائمة المشاكل بترتيب الأولويّة، ثمّ نسخةً مُصحّحة
- لا تُغيّر الأسلوب الشخصي، فقط المشاكل التقنية.
- نبرتك: مهنيّة موجزة، بدون مجاملات.

Knowledge base: - ملفّ بأسلوبك الكتابي (مقالٌ سابقٌ مُتقن). - قاموس مصطلحاتك المفضّلة. - مقالاتٌ ترى أنّها نموذجٌ ممتاز.

كيفيّة استخدامه: تَكتب مقالاً، تَلصقه في Project، يُرجع لك مراجعةً وتصحيحاً.

Project 2: «كاتب عروض Upwork»

System instructions:

أنت كاتب عروض. ستستقبل منشور Upwork.
- إكتب عرضاً (٢٥٠ كلمة) بصيغتي.
- لا تَستخدم كلماتٍ مبتذلة («I'd love to», «excited»)
- إبدأ بسؤالٍ يُظهر فهماً، لا بمدحٍ ذاتي.
- اقترح مَنهجيّةً (٣ خطوات) بناءً على المنشور.

Knowledge base: - سيرتك الذاتية الكاملة. - ٥ عروض ناجحة سابقة (نَجحَتْ في قبولٍ من العميل). - نسخةٌ بالإنجليزية والعربية.

Project 3: «محلّل بيانات العميل»

System instructions:

أنت محلّل بيانات. سأعطيك ملفّاتٍ من العميل (JSON، Excel)
- اقرأ، استخرج، لخّص الأنماط.
- اقترح ٣ أسئلة يُمكن الإجابة عنها بهذه البيانات.
- إكتب SQL أو formula جاهزة لكلّ سؤال.

Knowledge base: - وثائق Excel المرجعية (موسوعة الـ formulas). - أمثلة على تقاريرَ سابقة.

Project 4: «كاتب ردود البريد»

System instructions:

```
أنت كاتب ردود. ستستقبل بريد عميل.
- اِكتب ردّاً (٤-٦ جمل).
- نبرة: ودّيّة مهنيّة، لا تَكلّف، لا غموض.
- إن طلب العميل خصمًا، اعرض ٥٪ كحدّ أقصى.
- إن شكا، اعتذر بكلمتَين، ثمّ ركّز على الحلّ.
```

Knowledge base: - دليل أسعارك ومنهجيّة العمل. - شروطك (timeline، deposit، revisions).

> **تلميح**: ابنِ *Claude Project* واحداً لكلّ نوعٍ من الإنتاج المتكرّر. حين يصبح عندك ٥-١٠، ستَستخدمها يومياً وتَختصر ساعاتٍ من «إعادة تَفسير السياق» في كلّ محادثة جديدة.

٤. مشاركة Claude Project مع فريق أو عميل

في الخطّة Team ($30/شهر/مستخدم)، تَستطيع مشاركة Project مع زملاء. هذا يفتح حالات استخدامٍ قويّة:

حالة الاستخدام «الـ workflow الخاصّ»: - أنت كاتبٌ مستقلّ، عميلك ناشر. - تَبني Claude Project باسم «Editorial Pipeline for [Client]». - system instructions تَحوي معايير التحرير الخاصّة بالناشر. - knowledge base فيه كلّ المقالات السابقة، نبرتها، أسلوبها. - تُشارك Project مع العميل. - العميل يَستطيع بنفسه أن يُلصق مسوّداتٍ ويَستخدمها للمراجعة الأوّليّة.

أنت بعتَ خدمةً مستمرّة، لا مجرّد مقال. والعميل صار مرتبطاً بنظامٍ تَملكه أنت.

> **الوصفة: ورشة محتوى مشتركة القيمة**: تَحوّل العميل من مستخدمٍ لخدمتك إلى شريكٍ في نظامك. **التَكلفة**: $٣٠ *Claude Team* لكلّ شخص. **السعر المقترح**: $١٥٠٠ بناء (إعداد *Project + knowledge*) + $٢٥٠ شهرياً صيانة.

٥. Custom GPTs — مقارنة سريعة

OpenAI تُتيح Custom GPTs بـ ChatGPT Plus ($20/شهر). الفرق عن Claude Projects:

الميزة	Claude Projects	Custom GPTs
الذكاء العامّ	متَفوّق في النصوص الطويلة	متَفوّق في الـ tools (browsing, code)
Knowledge base	ممتاز	جيّد
Actions (استدعاء API)	لا (إلا عبر MCP)	نعم
المشاركة	عبر Team	عبر GPT Store
الترجمة العربية	متَفوّق	جيّد

في 2026، Custom GPTs تَفعل شيئاً أنيقاً: «Actions» تَسمح للـ GPT أن يَستدعي API خارجي. هذا يَجعل GPT يَفعل أكثر من «الردّ بنصّ» — يَستطيع أن يُغيّر بياناتٍ في تطبيقاتك.

٦. متى تَختار GPT بدل Project

اختر Custom GPT إن: - تَحتاج actions (يَستطيع GPT أن يَستدعي API ليَكتب في Notion، يَفتح صفحة web، يبحث). - تريد GPT Store ليَكتشفه آخرون. - جمهورك يَستخدم ChatGPT بشكلٍ رئيسي.

اختر Claude Project إن: - جودة النصّ هي الأهمّ. - العميل عربيّ. - الـ knowledge base كبير (Claude يَتعامل مع أفضل مع وثائقَ طويلة). - لا تَحتاج actions في الـ tool.

٧. مثال: Custom GPT لمصمّمٍ مستقلّ

اسم الـ GPT: «Brand Brief Assistant».

Instructions:

أنت مساعدٌ لمصمّمٍ مستقلّ. عند بدء المحادثة، اسأل:

1. اسم العلامة
2. الصناعة
3. الجمهور المستهدف
4. ٣ كلماتٍ تَصف الشخصية المرغوبة
5. ألوان مَنتقلية (إن وُجدت)

بعد جمع المعلومات، أعد:

- لوحة ألوانٍ مقترحة (٥ ألوان مع HEX)
- اقتراح خطٍّ (٢ خيارات)
- ٣ مفاهيم لشعار (وصفٌ نصّي، لا صورة)
- نبرة الصوت (٣ كلمات)

Actions: يَستدعي Color Hunt API لاقتراح لوحةٍ ملوّنة، يَستدعي Google Fonts API لاقتراح خطوط.

العميل يَملأ الـ brief بنفسه عبر GPT، يَستلم النتيجة، يُمرّرها لك للتنفيذ.

اختصرتَ ٣٠ دقيقة من «أوّل اجتماع».

٨. «Pattern: «Project + Make scenario

أحياناً، الحلّ الأفضل هو الجمع: Claude Project للجزء الإبداعي، Make سيناريو للجزء الآلي.

مثال: - **Make scenario**: يَستلم بريداً جديداً من Gmail، يُحفظه في Notion كـ «inbound». - **Claude Project**: تَفتحه يومياً، تَنسخ آخر ١٠ inbounds من Notion، تُلصقها، Project يَكتب ردوداً مقترحة. - **Make scenario ثانٍ**:

تَنسخ الردود الموافقة من Project، تَلصقها في نموذج، السيناريو يَفتح Gmail ويُرسلها.

أنت بقيتَ في حلقة المراجعة، لكنّ الكتابة آليّة، والإرسال آليّ، والأرشفة آليّة.

٩. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٠ دقيقة): Project لكاتب الرسائل

السيناريو: ابنِ Claude Project باسم «My Email Replies». - system instructions كما في القسم ٣. - knowledge base: ملفّ يَحوي ٥ ردودك السابقة (أمثلة جيّدة). - اختبر بـ ٣ بريداتٍ مَختلفة.

اختبار النجاح: تُلصق بريداً، تَستلم ردّاً يَبدو مكتوباً منك أنت، لا من بوت.

البناء الثاني (متوسّط — ٤٠ دقيقة): Custom GPT لاستلام الـ brief

السيناريو: ابنِ GPT يَستفسر العميل عن مشروعه، يَكتب brief واحد منظّم، يَرسله لـ Notion عبر action.

المخطّط: GPT بمحادثةٍ تَدوم ٥ دقائق → Action تُنشئ صفحةً في Notion بعنوان وحقول.

اختبار النجاح: تَتظاهر بأنّك عميل، تُحاور الـ GPT لـ ٥ دقائق، تَجد brief كامل في Notion عند انتهاء المحادثة.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): نظام مشارَكة كامل لعميل واحد

السيناريو: عميلك ناشرٌ صغير، يَدفع لك ١٢٠٠$/شهر مقابل ٤ مقالاتٍ بنبرته.

ابنِ:

1. **Claude Project مشترَك** بـ knowledge base فيه ٢٠ من مقالاته السابقة، system instructions تُحدّد نبرته بدقّة.
2. **Make scenario** يَستلم مسوّدةً من Notion، يُمرّرها للـ Project (عبر API)، يَنشر النسخة المُحرّرة في Notion كـ «final draft».
3. **Make scenario ثانٍ** ينشر «final draft» على blog عبر CMS.

اختبار النجاح: تَكتب مسوّدةً سريعة، خلال ٥ دقائق هناك «final» في Notion، خلال ١٠ دقائق هناك مقالٌ مَنشور على blog العميل.

التعديل للعميل: تَخصيص knowledge بمقالات كلّ عميل، تَخصيص نبرة كلّ عميل.

> **الوصفة: *pipeline* تحرير مع عميل القيمة**: تُسلّم محتوى أعلى جودةً في وقتٍ أقلّ، والعميل يَشعر أنّك «مَوظّفٌ ضمنيّ». **التكلفة**:

Claude Team $٣٠ + *Make* $٩ + *Notion* $١٠ = $٤٩ شهرياً.

السعر المقترح: ١٢٠٠-$٢٠٠٠ شهرياً (*retainer*).

١٠. تلميحات وتحذيرات

تلميح: في *Claude Project*، اِكتب *system instructions* بصيغة «أنت [الدور]، مهمّتك [المهمّة]، الـ *knowledge* في القسم التالي يحوي [...]». ثمّ اذكر صراحة: «اقرأ *knowledge* قبل كلّ ردّ». هذا يُحسّن دقّة استخدام *knowledge* بـ ٣٠٪.

تحذير: لا تُحمّل *Claude Project* بأكثر من ٣٠ ملفّاً. الأداء يَنخفض. إذا كنتَ بحاجة لملفّاتٍ أكثر، استخدم *RAG* بـ *Anthropic API* بدلاً من ذلك (مَوضوع كتاب آخر في السلسلة).

١١. تقييمٌ ذاتي

☐ بنيتُ Claude Project واحداً على الأقلّ. ☐ أعرف الفرق بين Claude Project و Custom GPT بـ ٣ نقاط. ☐ أعرف متى أختار «Project + Make scenario» معاً. ☐ بنيتُ بناءً واحداً من الثلاثة.

الفصل العاشر: التسعير والبيع — أتمتةٌ كخدمة للعملاء

﴿ وَأَوْفُوا الْكَيْلَ إِذَا كِلْتُمْ وَزِنُوا بِالْقِسْطَاسِ الْمُسْتَقِيمِ ﴾ — الإسراء: 35

١. مكانة المستشار في الأتمتة في 2026

سوق «مستشار الأتمتة» في 2026 هو أحد أكثر التخصّصات شُغوراً وأقلّها مقاومة. السبب: الشركات الصغيرة والمتوسّطة في المنطقة العربية اكتشفت أنّ ChatGPT يَكتب لها، لكنّها لم تَكتشف بعد أنّ Make يَدير لها أعمالها. الفجوة بين الوعي بالذكاء الاصطناعي والوعي بالأتمتة هي فرصتك.

عميلٌ صغير في الإمارات لا يعرف الفرق بين Zapier و Make. لكنّه يعرف أنّه يَخسر ساعاتٍ في تَنسيق الطلبات بين WhatsApp و Excel و Gmail. حين تَدخل عليه بعرضٍ مباشر: «أنا أحلّ لك هذه المشكلة بـ ٢٠٠٠ درهم، تَستردّ ٢٠ ساعةً شهرياً»، أنت لا تُنافس أحداً تقريباً.

٢. تشخيص ألم العميل — قائمة الـ ١٠ أسئلة

اِستخدم هذه القائمة في كلّ اجتماع اكتشاف (discovery). تَستغرق ٣٠ دقيقة، وتُنتج لك brief كاملٍ:

1. «صف لي يومك الإداري المعتاد، ساعةً ساعة».
2. «ما المهامّ التي تَكرهها أكثر؟ لماذا؟».
3. «أين تَستخدم نسخاً ولصقاً بين تطبيقَين؟».
4. «كم بريداً تَستلم يومياً؟ كم منها تَردّ عليه؟».
5. «ما المهامّ التي يَفعلها موظّفك (أو أنت) بشكلٍ متكرّرٍ بنفس الطريقة؟».
6. «حين يَدخل عميلٌ جديد، ما الخطوات حتّى يبدأ المشروع؟».
7. «ما المهلة الحالية لردّك على عميلٍ محتمَل؟».
8. «كيف تَتابع العميل بعد التسليم؟».
9. «ما التطبيقات التي تَستخدمها يومياً؟».
10. «لو أعطيتك ٢٠ ساعةً مَجّانية كلّ شهر، ماذا ستفعل بها؟».

السؤال العاشر هو الأهمّ. الجواب الذي يُعطيك إيّاه العميل (وقتٌ مع أبنائه، تَوسيع عمله، تَعلّم لغة) هو الـ pitch الذي تُعيد به البيع. أنت لا تَبيع «أتمتة Make»، بل تَبيع «٢٠ ساعة مع أبنائك شهرياً».

تلميح: سَجّل المكالمة (بإذنه)، فرّغها بـ *Whisper*، مرّرها لـ *Claude* مع *system*: «استخرج ٣ نقاط ألمٍ متكرّرة، اقترح ٣ أتمتاتٍ تَحلّها». ١٥ دقيقة عملٍ تُعطيك مسوّدة عرضٍ كاملة.

٣. نماذج التسعير الثلاثة

النموذج الأوّل: مشروع لمرّة واحدة (project-based)

تَبيع بناءً واحداً مقابل سعرٍ ثابت.

نوع البناء	السعر	الزمن المتوقّع
سيناريو بسيط (٢-٤ موديولات)	$٣٠٠-٥٠٠	٣-٥ ساعات
سيناريو متوسّط (٥-١٠ موديولات + AI)	$٧٠٠-١٥٠٠	٨-١٢ ساعة
سيناريو معقّد (متعدّد التطبيقات + Router + error handling)	$١٥٠٠-٣٠٠٠	١٥-٢٥ ساعة
نظام كامل (٣+ سيناريواتٍ مَتداخلة)	$٣٠٠٠-٥٠٠٠	٣٠-٥٠ ساعة

مزايا: الدفع المسبق، إغلاقٌ سريع، مخاطر أقلّ. **عيوب**: علاقةٌ تَنتهي بعد التسليم، لا دخل متكرّر.

النموذج الثاني: الاحتفاظ الشهري (retainer)

تَبيع باقةً شهريةً تَشمل: صيانة الأتمتات الموجودة + بناء جديد بحدود معيّنة + دعم.

الباقة	السعر الشهري	المتضمّن
أساسية	٥٠٠-٧٥٠$	صيانة فقط، ساعتان شهرياً للتعديلات
متوسّطة	١٠٠٠-٢٠٠٠$	صيانة + ٥ ساعات تطوير + استشارة
متقدّمة	٢٥٠٠-٥٠٠٠$	صيانة شاملة + ١٥ ساعة تطوير + أولويّة دعم

مزايا: دخلٌ متكرّر، علاقاتٌ طويلة، نموٌّ متراكب. **عيوب**: تَحتاج عميلاً يَعتمد عليك فعلاً، تَوقّعات أعلى.

النموذج الثالث: الأداء (performance-based)

نسبة من الساعات الموفّرة المُحوّلة إلى مال.

كيف: تُوقّع معه أنّ الأتمتة وفّرت له ٢٠ ساعةً شهرياً، تَكلفة هذه الساعات لو دفعها لموظّف ٢٠٠٠ درهم. تأخذ ٢٥-٤٠٪ من هذا المبلغ شهرياً.

مزايا: العميل يَدفع من الـ ROI لا من جيبه الإجمالي. **عيوب**: يَحتاج عملاء متطوّرين يَفهمون فكرة ROI، ويَحتاج قياساً دقيقاً.

> ⚠ **تحذير**: لا تَدخل في *performance-based* في سنتك الأولى. القياس صعب، الخلاف وارد. التزم بـ *project-based* و *retainer* حتّى تَصل إلى ٥ عملاءَ راضين.

٤. عملاء يَمنيّون واقعيّون — استهدف من؟

من تجربة المستقلّين العرب في 2026، هذه الفئات تَدفع جيّداً:

الفئة ١: متاجر إلكترونية عربية صغيرة

- صاحب متجرٍ على Shopify أو Salla يَبيع ٥٠-٢٠٠ طلباً شهرياً.
- نقطة الألم: الردّ على WhatsApp، تَتبّع شحنات، إرسال إيصالات، مراجعة المخزون.
- ميزانيّتهم للأتمتة: ٤٠٠-١٢٠٠$ شهرياً.
- مَدخلك: «أُوفّر عليك يومَين من إدارة الطلبات أسبوعياً».

الفئة ٢: مَشاريع المهجر اليمني

- ملاكٌ يَمنيّون في أمريكا أو الخليج لشركات صغيرة (مطعم، مَتجر، عيادة).
- نقطة الألم: لا وقتَ لإدارة العمليات اليومية + ارتباطٌ عاطفي بالموظّف اليمني.
- ميزانيّتهم: ٥٠٠-٢٠٠٠$ شهرياً.
- مَدخلك: «أُمْكنك أن تُدير من بعيد بدون أن تَفقد التحكّم».

الفئة ٣: وكالات تسويق رقمي خليجية

- وكالاتٌ صغيرة (٥-٢٠ موظّفاً) في دبي، الرياض، الكويت.
- نقطة الألم: عدد العملاء يَنمو، الموظّفون يَختنقون، التَوسّع يَتطلّب أتمتة.
- ميزانيّتهم: ١٥٠٠-٥٠٠٠$ شهرياً.
- مَدخلك: «أُضاعف طاقة فريقك بدون توظيف».

الفئة ٤: المنظّمات الدوليّة العاملة في اليمن

- منظّمات إنسانية (Care، Oxfam، MSF، UNDP).
- نقطة الألم: تقارير، متابعة المستفيدين، تَوزيع الموارد.
- ميزانيّتهم: ٣٠٠٠-١٥٠٠٠$ للمشروع.
- مَدخلك: «أتمتة بياناتك وتقاريرك وفقَ معايير المانحين».

تلميح: ابدأ بالفئة ١ في سنتك الأولى. الفئة ٢ تَكون مدخلاً ممتازاً للمستقلّ من اليمن (روابط شخصية، ثقة موجودة). الفئة ٤ تَتطلّب خبرةً ولُغةَ تقاريرَ خاصّةً.

٥. لغة العميل — بَيع النتائج، لا التقنيّات

العميل لا يَهتمّ بـ «Make module» أو «webhook» أو «JSON parser».

يَهتمّ بـ:

- «كم ساعةً تُوفّرها لي؟»
- «كم ستُكلّفني شهرياً؟»
- «كم تأخذ لتَبني؟»
- «إن انكسرت، من يُصلح؟»
- «هل يَحلّ هذا مشكلتي X بالتحديد؟»

ترجمات لغوية مفيدة:

لغة الـ technical	لغة العميل
«نَستدعي Claude API لتَصنيف البريد»	«الذكاء الاصطناعي يَفرز بريدك تلقائياً»

لغة الـ technical	لغة العميل
«webhook trigger يَرتبط بـ Stripe»	«الفاتورة تَنشأ تلقائياً حين يَدفع»
«iterator يُمرّر السجلات»	«النظام يُكرّر الإجراء لكلّ صفّ»
«error handler يُرسل تنبيهاً»	«إن انكسرت الأتمتة، تَعرف خلال دقائق»

تدرّب على هذه الترجمات قبل أيّ اجتماع.

٦. عقد الصيانة — حيث المال الحقيقي

أكثر مستقلّي الأتمتة في 2026 يكتشفون السرّ بعد سنة كاملة: عقد الصيانة هو ما يَدفع إيجارهم، لا البناء.

البناء لمرّة = ١٥٠٠$. عقد صيانة شهري = ٢٥٠$ لمدّة سنة = ٣٠٠٠$.

عشرة عقود صيانة بـ ٢٥٠$ = ٢٥٠٠$ شهرياً، أيّ ٣٠٠٠٠$ سنوياً. هذا قبل أيّ بناءٍ جديد.

ماذا يتضمّن عقد الصيانة؟

1. **مراقبة دوريّة**: تتأكّد كلّ أسبوعٍ أنّ الأتمتات تَعمل.
2. **إصلاح الأخطاء**: حين يُغيّر تطبيقٌ API، تُصلح خلال ٢٤ ساعة.

3. **تَعديلات صغيرة**: «أضف عمود X في Sheet»، «غيّر نبرة الردّ».
4. **تقريرٌ شهري**: «هذه الأتمتة شُغّلت ١٢٠٠ مرّة، وفّرت X ساعة».
5. **استشارة**: ساعةٌ مَجّانية شهرياً للحديث عن أتمتاتٍ جديدة.

الوصفة: عقد الصيانة الذهبي القيمة للعميل: راحة بال، علاقةٌ مستمرّة، تَحسينٌ تَدريجي. **القيمة لك**: دخلٌ ثابت، علاقاتٌ تَدوم سنوات. **التكلفة الفعلية الشهرية**: ٢-٤ ساعات منك = ٤٠-٨٠$ تَكلفة فُرصة. **السعر الشهري**: ٢٥٠-٧٥٠$ بحسب الباقة.

٧. كتابة عرض الأتمتة على صفحةٍ واحدة

العرض الناجح صفحةٌ واحدةٌ، بنية ثابتة:

العنوان: «أتمتة [العملية] لـ [اسم العميل]».

الفقرة الأولى — المشكلة الحالية (٣ جمل): - ما الذي يَفعله العميل الآن (يدوياً، بأخطاء). - كم يَكلّفه (وقتاً، مالاً، مزاجاً). - لماذا هذه المشكلة تَستحقّ الحلّ الآن.

الفقرة الثانية — الحلّ المقترح (٣ جمل + مخطّطٌ بسيط): - ما الذي ستَبنيه (وصفٌ بسيطٌ، لا تقنيات). - ما الذي سيَتغيّر في يومه. - مخطّطٌ ASCII أو رسمٌ بسيطٌ من ٤-٦ مربّعات.

الفقرة الثالثة — النتائج المتوقّعة (٣ جمل): - ساعاتٌ موفّرة شهرياً. - زمن الردّ على العميل (قبل/بعد). - تَحسّن تجربة العميل النهائي.

الفقرة الرابعة — السعر والمراحل (جدولٌ صغير): - البناء: $X (مدّة Y أسابيع، Z مراحل تَسليم). - الصيانة: $X شهرياً. - ضمانٌ: «إن لم تَعمل الأتمتة كما وُصفت، استرداد كامل».

الفقرة الخامسة — الخطوة التالية (جملتان): - «وقّع على هذا العرض، أو حدّد ٣٠ دقيقة لمناقشةٍ نهائية». - اسمك، توقيعك، تاريخ الصلاحية.

٨. أمثلةٌ على عروض حقيقية

عرض ١: لمتجر إلكتروني صغير

أتمتة فرز طلبات *WhatsApp* لمتجر «نخلة»

المشكلة: تَستقبلون ٤٠-٦٠ رسالة *WhatsApp* يومياً، ٧٠٪ منها أسئلةٌ متكرّرة (التَوصيل، السعر، التوفّر). محمد (الموظّف) يقضي ٣ ساعاتٍ يومياً في الردّ، ويَفقد رسائلَ مهمّةً وسط الزحام.

الحلّ: نَبني أتمتةً تَستقبل *WhatsApp*، يُجيب الذكاء الاصطناعي على ٧٠٪ من الأسئلة فوراً، يُحوّل الـ ٣٠٪ المتبقّية لمحمد مع ملخّصٍ عمّا تَناقشوا قبلاً.

مخطّط: *Claude* → *WhatsApp* → فلتر → ردٌّ مباشر / *Slack* لمحمد.

النتائج المتوقّعة: - زمن الردّ: من ٣٠ دقيقة إلى < ١ دقيقة. - وقت محمد: ٣ ساعات/يوم → ٤٥ دقيقة/يوم. - رضا العملاء: ٤٠٪ زيادة (من تجارب مماثلة).

السعر: - البناء: ١٧٠٠ درهم (٣ أسابيع). - الصيانة: ٤٠٠ درهم/شهر.

الضمان: ٣٠ يوماً تَجريبية. إن لم يَتحقّق ٥٠٪ من الوفر، استرداد ٧٠٪.

عرض ٢: لوكالة تسويق

أتمتة *pipeline* المحتوى لـ «وكالة الأفق»

المشكلة: تَخدمون ١٢ عميلاً، لكلّ عميلٍ ٥-٧ منشوراتٍ أسبوعياً على ٤ منصّات. الفريق (٣ موظّفين) يَقضي ٢٥ ساعةً أسبوعياً في «النسخ-اللصق-الجدولة». الجودةُ تَعاني، الأخطاءُ تَتراكم.

الحلّ: *pipeline* مركزي. الكاتب يَكتب *pillar* واحد في *Notion*، الذكاء الاصطناعي يولّد المشتقّاتِ المخصّصة لكلّ منصّة بنبرة العميل، الفريق يُراجع، *Buffer* يَنشر بالجدول.

مخطّط: *Claude → Notion (١٢ نبرة عميل) → Buffer* × ٤ منصّات.

النتائج: - وقت الفريق على النشر: ٢٥ ساعة ← ٥ ساعات أسبوعياً. - عدد العملاء القابل للخدمة بنفس الفريق: ١٢ ← ٢٠. - زيادة احتمالية الإيرادات: ٦٧٪ بدون توظيف.

السعر: - البناء: ٤٥٠٠$ (٦ أسابيع). - الصيانة: ١٥٠٠$/شهر.

٩. الإغلاق والتعاقد

حين يَقول العميل «نعم»:

1. **أرسل عقداً مكتوباً**: HelloSign أو DocuSign، أو حتّى PDF موقّع. لا تَبدأ بدون توقيع.
2. **اطلب دفعةً مقدّمةً ٥٠٪**: قاعدة لا تَكسرها في سنتك الأولى.
3. **حدّد timeline واضحاً**: «أسبوع ١: discovery + design. أسبوع ٢: build. أسبوع ٣: test + handoff».
4. **أرسل تقرير تَقدّم أسبوعياً**: حتّى لو كان «أنا في المرحلة X، شيءٌ لم يَتغيّر».
5. **سَلّم بـ kickoff call**: ٣٠ دقيقة، تُريه كيف يَستخدم، تُرسل توثيقاً مكتوباً وفيديو.
6. **اطلب الدفعة الأخيرة عند التَسليم.**

١٠. ثلاث بناءات

البناء الأوّل (مبتدئ — ٢٥ دقيقة): قالب discovery call

السيناريو: ابنِ Notion template يَحوي قائمة الـ ١٠ أسئلة، حقولاً للإجابات، مكاناً للملاحظات، خانة «brief مولّد بـ AI».

ثمّ سيناريو Make: حين تُفعّل button في Notion، يأخذ الإجابات، يُمرّرها لـ Claude، يُولّد brief كامل، يَكتبه في صفحةٍ جديدة.

اختبار النجاح: تَملأ Notion بإجاباتٍ تجريبية، تَضغط زرّ «Generate Brief»، يَظهر brief كاملٌ خلال دقيقة.

البناء الثاني (متوسّط — ٤٥ دقيقة): مولّد عرضٍ مخصّص

السيناريو: تَلصق brief عميل في نموذج، Claude يَكتب عرضاً من ٥ فقراتٍ بالنية الدقيقة المذكورة في القسم ٧، يَحفظه في Google Doc بقالبٍ جاهز.

المخطّط:

```
┌──────────┐  ┌─────────┐  ┌──────────────┐  ┌──────┐
│Form      │→│Notion brief│→│ Claude       │→│Google Doc │
│  (إخراج) │  │ (كتابة) │  │   (قراءة)    │  │      │
└──────────┘  └─────────┘  └──────────────┘  └──────┘
```

اختبار النجاح: من brief واحد إلى Doc جاهزٍ للإرسال خلال دقيقتَين.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): pipeline العميل من الاستفسار إلى الفاتورة

السيناريو: عميلٌ محتمَلٌ يَملأ نموذج «أريد أتمتة»، السيناريو: 1. يُسجّل الـ lead في Notion CRM. 2. يُرسل بريد ترحيب فوريّ + رابط حجز discovery call. 3. بعد الـ call (تُعلّم Notion يدوياً)، سيناريو ثانٍ يولّد brief من ملاحظاتك. 4. يولّد عرضاً. 5. يُرسل العرض بـ HelloSign. 6. عند توقيعه: يُنشئ فاتورة Stripe بـ ٥٠٪ مقدّماً.

اختبار النجاح: من ملءِ النموذج إلى استلام دفعةٍ مقدّمة في حسابك، السيناريو يَدير معظم العملية بدون تَدخّل منك إلا في الـ discovery call.

الوصفة: *pipeline* البيع الكامل القيمة لك: تُتقن ٣ *leads* مَتزامنين بدلاً من ١. **التكلفة الشهرية**: ١٥-٢٠$. **القيمة المالية**: زيادة معدّل الإغلاق من ٢٠٪ إلى ٤٠٪.

١١. تلميحات وتحذيرات

💡 **تلميح**: لا تَخفض السعر أبداً مقابل «طول العلاقة». اِجعل الخصم على الدفعة الكاملة المُقدّمة (٥٪)، لا على شهور إضافية. السبب: العميل الذي يَتفاوض على السعر منذ البداية هو نفسه الذي يَنازع لاحقاً.

⚠ **تحذير**: لا تَقبل عملاء يقولون «اِبنِ أوّلاً، إن أعجبني سأدفع». هذا فخّ. ٩٠٪ من المستقلّين الذين قبلوا هذا الشرط لم يَستلموا أبداً. اِبدأ دائماً بدفعةٍ مقدّمة، أيّ مَهما كانت صغيرة (٢٠٠$ مقدّماً يَكشف الجدّيّة).

١٢. تقييمٌ ذاتي

☐ أَكتب عرضاً من صفحة واحدة في أقلّ من ٣٠ دقيقة. ☐ عندي قائمة استهداف من ١٠ عملاءَ محتملين. ☐ أعرف الفرق بين النماذج الثلاثة للتسعير ومتى أستخدم كلاً. ☐ بنيتُ بناءً واحداً من الثلاثة. ☐ عندي قالب عقد جاهز (HelloSign أو غيره) وقالب فاتورة.

الفصل الحادي عشر: التحدّيات الواقعية والصيانة والمشروع الختامي

﴿ وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ ۚ عَلَيْهِ تَوَكَّلْتُ وَإِلَيْهِ أُنِيبُ ﴾ — هود: 88

١. لماذا تَنكسر معظم الأتمتات

الأتمتة شيءٌ حيّ. تَبنيها اليوم، تَعمل، ثمّ تَنكسر بعد أسبوعَين أو شهرٍ أو ستّة أشهر. الأسباب المتكرّرة:

أ. **تَغييرات API**: تَطبيقٌ يُغيّر بنية بياناته. كان يُرسل `email`، أصبح يُرسل `email_address`. سيناريوك يَنهار.

ب. **انتهاء صلاحية المصادقة**: OAuth tokens تَنتهي. Gmail تُلغي connection بعد ٣ أشهرٍ من عدم الاستخدام.

ج. **حدود السعر (rate limits)**: التطبيق يَقول «أنت تَسأل كثيراً». السيناريو يَتوقّف لساعات.

د. بياناتٌ سيّئة: حقلٌ تَوقّعتَه نصّاً، أتى رقماً. حقلٌ تَوقّعتَه ٢٠ حرفاً، أتى ٢٠٠٠. Claude لا يفهم.

هـ. تَكلفةٌ مُتسارعة: عميلٌ بدأ بـ ١٠٠ بريدٍ يومياً، أصبح ١٠٠٠ بريدٍ يومياً. الحساب الشهري قَفز من ٥$ إلى ٥٠$.

و. تَغيير في عمل العميل: العميل بدأ يستخدم تطبيقاً جديداً. الأتمتة لم تَعد تَلتقطه.

السبب	تَكرّره	حلّه
تغيير API	كلّ ٣-٦ أشهر	إعادة بناء الموديول المتأثّر
انتهاء OAuth	كلّ ٣ أشهر	تَجديد الاتّصال
rate limit	عند الذروة	تباطؤ السيناريو، تَقسيم
بياناتٌ سيّئة	بشكلٍ عشوائي	error handler + validation
تكلفة	عند نموّ العميل	إعادة تَسعير، تَبسيط
تغيير عمل العميل	كلّ ٦ أشهر	discovery قصير + تَعديل

٢. انضباط المراقبة

اِبنِ روتيناً صارماً، لا اعتماداً على الذاكرة:

يومياً (٥ دقائق صباحاً):

1. اِفتح Make Dashboard ← اِفحص «Failed runs» في آخر ٢٤ ساعة.
2. اِفتح Telegram ← اِقرأ تنبيهات الأخطاء (إن وُجدت).
3. اِنظر إلى عداد العمليات: هل قَفز فجأةً؟

أسبوعياً (٣٠ دقيقة، الجمعة مساءً):

1. لكلّ سيناريو إنتاجي، اِفتح history ← اِنظر للأخطاء الصامتة.
2. اِفحص استهلاك Anthropic Console.
3. اِفحص Stripe (إن كنتَ تَستلم مدفوعاتٍ آلية).
4. حدّث Sheet «أتمتاتي» بحالة كلّ سيناريو.

شهرياً (٢ ساعة، أوّل سبتٍ في الشهر):

1. اِفحص كلّ سيناريو على حدة، شغّله يدوياً مرّة، تَحقّق من النتيجة.
2. ادرس استهلاك آخر شهر، قارن بالسابق، ابحث عن ارتفاعٍ شاذّ.
3. ابعث لكلّ عميل تقريراً بصيغة: «شهرٌ من النشاط: X تشغيلاً، Y ساعةً وفّرتْ، Z دولارٍ كلّفتْ».
4. اِسأل العميل: «هل لديك تَعديلاتٌ تُريدها؟».

تلميح: ضع تذكيراتٍ في *Calendar* لكلّ هذه المهامّ. لا تَعتمد على «سأتذكّر». في 2026، فُقدان عميلٍ بسبب أتمتةٍ مكسورة لا يَلاحظها أحد لأسبوع = خسارة سُمعةٍ تأخذ شهوراً لاسترجاعها.

٣. التَكلفة المنفلتة (cost runaway)

سيناريوهك بـ ١٠$ شهرياً يَوم بناء، يصبح ١٠٠$ شهرياً بعد سنة. الأسباب:

1. **حلقات لانهائية غير مُكتشفة**: سيناريو يُرسل بريداً، البريد يُحفّز سيناريو، الذي يُرسل بريداً، إلخ.
2. **Claude يُكرّر على بياناتٍ كبيرة**: العميل أرسل ملفّاً ٢٠٠ صفحة، Claude يَستهلك ٢٠٠٠٠ token لتشغيلٍ واحد.
3. **زيادة volume**: نموّ طبيعيّ لعمل العميل.
4. **استدعاء AI على كلّ شيء**: حتّى ما لا يَحتاجه.

التَخفيف:

- ضَع budget alert في Anthropic Console: «أرسل بريداً إن تجاوز اليوم ١٠$».
- ضَع filter قبل كلّ AI step: «هل هذا فعلاً يَستحقّ AI؟».

- استخدم Haiku بدل Sonnet حيث يَكفي.
- اِستخدم cache (في Anthropic Cache Control) للـ system prompts الطويلة المتكرّرة.

> ⚠ **تحذير**: حلقة لانهائية في *Make* يمكن أن تَستهلك خطّتك الشهرية كلّها في ساعة. ضَع دائماً «*Maximum number of consecutive errors*» = ٣ في إعدادات السيناريو، حتّى يَتوقّف عند خطأ متكرّر.

٤. الحدود الصادقة للـ no-code

في 2026، لا تَستطيع الأتمتة بدون كود حلّ كلّ شيء. هذه الحالات تَطلب مطوّر Track B:

1. **معالجة بياناتٍ كبيرة جداً** (> ١٠ آلاف صفّ في تشغيلٍ واحد): يَكسر Make.
2. **ميزاتٌ مخصّصة لتطبيقاتٍ غير مدعومة**: تَحتاج SDK.
3. **خوارزميّاتٌ معقّدة** (تَوقيعٌ كريبتوغرافي مخصّص، parser PDF خاصّ).
4. **أداءٌ زمنيٌّ صارم** (ميلليثانية لا ثانية).
5. **نظامٌ مَتعدّد المستخدمين بإذونات معقّدة**.

حين تَصِل لإحدى هذه: لا تَتعذّب. اِتّصل بزميلك من Track B. سَلّم له المشروع كاملاً، خُذ عمولة (١٠-٢٠٪ للمطوّر، تَأخذ أنت الباقي)، أو اعرض عليه شراكةً (٥٠/٥٠ على المشاريع المختلطة).

٥. الاعتبارات اليمنيّة الخاصّة

الكهرباء

أتمتاتك تَعمل على خوادم بعيدة، لا على حاسوبك. الكهرباء عندك تَؤثّر فقط على بنائك وصيانتك، لا على تَشغيلها. لكن:

- ضَع UPS صغير لـ ٣٠ دقيقة دعم.
- استَثمر في PowerStation محمولة.
- اِكتب مسوّدات الكتب والوثائق على أوراق حين تَنقطع، ثمّ ارفعها لاحقاً.

الإنترنت

- اِشترك في خطّتَين بمزوّدَين مختلفَين (يمن نت + خطّ ٤G).
- استَخدم Starlink إن استَطعتَ ($٢٠٠ شهرياً، يَفتح كلّ شيء).
- ضَع جدولَك على «أعمال offline» (كتابة، تَفكير، تَخطيط) و«أعمال online» (بناء، اختبار، تَسليم).

دورات الدفع

- العملاء الغربيّون يَدفعون كلّ شهرَين، أحياناً كلّ شهر.
- اِبنِ احتياطياً لأربعة أشهرٍ من المصروفات.
- لا تَعتمد على بطاقةٍ افتراضية واحدة لاشتراكاتك. ابقِ نَسختَين.
- استَخدم Payoneer، Wise، أو Crypto wallet (USDT) كحلولٍ رئيسيّة وبديلة.

٦. الأتمتة «ذاتيّة الشفاء» (self-healing)

أتمتة احترافيّة تَعرف كيف تَتعامل مع أخطائها:

النمط الأوّل: إشعار + إصلاح يدوي

```
┌──────────┐  ┌──────────┐  ┌──────────┐
│   Step   │  │ Step     │  │ Step     │
│ (skip)   │  │ (FAIL)   │  │ (?ok)    │
└──────────┘  └────┬─────┘  └──────────┘
                   ▼
              ┌──────────┐
              │ + Telegram │
```

```
│     email    │
└──────────────┘
```

النمط الثاني: retry تلقائي

في Make، كلّ موديول يَدعم «Error Handler → Resume after delay».

إذا فشل، انتظر ٥ دقائق، أعد المحاولة.

```
┌────────────┐  ┌────────────┐
│   Step     │  │  Retry     │
│   (3×)     │►─│  (FAIL)    │
└────────────┘  └────────────┘
```

النمط الثالث: مسارٌ بديل

إن فشل Claude، استخدم GPT. إن فشل API، استخدم API بديل.

```
┌────────────┐  ┌────────────┐  ┌────────────┐
│   Try      │►─│ if FAIL:   │►─│ Plan B     │
│ Claude     │  │ try GPT    │  │ proceeds   │
└────────────┘  └────────────┘  └────────────┘
```

٧. مسار المهنة من بناءٍ إلى وكالة

في تجربة المستقلّين الناجحين، مسار النموّ يَتبع ٤ مراحل:

المرحلة ١: بنّاء أتمتاتٍ (Year 1)

- تَتعلّم، تَبني لنفسك، تَخدم ١-٣ عملاءَ صغار.
- دخل: ٥٠٠-٢٠٠٠$ شهرياً (متغيّر).
- تَركيزك: مهارات، سُمعة.

المرحلة ٢: مُستشار أتمتة (Years 2-3)

- ٥-١٠ عملاءَ في retainer.
- تَعرف صناعةً واحدة بعمق.
- دخل: ٢٠٠٠-٥٠٠٠$ شهرياً.
- تَركيزك: قيمةٌ مُضافة، عقود طويلة.

المرحلة ٣: وكالةٌ صغيرة (Years 3-5)

- ٢-٤ مساعدين (Track A graduates).
- ١٥-٣٠ عميلاً.
- دخل: ٥٠٠٠-١٢٠٠٠$ شهرياً (نِصفها يَذهب للأجور).

- تَركيزك: عمليّات، توظيف، إدارة.

المرحلة ٤: وكالةٌ متخصّصة (5 Years+)

- تَخصّصٌ ضيّق (مثلاً «أتمتة لشركات الأدوية» أو «أتمتة للمدارس»).
- ٥٠-١٠٠ عميلاً.
- دخل: ١٢٠٠٠+ شهرياً.

ليس كلّ من يَبدأ يَصل للمرحلة ٣. الأكثرية تَستقرّ في المرحلة ٢. هذا ليس فشلاً — ٢٠٠٠-٥٠٠٠$ شهرياً في اليمن أو من اليمن إلى الخارج هو دخلٌ كريم.

٨. مشروع الأسبوع ٥ الختامي — جدول ٥ أيّام

هذا المشروع هو إنجاز برنامج LLM4Yemen، مسار أ. يَجب أن يَكون «أتمتةً كاملةً تحلّ مشكلةً حقيقيّة لعميلٍ حقيقيّ أو مُحاكى».

اليوم الأوّل: تَحديد العميل والمشكلة

اِختر عميلاً: - نَفسك (أتمتة لعملك المستقلّ). - عملٌ عائلي (مَطعم العمّ، متجر الخالة). - صديقٌ يَملك مشروعاً صغيراً. - منظّمة تَعرف فيها أحداً.

أجرِ discovery call ٣٠ دقيقة (أو discovery ذاتي إن كان نفسك). استخدم قائمة الـ ١٠ أسئلة (الفصل ١٠).

اِكتب «brief المشكلة» على صفحة: - وصف العميل (٣ سطور). - العملية الحالية (٥ سطور). - النقاط المؤلمة (٣ نقاط). - النَتيجة المُرادة (٢ سطر).

اليوم الثاني: تَصميم الأتمتة

اِرسم على ورقة (أو Whimsical ،draw.io): - المُحفّز. - كلّ خطوة. - التَطبيقات اللازمة. - استدعاءات AI (وكلفتها التقديريّة).

أجبِ: - ما الحسابات التي تَحتاج بناءها أو طلبها من العميل؟ - كم سيُكلّف شهرياً (تَقدير)؟ - كم سيوفّر (تَقدير ساعات)؟

اليوم الثالث: البناء والاختبار

ابنِ في Make/Zapier/n8n. اختبر بـ ١٠ مدخلاتٍ على الأقلّ: - ٥ مدخلاتٍ عاديّة. - ٢ مدخلاتٍ غريبة (نصّ طويل جداً، حقلٌ فارغ). - ٢ مدخلاتٍ سيّئة (تنسيق خاطئ، رمز غير متَوقّع). - ١ حالة فشلٍ متعمّد (لاختبار error handler).

كلّ اختبارٍ يَجب أن يَنتهي بنتيجةٍ صحيحة أو بإشعار خطأٍ مفهوم.

اليوم الرابع: التَحصين والقياس

أضف: - error handlers على كلّ موديولٍ خارجي. - Telegram alert لك عند الفشل. - Sheet للتَسجيل (run, status, duration, cost).

اِحسب: - التَكلفة الحقيقيّة الشهريّة (شغّل ١٠٠ مرّة، اضربها بـ ٣٠). - التوفير الزمني (احسب الزمن اليدوي قبل، اطرح الزمن مع الأتمتة). - اقتراح السعر للعميل (٢٠-٤٠٪ من قيمة الزمن المُوفَّر).

اليوم الخامس: التَوثيق والتَسليم

اِكتب صفحةً واحدةً للعميل: - ما الذي تَفعله الأتمتة (٣ جمل). - ما الذي يَجب أن يَفعله العميل (إن وُجد). - ما الذي يَستلمه (إخراجاتٌ يومية). - كيف يَتصل بك إن انكسر شيء. - كم تُكلّف شهرياً.

سجّل فيديو ٥ دقائق: - (دقيقة) نَظرة عامّة على المشكلة. - (دقيقتان) عرض الأتمتة في Make. - (دقيقة) عرض النتائج (Sheet, Email, Notion). - (دقيقة) الفوائد المُتَوقّعة + سعرك المقترح.

سَلّم للعميل، أو إن لم يَكن جاهزاً، اكتب «خطّة pitch»: من العملاء الـ ١٠ الذين تستطيع أن تَعرض عليهم نَفس الأتمتة.

تَسليم LMS

1. لقطات شاشة للأتمتة في Make/Zapier.
2. brief المشكلة (يوم ١).
3. توثيق العميل (يوم ٥).
4. حساب التوفير الزمني (يوم ٤).
5. حساب التَكلفة + اقتراح السعر (يوم ٤).
6. فيديو walkthrough (٥ دقائق).
7. تأكيد العميل أنّ الأتمتة تَعمل (إن أمكن)، أو خطّة الـ pitch.

٩. ثلاث بناءاتٍ أخيرة

البناء الأوّل (مبتدئ — ٢٠ دقيقة): مراقب صحّة الأتمتات

السيناريو: سيناريوٌ يَعمل مرّةً يومياً يَفحص قائمة سيناريوهاتك في Make عبر Make API الخاصّ، يُحصي الفشل، يُرسل إليك ملخّصاً.

البناء الثاني (متوسّط — ٤٥ دقيقة): مولّد التقرير الشهري للعميل

السيناريو: في أوّل كلّ شهر، سيناريوٌ يَفحص logs الأتمتات الخاصّة بعميلٍ محدّد، يَستخلص (عدد التشغيلات، الوقت الموفّر، التَكلفة)، يولّد PDF أنيقاً، يُرسله للعميل.

البناء الثالث (تحدٍّ — ٩٠ دقيقة): المشروع الختامي نَفسه

ابنِ مشروع الأسبوع ٥ كاملاً. هذا هو البناء الختامي للكتاب وللأسبوع الخامس.

الوصفة: تَقرير *ROI* الشهري للعميل القيمة: تَجعل العميل يَرى قيمة الأتمتة بالأرقام، فيَدفع *retainer* بثقة. **التَكلفة**: ٢-٣$ شهرياً. **القيمة لك**: ٢-٣ *retainers* إضافيّة سنوياً بسبب الشفافيّة.

١٠. تلميحات وتحذيرات نِهائيّة

تلميح: في كلّ مَرّةٍ تَبني أتمتةً جديدة، خُذ ٣٠ دقيقة بعد التَسليم لكتابة «وصفة» منها (بصيغة *Appendix A*). بعد سنة، سيكون عندك ٤٠-٦٠ وصفة، كلّها قابلةٌ لإعادة البيع.

تحذير: لا تَترك سيناريو إنتاجي بدون مراجعةٍ شهريّة. الأتمتات «تَنتقل بصمت» — تَعمل، لكنّها تَنتج نَتائجَ سيّئة. عميلٌ لم تَرَ سيناريوه منذ ٦ أشهر هو عميلٌ ستَخسره.

١١. تقييمٌ ذاتيّ ختاميّ للكتاب

☐ بنيتُ ٨ أتمتاتٍ تَعمل في حسابي. ☐ لديّ مَركز قيادة شخصي يُدير عملي. ☐ لديّ مكتبة ٣٠ وصفةٍ (في Appendix A). ☐ لديّ عرضٌ مكتوب لعميلٍ مُحدّد. ☐ لديّ روتين مُراقبةٍ شهريّ. ☐ بنيتُ مشروع الأسبوع ٥ الختامي وسلّمتُه أو خَطّطتُ لـ pitch. ☐ أعرف متى أتّصل بمطوّر Track B. ☐ أفهم مسار المهنة من بنّاءٍ إلى وكالة.

سبعةٌ من ثمانية على الأقلّ؟ مَبروك. أَتممتَ أسبوع ٥ في برنامج LLM4Yemen.

الخاتمة

﴿ وَقُل رَّبِّ زِدْنِي عِلْمًا ﴾ — طه: 114

ما الذي بنيتَه

إن أتممتَ هذا الكتاب بالعمل، لا بالقراءة، فأنت الآن تَملك أكثر ممّا تَظنّ.

تَملك ٨ أتمتاتٍ على الأقلّ تَعمل في حسابك، كلّ واحدةٍ منها تُوفّر لك ساعاتٍ شهرياً إلى الأبد. تَملك «مركز قيادةٍ» شخصياً ينظّم عملك. تَملك مكتبة ٣٠ وصفةً، كلٌّ منها مُنتَجٌ بيعيٌّ مكتمل. تَملك عرضاً مكتوباً لعميلٍ محدّد، ربّما سَلّمتَه فعلاً. تَملك روتين مراقبةٍ يَبقي ما بنيتَه حيّاً. وأهمّ من ذلك كلّه: تَملك عقلاً غيّر طريقة رؤيته للعمل.

قبل هذا الكتاب، كنتَ ترى المهمّة فتَفعلها. الآن، تَرى المهمّة فتَسأل: «هل هذا قابلٌ للأتمتة؟». هذا السؤال البسيط هو الفرق بين مستقلٍّ يَركض كلّ يومٍ خلف الساعات، ومستقلٍّ يَملك أنظمةً تَركض له.

ما لم نُغطِّه

كنّا أُمناء معك في هذا الكتاب. لم نَدّعِ أنّ هذا كلّ شيء. هناك ما لم نَغطِّه:

برمجة API بشكلٍ صحيح: تَستطيع بناء معظم ما تَحتاج بدون كود، لكنّ هناك ٢٠٪ من حالات الاستخدام تَتطلّب مطوّراً. حين تَصِل إليها، اِتصل بزميلٍ من Track B، أو ادرس Track B بنفسك — هو الكتاب التالي في السلسلة.

RAG (الاسترجاع المعزّز بالتوليد): حين يَكبر knowledge base عن حدود Claude Project، تَحتاج RAG. هذا مَوضوع الكتاب رقم ٣١ في مكتبتنا.

MCP والوكلاء الذاتيّون: المُستوى التالي بعد الأتمتة هو الوكلاء (agents). الكتاب رقم ٣٢ يُغطّيهم.

Multimodal AI متقدّم: الأتمتة بالفيديو والصوت بشكلٍ متعمّق هي مَوضوع الكتاب رقم ٣٣.

كلّ هذا متاحٌ لك. هذا الكتاب الذي بين يَدَيك هو السابع والأخير في سلسلة LLM4Yemen، لكنّه بدايةٌ، لا نِهاية. طريق التَعلّم لا يَنتهي.

رِسالةٌ شخصيّةٌ من المؤلف

كتبتُ هذا الكتاب وأنا أرى أمامي وجوه طلّابي اليمنيّين — في صنعاء، في عدن، في حضرموت، في تعز، في المهجر في كلّ بقعةٍ من العالم. أرى الشابّ الذي خَرج من الجامعة ولم يَجد عملاً، والشابّة التي تَجلس في غرفتها تَبحث عن طريقٍ كريم، والمستقلّ الذي يَكافح لشهور دون نتيجةٍ ملموسة.

أتمتةُ العمل بالذكاء الاصطناعي، في 2026، هي إحدى أعدل الفرص التي رَأيتُها في حياتي. لا تَطلب مالاً ابتدائياً، لا تَطلب لقباً، لا تَطلب اسماً عائلياً. تَطلب صبراً، فضولاً، وقدرةً على إغلاق Discord ساعةً يومياً للبناء بدلاً من المتابعة.

هذا ما أُريده لكلّ يمنيٍّ يَقرأ هذه السطور: ساعةٌ يومياً تَبني فيها نظاماً، أيّ نظام. بَعد سنة، يكون عندك ٣٦٥ ساعة من الأنظمة. سنةٌ بعد ذلك، ستُدير عملك من غرفةٍ في صنعاء وكأنّك في وادي السيليكون.

التَّكنولوجيا حياديّة. لا تَعرف من أين أنت، ولا اسم أبيك. تَخدم من يَتعب معها. اِتعب معها بإخلاص، تَخدمك بإخلاص.

وعدٌ أخير

إن أتممتَ هذا الكتاب وما بنيتَ شيئاً، فإنّك أَهدرتَ وقتاً. اِفتح Make الآن، اِبنِ سيناريو بسيطاً قبل أن تُغلق هذه الصفحة. أيّ سيناريو. اِربط Gmail بـ

Telegram. اربط نموذجاً بـ Sheet. لا يَهمّ. الفعل يَفتح الفعل، والقراءة بدون فعلٍ تُغلق كلّ شيء.

أَسأل الله أن يُبارك في جهدك، وأن يَجعل ما تَبنيه نافعاً لك ولأهلك ولأمّتك. وأن يَستر عليك في تَعاملك، ويَرزقك من حيث لا تَحتسب.

والوقت الذي توفّره بالأتمتة، خَصِّص ساعةً منه يومياً لمن يَستحقّ: لأبنائك الذين سَيَكبرون أمامك، لوالدَيك اللذَين سَيَحتاجانك، لربّك الذي وعدك بالخلود.

«إنّ الله يحبّ إذا عَمل أحدُكم عَملاً أن يُتقنه». الإتقان في 2026 يَعني أن تَجمع ذكاءك الذاتي مع ذكاءٍ آليٍّ يَخدمك، فتُنتج ما لم يَستطع جيلٌ قبلك أن يُنتجه في عمرٍ كامل.

ابنِ. جرّب. اِكسر. أَصلح. أعد البناء. هذه هي الطريق.

والله أعلم.

المصادر والمراجع

أوّلاً: التَوثيق الرسمي للمنصّات

1. Make.com Documentation — https://www.make.com/en/help مرجعٌ رسميٌّ شامل لكلّ موديولات Make، أمثلة، وآليّات حلّ الأخطاء.

2. Zapier Documentation — https://zapier.com/help مكتبةٌ ضخمةٌ لـ Zaps شائعة وأدلّة بدء.

3. n8n Documentation — https://docs.n8n.io التَوثيق الرسمي مع أدلّة self-hosting و workflows.

4. Anthropic API Documentation — https://docs.anthropic.com مرجع Claude API، إرشادات هندسة الأوامر، أمثلة على الكود.

5. OpenAI Platform Documentation — https://platform.openai.com/docs مرجع GPT و DALL-E و Whisper و Custom GPTs.

6. Google Gemini API — https://ai.google.dev مرجع Gemini مع أمثلة Workspace integration.

ثانياً: مكتبات الـ templates و recipes

1. Make Template Library — https://www.make.com/en/templates آلاف القوالب المُعَدّة مسبقاً، قابلةٌ للنسخ والتَعديل.

2. Zapier App Directory — https://zapier.com/apps +٧٠٠٠ تَطبيقاً مدعوماً، مع أمثلةٍ على الـ Zaps الأكثر استخداماً.

3. n8n Workflow Templates — https://n8n.io/workflows مكتبة workflows عامّة مع تَوثيقٍ مَفتوح.

4. Awesome No-Code AI — https://github.com/no-code-ai/awesome قائمة GitHub مشهورة بأدوات وموارد مَجّانية.

ثالثاً: مَنصّات scraping ومراقبة

1. Apify Academy — https://docs.apify.com/academy دروسٌ مَجّانية في web automation، scraping.

2. Browse AI Documentation — https://www.browse.ai/docs

3. ScrapingBee Blog — https://www.scrapingbee.com/blog

رابعاً: المنصّات المساعدة

1. Notion API Documentation — https://developers.notion.com

2. Airtable API — https://airtable.com/developers/web/api/introduction

3. Slack API — https://api.slack.com

4. Telegram Bot API — https://core.telegram.org/bots/api

5. WhatsApp Business Platform — https://developers.facebook.com/docs/whatsapp

خامساً: التَسعير والأعمال

1. Freelancer's Pricing Guide 2026 — Bonsai Research
تَقريرٌ سنويٌّ بأسعار الأعمال الحرّة عالمياً.

2. Make Build Pricing Survey 2026 — Make Community
مسحٌ مَجتمعيٌّ بأسعار بناء سيناريوهات Make.

3. The Automation Consultant Playbook — Khe Hy دليلُ
التَحوّل من بنّاءٍ إلى مستشار.

سادساً: الأخلاقيّات والقانون

1. GDPR Quick Reference — https://gdpr.eu

2. CAN-SPAM Act Compliance Guide — FTC.gov

3. Automation Ethics for Freelancers — Code of Conduct

سابعاً: المجتمعات

1. Make Community Forum — https ://:
community.make.com

2. r/Zapier (Reddit)

3. n8n Community — https://community.n8n.io

4. NoCode Founders Slack

5. Build in Public (Twitter/X hashtag)

ثامناً: قنوات يوتيوب موصى بها

1. Make.com Official Channel
2. Zapier Official Channel
3. n8n Official Channel
4. Latest in AI (Bilal Tahir) — تَطبيقات عربية
5. The Knowledge Refinery — أتمتاتٌ متَقدّمة

تاسعاً: الكتب والمراجع المؤلَّفة

1. د. فضل محمد الأكوع — العمل الحرّ بالذكاء الاصطناعي — دليل المستقلّ اليمني والعربي
2. د. فضل محمد الأكوع — هندسة الأوامر — فن التَحاور مع الذكاء الاصطناعي

3. د. فضل محمد الأكوع — كلود كود — الدليل الشامل

4. د. فضل محمد الأكوع — نوت بوك إل إم — الدليل الشامل

عاشراً: تَنبيه

كلّ الروابط أعلاه صحيحةٌ في وقت كتابة الكتاب (أبريل 2026). المنصّات تَتغيّر بسرعة؛ إن وَجدتَ رابطاً مكسوراً، ابحث عن الاسم في محرّك بحث.

أسعار المنصّات وقدرات النماذج تَتَطوّر شهرياً. كلّ رقمٍ في هذا الكتاب صحيحٌ في 2026، لكنّ الفلسفة (الفصول والمفاهيم) تَدوم سنواتٍ بإذن الله.

الملحق أ: مكتبة الوصفات الثلاثين

كلّ وصفةٍ هنا مُنتَجٌ بيعيٌّ. خَصِّصها لعميلٍ، وقَدّم عرضاً مَكتوباً، تَستلم فاتورة. هذا الملحق وحده يَستحقّ قيمة الكتاب.

أوّلاً: وصفات البريد والرسائل (٨ وصفات)

الوصفة ١: مصنّف بريد العملاء بـ AI

القيمة للعميل: يَفرز Gmail تلقائياً إلى ٤ فئات، يُرسل تنبيه Slack للمهمّ. **الوقت الموفّر**: ٦ ساعات/شهر. **المنصّة**: Make. **التكلفة الشهرية**: $١٣ ($٤ Claude + $٩ Make). **المخطّط**:

```
Gmail → Claude → ParseJSON → Sheet + Slack + Label
```

الخطوات: Gmail Watch Emails → Claude classify (system: 4 فئات) → Router 4 مسارات → Parse → Slack/Label/Trash.

التخصيص للعميل: تَغيير الفئات، تَغيير عتبات الأولويّة، تَغيير اللغة. **السعر**: $٤٥٠ بناء + $٧٥/شهر.

الوصفة ٢: الردّ التلقائي على نَموذج الاتّصال

القيمة للعميل: زائر يَملأ نموذجاً، يَستلم بريد ترحيب مخصّص خلال دقيقة. **الوقت الموفّر**: ٤ ساعات/شهر. **المنصّة**: Zapier أو Make. **التكلفة**: ١٠$ (١$ Make + ٩$ Claude). **المخطّط**:

```
Form → Claude (شخصنة) → Sheet → Gmail (تسجيل lead)
```

التخصيص: نبرة العميل، حقول النموذج، توقيع البريد. **السعر**: ٣٥٠$ + ٥٠$/شهر.

الوصفة ٣: مولّد النشرة البريدية الأسبوعية

القيمة: ٤ ساعات أسبوعية ← ١٥ دقيقة مراجعة. **الوقت الموفّر**: ١٥ ساعة/شهر. **المنصّة**: Make. **التكلفة**: ١٢$. **المخطّط**:

```
Schedule (الجمعة) → RSS (آخر5) → Claude (نشرة) → am
```

التخصيص: مَصادر RSS، نَبرة، توقيت الإرسال. **السعر**: ٦٠٠$ + ١٢٥$/شهر.

الوصفة ٤: مساعد WhatsApp Business بالعربية

القيمة: ردٌّ فوريٌّ على ٧٠٪ من الأسئلة المتكرّرة. **الوقت الموفّر**: ٢٥ ساعة/شهر لمتجرٍ نَشط. **المنصّة**: Make + Twilio أو WhatsApp Business API.
التكلفة: ٤٠-٦٠$/شهر. **المخطّط**:

```
man → (يَستطيع؟) WhatsApp → Claude (FAQ DB) → Filter
```

التخصيص: قاعدة معرفة العميل، حدود الردّ التلقائي. **السعر**: ١٧٠٠$ + ٤٠٠$/شهر.

الوصفة ٥: متابع العملاء بعد التسليم

القيمة: سلسلة ٤ متابعاتٍ خلال ٣٠ يوماً، تَزيد التَقييمات الإيجابيّة بـ ٣٠٪. **الوقت الموفّر**: ٤ ساعات/شهر. **المنصّة**: Make. **التكلفة**: ١١$. **المخطّط**:

```
aude → Gmail → Delay 7d → ... × 4 → (تَسليم) Trigger
```

التخصيص: عدد المتابعات، نَبرة كلّ واحدة، شروط التَوقّف. **السعر**: ٤٠٠$ + ٧٥$/شهر.

الوصفة ٦: مولّد ردود البريد بنَبرتك

القيمة: تَلصق بريداً، يولّد رَدّاً جاهزاً للنشر بعد دقيقة مراجعة. **الوقت الموفّر**: ٨ ساعات/شهر. **المنصّة**: Make + Claude Project. **التكلفة**: ٢٤$ (Claude Pro 20$ + Make 4$). **المخطّط**:

```
Draft → (نَبرتك+سياق) Gmail (mark) → Claude Project
```

التخصيص: knowledge base = ٢٠ من ردودك السابقة. **السعر**: ٥٠٠$ + ١٠٠$/شهر.

الوصفة ٧: مرشد Telegram للموظّفين الجدد

القيمة: موظّفٌ جديد يَسأل البوت أيّ سؤال «كيف أقدّم إجازة؟»، يَجيب من handbook الشركة. **الوقت الموفّر**: ١٠ ساعات/شهر للـ HR. **المنصّة**: Make + Anthropic Files API. **التكلفة**: ٢٠-٣٠$. **المخطّط**:

```
Telegram → Claude (handbook) → Telegram (إجابة)
```

التخصيص: handbook الشركة، اللهجة (رسمية/ودّية). **السعر**: ١٢٠٠$ + ٢٥٠$/شهر.

الوصفة ٨: مصنّف رسائل LinkedIn DM

القيمة: تَفرز رسائل LinkedIn إلى «فرصة»، «استفسار»، «بيع»، «إعجاب». **الوقت الموفّر**: ٤ ساعات/شهر. **المنصّة**: Make + Phantombuster (لجلب DMs). **التكلفة**: ٣٠$. **المخطّط**:

```
Phantombuster → Claude → Notion + Slack (للفرصة)
```

السعر: ٧٠٠$ + ١٢٥$/شهر.

ثانياً: وصفات المحتوى والنشر (٦ وصفات)

الوصفة ٩: مقال واحد ← ١٠ مخرجات

القيمة: مَقالٌ يُولّد ٧ منشوراتٍ + ٣ صور + ١ صوت في pipeline واحد. **الوقت الموفّر**: ٣٠ ساعة/شهر. **المنصّة**: Make. **التكلفة**: ٤٤-٦٩$. **المخطّط**:

```
s) → ParseJSON → Buffer ×5 + DALL-E ×3 + ElevenLabs
```

التخصيص: المنصّات المستهدفة، نَبرة كلّ منصّة. **السعر**: ١٢٠٠$ + ٢٥٠$/شهر.

الوصفة ١٠: مترجم محتوى عربي ↔ إنجليزي

القيمة: مَقالٌ في Notion يُتَرجم تلقائياً ويُنشر بنَفس الوقت في النسخة الأخرى.

الوقت الموفّر: ١٥ ساعة/شهر. **المنصّة:** Make. **التكلفة:** ٢٠$. **المخطّط:**

Notion (عربي) → Claude (ترجمة) → Buffer (EN posts)

التخصيص: المصطلحات المهنيّة، الأسلوب. **السعر:** ٧٥٠$ + ١٥٠$/شهر.

الوصفة ١١: محوّل YouTube إلى مَقال + منشورات

القيمة: حلقة فيديو ← transcript ← مَقال + ٧ منشورات. **الوقت الموفّر:** ٢٠ ساعة/شهر. **المنصّة:** Make + Whisper. **التكلفة:** ٣٠-٥٠$. **المخطّط:**

YouTube RSS → Whisper → Claude (مَقال) → Buffer

السعر: ١٥٠٠$ + ٢٧٥$/شهر.

الوصفة ١٢: محوّل البودكاست إلى show notes + clips

القيمة: حلقة ← show notes منظّمة + ٣ clips للسوشيال + اقتباسات. **الوقت الموفّر:** ١٢ ساعة/شهر. **المنصّة:** Make + Whisper + DALL-E. **التكلفة:** ٤٠$. **المخطّط:**

```
sper → Claude (analysis) → Notion + DALL-E + Buffer
```

السعر: ١٢٠٠$ + ٢٢٥$/شهر.

الوصفة ١٣: مولّد صور social media اليومي

القيمة: قَالبٌ يومي يولّد ٣ صور بنَصّ مَوسم + اقتباس. **الوقت الموفّر**: ٨ ساعات/شهر. **المنصّة**: Make + DALL-E. **التكلفة**: ٢٠$. **المخطّط**:

```
Schedule (يومي) → Sheet (اقتباسات) → Buffer → DALL-E
```

السعر: ٦٠٠$ + ١٢٥$/شهر.

الوصفة ١٤: مولّد رسائل Email Drip Sequence

القيمة: يَكتب لك ٧-١٠ رسائلَ تَدريبية بنَبرة العميل لـ funnel كامل. **الوقت الموفّر**: ٢٠ ساعة/إعداد. **المنصّة**: Make + ConvertKit. **التكلفة**: ٣٠$.

المخطّط:

```
Form (موضوع) → ConvertKit (sequence) → (10 emails)
```

السعر: ١٠٠٠$ + ١٠٠$/شهر.

ثالثاً: وصفات الأبحاث والمراقبة (٦ وصفات)

الوصفة ١٥: التقرير الإخباري اليومي

القيمة: ١٠ مَصادر RSS ← ملخّصٌ مرتّب ← بريد يَوم. **الوقت الموفّر**: ١٥ ساعة/شهر. **المنصّة**: Make. **التكلفة**: ١٧$. **المخطّط**:

```
ule → RSS×10 → Aggregator → Claude → Notion + Email
```

السعر: ٧٠٠$ + ١٥٠$/شهر.

الوصفة ١٦: مراقب أسعار المنافسين

القيمة: تنبيهٌ خلال ساعة من تَغيير أيّ منافس لسعره. **الوقت الموفّر**: ١٢ ساعة/شهر. **المنصّة**: Make + Apify. **التكلفة**: ٤٠$. **المخطّط**:

```
Schedule → Apify scrape → Compare DB → Slack alert
```

السعر: ١٢٠٠$ + ٢٠٠$/شهر.

الوصفة ١٧: مرشّح فرص Upwork اليومي

القيمة: ٥ فرص مرتّبة بالأولويّة في Telegram يومياً. **الوقت الموفّر:** ١٥ ساعة/شهر للمستقلّ. **المنصّة:** Make. **التكلفة:** ١٥$. **المخطّط:**

```
owork RSS×5 → Claude (filter+rank) → Telegram top 5
```

السعر: ٤٠٠$ + ٧٥$/شهر (B2B لمستقلّين).

الوصفة ١٨: متابع الأبحاث الأكاديمية

القيمة: arXiv + PubMed → Claude يَختار ١٠ ذات صلة → digest أسبوعي. **الوقت الموفّر:** ٣٠ ساعة/شهر للباحث. **المنصّة:** Make. **التكلفة:** ٢٠$. **المخطّط:**

```
e → arXiv RSS → Claude (relevance) → Notion + Email
```

السعر: ٩٠٠$ + ١٧٥$/شهر.

الوصفة ١٩: رصد المناقصات الحكومية

القيمة: ٥ مَواقع مناقصات → فلتر → بريد فوري عند فرصة. **الوقت الموفّر:** ١٢ ساعة/شهر. **المنصّة:** Make + Apify. **التكلفة:** ٥٠$. **المخطّط:**

```
edule → Apify ×5 → Claude filter → Airtable + Email
```

السعر: ١٥٠٠$ + ٢٥٠$/شهر.

الوصفة ٢٠: مراقب ذكر العلامة على السوشيال

القيمة: تنبيهٌ فوريٌّ لكلّ تَغريدةٍ أو منشورٍ يَذكر اسم العلامة. **الوقت الموفّر**: ٨ ساعات/شهر. **المنصّة**: Make + Brand24 أو Mention. **التكلفة**: ٧٠$.

المخطّط:

```
Claude (sentiment) → Slack (negative) / Sheet (all)
```

السعر: ٨٠٠$ + ١٥٠$/شهر.

رابعاً: وصفات العمل الحرّ والإنتاجيّة الشخصيّة (٦ وصفات)

الوصفة ٢١: استقبال عميلٍ جديد

القيمة: نَموذجٌ ← ٧ إجراءاتٍ تلقائية (مجلّد، CRM، عقد، اجتماع). **الوقت الموفّر**: ١٠-١٥ ساعة/شهر. **المنصّة**: Make. **التكلفة**: ٩$. **المخطّط**:

```
+ Calendar + HelloSign + Todoist + Gmail + Telegram
```

السعر: $٨٠٠ + $١٢٥/شهر.

الوصفة ٢٢: مولّد عروض Upwork

القيمة: لصق منشور ← عرض مخصّص بصوتك في دقيقتَين. **الوقت الموفّر**: ٢٥ ساعة/شهر. **المنصّة**: Make + Claude Project. **التكلفة**: $٢٤. **المخطّط**:

```
aude → Doc draft → Telegram → (سيرتك) Form → Notion
```

السعر: $٧٠٠ + $١٠٠/شهر.

الوصفة ٢٣: الفاتورة الشهرية من Toggl

القيمة: ٣ ساعات شهرية ← ١٥ دقيقة. **الوقت الموفّر**: ٣ ساعات/شهر/عميل. **المنصّة**: Make + Toggl + Stripe. **التكلفة**: $١٠. **المخطّط**:

```
→ Gmail → (وصف) Toggl → Claude → (آخر شهر) Schedule
```

السعر: $٣٠٠ + $٥٠/شهر.

الوصفة ٢٤: المساعد الشخصي بالحوار (Telegram)

القيمة: واجهةٌ موحّدة لـ Calendar + Todoist + Notion. **الوقت الموفّر**: ٥-١٠ ساعات/شهر. **المنصّة**: Make. **التكلفة**: $١٤. **المخطّط**:

```
elegram → Claude (intent) → Router → 5 destinations
```

السعر: ٦٥٠$ + ٩٠$/شهر.

الوصفة ٢٥: مولّد بنية المشروع

القيمة: نَموذجٌ ← مجلّد منظّم في Drive في ١٠ ثوانٍ. **الوقت الموفّر**: ٢ ساعة/شهر. **المنصّة**: Make. **التكلفة**: ٩$. **المخطّط**:

```
Form → Drive (4 subfolders) → Telegram link
```

السعر: ٢٠٠$ + ٤٠$/شهر.

الوصفة ٢٦: pipeline البيع الكامل

القيمة: من lead إلى دفعةٍ مقدّمة بـ ٧٠٪ أتمتة. **الوقت الموفّر**: ٢٠ ساعة/شهر للمستقلّ النشط. **المنصّة**: Make. **التكلفة**: ٢٠$. **المخطّط**:

```
alendar → Claude (brief) → Doc → HelloSign → Stripe
```

السعر: ١٥٠٠-٢٥٠٠$ + ٢٥٠$/شهر.

خامساً: وصفاتٌ شاملة (٤ وصفات)

الوصفة ٢٧: مَركز التَنبيهات الموحّد

القيمة: كلّ تنبيهات أتمتاتك في قناة Slack/Telegram واحدة، مرتّبةً. **الوقت الموفّر**: لا قياس مباشر، لكنّه يَمنع فُقدان عملاء. **المنصّة**: Make. **التكلفة**: ٩$.

المخطّط:

```
hook sources → Claude (categorize) → Slack channels
```

السعر: ٤٠٠$ + ٥٠$/شهر.

الوصفة ٢٨: نسخة احتياطية أسبوعية لـ Notion

القيمة: حماية من فُقدان البيانات. **الوقت الموفّر**: مَنع كارثة محتملة. **المنصّة**: Make. **التكلفة**: ٩$. **المخطّط**:

```
Schedule (أسبوعي) → Drive → Notion API (مَجلّد archive
```

السعر: ٢٠٠$ + ٤٠$/شهر.

الوصفة ٢٩: لوحة بيانات الإدارة

القيمة: تَقرير شهري شامل لعميلٍ يَجمع KPIs من ٥ مَصادر. **الوقت الموفّر:** ٨ ساعات/شهر. **المنصّة:** Make + Google Data Studio. **التكلفة:** ١٥$.

المخطّط:

```
e → Sources×5 → Sheet → Data Studio refresh → Email
```

السعر: ٢٠٠٠$ + ٣٠٠$/شهر.

الوصفة ٣٠: مراقب صحّة الأتمتات

القيمة: تَعرف فوراً إن كَسر سيناريو، بدلاً من اكتشاف ذلك بعد أسبوع. **الوقت الموفّر:** مَنع كارثةٍ مَحتملة. **المنصّة:** Make + Make API. **التكلفة:** ٩$.

المخطّط:

```
us) → Claude (analyze) → Telegram → (يـومـي) Schedule
```

السعر: ٣٠٠$ + ٥٠$/شهر.

كيف تَستخدم هذه المكتبة

1. **اختر وصفةً تَتَوافق مع عميلٍ تَعرفه.**

2. **اِبنِ الوصفة لنَفسك أوّلاً**: استَخدمها أسبوعَين، تَفهم الفخاخ.
3. **اِكتب عرضاً (الفصل ١٠)** يَستخدم الوصفة كأساسٍ، يخصّصها للعميل.
4. **سعّر بحسب القيمة، لا التَكلفة**: العميل يَدفع مقابل ما يوفّره، لا مقابل ساعات بنائك.
5. **اِبنِ، اختبر، سَلّم بـ kickoff call**.

في الأسبوع الأوّل من تَطبيق هذا الكتاب، يَجب أن تَكون قد بنيتَ ٣ من هذه الـ ٣٠ على الأقلّ. في الشهر الأوّل، ١٠. في السنة الأولى، كلّ الـ ٣٠.

كلّ وصفةٍ مَبيعة = ٣٠٠-٢٥٠٠$ بناء + ٤٠-٣٠٠$/شهر retainer. الـ ٣٠ وصفة، إن بِعتَ كلّ واحدةٍ مرّةً، تُنتج ١٥٠٠٠-٧٠٠٠٠$ مدخل واحد + ١٢٠٠-٩٠٠٠$ شهرياً متكرّر.

هذه ليست وعوداً. هذه احتمالاتٌ مَفتوحة. الجدّ والصبر يُحوّلان الاحتمالاتِ إلى أرقامٍ في حسابك المصرفي.

الملحق ب: مصفوفة تَكامل الأدوات

هذا المرجع السريع يَقول لك: «هل تَطبيق X مدعومٌ في منصّة Y؟» قبل أن تَختار حلاًّ. الإجابة بـ ☑ (دعمٌ رسميٌّ كامل)، ⚠ (دعمٌ جزئيٌّ أو يَحتاج HTTP)، ✕ (لا يُدعم).

أوّلاً: التطبيقات الإنتاجيّة الرئيسيّة

التطبيق	Make	Zapier	n8n
Gmail	☑	☑	☑
Google Sheets	☑	☑	☑
Google Drive	☑	☑	☑
Google Docs	☑	☑	☑
Google Calendar	☑	☑	☑
Google Forms	☑	☑	⚠
Microsoft Outlook	☑	☑	☑
Microsoft Excel Online	☑	☑	☑
Microsoft Teams			

التطبيق	Make	Zapier	n8n
	✓	✓	⚠
Notion	✓	✓	✓
Airtable	✓	✓	✓
Trello	✓	✓	✓
Asana	✓	✓	✓
ClickUp	✓	✓	⚠
Todoist	✓	✓	✓

ثانياً: التَواصل والرسائل

التطبيق	Make	Zapier	n8n
Slack	✓	✓	✓
Discord	✓	✓	✓
Telegram Bot	✓	✓	✓
WhatsApp Business API	✓	✓	⚠
Twilio (SMS/WhatsApp)	✓	✓	✓
Mailchimp	✓	✓	✓

التطبيق	Make	Zapier	n8n
ConvertKit	✅	✅	⚠
Sendgrid	✅	✅	✅
HubSpot	✅	✅	⚠

ثالثاً: المحتوى والنشر

التطبيق	Make	Zapier	n8n
Buffer	✅	✅	⚠
Hootsuite	⚠	✅	⚠
LinkedIn	⚠	✅	⚠
Twitter/X	✅	✅	✅
Facebook Pages	✅	✅	⚠
Instagram Business	✅	✅	⚠
YouTube	✅	✅	⚠
TikTok	⚠	⚠	✕
Threads	⚠	⚠	⚠
WordPress	✅	✅	✅

التطبيق	Make	Zapier	n8n
Webflow	✅	✅	⚠
Ghost	⚠	⚠	✅
Substack	⚠ (RSS فقط)	⚠	⚠

رابعاً: التَجارة والمدفوعات

التطبيق	Make	Zapier	n8n
Shopify	✅	✅	✅
WooCommerce	✅	✅	✅
Salla (سعودية)	⚠	⚠	⚠
Stripe	✅	✅	✅
PayPal	✅	✅	⚠
Wise	⚠	⚠	⚠
Wave Accounting	✅	✅	⚠
QuickBooks	✅	✅	⚠
Xero	✅	✅	⚠

خامساً: الذكاء الاصطناعي

النموذج/الأداة	Make	Zapier	n8n
Anthropic Claude	✓	✓	✓
OpenAI GPT	✓	✓	✓
OpenAI DALL-E	✓	✓	✓
OpenAI Whisper	✓	✓	✓
Google Gemini	✓	✓	⚠
Cohere	⚠	⚠	⚠
Stability AI	⚠	⚠	⚠
ElevenLabs	✓	✓	⚠
Midjourney (Imagine API)	⚠ HTTP	⚠ HTTP	⚠ HTTP
HuggingFace	⚠ HTTP	⚠ HTTP	✓

سادساً: الـ scraping ومراقبة الويب

التطبيق	Make	Zapier	n8n
Apify	✓	✓	✓

التطبيق	Make	Zapier	n8n
Browse AI	✅	✅	⚠
ScrapingBee	⚠ HTTP	⚠ HTTP	✅ HTTP
Bright Data	⚠ HTTP	⚠ HTTP	⚠ HTTP
Phantombuster	⚠	✅	⚠

سابعاً: التَخزين والملفّات

التطبيق	Make	Zapier	n8n
Dropbox	✅	✅	✅
Box	✅	✅	⚠
OneDrive	✅	✅	⚠
AWS S3	✅	✅	✅

ثامناً: الإشارات والأهمّيّة

- ✅ = دَعمٌ رسميٌّ كامل، تستخدمه مباشرةً.
- ⚠ = دَعمٌ جزئيٌّ، أو يَتطلّب موديول HTTP أو إعداداً خاصاً.
- ✕ = لا يُدعم بأيّ شكلٍ سَهل، تَحتاج بدائل.

تاسعاً: نَصائح للحالات ⚠

1. **HTTP module**: عندما لا يوجد integration رسمي، استخدم HTTP module في Make/n8n. اِقرأ توثيق API للتطبيق، اِنسخ endpoint و headers.

2. **Zapier multi-step**: في Zapier، بعض التطبيقات تَدعم action واحدة فقط (create) دون أخريَين (search, update). تَحقّق قبل أن تبني.

3. **n8n self-hosted**: إن كنتَ على n8n self-hosted، يمكنك تثبيت community nodes تَدعم تطبيقاتٍ نَادرة. اِبحث في n8n.io/integrations.

4. **Webhook fallback**: إن لم يَدعم تطبيقٌ trigger، تَحقّق هل يَدعم webhook outbound. كلّ webhook = trigger ممكنٌ في أيّ منصّة.

عاشراً: أكثر الفجوات شيوعاً في 2026

- **TikTok**: لا يَزال صعباً. الحلّ: استخدم Buffer أو scheduling tools متخصّصة.

- **Salla** (السعودية): integration ضعيف، استخدم webhook.
- **Yemeni payment gateways**: لا توجد. بدائل: Stripe لعملاء أجانب، transferwise، مُحفظة USDT.
- **منصّات حكومية عربية**: نَادراً ما تَدعم API. الحلّ: scraping بـ Apify (مع احترام شروط الاستخدام).

الملحق ج: قَوالب حاسبة التَكلفة (٣ قوالب)

كلّ قالبٍ هنا هو سبريدشيت Google Sheets أو Excel تَنسخه وتَستخدمه. كلّ خانةٍ موضّحةٌ أدناه. صَحّح أرقامك بعد كلّ بناءٍ، فالأسعار تَتَغيّر.

القالب الأوّل: حاسبة التَكلفة لسيناريوٍ بسيط

استخدم هذا للسيناريوهات التي تَحتوي على ٢-٤ موديولاتٍ بدون AI كثيف.

الحقل	الوصف	مثال
اسم السيناريو	كلمة وصفيّة	«تَصنيف بريد العميل»
عدد التَشغيلات/شهر	كم مرّةً يَعمل	٣٠٠٠
عدد العمليات/تَشغيل	عدد الموديولات نَشطةً	٤
إجمالي العمليات/شهر	(التَشغيلات × العمليات)	١٢٠٠٠
خطّة Make الموصى بها	بناءً على الإجمالي	Core ١٠٠٠٠ ← Pro ١٠٠٠٠٠
تَكلفة Make شهرياً	السعر	$٢٩
استدعاءات AI/تشغيل	١ Claude call	١

الحقل	الوصف	مثال
متوسّط tokens/ استدعاء	input + output	١٥٠٠ + ١٠٠
النموذج	Sonnet/Haiku	Haiku
تَكلفة لكلّ ١٠٠٠ tokens	بحسب النموذج	out $٤ + in $٠.٨
تَكلفة AI/تشغيل	حساب	$٠.٠٠١٦
تَكلفة AI/شهر	(×التَشغيلات)	$٤.٨٠
التَكلفة الكلّيّة/شهر	Make + AI	**$٣٣.٨٠**
العميل يَدفع شهرياً	اقتراحك	$٢٠٠
هامش الربح الشهري	(يَدفع - تَكلفة)	**$١٦٦.٢٠**

كيف تَستخدمه:

1. اِنسخ Sheet لكلّ عميل.
2. اِملأ الحقول العلوية.
3. اِفحص الهامش — إن كان أقلّ من ١٠٠$، ارفع السعر أو بَسّط السيناريو.
4. شارك الأرقام النَهائيّة (التَكلفة + السعر) مع العميل بشكلٍ صريح.

القالب الثاني: حاسبة التَكلفة لسيناريو متَوسّط مع AI

استخدم هذا للسيناريوهات بـ ٥-١٠ موديولاتٍ مع ٢-٤ استدعاءات AI.

الحقل	الوصف مثال
اسم السيناريو	«مولّد المحتوى الكامل»
عدد التَشغيلات/شهر	١٠٠
عدد العمليات/تَشغيل	١٢
إجمالي العمليات/شهر	١٢٠٠
تَكلفة Make شهرياً	$٩ (Core)
Claude calls/تشغيل	٣
- استدعاء ١: tokens	٢٠٠٠ + ١٥٠٠
- استدعاء ٢: tokens	١٠٠٠ + ٥٠٠
- استدعاء ٣: tokens	١٥٠٠ + ٢٠٠٠
النموذج	Sonnet لكلّ
تَكلفة AI/تشغيل	$٠.٠٤
تَكلفة AI/شهر	$٤
DALL-E calls/تَشغيل	٣
تَكلفة DALL-E/صورة	$٠.٠٤

الحقل	الوصف مثال
تَكلفة DALL-E/شهر	$١٢
ElevenLabs/شهر	$١٠ (٥٠٠٠ char)
Buffer/شهر	$١٥
التَكلفة الكلّيّة/شهر	**$٥٠**
سعرك للعميل/شهر	$٢٥٠
هامش الربح/شهر	**$٢٠٠**

القالب الثالث: حاسبة الـ ROI للعميل

هذا القالب لعرضه على العميل ليَفهم لماذا الأتمتة تَستحقّ السعر.

المهمّة قبل الأتمتة	يدوياً (ساعات/ شهر)	تَكلفة الموظّف (USD/ ساعة)	إجمالي التَكلفة الشهرية
فرز ٢٠٠ بريد يومياً	٢٠	$١٥	$٣٠٠
متابعة العملاء	٦	$١٥	$٩٠
توليد المحتوى	٢٥	$٢٠	$٥٠٠
المجموع الشهري	**٥١**		**$٨٩٠**

المهمّة بعد الأتمتة	يدوياً (ساعات/ شهر)	تَكلفة الأتمتة (USD/ شهر)	إجمالي التَكلفة الشهرية
فرز ٢٠٠ بريد يومياً	١ (مراجعة)	$٢٠	$٣٥
متابعة العملاء	٠.٢	$١٥	$١٨
توليد المحتوى	٢ (مراجعة)	$٥٠	$٩٠
المجموع الشهري	**٣.٢**		**$١٤٣**

المقارنة	قبل	بعد	الفائدة
ساعات الموظّف	٥١	٣.٢	-٤٧.٨ ساعة
التَكلفة الكاملة	$٨٩٠	$١٤٣ + $٢٥٠ retainer	$٤٩٧
الوقت المُستردّ	٠	٤٧.٨ ساعة	قابلٌ للبيع لمشاريع أخرى

الفائدة الكلّيّة الشهريّة: $٤٩٧ مَدفوعاتٌ مباشرة + ٤٧.٨ ساعةٍ تَنتج إيراداتٍ إضافيّة.

فترة الاسترداد لتَكلفة البناء ($٢٠٠٠): ٤ أشهر فقط.

ملاحظاتٌ على القَوالب

1. **افتح Sheet جديد** في Google Sheets، اِنسخ الجداول.
2. **استبدل الأرقام** بأرقامك الفعليّة.
3. **حَوّل القالب الثالث إلى PDF** وأرسله للعميل قبل الـ kickoff. يَجعله يَشتري بثقة.
4. **حدّث الأسعار شهرياً**: AI calls تَتَغيّر، Make تَرفع، إلخ.

قالبٌ رابعٌ مَجّاني: ROI تَراكمي عبر السنين

تَكلفة الأتمتة شَهرياً ثابتة، لكنّ الفائدة تَتراكم. اِحسب:

	السنة تَكلفة شهرية	إجمالي الفائدة	الـ ROI
١	٢٥٠$ × ١٢ = ٣٠٠٠$	٤٩٧$ × ١٢ = ٥٩٦٤$	١٩٩٪
٢	٣٠٠٠$	٥٩٦٤$ + الزمن المُستردّ × سعر الساعة	٣٠٠-٥٠٠٪
٣	٣٠٠٠$	بدون قياس مباشر	يَتراكم

أيّ عميلٍ يَرى رقم «٥٠٠٪ ROI في السنة الثانية» لا يَتفاوض على ٢٥٠$ شهرياً.

الملحق د: مَعجم مصطلحات الأتمتة (عربي ↔ إنجليزي)

Action / إجراء: خطوةٌ في سيناريو تَفعل شيئاً (إنشاء، إرسال، تَحديث).

Aggregator / مُجمِّع: موديول في Make يَجمع بياناتٍ متَعدّدة (من loop) في عنصرٍ واحد.

API / واجهة برمجة التطبيقات: طريقةٌ يَتَواصل بها تَطبيقٌ مع آخر برمجياً.

API key / مفتاح API: سلسلةٌ سريّةٌ تُعرّفك للخدمة الخارجيّة. لا تُشاركه أبداً.

Authentication / المصادقة: عمليّة إثبات أنّك من تَدّعي أنّك هو، عادةً عبر OAuth أو API key.

Bot / بوت: حسابٌ مؤتمت يَستجيب لرسائل (Telegram bot، Slack bot).

Connection / اتّصال: ارتباط منصّة الأتمتة بحسابك في تَطبيق آخر.

CRM / نظام إدارة علاقات العملاء: قاعدة بياناتٍ تَحوي معلومات عملائك (Notion، Airtable، HubSpot).

Drip sequence / سلسلة بريديّة تَدريجيّة: سَلسلة رسائلَ تُرسَل بفواصلَ زمنيّة محدّدة.

Endpoint / نقطة النهاية: عنوان URL محدّد في API يَفعل وظيفةً معيّنة.

Error handler / مُعالج الأخطاء: موديول يَتدخّل حين يَفشل موديولٌ آخر.

Filter / فلتر: شرطٌ بين خطوتَين يَسمح بالعبور أو يَوقف السيناريو.

Formatter / مُنسّق: موديول يُحوّل البيانات (نَصّ ← تاريخ، رقم ← نَصّ).

Iterator / مُكرّر: في Make، يَأخذ مَصفوفةً ويُكرّر على عناصرها.

JSON / جايسون: تَنسيقُ بياناتٍ مَهمّ في الأتمتة. مفاتيح وقيم في أقواسٍ مَعقوفة.

Knowledge base / قاعدة المعرفة: ملفّاتٌ ترفعها لـ Claude Project ليَقرأها في كلّ محادثة.

Lead / عميلٌ مُحتمَل: شخصٌ أبدى اهتماماً ولم يَشترِ بعد.

Make scenario / سيناريو Make: سير عملٍ كامل في Make، يَحوي عدّة موديولات.

MCP / بروتوكول السياق النموذجي: مَوضوع كتابٍ آخر في السلسلة، يُعزّز الوكلاء.

Module / موديول: خطوةٌ واحدة في سيناريو Make.

No-code / بدون كود: بناء دون كتابة برمجة، عبر واجهاتٍ مرئيّة.

Operation / عملية: في Make، كلّ تَنفيذ موديول = ١ عملية.

OAuth / المصادقة المفتوحة: بروتوكول يَسمح لمنصّة بالوصول لحسابك دون كلمة سرّك.

Payload / حمولة: البيانات التي تُرسل في طلب HTTP.

Polling / الفحص الدوري: نمط trigger يَفحص دوريّاً (كلّ ١٥ د) للجديد.

Prompt / أمر: النصّ الذي تُرسله للذكاء الاصطناعي.

Rate limit / حدّ المعدّل: عددٌ أقصى من الطلبات في فترةٍ زمنيّة.

Recipe / وَصفة: سيناريو قابلٌ للتَكرار، تَعدّله لكلّ عميل.

Retainer / احتفاظ: عقدٌ شهريٌّ مَع عميل لخدمة مستمرّة.

Router / مُوجِّه: في Make، يُقسّم سير العمل إلى فروعٍ بحسب شرط.

Scenario / سيناريو: مَرادفٌ لـ workflow في Make.

Scraping / كَشط الويب: استخراج بياناتٍ من صفحات ويب.

Schedule trigger / مُحفّز مُجدول: مُحفّزٌ يَعمل في وقتٍ محدّد دوريّاً.

System prompt / أمر النظام: تَوجيهٌ للنَموذج يُحدّد دوره وسلوكه قبل أيّ مُدخلٍ من المستخدم.

Tashkeel / التَشكيل: علامات الحركات في النصّ العربي.

Token / رمز: وحدة قياس النصّ في AI APIs (تقريباً ٤ أحرف للإنجليزية، ٢-٣ للعربية).

Trigger / مُحفّز: الحدث الذي يُشعل سيناريو.

Upwork: منصّة عملٍ حرّ عالميّة.

VPS / خادم خاصّ افتراضي: حاسوبٌ مُؤجّر في السحابة، يُستخدم لاستضافة n8n.

Webhook / خطّاف ويب: رابط URL يَستقبل بياناتٍ من تَطبيقٍ خارجيّ.

Workflow / سير عمل: تَسلسل خطواتٍ مؤتمتة.

Zap / زاب: في Zapier، مَرادفٌ لـ scenario في Make.

مصطلحاتٌ شائعةٌ بين العملاء

ROI (Return on Investment) / **عائد الاستثمار**: نسبة ما تَستردّ مقابل ما تَدفع.

KPI (Key Performance Indicator) / **مؤشّر الأداء الرئيسي**: رقمٌ يَقيس النَجاح.

Funnel / **قمع البيع**: مَسار العميل من اكتشاف الخدمة إلى الشراء.

MVP (Minimum Viable Product) / **المنتج الأدنى القابل للحياة**: نسخةٌ مُبسّطة للتَجريب.

Onboarding / **استقبال**: عمليّة تَعريف عميلٍ جديد بالخدمة.

Pipeline / **خطّ إنتاج**: سَلسلة خطواتٍ معالجَة (للبيع، المحتوى، إلخ).

Pivot / **تَحوّل**: تَغييرٌ جذريٌّ في استراتيجيّة المشروع.

SaaS (Software as a Service) / **برمجياتٌ كخدمة**: تَطبيقاتٌ تُؤجّر شهرياً (Notion، Make، إلخ).

تنبيه

اِحفظ هذا المعجم. حين تتَواصل مع عميلٍ عربيّ، استخدم المُقابل العربي. حين تَكتب توثيقاً تقنياً أو تَتَواصل مع منصّة بالإنجليزية، استخدم الـ canonical English term. هذا الانتقال السهل بين اللغتَين هو ميزةٌ كبيرة لمستقلّ يَمنيّ يَعمل في كلتا السُّوقَين.

القسم الإنجليزي

English Section

Table of Contents

Introduction 1

Chapter 1: Why Automation Is Your Real Financial Lever 2

Chapter 2: The Big Three Platforms — Zapier, Make, and n8n 3

Chapter 3: Core Automation Concepts 4

Chapter 4: Connecting AI to Your Automations 5

Chapter 5: Email and Messaging Automation 6

Chapter 6: Content and Publishing Automation 7

Chapter 7: Research and Monitoring Automation 8

Chapter 8: Freelancing and Personal Productivity Automation 9

Chapter 9: Automation With Claude Projects and Custom GPTs 10

Chapter 10: Pricing and Selling — Automation as a Service 11

Chapter 11: Real-World Challenges, Maintenance, and the Capstone 12

Conclusion 13

References and Sources 14

Appendix A: The 30-Recipe Library 15

Appendix B: Tool Integration Matrix 16

Appendix C: Cost Calculator Templates (3 Templates) 17

Appendix D: Glossary of Automation Terms 18

Introduction

> ﴿ وَأَن لَّيْسَ لِلْإِنسَانِ إِلَّا مَا سَعَىٰ ﴾ *"And that there is not for man except that [good] for which he strives" — An-Najm 53:39*

A Word Before You Begin

You are reading this book because you want freedom from an old constraint: the constraint of the hour. Every freelancer in the world sells their time at a fixed rate, then hits a simple ceiling: no human can work more than twelve focused hours a day before they break. The real ceiling is not talent, language, or the country you were born in — it is the number of hours you can stay awake and focused.

Automation is the only way freelancers have ever found to break that ceiling without breaking themselves. When you

build a system that works in your place while you sleep, when you make AI read, classify, reply, dispatch, and log — you are no longer selling your time. You are selling the output of the system you built.

This book is Week 5 — Track A — of the LLM4Yemen program. The previous weeks taught you to use AI yourself. This week teaches you to make AI work without you.

Who This Book Is For

This book is for a Track A student — the "Power User" track. You are not a coder, and you will not write a single line of Python or JavaScript. But in the previous weeks you have mastered:

- Writing structured prompts with role, context, and constraints
- Using Claude, ChatGPT, and NotebookLM with confidence
- Using Midjourney and ElevenLabs for content production

- Managing files, browser tabs, and Google accounts

This book builds on those skills, it does not re-explain them. If you have not completed Weeks 1, 2, and 4, return to them before starting here.

What Makes This Book Different

Other automation books either explain a single tool (Zapier only, or Make only), or speak abstractly about "digital transformation" as if you ran a Fortune 500 company. This book is different in four ways.

First, it is for a Yemeni freelancer in 2026 — not a manager in Silicon Valley. Our examples come from your life: a Sana'a designer automating client onboarding for her side hustle, a Hadhrami marketer building a content distribution system for a Dubai brand, an Aden student running a faceless Telegram channel that earns through affiliate marketing, a diaspora Yemeni in Detroit running an automation agency from his bedroom.

Second, it is fully practical. Every chapter from Chapter 3 onward contains three builds (beginner, intermediate, advanced) that end with you having a working automation in your account.

Third, the numbers are honest. We will not promise "$1000 in your first week." We will tell you: Year 1, $1000 for the year; Year 2, $1000–$3000 monthly; Year 3 and beyond, $3000–$10,000 monthly for the few who persist. These are real numbers, not promises.

Fourth, it includes a full library of 30 ready-to-deploy recipes. Any one of them is something you can sell to a client tomorrow.

What You Will Own After This Book

When you close this book, you will have six real assets that no one can take from you:

First: at least eight automations running in your account, each connected to a real account, tool, or inbox.

Second: a "freelancer command center" — a personal automation that runs your own work, from client intake to project delivery.

Third: a 30-recipe library you can customize for any specific client and sell for $300–$3000 per build.

Fourth: a one-page automation service offer, ready to send.

Fifth: real understanding of automation costs (platform fees, AI calls) so you can price clients confidently.

Sixth: a monthly maintenance schedule that keeps your automations alive and not breaking.

If you do not achieve these six, you have not completed this book — and you have not completed Week 5.

Book Structure

Eleven chapters, each adding a practical layer:

- **Chapter 1**: The real financial lever — why automation, not just skill.

- **Chapter 2**: The big three platforms — Zapier, Make, and n8n.
- **Chapter 3**: Core concepts — trigger, action, flow.
- **Chapter 4**: Connecting AI to your automations.
- **Chapter 5**: Email and messaging automation.
- **Chapter 6**: Content and publishing automation.
- **Chapter 7**: Research and monitoring automation.
- **Chapter 8**: Freelancing and personal productivity automation.
- **Chapter 9**: Claude Projects and custom GPTs.
- **Chapter 10**: Pricing and selling — automation as a service.
- **Chapter 11**: Real-world challenges, maintenance, and the capstone project.

Then four appendices: the 30-recipe library, an integration matrix, cost calculator templates, and a glossary.

How to Read This Book

Do not read it once cover to cover. Read a chapter, then build its three exercises before starting the next. Every chapter contains:

- A Quranic verse opener reminding you that organizing time is a trust.
- At least two worked workflow examples, with ASCII diagrams and screenshot markers.
- Sellable recipes, in blue boxes.
- Three end-of-chapter builds: beginner, intermediate, challenge.
- Tip boxes (gold) and warning boxes (red).
- A self-assessment checklist before moving on.

The Islamic Frame for Automation

Some might say: "Automation is laziness, and laziness is blameworthy in Islam." This is a shallow understanding. Laziness is abandoning work; automation is organizing it. The

Prophet ﷺ taught the discipline of effort when he said: "Allah loves, when one of you does work, that he does it with excellence (itqan)." Excellence does not mean repeating the same task with your hand a thousand times when an intelligent machine can do it with consistent precision. Excellence means focusing your mind on what no machine can do: judgment, creativity, and human relationships.

Furthermore, Islam discourages waste, and time is the most precious thing wasted. When you spend eight hours a month manually classifying email — when you could do it in fifteen minutes with intelligent automation — you are wasting hours that could have been with your family, in pursuit of knowledge, or in optional acts of worship. Automation here is not luxury — it is good stewardship.

A Final Word Before You Start

This book is written with one assumption: that you will actually open the platform, actually click the buttons, actually connect the accounts. Reading alone will not build you a single

automation. Every chapter asks you to build at least one thing, and each build takes between fifteen and ninety minutes of real work.

Start now. Open Make or Zapier in a second browser tab. Place this book on a small screen beside it. Read Chapter 1 with your hands ready to build.

May Allah bless your time when you organize it well.

Chapter 1: Why Automation Is Your Real Financial Lever

> ﴿ وَالْعَصْرِ ۝ إِنَّ الْإِنسَانَ لَفِي خُسْرٍ ﴾ *"By time, indeed mankind is in loss" — Al-'Asr 103:1-2*

1. Three Freelancers, One Day

Imagine three Yemeni freelancers waking up on the same morning. All twenty-five years old, all university graduates, all skilled at writing Arabic marketing content. The only difference between them is their relationship with automation.

The first freelancer (no automation) wakes up, opens Upwork, reads fifty opportunities, manually writes proposals to twenty of them. Each takes fifteen minutes. Result: five hours a day spent on proposals. When one is accepted, he starts the

project, writes the article manually, sends it, then waits. His rate: $20/hour. His annual ceiling: $20,000 if he is very lucky.

The second freelancer (basic automation) wakes up to a Telegram alert from Make showing the top five opportunities in his specialty (filtering happened overnight). He opens four, writes customized proposals using a Claude Project template that reads the client's post and outputs a draft for review. Four proposals took thirty minutes. Result: ten times the productivity in proposal time. When a project is accepted, he uses chained templates and automation to produce content faster. His effective rate becomes $100/hour because he completed five hours of work in one. Annual ceiling: $70,000.

The third freelancer (full system) never opened Upwork today. His automation scouted leads, classified them, sent first messages in the appropriate language, scheduled meetings with the interested ones, coordinated through Calendly. He opens his phone to discover he was hired for two projects worth $1,200 while sleeping. His actual work becomes: reviewing what the automation produced, fixing 10% of it, delivering. His effective

rate is $300/hour because the system does 70% of the work. Annual ceiling: $120,000, sometimes more.

Three different incomes, the same core skill, the same country, the same number of waking hours per day. The difference: who built systems, and who didn't.

2. The Hard Math of Leverage

Let's put numbers on what happened. A simple task: "Read a client's post on Upwork, write a customized proposal worth reading." The first freelancer does it manually in fifteen minutes. The second does it through a chain: read post in Claude Project, suggest five connection points between his expertise and the post, draft a proposal, review for two minutes. Total: four minutes.

Task	Manual	Automated	Saving
Writing an Upwork proposal	15 min	4 min	73%
Daily client email triage	40 min	3 min	92%
	90 min	8 min	91%

Task	Manual	Automated	Saving
Distributing one article to 7 platforms			
Writing a project invoice	20 min	1 min	95%
Following up after delivery	15 min	0 (automatic)	100%

In a month, if you perform these tasks at the rate working freelancers actually do, the time you lose manually approaches 40 hours per month. Forty hours per month = an entire wasted work-week, every month, forever, that you do not get back.

3. Where Track A Freelancers Leak Hours

We will be honest with you. If you are a Track A freelancer — content writer, translator, designer, research specialist, media producer — your time leaks in five specific places:

Leak 1: Research. Before every project, you spend two hours researching the client, their competitors, their audience. This work is 80% automatable.

Leak 2: File organization. You download files from clients, upload your outputs, place them in folders, name them by your private logic. This is 95% automatable.

Leak 3: Client onboarding. Writing the first welcome message, sending an intake questionnaire, booking a meeting, sending the contract, receiving the deposit. This entire sequence is 90% automatable.

Leak 4: Distribution. When you finish an article, you publish it on LinkedIn, summarize it for Twitter, design a graphic, send it to a newsletter. This is 85% automatable.

Leak 5: Follow-up and invoicing. Sending reminders, writing invoices, following up with old clients. This is 100% automatable.

Total leakage in the life of an active freelancer: 40–60 hours per month. A full work-week, every month.

4. The One-Week Automation Audit

This is your first task in the book. We'll call it the "Personal Automation Audit." Do it before you finish this chapter.

Day 1: Open a simple sheet. Write everything you did today in your work, with quarter-hour precision. Not "work," but "writing email to client," "researching client's competitors," "renaming 20 files." Specific.

Day 2: Same.

Days 3–7: Same.

Evening of Day 7: Look at the sheet. Mark with (A) any task that repeats two or more times in the week. This is your list. Every task on it is a candidate for automation.

[Screenshot: a personal automation audit sheet after seven days, with green (A) markers on dozens of recurring tasks]

You will be surprised. The average output of this audit is 12–20 recurring tasks. Each can save between one and ten hours per

month. Together, they are 40–80 hours per month you can recover.

5. The Compound Effect

Automation does not earn you hours once. The automation you build today works tomorrow, the day after, and a year from now. Let's calculate:

An automation that saves you one hour per month = 12 hours per year = 120 hours over ten years. One hour per month, ten years: 120 hours. That is more than a full work-month, recovered from one automation built once.

If in your first year you build 20 automations averaging two hours saved each per month, you earn 480 hours a year, or three working months, forever, from a few days of building.

This math is the secret of everyone who moved from "freelancer selling time" to "small agency selling outcomes."

6. The Transition From Freelancer to Agency

If you wonder why some peers "exploded" suddenly into the world of small agencies, while you have been struggling at the same ceiling for two years, the answer is almost always: automation.

The freelancer is forced to refuse projects because there is no time. The agency accepts projects because 70% of the work is done by an automated system, and a human reviews and delivers. This is not a trick — it is a natural evolution that happens when a freelancer builds enough systems to make the next project take half the time the previous one did.

7. The Yemeni Advantage in Automation

You may think being in Yemen is a handicap. In automation, it can be an advantage:

Advantage 1: Your time cost is lower than that of an American or European. This means you can invest 20 hours learning Make without anxiety, while the American freelancer calculates the cost against $2,000 of foregone revenue.

Advantage 2: The Arab market has low automation competition. Ninety percent of Arab freelancers don't know Make and don't know how to use Claude in a workflow. You are in a rare minority.

Advantage 3: Arab clients pay anyone who solves their efficiency problem, even if they don't understand "automation" as a term. The pitch "I save you 20 hours a month of replying to client messages" sells itself.

Advantage 4: Western clients are looking for freelancers with reasonable prices and technical capabilities. You can offer competitive proposals 40% cheaper than the American freelancer with the same outcome, and win on the spread.

8. Real Income Numbers in 2026

I'll write you numbers that may not please you at first, but show you the realistic path:

Year 1: You learn and build for yourself. Average automation income: $0–$200 per month. This figure is not failure — it is the year you build the systems that will produce in later years.

Year 2: You start selling builds to clients. Average income: $500–$2,000 per month. You take two or three builds a month at modest prices.

Year 3: You move to retainers. Average income: $2,000–$5,000 per month. Three to five clients pay you monthly to maintain what you built for them.

Year 4 and beyond: Small agency. $5,000–$12,000 per month for the few who persist. Here you start hiring 1–2 Track A graduates as assistants and taking large clients.

Not everyone who starts reaches Year 4. But those who do build a house, get married, support a family — all from automations built in their bedroom.

9. What Stands Between You and Your First $1,000

The honest answer: not one chapter — but executing every chapter. The lock structure is:

1. Learn one platform (usually Make) — Chapters 2 and 3.
2. Connect AI — Chapter 4.
3. Build five automations for yourself first to prove you can — Chapters 5–8.
4. Take one of these and adapt it for a client you know — Chapter 10.
5. Charge $300–$500 per build — Chapter 10.
6. Repeat with three clients.

This is the path to your first $1,000. Average time from opening this book to receiving your first $500: two to four months, if you execute 5–8 hours per week.

10. Tips and Warnings Before We Begin

> 💡 ***Tip***: *Do not try to master all three tools (Zapier, Make, n8n) at once. Choose one in Chapter 2 and stick with it for at least three months.*
>
> ⚠ ***Warning***: *A freelancer who "knows about" automation without "building" anything earns nothing. Every chapter ends with concrete builds. Do not skip a chapter without building at least one of them.*

11. End-of-Chapter Self-Assessment

Check yourself:

☐ I can explain in my own words why automation is a financial lever, not just time saving. ☐ I know where my hours leak in my current work. ☐ I am realistic about Year 1: I will not earn much; I will build systems. ☐ I am willing to spend at least an hour a day for the next three months building and learning automation.

If you marked every box, you are ready for Chapter 2. If not, re-read this chapter before advancing. The foundations matter.

Chapter 2: The Big Three Platforms — Zapier, Make, and n8n

> ﴿ يَسْأَلُونَكَ مَاذَا أُحِلَّ لَهُمْ ۖ قُلْ أُحِلَّ لَكُمُ الطَّيِّبَاتُ ﴾ *"They ask you, [O Muhammad], what has been made lawful for them. Say, 'Lawful for you are [all] good foods'" — Al-Ma'idah 5:4*

1. Why Only Three Platforms

The automation market has dozens of platforms: Pabbly Connect, Workato, Tray.io, Pipedream, Microsoft Power Automate, n8n, Make, Zapier, Activepieces, IFTTT. Trying to cover them all teaches you nothing. So we focus on the three that cover 95% of freelance use cases in 2026:

- **Zapier**: easiest to learn, largest app library, most expensive.

- **Make** (formerly Integromat): visual canvas interface, much cheaper than Zapier, very powerful.
- **n8n**: open source, self-hostable, the most powerful, the most technical.

Choosing one of these three opens you to 95% of client opportunities. If you are currently learning Pabbly Connect, stop, and switch to Make or Zapier — clients know these names, and online help for them is hundreds of times more abundant.

2. Zapier — Easy and Expensive

Zapier was founded in 2011 and was the first to popularize automation for non-coders. Its interface is built on the "Zap": Trigger → Action.

[Screenshot: Zapier interface showing a simple Zap from Gmail to Slack]

Pros:

- Largest app library on the market (over 7,000 apps in 2026).
- Simplest interface for beginners. Pick from a list, fill fields, done.
- Heavy community support on Reddit and YouTube in both English and Arabic.

Cons:

- Price. The free tier gives you only 100 tasks per month, and most automations consume 5–10 tasks per run.
- The Pro plan starts at $20/month (750 tasks); a serious user quickly hits $49/month (2,000 tasks) or $79/month (5,000 tasks).
- Simple linear structure. No easy branching paths, no flexible loops, no complex logic.

When to choose Zapier: If you work for an American client who pays well and uses an obscure app that exists only on Zapier, and you don't want the complexity of Make.

3. Make — The Sweet Spot

Make is a Czech platform founded as Integromat then rebranded in 2022. Its interface is fully visual: you see the entire scenario on a large canvas, dragging modules and connecting them.

[Screenshot: Make canvas showing a 7-module scenario with circles and connecting lines]

Pros:

- Price. Free tier offers 1,000 operations per month (against Zapier's 100 tasks — and a Make operation often equals a Zapier task). This is enough for learning and small first projects.
- Beautiful visual interface that makes workflows graspable at a glance. This matters when explaining your build to a client.
- Advanced logic: branching, loops, error handling, filters, data aggregators — all without code.

- App library growing fast (over 1,700 in 2026), enough for most cases.

Cons:

- Learning curve slightly higher than Zapier. Concepts like "iterator" and "aggregator" need explanation.
- Some rare apps don't exist on Make, so you fall back to the generic HTTP module.
- Interface is English-only.

When to choose Make: In most cases. If you are a Yemeni freelancer starting in 2026 and wondering which platform to learn — start with Make. This is what this book recommends for 95% of readers.

4. n8n — The Most Powerful for Technical Users

n8n is an open-source platform founded in 2019 in Germany. You can self-host it on a simple server ($5/month) and run unlimited automations.

[Screenshot: n8n's dark interface with colored nodes and visible JSON in one node]

Pros:

- Full flexibility. You can write JavaScript directly in special nodes, you can call any API.
- Cost. After server setup, running is free, even for a million operations a month.
- Data privacy. Everything runs on your server, so client data is not exposed.
- Strong free community support.

Cons:

- Steepest learning curve of the three. Even getting started requires server setup, domain, SSL — or use of paid n8n Cloud.
- Interface is more developer-oriented. You will touch JSON sometimes.
- Smallest officially-supported app library (but it closes the gap with HTTP flexibility).

When to choose n8n: If you work for a client paying you $1,000+/month for high-volume automations, or if you intend to build a small agency — n8n gives you a huge profit margin because the cost is near zero.

> 💡 ***Tip**: In LLM4Yemen, we recommend Track A students start with Make. When your income reaches $2,000/month, consider migrating to n8n to reduce costs.*

5. Quick Comparison

Platform	Zapier	Make	n8n
Price/month	$20-79	$9-29	$5 VPS
Ease	9/10	7/10	5/10
Flexibility	5/10	8/10	10/10
App library	7,000+	1,700+	400+

```
╟ Book pick      ╟ situational│ default   ╟ advanced
╙────────────────╜──────────────╜───────────╜──────────
```

6. Decision Tree: Which Platform for You?

Ask yourself these questions in order:

1. Do you have a $20/month tools budget?
2. No → go to Make (free 1,000 operations is enough to learn).
3. Yes → continue.
4. Do you work for a client using an obscure app (full HubSpot, Salesforce, an ERP)?
5. Yes → check Zapier support first, then Make.
6. No → continue.
7. Are you comfortable looking at JSON occasionally?
8. Yes → consider n8n.

9. No → stay with Make.

10. Do you expect to run more than 10,000 operations a month soon?

11. Yes → plan to migrate to n8n.
12. No → Make will serve you for years.

The usual outcome for a Yemeni student in 2026: **Make**.

7. Signing Up From Yemen — The Reality

Let's be honest: paying from Yemen is hard. Here are the routes other freelancers have taken:

Make: Accepts international Visa cards. If you don't have one, use Wise (formerly TransferWise) — Yemen registration is hard but possible with a passport. Alternatives: Payoneer, or a virtual card from an Arab service like Eddenec or Manama Card.

Zapier: Same. Accepts international Visa, Stripe, PayPal in some countries.

n8n: If you self-host on a small VPS, you only need to pay the VPS — and providers like Hetzner and Contabo accept PayPal and Bitcoin.

> ⚠ ***Warning***: *Don't use anonymous virtual cards from unknown providers. Some get shut down suddenly and take your subscriptions with them. Check provider reputation before signing up, and ensure card renewability.*

8. What Can You Actually Ship on the Free Tier?

Make Free (1,000 operations/month):

- 50 runs of a 20-module automation, or
- 200 runs of a 5-module automation, or

- 1,000 runs of a 1-module automation (rare).

This means: you can ship one client an automation that runs 5–10 times a day, for the whole month, free.

Zapier Free (100 tasks/month):

- 5–20 runs of a 5–20 step automation. Very narrow, useful for learning only, not production.

n8n self-hosted: No limits. Run as much as you want.

Recommendation: Start Make for free, then when you take your second client, move to Make Core at $9/month (10,000 operations) — it frees you completely.

9. The "Anchor + Reach" Strategy

A smart freelancer's strategy is not to master one platform and ignore the others. The strategy is:

Anchor: A platform you master like a native language. You can see the scenario in your head before building it. You know

every module, every shortcut, every trap. For 95% of you, this is Make.

Reach: You know the other two at "I can migrate" level — you know how to start a scenario, link an account, find help. You are not expert, but you are not helpless either.

Why? Because someday a client will say: "We use Zapier in the company, can you build there?" — you say yes confidently, spend two days porting, ship.

10. The "Hello Automation" Scenario

We will now build your first scenario on Make. Its name: "Hello Automation." Its purpose is one thing: when a new row is added to a specific Google Sheet, you receive a Telegram notification.

Requirements: - Make account (free) - Google account - Telegram account, and a bot you created via BotFather

Final diagram:

```
┌──────────────────┐     ┌──────────────────┐
│  Google Sheets   │──►  │  Telegram Bot    │
│ (new row)        │     │ (send message)   │
└──────────────────┘     └──────────────────┘
```

Steps:

1. Open Make.com → log in → click "Create a new scenario."
2. Search "Google Sheets" → choose "Watch Rows."
3. Connect your Google account, choose the spreadsheet, choose the sheet.
4. Click the circle next to Google Sheets → search "Telegram Bot" → choose "Send a Text Message or a Reply."
5. Connect your bot (the token from BotFather).
6. Write the message text, dragging from the previous module `{{Name}}` and `{{Email}}` to appear in the message.
7. Click "Run once."

Success test: - You open the Google Sheet, write a new row. - Within 15 seconds, a Telegram notification arrives with the row's content. - If it doesn't, look at the Make panel: the operation will show with any error.

[Screenshot: Make panel after successful run, showing operation with green check marks]

11. Tips and Warnings

> 💡 ***Tip***: *When building your first scenario, don't enable "Schedule" immediately. Run it via "Run once" or "Immediately" manually at least ten times to ensure it doesn't contain an infinite loop.*
>
> ⚠ ***Warning***: *Don't connect Make to a Google account containing sensitive personal email. Create a fresh dedicated Google account for testing, so a misconfigured automation can't accidentally send unintended email.*

12. Self-Assessment

☐ I can explain the difference between Zapier, Make, and n8n in three sentences. ☐ I chose one platform (Make in most cases) to focus on for the next six chapters. ☐ I created my account on the chosen platform. ☐ I built and successfully ran "Hello Automation" at least once.

Four checks? Move to Chapter 3. Three? Stop and complete the missing.

Chapter 3: Core Automation Concepts

> ﴿ وَخَلَقْنَاكُمْ أَزْوَاجًا ۝ وَجَعَلْنَا نَوْمَكُمْ سُبَاتًا ﴾ *"And We created you in pairs. And made your sleep [a means for] rest" — An-Naba' 78:8-9*

1. Why Concepts Before Tools

In Chapter 2 we built "Hello Automation" without much explanation. That was intentional — we wanted you to ship something before memorizing terms. Now, having tested the platform, the concepts will land easily.

Each platform uses roughly the same words with different names. We will learn the general concepts, then the words used by Make, Zapier, and n8n for each.

2. The Mental Model: A Recipe

A successful automation is like a cooking recipe:

- **Ingredients** = data (email, sheet row, WhatsApp message).
- **Steps** = modules (check email, call Claude, send message).
- **Output** = what changes in the world (new row, sent message, saved file).
- **Heat** = trigger (when to start the recipe).
- **Tools** = the connected accounts.

When planning any automation, ask yourself these five. If one is missing, the build will fail.

3. Trigger

A trigger is the event that starts a workflow. Types:

a. Instant trigger / webhook: fires immediately. Example: when a new email arrives, the automation fires instantly. High speed, zero cost — but requires the app to support webhooks.

b. Polling trigger: checks every 15 minutes or hour for anything new. Example: "check this folder every 15 minutes; if there's a new file, run." Easy but consumes operations.

c. Schedule trigger: runs at a fixed time. Example: "every day at 7:00 AM, run the automation."

d. Manual trigger: you trigger it by button press. Useful for big automations you don't want to run automatically.

> 💡 ***Tip***: *Always start with a manual or scheduled trigger when testing. Once everything is stable, switch to instant if supported.*

4. Action

An action is a step that does something. Types:

- **Create**: "Create a row in Sheet," "send email," "publish a tweet."
- **Read / get**: "Read file content," "read row data."
- **Update**: "Update existing row," "modify file name."
- **Delete**: rare in freelance automations, but exists.
- **Search**: "Find a row in Sheet matching this condition."

5. Filter

A filter is a condition between two steps. The automation does not pass the filter unless the condition is true. Example:

```
┌──────────┐     ┌──────────┐     ┌──────────┐     ┌──────
│ Gmail    │──►│ Filter   │──►│ Claude   │──►│ Shee
│ (email)  │     │(important?)│ │(classify)│     │ (lo
└──────────┘     └──────────┘     └──────────┘     └──────
```

In Make, the filter appears between two modules as a small circle icon. Click it, write the condition ("if email body contains 'urgent', pass").

6. Formatter

A formatter converts data from one shape to another. Examples:

- text → date
- Arabic-formatted date → ISO date
- big text → small text
- full name → first name + last name
- JSON → table

Each platform names this differently: Zapier calls it "Formatter," Make calls it "Tools" or "Text Parser," n8n calls it "Set" or "Function."

7. Loop / Iterator

A loop is a repetition over a list. Example: you have 10 files, you want to process each separately. The loop takes the list and runs subsequent steps once per item.

In Make, the loop is called "Iterator" for opening, and "Aggregator" for re-grouping.

[Screenshot: Make scenario showing an Iterator taking an email list and processing each]

8. Path / Router

A router splits the workflow into different branches based on a condition. Example:

```
                        ┌──► Path 1: Important ──► Clau
          ┌──────────┐  │
Gmail──►  │ Router   │  ├──► Path 2: Normal ──► Sheet ──
          └──────────┘  │
                        └──► Path 3: Spam ──► Delete
```

The router is critical in smart automations because Claude's results may require three different paths based on classification.

9. Error Handler

A module sometimes fails: internet outage, expired authentication, rate limit. The error handler tells the automation what to do:

- **Ignore**: continue as if nothing happened.
- **Stop and notify me**: send you a notification and halt.
- **Retry**: wait a minute then try again, up to 5 times.
- **Alternative path**: switch to a backup branch.

> ⚠ ***Warning***: *An automation without an error handler = a time bomb. When a module fails at 3 AM, you don't know, and the client checks on you in the morning angry. Place an error handler on every AI module and HTTP module in every production scenario.*

10. Reading vs. Writing

Each app supports reading, writing, or both. This matters:

- **Read-only** (rare): RSS feeds, some APIs.
- **Write-only** (rare): some user notifications.
- **Both** (most): Gmail, Google Sheets, Notion, Airtable, WhatsApp Business.

Before building any scenario, verify the app supports the operation you need. Look at the platform's integration page.

11. Webhooks for Non-Coders

A webhook is "a special URL that receives data from another app." You need it when:

- An app wants to tell your scenario something happened.
- There is no official integration between the two apps.
- You need to trigger a scenario from a button on your website or form.

In Make: create a "Webhooks" module → "Custom webhook," it gives you a URL, you copy it, paste it in the sending app.

[Screenshot: Make screen showing webhook module with the URL at the bottom]

12. Variables and Data Flow

Each module produces data. This data is available to any subsequent module. Example:

- Gmail module produces: `{{From}}`, `{{Subject}}`, `{{Body}}`, `{{Date}}`.
- Claude module takes `{{Body}}` and produces `{{Classification}}`, `{{Summary}}`.
- Sheet module writes a row with `{{From}}`, `{{Classification}}`, `{{Summary}}`.

In Make, you drag the field from the previous module into the field you're filling. This is "passing the variable."

13. First Workflow: Form → AI → Sheet

We'll build a real scenario we'll use throughout the rest of the book. Any client needing to classify form messages will benefit.

The story: A client receives 30–50 daily requests via a Google Forms form on their site. Each request is different (price inquiry, complaint, partnership offer, spam). Manually it takes them two hours daily to classify them. We'll build them an automation that classifies automatically and logs to an organized Sheet.

Final diagram:

```
┌──────────────┐     ┌──────────────┐     ┌──────────────┐
│ Google Form  │──►│   Claude     │──►│   Sheet      │──►│
│ (new req)    │     │(classify)    │     │   (log)      │
└──────────────┘     └──────────────┘     └──────────────┘
```

[Screenshot: scenario in Make with four connected modules]

Steps:

1. Create a simple Google Forms form with 3 fields: name, email, message.
2. Create a Sheet linked to the form (automatic on form creation).
3. Create a new scenario in Make.
4. Add Google Sheets → Watch Rows → choose the spreadsheet.
5. Add Anthropic Claude → Create a Message Completion. (If you don't have an Anthropic account, skip to next chapter and return.)
6. System: "You are an assistant classifying client messages into four categories: price inquiry, complaint, partnership offer, spam. Return one word only from these four."
7. User: `{{Body}}`
8. Add Google Sheets → Update a Row (in a different sheet, or same sheet with new column).
9. Write Claude's classification in a "Category" column.
10. Add a filter before Telegram: "if Category = price inquiry," pass.

11. Add Telegram Bot → Send Message → text including client name + message.

Success test: - Fill the form with a price inquiry message. - Within two minutes, a row appears in Sheet with correct classification. - A Telegram notification arrives.

What could go wrong: - Claude returns a full sentence instead of one word. Fix: add to system: "Do not add any explanation or punctuation." - Form does not trigger scenario. Fix: ensure Sheet is actually linked to the form, and Make checks every 15 minutes. - Telegram doesn't receive. Fix: verify bot token and that you started a chat with the bot first.

14. The Platform as Speed-vs-Cost Trade-off

Each module costs operations on Make. This scenario consumes 4 ops per run. If you receive 30 requests daily, that's

120 ops/day, or 3,600 ops/month. This exceeds the free tier. Options:

1. Upgrade to Core ($9, 10,000 ops).
2. Reduce modules: combine Sheet update with classification.
3. Run the filter early: don't call Claude on everything, only on what looks like real (non-spam) messages.

> 💡 ***Tip***: *For every scenario, ask: "Which module here might not be worth running?" Place a filter before it. Every early filter = savings on operations and AI cost.*

15. Three Builds From This Chapter

Build 1 (Beginner — 20 min): "Smart Wake-up" Scenario

Scenario: Every morning at 7:00, you receive on Telegram: weather in Sana'a + your top 5 To-Do items in Notion + your last 3 unread emails.

Platform: Make.

Diagram:

```
┌──────────┐     ┌──────────┐     ┌──────────┐     ┌
│ Schedule │──►│ Weather  │──►│  Notion  │──►│ T
│ (7:00 AM)│     │  (API)   │     │ (tasks)  │     │
└──────────┘     └──────────┘     └──────────┘     └
```

Success test: Tomorrow you wake up to a Telegram message containing what you requested.

Build 2 (Intermediate — 45 min): Smart Email Classifier

Scenario: Every new email in Gmail is classified by Claude into 4 categories (important, normal, promo, spam), then labels are automatically applied in Gmail.

Diagram:

```
┌──────────┐     ┌──────────┐     ┌──────────┐     ┌──────
│  Gmail   │──►│ Filter   │──►│  Claude  │──►│  Gm
│ (email)  │     │ (new?)   │     │(classify)│     │ (la
└──────────┘     └──────────┘     └──────────┘     └──────
```

Success test: Send yourself a test email containing "70% off offer," find after two minutes that it was auto-classified "promo."

Build 3 (Challenge — 90 min): Full Order System for a Freelance Designer

Scenario: A client fills a design request form on your website. The scenario takes the request, classifies design type with Claude (logo, banner, presentation), calculates an estimated price (logo = $200, banner = $50, presentation = $400), saves to Airtable, and sends a confirmation email to the client with the price, then notifies you on Telegram.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────
│ Webhook  │→│ Claude  │→│Calculator│→│ Airtable │
│ (form)   │   │(classify)│   │ (price)  │   │ (store)
└──────────┘   └──────────┘   └──────────┘   └──────────
```

Success test: - Fill the form with "logo design for my store." - Within 30 seconds: a row in Airtable, an email to the client priced "$200," a Telegram notification to you.

Customizing for the client: Discount the price (`$200` → `$150`), replace your logo with theirs in the form, replace your email with theirs in the notification.

16. Self-Assessment

☐ I can explain the difference between Trigger, Action, and Filter in one sentence each. ☐ I can explain the difference between Webhook, Polling, and Schedule. ☐ I built at least two of the three builds above. ☐ I can theoretically explain what an error handler is and why I need it.

At least three checks? Continue. Less? Repeat the builds.

Chapter 4: Connecting AI to Your Automations

> ﴿ وَعَلَّمَ آدَمَ الْأَسْمَاءَ كُلَّهَا ﴾ *"And He taught Adam the names — all of them" — Al-Baqarah 2:31*

1. The Pattern That Unlocks Everything

Automation without AI = mechanical data shuffling. Automation with AI = an intelligent employee working for you 24 hours without rest. The difference is the difference between "computer robot" and "executive assistant who understands." In this chapter, you learn the pattern you'll use in every production scenario from now on:

```
┌──────────┐     ┌──────────┐     ┌──────────┐
│ Trigger  │──►│ AI Step  │──►│  Action  │
│ (event)  │     │(understand)│   │ (result) │
└──────────┘     └──────────┘     └──────────┘
```

Every cognitive task you do mentally is a candidate for an AI step in a scenario: classification, summarization, translation, extraction, drafting, comparison, rewriting in a different tone, answering questions in a document.

2. Official AI Modules in 2026

Each platform officially supports several AI models. What matters:

Anthropic Claude (recommended in this book): - Available in Make, Zapier, n8n. - Main models: Claude Opus 4.6 (smartest, most expensive), Claude Sonnet 4.6 (balanced), Claude Haiku 4.5 (fastest, cheapest). - Excellent in Arabic and following precise instructions.

OpenAI ChatGPT: - Available in all platforms. - Models: GPT-4o, GPT-4 Turbo, etc. - Wide plugin library, but Arabic performance slightly weaker than Claude.

Google Gemini: - Increasingly available. - Strength: free for light use, integrated with Google Workspace.

Cohere, ElevenLabs (audio), Stability AI (images): For specialized cases.

3. Calling AI From Make

In Make, search "Add a module" for "Anthropic Claude." Options appear:

- **Create a Message Completion**: most common. You send system + user, Claude returns text.
- **Create a Tool Use**: for advanced cases (agents).
- **Make an API Call**: flexible call when the official module doesn't suffice.

[Screenshot: Claude module screen in Make showing model, system, user, max_tokens fields]

First time, it asks for the API key. Get it from console.anthropic.com → API Keys → Create. Copy the key, paste in Make. Don't share it with anyone.

4. The Generic HTTP Pattern

What if the model you want isn't officially supported (e.g., a specific Arabic model from a university)? Use the HTTP module. Example calling Claude directly:

URL: `https://api.anthropic.com/v1/messages`
Method: POST **Headers**:

```
x-api-key: YOUR_KEY
anthropic-version: 2023-06-01
content-type: application/json
```

Body:

```
{
  "model": "claude-sonnet-4-6",
  "max_tokens": 1024,
  "messages": [
```

```
    {"role": "user", "content": "Classify this emai
  ]
}
```

[Screenshot: Make's HTTP module with fields populated]

> ⚠ ***Warning***: *Don't write the API key in a visible field. Use "Connections" in Make, or environment variables in n8n. If your key leaks, someone else can use it on your account and burn your credit.*

5. Key Management for Freelancers

Each client should ideally own their own key, with usage billed directly to them. Here's how:

Preferred approach: The client opens an Anthropic account, adds their card, gives you a key. You use it in their scenario. The bill goes to them; you charge fees for build and maintenance, not for usage.

Alternative: Your key, and you bill the client 300% of usage cost (your cost + 200% margin). This becomes administratively heavy with multiple clients.

Hybrid: You use your key for development and testing, then replace with the client's key before delivery.

6. Cost Control

Calling Claude costs based on tokens (roughly words) sent and received. Prices in 2026:

Model	Input (per 1M tokens)	Output (per 1M tokens)
Claude Opus 4.6	$15	$75
Claude Sonnet 4.6	$3	$15
Claude Haiku 4.5	$0.80	$4

In practice, an average email costs $0.001–$0.005 per classification. 1,000 classifications/month = $2–$5. Acceptable.

But: putting Opus on a scenario doing 10,000 calls a day, each sending a long document, you're facing $500/month.

> 💡 ***Tip**: Start every project with Haiku. If the result is insufficient, raise to Sonnet. Don't go to Opus except in rare cases (complex analysis, long generation).*

Set an alert in Anthropic Console: "Email me if usage exceeds $20 in a day." This prevents disaster.

7. Templates Inside a Scenario

Writing an AI template inside automation differs from chat. In chat, the context you've talked through suffices. In automation, every run is a fresh start. So your template needs:

Good system model:

```
You are a specialized employee classifying client m
You will receive an email body. Return only one wor
- price_inquiry
- complaint
- partnership_offer
- tech_support
- spam
Do not write any explanation. Do not write punctuat
```

User with variables:

```
Email body:
{{Body}}
```

This is clearer than "classify this," and produces output the next module can read without trouble.

8. Getting Structured JSON

Sometimes you need multiple data points from Claude, not one word. Example: classification + priority + language + suggested reply. Solution: ask for JSON.

System:

```
You are an email analyst.
Return only valid JSON in this exact shape:
{
  "category": "<price_inquiry|complaint|spam|normal
  "priority": "<high|medium|low>",
  "language": "<ar|en|fr>",
  "suggested_reply": "<suggested reply text>"
}
Do not write any text outside the JSON.
```

In Make, then use a "Parse JSON" module. It takes Claude's text and converts it to separate variables: `{{category}}`, `{{priority}}`, etc.

[Screenshot: Parse JSON module in Make receiving Claude output and producing separate fields]

9. Workflow: Client Email Classification With Claude

We continue Chapter 3's scenario by adding Claude.

Final diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Gmail    │→│ Claude   │→│Parse JSON│→│  Sheet   │→
│ (email)  │   │(analyze) │   │          │   │  (log)   │
└──────────┘   └──────────┘   └──────────┘   └──────────┘

                                                ┌──────
                                                ▼

                                            ┌──────────┐
                                            │important:│
                                            │  Slack   │
                                            └──────────┘
```

Build steps:

1. Gmail → Watch Emails → choose inbox.

2. Claude → Create a Message Completion. Use the template from previous section.
3. JSON → Parse JSON. The module asks for "sample" — paste a JSON sample from the template.
4. Sheet → Add a Row. Add a column for each JSON field.
5. Router → branches by `{{priority}}`.
6. First branch: Slack → Send Message → text containing `{{From}}`, `{{Subject}}`, `{{suggested_reply}}`.
7. Second branch: skip (Sheet already populated).
8. Third branch: Gmail → Trash Message.

Success test: - Receive an email containing "I need a quote today," classify "price_inquiry," priority "high," Slack notification arrives. - Receive spam, auto-deleted.

What could go wrong: - Claude returns invalid JSON (forgot a brace). Fix: add to system: "If unsure, return default JSON with each field = unknown." - Router doesn't branch. Fix: ensure your conditions use the field parsed from JSON, not the raw Claude text.

10. Sellable Recipe: "Client Email Classifier"

> 🟤 ***Recipe: Client Email Classifier Client value**: Saves them 4–8 hours/month of email triage and ensures important emails don't get lost. **Time saved**: 6 hrs/month average. **Recommended platform**: Make. **Monthly cost**: $2–$4 Claude + $9 Make Core = $13. **Diagram**: Gmail → Claude → Parse JSON → Sheet + Slack + Gmail Label. **Steps**: as in Section 9 above. **Customizing for the client**: change categories in system, change router conditions, customize notification text. **Suggested price**: $450 build + $75/month retainer (6 months minimum).*

This is the first recipe in your library. You'll have 30 by book's end.

11. Three Builds

Build 1 (Beginner — 25 min): WhatsApp Translator

Scenario: When you receive an English email in Gmail, Claude translates it to Arabic and sends it to you on Telegram.

Diagram:

```
┌──────────┐     ┌──────────────┐     ┌──────────┐     ┌──────
│ Gmail    │──►│ Filter       │──►│ Claude   │──►│ Teleg
│ (email)  │     │(EN only)     │     │(translate)│     │ (send
└──────────┘     └──────────────┘     └──────────┘     └──────
```

Success test: Send yourself an English email; receive on Telegram in Arabic.

Build 2 (Intermediate — 45 min): Google Docs Summary Generator

Scenario: When you add a new Google Doc to a specific folder, Claude reads the content, produces a 5-bullet summary, and writes it at the top of the document.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────
│  Drive   │→│  Docs    │→│ Claude  │→│  Docs
│ (new doc)│   │  (read)  │   │(summary)│   │ (insert)
└──────────┘   └──────────┘   └──────────┘   └──────────
```

Success test: Place a 3-page article in the folder; within 3 minutes, the summary is at the top.

Build 3 (Challenge — 90 min): Smart Upwork Proposal Generator

Scenario: Paste an Upwork post URL into a Google Form, the scenario reads the post (via web scraper), extracts

requirements, drafts a custom proposal in your voice (reading from a Notion file containing your bio), saves it in Sheet for review, and notifies you via Telegram.

Diagram:

```
┌────────┐   ┌──────────┐   ┌─────────┐   ┌──────────┐   ┌
│Form    │─▶│ScrapBee  │─▶│ Notion  │─▶│ Claude   │─▶│ Sh
│(URL)   │   │ (post)   │   │ (bio)   │   │(propose)│   │ (s
└────────┘   └──────────┘   └─────────┘   └──────────┘   └
```

Success test: Paste an Upwork URL; within two minutes a written proposal in your voice in Sheet, ready to copy after a quick review.

Customizing for client: Replace Upwork with Bonsai or LinkedIn, replace your file with the client's, replace your voice with the client's voice (give Claude 3 samples of the client's writing).

> ***Recipe: Smart Proposal Generator Client value**: Reduces proposal-writing time from 15 minutes to 2*

minutes. ***Time saved****: 25 hrs/month for active freelancer.* ***Platform****: Make.* ***Monthly cost****: $5–$10 Claude + $9 Make = $15–$19.* ***Suggested price****: $700 build + $100/month.*

12. Tips and Warnings

💡 ***Tip****: When Claude wanders and gives inconsistent responses, the answer isn't to change the model. It's to improve the system. The first 5 words of system are most influential. Begin with a clear role: "You are…"*

⚠ ***Warning****: An Anthropic key leaked on GitHub spreads quickly. Within hours you may receive a $500 bill. Always check before pushing public code, and rotate keys every 3 months.*

13. Self-Assessment

☐ I know the difference between Claude's official module call and HTTP. ☐ I'm comfortable writing a 4-line system prompt. ☐ I can request JSON from Claude and parse it. ☐ I built at least one of the three builds. ☐ I set a budget alert in Anthropic Console.

5/5? Excellent. 4? Good. Less? Pause and complete.

Chapter 5: Email and Messaging Automation

> ﴿ وَإِذَا حُيِّيتُم بِتَحِيَّةٍ فَحَيُّوا بِأَحْسَنَ مِنْهَا أَوْ رُدُّوهَا ﴾ *"And when you are greeted with a greeting, greet [in return] with one better than it or [at least] return it" — An-Nisa' 4:86*

1. Why Email and Messaging Come First

Email and messaging are the "first interface" between you and the client. When a client pays you $1,500, 70% of the impression they form of you comes from their experience

communicating: speed of reply, tone, organization. Automation in this area gives you a triple capability:

- A reply within one minute of every message, even while you sleep.
- A consistent, professional tone, free of errors.
- No message lost, no follow-up forgotten.

A client who gets a reply within one minute of submitting a contact form feels they're dealing with a large company, not an individual in a Sana'a room. This raises the price they accept by 20–40%.

2. Time Savings — Email and Messaging

Task	Manual/ month	Automated/ month	Savings
Sorting 200 daily emails	20 hrs	45 min	96%
	6 hrs	0 (auto)	100%

Task	Manual/ month	Automated/ month	Savings
Confirmation replies on form			
Following up after delivery	4 hrs	10 min	96%
Recurring WhatsApp replies	12 hrs	1 hr	92%
Weekly newsletter	8 hrs	15 min	97%

Total potential saving for an active freelancer: 40–50 hrs/ month. Hours you can sell or give to family.

3. Gmail Automation — Triage and Reply

The story: A freelancer receives 200 emails daily. Thirty percent are spam, 40% are newsletters they're supposed to read but not reply to, 20% from current clients, 10% new opportunities. Every email in the last category must be replied

to within an hour. Every spam email must be deleted. Newsletters are aggregated for evening reading.

Final diagram:

```
┌─────────┐   ┌─────────┐   ┌──────────┐   ┌─────────┐
│ Gmail   │─▶│ Claude  │─▶│  Router  │   │  Slack  │
│ (new)   │   │(understand)│ │ (4 paths)│   │ (imp.)
└─────────┘   └─────────┘   └──────────┘   └─────────┘
                                  │
              ┌──────────┬──────────┬──────────┬
              ▼          ▼          ▼          ▼
          ┌──────┐ ┌─────────┐  ┌──────────┐ ┌──────
          │delete│ │label:   │  │label:    │ │label
          │ spam │ │newsletter│ │ client   │ │new_l
          └──────┘ └─────────┘  └──────────┘ └──────

                                              ▼
                                        ┌──────
                                        │ Gmail
                                        │ (dra
                                        └──────
```

Build steps:

1. Gmail → Watch Emails in Inbox.
2. Claude → Create Message Completion. system: ``` You are an email triage assistant for a freelancer. Classify into:
3. spam (unwanted ads)
4. newsletter (known publication)
5. client (from an existing client)
6. new_lead (a new opportunity)
7. personal Return JSON: {"category":"...", "priority":"high|medium|low", "summary":"one-line summary"} ```
8. Parse JSON.
9. Router with four paths by category.
10. Spam path: Gmail → Trash Message.
11. Newsletter path: Gmail → Add Label "newsletters."
12. Client path: Gmail → Add Label "client," then Slack → Send Message: "Email from client: {{summary}}".
13. New_lead path: Gmail → Add Label "lead," then Gmail → Create a Draft → pre-written welcome text including

the sender's name. This is a draft you review and send yourself.

Success test: - Test with three sample emails: one looking like spam, one from a client, one from a new lead requesting service. - Expected outcome: spam in trash, client with Slack notification, lead with prepared draft.

What could go wrong: - Claude returns wrong label. Fix: give 3 examples in system per category. - Gmail labels not created. Fix: create them manually first, then run.

[Screenshot: Gmail interface after running, showing new labels on various emails]

4. WhatsApp Business Automation

WhatsApp matters for Arab clients. Many don't like email and prefer WhatsApp. This is reality.

How:

1. You can't automate personal WhatsApp directly (against terms). You can automate WhatsApp Business via:
2. **WhatsApp Business API** (official, requires verification, $25–$100/month).
3. **Twilio**: known alternative, cheaper for starters.
4. **WATI**: a specialized platform.
5. Buy a number, verify via Meta Business Manager.
6. Connect to Make via the official "WhatsApp Business" integration.

Common scenario: Auto-reply with AI:

```
┌──────────┐   ┌─────────┐   ┌──────────┐   ┌──────────
│WhatsApp  │─►│ Claude │─►│  Filter  │─►│ WhatsApp
│ (msg)    │   │(understand)│(can answer?)│  │ (repl
└──────────┘   └─────────┘   └──────────┘   └──────────
                                                  │
                                                  ▼
```

```
(if cannot)
┌──────────
│ Slack
│(human)
└──────────
```

In the filter, Claude decides: "Can I reply confidently to this message?" If yes, reply. If not, escalate to the account owner.

> 💡 ***Tip**: First messages should always include "I am an automated assistant for Mr. So-and-so. He'll reply personally shortly." Transparency wins client trust; concealment loses it when discovered.*

5. Telegram Bot Automation

Telegram is much simpler than WhatsApp:

1. Open BotFather on Telegram.
2. Type `/newbot`, choose a name.

3. Get a token.
4. Connect to Make → Telegram Bot.

The bot can: receive messages, send messages, accept commands (`/start`, `/help`), send images and files.

Common scenario: Personal assistant via chat:

You write to the bot "Save: meeting with Omar on Tuesday at 4," the bot takes the text, passes it to Claude, Claude extracts {`task`: "meeting with Omar", `date`: "Tuesday", `time`: "16:00"}, the scenario adds a row in Notion (or Calendar), replies "saved ✅."

[Screenshot: Telegram chat with bot showing "save: …" then bot's "saved ✅"]

6. Automated Newsletters

The story: A client owns a blog and wants to send a weekly newsletter to subscribers summarizing the last 5 articles. Manually it takes them 4 hours weekly.

Final diagram:

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌──────────
│ Schedule │─▶│   RSS    │─▶│ Claude │─▶│ Mailchimp
│ (Friday) │   │ (last 5) │   │(write) │   │ (send)
└──────────┘   └──────────┘   └────────┘   └──────────
```

Build steps:

1. Schedule → every Friday 9:00 AM.
2. RSS → read last 5 items from blog feed.
3. Aggregator → combine titles and links into one text.
4. Claude → write a 3-paragraph friendly newsletter summarizing the 5 articles and inviting reading.
5. Mailchimp → Create Campaign → fill subject and content.
6. Mailchimp → Send Campaign.
7. Telegram → notify the client that the newsletter was sent.

> ***Recipe: Weekly Newsletter Generator Client value**: Converts 4 weekly hours to 15 minutes of review. **Time saved**: 15 hrs/month. **Platform**: Make. **Monthly cost**: $1–$2 Claude + Mailchimp free for small lists + $9 Make = $12. **Suggested price**: $600 build + $125/month.*

7. Automated Reminders and Follow-ups

Scenario: When you deliver a project, you must follow up with the client after 3, 7, 14, 30 days. Each follow-up has a different tone.

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌────────┐
│ Trigger  │─▶│  Delay   │─▶│ Claude │─▶│ Gmail  │
│(delivery)│   │ (3 days) │   │(write) │   │ (send) │
└──────────┘   └──────────┘   └────────┘   └────────┘
        │
```

```
├──── ▶ Delay 7 → Claude → Gmail
├──── ▶ Delay 14 → Claude → Gmail
└──── ▶ Delay 30 → Claude → Gmail
```

In Make, use a "Sleep" module to wait, or a Delay scheduler. Each delay produces a different message: - Day 3: "Does the work meet your expectations?" - Day 7: "If you're satisfied, an Upwork review would mean a lot." - Day 14: "I suggest a new edit in X." - Day 30: "Need a similar project this month? 10% off for returning clients."

> ⚠ ***Warning***: *Don't send the fourth follow-up (price) if the client hasn't replied to the first. Add a filter checking: "Did client reply to previous follow-up? If no → send. If yes → stop the sequence."*

8. Law and Ethics

Message automation enters regulatory territory. You need to know basics:

- **GDPR (Europe)**: Don't send marketing messages except to those who opted in. Place an "unsubscribe" link in every newsletter.
- **CAN-SPAM (USA)**: Same idea, plus require a physical mailing address in every message.
- **WhatsApp terms**: Don't send unwanted (cold outreach) — this gets your number banned.
- **LinkedIn terms**: Don't use automation to send mass messages. LinkedIn detects this quickly.

> ⚠ ***Warning**: An automation sending 1,000 cold WhatsApp messages a day gets your number banned within a week. Automation for messages from people*

> *who first contact you, or those who explicitly opted in, only.*

9. Three Builds

Build 1 (Beginner — 20 min): Auto-reply on Contact Form

Scenario: When a visitor fills your contact form (Google Forms or Typeform), within two minutes they receive a friendly email with their name and a summary of their message, plus a promise of a reply within 24 hours.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐
│  Form    │→│ Claude  │→│ Gmail    │
│ (new)    │   │(write)  │   │(reply)  │
└──────────┘   └──────────┘   └──────────┘
```

Success test: Fill the form with a test name; receive a confirmation email within two minutes.

Build 2 (Intermediate — 40 min): Full Gmail Classifier

Scenario: What we built in Section 3 above. Build it fully.

Success test: 3 test emails enter 3 different paths in Gmail.

Build 3 (Challenge — 90 min): Post-Delivery Follow-up Sequence

Scenario: Fill a simple form "client name, client email, delivery date," a sequence of 4 follow-ups within 30 days launches, each with different tone, sent automatically.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Form     │→│ Sheet    │→│ Schedule │→│ Claude   │→│
│(deliv.)  │   │ (log)    │   │  (cyclic)│   │(write)   │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

In Sheet, a column for each follow-up reply received. A second scenario checks periodically and stops following up if the client replied.

Success test: Log a test client (yourself) with today's date; receive the first follow-up after 3 test days (you can shorten the period for testing).

Customizing for client: Replace tone of messages, modify timings, add review request on day 7.

> *__Recipe: Client Follow-up Sequence Client value__: Increases positive Upwork/Fiverr reviews by 30%, recovers 20% of clients after 30 days. __Time saved__: 4 hrs/month. __Monthly cost__: $1–$2 Claude + $9 Make = $11. __Suggested price__: $400 build + $75/month.*

10. Tips and Warnings

> 💡 ***Tip***: *When writing email system prompts, give Claude one example per category. This raises classification accuracy from 75% to 95%.*
>
> ⚠ ***Warning***: *Auto-reply loops create infinite cycles. If your automation replies to a client's auto-reply, who replies to your reply, messages spiral forever. Always add a filter: "Don't send if subject starts with Re: Re:".*

11. Self-Assessment

☐ I built the full Gmail classifier (Build 2). ☐ I know the difference between WhatsApp Business API and personal WhatsApp. ☐ I can write a follow-up sequence triggered by a specific event. ☐ I know basic laws: GDPR, CAN-SPAM, WhatsApp terms. ☐ I set the "no reply loops" filter on every auto-reply scenario.

Chapter 6: Content and Publishing Automation

> ﴿ اقْرَأْ بِاسْمِ رَبِّكَ الَّذِي خَلَقَ ﴾ *"Read in the name of your Lord who created" — Al-'Alaq 96:1*

1. The Content Distribution Multiplier

Write one article, get ten pieces of content. Six platforms, a week of publishing, near-zero generation cost. This is the magic content automation unlocks.

The model successful creators use in 2026 is "pillar + leaves":

- **Pillar**: a long primary content piece (a 2,000-word article, a 20-minute video, a one-hour podcast).

- **Leaves**: short derivatives sprouting from the pillar — tweets, quote graphics, short videos, LinkedIn posts, a newsletter.

Content automation = a pipeline taking one pillar and producing all the leaves automatically.

2. Time Savings — Content

Task	Manual/ month	Automated/ month	Savings
Convert article to 7 posts	12 hrs	30 min	96%
Generate post images	8 hrs	20 min	96%
Schedule across 5 platforms	6 hrs	10 min	97%
Translate article to English	10 hrs	5 min	99%
Write podcast show notes	4 hrs	15 min	94%

3. The Four Main Pipelines

Pipeline 1: Article → 10 posts

```
┌──────────┐   ┌─────────┐   ┌──────────────┐   ┌──────
│ Sheet    │→│ Claude │→│  Buffer/     │→│Schedu
│ (article)│   │(7 posts)│   │  Hootsuite   │   │ (pos
└──────────┘   └─────────┘   └──────────────┘   └──────
```

Pipeline 2: Video → article + social

```
┌──────────┐   ┌──────────┐   ┌─────────┐   ┌─────────┐
│ YouTube  │→│Whisper API│→│ Claude │→│ Notion │
│  (video) │   │(transcript)│ │(decompose)│ │(artic
└──────────┘   └──────────┘   └─────────┘   └─────────┘
```

Pipeline 3: Podcast → notes + clips

```
┌──────────┐   ┌──────────┐   ┌─────────┐   ┌──────────
│ RSS      │→│ Whisper  │→│ Claude │→│ Multiple
│(podcast) │   │(transcript)│ │(analyze)│   │ outputs
└──────────┘   └──────────┘   └─────────┘   └──────────
```

Pipeline 4: Arabic article → English version + distribute

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│Notion    │─▶│ Claude  │─▶│ Notion  │─▶│ Buffer   │
│(Arabic)  │   │(translate)│  │(English)│  │(posts)  │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

4. Workflow: "One Article → 10 Outputs"

We'll build this scenario step by step. It's the most important in the chapter, the most client-requested.

The story: A client writes one article weekly on his blog (2,000 words). He wants published:

1. A primary tweet (X/Twitter).
2. A 5-tweet thread.
3. A LinkedIn post (700 words, professional tone).
4. An Instagram post (text + image suggestion).
5. An email newsletter (summary + link).
6. A TikTok/Shorts video script (60 seconds).

7. Three quote graphics.
8. A Threads post.
9. An audio summary (generated with ElevenLabs).

Final diagram:

```
┌──────────┐   ┌─────────┐   ┌──────────┐   ┌──────────
│ Webhook  │─▶│ Claude  │─▶│Parse JSON│─▶│ Buffer
│(article) │   │(9pieces)│   │          │   │(5 platfor
└──────────┘   └─────────┘   └──────────┘   └──────────

                    │
                    ├──▶ DALL-E (3 images)
                    ├──▶ ElevenLabs (audio)
                    └──▶ Telegram (notify client)
```

Detailed build steps:

1. **Webhook**: receives JSON from Notion or a form: `{"title": "...", "body": "...", "tags": [...]}`.

2. **Claude (the big module)**: system:

```
You are a multi-platform content editor.
You will receive an article. Produce JSON with fiel
- twitter_main: catchy tweet (280 chars).
- twitter_thread: array of 5 tweets.
- linkedin: professional post (700 words).
- instagram: Instagram text + image suggestion.
- newsletter: summary (150 words) + reading invitat
- tiktok_script: 60-second script.
- quote_1, quote_2, quote_3: short quotes (15 words
- threads_post: a Threads post.
- audio_script: audio script (2 minutes).
Article:
{{body}}
```

1. **Parse JSON**: separates fields.
2. **Buffer (or Hootsuite)**: for each platform, create a Post.
3. **DALL-E** (or Midjourney via Imagine API): create 3 quote images.
4. **ElevenLabs**: convert audio_script to an audio file.

5. **Sheet**: log the date, post count, and post URLs.

6. **Telegram**: "Article published on 5 platforms. See Sheet for links."

[Screenshot: Sheet after run showing date, article title, 7 platform links, audio file link]

> 🟤 ***Recipe: Article → 10 Outputs Client value**: Multiplies reach 10x on the same writing hours. **Time saved**: 30–40 hrs/month for active publishers. **Monthly cost**: $10–$20 Claude + $5–$20 DALL-E + $20 ElevenLabs + $9 Make = $44–$69. **Suggested price**: $1,200 build + $250/month maintenance.*

5. Image Generation in the Pipeline

In 2026, you have three main options for generating images inside an automation:

DALL-E 3 via OpenAI: - Officially available in Make and Zapier. - High quality, no complex setup. - Cost: $0.04–$0.08 per image.

Midjourney via Imagine API (third-party): - Higher artistic quality. - Requires a separate subscription. - Cost: $0.02–$0.05 per image.

Stable Diffusion via Stability API: - High flexibility. - Cost: $0.01–$0.02 per image.

> 💡 ***Tip***: *Use Claude to generate the image prompt, then pass the prompt to DALL-E. This produces images 40% better than generating prompts manually.*

Example of a Claude-generated prompt:

```
"Modern flat illustration showing a smartphone with
notification icons (Gmail, WhatsApp, Telegram), in
and warm gold colors, minimalist style, high contra
for LinkedIn quote graphic, 1080x1080"
```

6. The "Write Once, Publish Automatically" Pattern

One of the greatest patterns in content automation is separating writing time from publishing time:

- **Monday**: you write 10 posts.
- **The automation**: publishes one post daily over two weeks.

How:

1. Create a Sheet with columns: `content`, `scheduled_date`, `status`.
2. A scenario runs hourly: checks if there's a row with today's date and status pending → publishes → changes status to posted.
3. You write 20 rows Monday morning, choosing "next Friday" for five, etc.

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────
│ Schedule │─►│ Sheet    │─►│ Filter   │─►│ Buffer
```

```
│ (hourly) │   │ (read)    │   │(today?)│   │ (publish)
└──────────┘   └──────────┘   └────────┘   └──────────
                                                 │
                                                 ▼
                                            ┌──────────
                                            │ Sheet
                                            │ (update)
                                            └──────────
```

7. Auto-translation of Content

A common scenario: you have an Arabic article, you want an English version. Or vice versa. Claude excels at literary translation compared to Google Translate, but there are details:

Good system for translation:

```
You are a professional Arabic-to-English translato
- Preserve full meaning, not literal translation.
- Use a tone fitting [professional/general/academic
- Leave technical terms like "API" in English.
- If a Quran verse appears, leave the Arabic and ac
```

```
- Do not summarize or expand; preserve approximate
Return only the translation, no commentary.
```

Translation + publish pipeline:

```
┌──────────┐   ┌─────────┐   ┌──────────┐   ┌─────────
│ Notion   │→│ Claude │→│ Notion   │→│ Buffer
│(Arabic)  │   │(translate)│ │ (English)│ │(EN posts
└──────────┘   └─────────┘   └──────────┘   └─────────
```

8. Converting a Podcast to Content

The story: A client owns a podcast publishing weekly episodes. They want: - Episode show notes written. - 3 short clips for social. - Quote graphics. - A weekly newsletter.

Diagram:

```
┌──────┐   ┌──────────────┐   ┌─────────┐   ┌──────────
│ RSS  │→│  Whisper   │→│ Claude │→│ Notion+Buff
│ (ep) │   │(transcript)│   │(analyze)│ │   (publish)
└──────┘   └──────────────┘   └─────────┘   └──────────
```

Whisper API (from OpenAI) converts audio to text with timestamps. Claude receives the text, writes show notes, picks 3 clip-worthy moments (with timestamps), extracts quotes.

> 💡 ***Tip***: *Don't send a full hour to Claude in one request. Split text into 10-minute chunks, process each separately, then merge results. Forty percent cheaper.*

9. Three Builds

Build 1 (Beginner — 30 min): Tweet Generator from Article

Scenario: Paste an article URL into a form; the scenario reads the article (web scraper), Claude generates 5 tweets, writes them to Sheet for review.

Diagram:

```
┌─────────┐   ┌──────────────┐   ┌──────────┐   ┌──────────┐
│ Form    │→│ Scraper      │→│ Claude   │→│ Sheet    │
│(URL)    │   │ (content)    │   │(tweets)  │   │ (store)  │
└─────────┘   └──────────────┘   └──────────┘   └──────────┘
```

Success test: Paste a URL; find 5 tweets in Sheet within two minutes.

Build 2 (Intermediate — 60 min): Article → 7 Posts + Schedule

Scenario: When a new article is published in Notion, the scenario extracts it, Claude generates 7 posts, Buffer schedules them across 7 different days.

Diagram:

```
┌──────────────┐   ┌──────────┐   ┌──────────────┐   ┌──────────
│ Notion       │→│ Claude   │→│ Iterator     │→│ Buffer
│ (new)        │   │(7 pts)   │   │ (loop)       │   │(schedule)
└──────────────┘   └──────────┘   └──────────────┘   └──────────
```

Success test: Publish an article; 5 minutes later, 7 posts scheduled in Buffer over 7 days.

Build 3 (Challenge — 90 min): Full Content Generator (Pillar + Leaves)

Scenario: What we built in Section 4. Build it fully.

Success test: Push an article; receive 9 outputs (5 platforms + 3 images + 1 audio) in under 5 minutes.

Customizing for client: Customize each platform's tone, add platforms (Threads, Mastodon, Bluesky), replace ElevenLabs voice with the client's voice.

10. Warning About Automated Content Quality

> ⚠ ***Warning**: Automatically generated content, if published without human review, loses the audience*

> *within 3 months. Algorithms detect or de-emphasize it. The fix: use automation to produce drafts, and always have the client review for 5 minutes before publishing. Automation does not mean "no human touch." Automation means "one human touch instead of ten."*

11. Self-Assessment

☐ I built at least one of the three. ☐ I know the difference between DALL-E, Midjourney, and Stable Diffusion in the platform. ☐ I know the "write batch, publish auto" pattern. ☐ I can write a system prompt for Arabic-English translation. ☐ I understand that auto content without review loses audience.

Chapter 7: Research and Monitoring Automation

> ﴿ قُلْ سِيرُوا فِي الْأَرْضِ فَانظُرُوا كَيْفَ بَدَأَ الْخَلْقَ ﴾ *"Say, [O Muhammad], 'Travel through the land and observe how He began creation'"* — *Al-'Ankabut 29:20*

1. Why Automated Monitoring Is Hidden Gold

Every freelancer tells you they spend hours "monitoring the market": reading news, tracking client competitors, searching Upwork opportunities, checking prices. These hours don't go on an invoice but consume your days. Automation here doesn't just save hours — it breaks a ceiling you didn't know existed:

- Without automation, you follow 5–10 sources.

- With automation, you follow 100–1,000 sources, effortlessly.

A client paying you $2,000 a month for a daily report on "what changed in my market today" cannot have a friend do it without a system. With a system, you do it in 15 minutes.

2. Time Savings — Monitoring

Task	Manual/ month	Automated/ month	Savings
Tracking 5 competitors	20 hrs	30 min	97%
Filtering Upwork opps	15 hrs	10 min	99%
Following research	30 hrs	30 min	98%
Tracking gov. tenders	12 hrs	20 min	98%
Tracking market prices	6 hrs	0 (auto)	100%

3. The Four Main Monitoring Patterns

Pattern 1: RSS + AI summarizer. Sources supporting RSS (blogs, news, Substack). RSS feed → Claude summarizes → Telegram or email.

Pattern 2: Web scraping. For sites without RSS support. Use Apify or Browse AI to fetch data → process → store.

Pattern 3: API monitoring. For platforms with APIs (GitHub, Reddit, Hacker News). Call API periodically → Claude filters → notify.

Pattern 4: Diff detection. Check the site every hour, compare to previous version, notify on change. Very useful for price tracking.

4. Workflow: Daily Yemen News Digest

The story: A client owns a political consultancy and needs a daily digest of Yemen news from 10 sources, ordered by importance, in both Arabic and English, delivered at 7:00 AM.

Final diagram:

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌──────────
│ Schedule │─▶│ 10 RSS   │─▶│ Claude │─▶│ Notion
│(7:00 AM) │   │(last 24h)│   │ (rank) │   │ (archive)
└──────────┘   └──────────┘   └────────┘   └──────────
```

Build steps:

1. **Schedule**: every day at 6:45 AM.
2. **10 RSS modules**: major Yemeni news sources.
3. **Aggregator**: combines all outputs.
4. **Filter**: takes only items published within 24 hours.
5. **Claude**:

```
You are a news editor. You will receive a list of a
Return an HTML report ordered as:
1. Most important news of the day (political, econo
2. 3-5 important items in each category (politics,
3. Each item summarized in two sentences
```

```
4. English short translation in section 2
Include source links.
```

1. **Notion**: archive with today's date.
2. **Gmail**: send HTML to client.
3. **Telegram**: short message to you "Daily report sent ✅".

[Screenshot: the report in Gmail showing two ordered sections (Arabic, English) with links]

> 🥥 ***Recipe: Daily News Digest Client value****: Converts 30 minutes of morning research to 5 minutes of organized reading.* ***Time saved****: 15 hrs/month.* ***Monthly cost****: $4–$8 Claude + $9 Make = $13–$17.* ***Suggested price****: $700 build + $150/month.*

5. Smart Upwork Opportunity Monitoring

The story: A freelancer loses opportunities because they can't check Upwork every hour. They need a system that checks 7 tags/keywords, filters with Claude (excludes "$5/hr" offers, excludes those over 4 hours old), picks the top 5 daily, and sends them.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌──────────
│ Schedule │─▶│ Upwork   │─▶│ Filter │─▶│ Claude
│(hourly)  │   │ RSS feeds│   │(quality)│   │ (rank)
└──────────┘   └──────────┘   └────────┘   └──────────
```

Upwork RSS supports keyword filtering. So an RSS for "AI consultant" produces every post containing those words. You can consume 5–10 different feeds, aggregate, filter, summarize.

System prompt:

```
You are a freelancer's assistant. You will receive
Remove:
- Any offer below $10/hour
- Any fixed-budget offer < $100
- Posts already at 20+ proposals
- Posts from clients without payment history
Sort the rest by importance. Return up to 5 top opp
[{"title": "", "budget": "", "url": "", "why_match"
```

> 💡 ***Tip**: Important Upwork clients are usually "Payment verified" with a gold star. Have Claude give priority to these.*

6. Tracking Client Competitors

The story: Your client owns an e-commerce store and wants to know immediately when 3 competitors change prices.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────
│ Schedule │─►│ Apify    │─►│ Compare  │─►│ Filter
│(hourly)  │   │ (scrape) │   │ (diff DB)│   │(change
└──────────┘   └──────────┘   └──────────┘   └──────
```

Details:

1. Apify has ready-made actors for major sites (Amazon, Shopify generic).
2. Each run fetches current prices.
3. Compare to prices in Sheet (persistent storage).
4. If price differs by more than 5%, send alert with: product, old price, new price, link.

> ⚠ ***Warning***: *Before scraping any site, check* `robots.txt` *(e.g.,* `https://example.com/robots.txt`*) and read the terms of service. Some sites forbid scraping; violating may expose you (or your client) to legal action.*

7. Tracking Academic Research

The story: A client researches AI and wants a weekly digest of new arXiv papers in their field.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌─────────┐   ┌──────────
│ Schedule │─►│ arXiv RSS│─►│ Filter  │─►│ Claude
│ (Friday) │   │(papers)  │   │(specialty)│ │(summari
└──────────┘   └──────────┘   └─────────┘   └──────────
```

arXiv supports RSS with category filtering (cs.LG, cs.CL, etc.). Claude picks the 10 most relevant and summarizes them.

8. Government Tender Monitoring

The story: A client is a contractor wanting to track tenders in Yemen, Saudi Arabia, and the UAE.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌──────────
│ Schedule │─►│ Scraper  │─►│ Claude │─►│ Airtable
│ (morning)│   │(5 sites) │   │ (filter)│  │ (store)
└──────────┘   └──────────┘   └────────┘   └──────────
```

Browse AI or Apify pull new tenders. Claude filters based on client criteria (minimum value, specialty, region).

9. Web Scraping Basics for the Non-Coder

Three tools suffice:

Apify: - 3,000+ ready actors. - Example: "Amazon Product Scraper" — give it a product URL, get price, rating, description. - Officially integrated with Make. - Cost: $49/month for mid plan, or pay-as-you-go ($0.10–$1 per 1,000 pages).

Browse AI: - No code, you select elements by clicking. - Excellent for e-commerce and listings. - Cost: $49–$249/month.

ScrapingBee: - Simple API, called via HTTP. - Manages proxies and JavaScript automatically. - Cost: $49–$249/month.

> 💡 ***Tip**: Start Browse AI free (50 scrapes/month), enough for learning. When you take a client, ask them to pay Apify costs on their account.*

10. The Respectful Scraping Principle

Scraping isn't piracy, but it requires ethics:

1. **Respect robots.txt**: don't gather what the site forbids.
2. **No more than 1 request per 10 seconds**: don't overload site servers.
3. **Read terms of use**: some sites prohibit commercial scraping.
4. **Don't gather personal data**: GDPR criminalizes gathering email, name, photo without consent.

5. **Add value, don't steal it**: scraping public pages to summarize for your client = fine. Scraping paid content = forbidden.

> ⚠ ***Warning***: *Scraping LinkedIn against its terms is explicit. Doing so closes your account. Don't. Use the official LinkedIn Sales Navigator API instead.*

11. Three Builds

Build 1 (Beginner — 25 min): Summary of Last 5 Articles From a Blog

Scenario: Register a blog's RSS feed you follow, the scenario checks daily, extracts the last 5 new articles, Claude summarizes, sends to Telegram.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌──────────┐   ┌──────────┐
│ Schedule │─▶│   RSS    │─▶│ Claude   │─▶│ Telegram │
│ (daily)  │   │(last 5)  │   │(summary) │   │ (send)   │
└──────────┘   └──────────┘   └──────────┘   └──────────┘
```

Success test: Tomorrow morning, receive 5 summaries from your chosen blog on Telegram.

Build 2 (Intermediate — 45 min): Upwork Opportunity Filter

Scenario: What we built in Section 5. Build it fully.

Success test: Within an hour, receive 5 priority-ranked opportunities.

Build 3 (Challenge — 90 min): Full Daily Report for a Client

Scenario: What we built in Section 4. Build fully, customize for a client (yourself temporarily), connect to Notion for archive and Gmail for delivery.

Success test: Tomorrow at 7:00 AM, the client receives the full report.

Customizing for client: - Replace 10 RSS sources with 10 sources for their field. - Customize system prompt to focus on the news types relevant to them. - Choose primary language (Arabic only, or bilingual).

> 🟤 ***Recipe: Smart Daily Report Client value****: Replaces 30–45 minutes of manual reading with 5 minutes of organized reading.* ***Time saved****: 15–20 hrs/month.* ***Monthly cost****: $15–$25.* ***Suggested price****: $1,000–$1,500 build + $200–$300/month.*

12. Self-Assessment

☐ I built at least one of the three. ☐ I know the difference between Apify, Browse AI, and ScrapingBee. ☐ I read at least one robots.txt file and understood it. ☐ I can build RSS-based

monitoring without help. ☐ I know why scraping LinkedIn is forbidden.

Chapter 8: Freelancing and Personal Productivity Automation

> ﴿ وَأَن لَّيْسَ لِلْإِنسَانِ إِلَّا مَا سَعَىٰ ۝ وَأَنَّ سَعْيَهُ سَوْفَ يُرَىٰ ﴾ *"And that there is not for man except that [good] for which he strives. And that his effort is going to be seen" — An-Najm 53:39-40*

1. The Freelancer as a One-Person Company

You are not "someone who writes" or "someone who designs." You are a company. A company that receives clients, manages projects, invoices, follows up, sends contracts, pays taxes (in some cases), builds reputation. All this needs systems.

In previous chapters we built automations for clients. In this chapter, we build one for you — the "Freelancer Command Center." When this chapter ends, you will have a system that runs your work, takes in clients, organizes them, follows up with them, and logs everything.

2. The Six Freelancer Systems

Every successful freelancer in 2026 has six systems, manual or automated:

1. **Lead capture**: where clients come from, where their data goes.
2. **CRM**: client database, statuses, last contact.
3. **Project intake**: what happens when they accept your offer.
4. **Time tracking & invoicing**: hours logged, invoices issued.
5. **Follow-up**: post-delivery client contact, reactivation.
6. **Knowledge base**: archive of what you learned about each client.

In the next 30 minutes, we'll build 4 of these 6. The other two (2 and 6) deserve their own build.

3. Time Savings — Personal Productivity

Task	Manual/ month	Automated/ month	Savings
Creating project folder structure	2 hrs	0 (auto)	100%
Manual time logging	4 hrs	1 hr	75%
Monthly invoicing	3 hrs	15 min	92%
Logging contact with each client	6 hrs	0 (auto)	100%
Preparing custom client offer	4 hrs	30 min	87%

4. Workflow: "New Client Intake"

The story: When a client accepts your offer and signs, 7 things must happen in sequence:

1. Project folder structure created in Google Drive.
2. Client added to Notion (CRM).
3. Welcome email sent with folder links.
4. Kickoff meeting booked in Calendar.
5. Contract sent via HelloSign.
6. "Receive deposit" task created in Todoist.
7. Telegram notifies you "New project started ✅".

All triggered from one event: you fill a Google Forms form with client and project data.

Final diagram:

```
┌──────────────┐
│ Google Form  │
│ (intake)     │
└──────┬───────┘
```

```
                          ▼
        ┌──────────────────────────────────────────
        │
        ▼           ▼           ▼           ▼      ▼
┌──────────────┐ ┌──────────┐ ┌────────────┐ ┌───────┐ ┌
│    Drive     │ │ Notion   │ │ Calendar   │ │HelloS│ │
│ (folders)    │ │ (CRM)    │ │(kickoff)   │ │(con.)│ │
└──────────────┘ └──────────┘ └────────────┘ └───────┘ └
        │
        └──────────────────────────────────────────
                          ▼
                   ┌──────────┐
                   │  Gmail   │
                   │(welcome) │
                   └──────────┘
                        │
                        ▼
                   ┌──────────┐
                   │ Telegram │
                   │ (notify) │
                   └──────────┘
```

Steps:

1. **Form**: name, email, project name, service type, price, delivery date.
2. **Drive**: Create a Folder → name: `[clientName] - [projectName]` → 4 sub-folders inside: `01-Brief`, `02-Drafts`, `03-Final`, `04-Invoices`.
3. **Notion**: Add Page in CRM database → client name, status "Active", start date.
4. **Calendar**: Create Event → within 3 days from today at 2:00 PM, title "Kickoff: [project]".
5. **HelloSign**: Send a Document for Signature → from prior template, fill variables.
6. **Todoist**: Add Task → "Receive 50% deposit from [client]" → date 7 days out.
7. **Gmail**: Send Email → welcome email containing folder links, Calendar link, contract copy.
8. **Telegram**: Send Message → "New project: [project] with [client], price [price]".

[Screenshot: Make panel showing the full scenario with 7 modules, green lines after successful run]

> 🔘 ***Recipe: New Client Intake Client value (for you)**: Saves half an hour of admin per new project. **Time saved**: 10–15 hrs/month for a freelancer with 5+ projects. **Monthly cost**: $9 Make. **Suggested price for clients**: $800 build + $125/month.*

5. Workflow: "Proposal Generator"

The story: You find a good opportunity. You copy the post URL or text into a form. The scenario: 1. Passes the text to Claude with your bio file in Notion. 2. Claude reads and identifies 3 connection points between you and the project. 3. Writes a customized proposal (250 words). 4. Saves the draft in a Google Doc. 5. Sends you the Doc link to review and send.

Diagram:

```
┌──────┐   ┌────────┐   ┌────────┐   ┌──────┐   ┌──────
│Form  │─▶│ Notion │─▶│ Claude │─▶│ Doc  │─▶│ Telegr
│(post)│   │ (bio)  │   │(propose)│  │(draft)│  │ (lin
└──────┘   └────────┘   └────────┘   └──────┘   └──────
```

Full system prompt:

```
You are a freelance proposal writer specializing in
You will receive: 1) a client post from Upwork/plat

Extract:
- 3 requirements mentioned in the post
- 3 skills from the bio that match them

Write a 4-paragraph proposal (250 words):
1. Brief greeting + a sentence capturing the projec
2. Why you're a fit (link 3 bio points to 3 require
3. Initial methodology suggestion (2-3 steps)
4. Price, timeline, invitation to discuss

Tone: professional, confident, no exaggeration. Don
```

Success test: Paste a real Upwork post; receive on Telegram a Doc link with a copy-ready proposal.

6. Workflow: "Invoice from Toggl"

The story: You use Toggl to log hours. Every month-end you open Toggl, extract hours per client, manually write an invoice. Takes you 3 hours. Automation turns it into 15 minutes.

Diagram:

```
┌──────────┐   ┌──────────┐   ┌────────┐   ┌──────────
│ Schedule │→│ Toggl    │→│ Claude │→│ Stripe
│(month-end)│ │(hours)   │   │(summary)│ │ (invoice)
└──────────┘   └──────────┘   └────────┘   └──────────
```

Details:

1. Last day of the month, the scenario checks Toggl hours per client.
2. Claude writes a "work completed description" based on hour tags ("logo design," "review," "export").

3. Stripe Invoice (or Wave, or custom module) creates an invoice with the generated description.
4. Gmail sends the invoice to the client.

> 💡 ***Tip***: *In 2026, Wave Accounting and Stripe Invoicing are free for basics. Wave supports direct Make integration. Stripe charges 2.9% + $0.30 per transaction.*

7. Your Personal Telegram Assistant

The dream: You open Telegram and write "book a meeting with Sami on Tuesday at 4, remind me an hour before," and your AI assistant executes everything.

Diagram:

```
┌──────────┐   ┌────────┐   ┌──────────┐   ┌────────
│ Telegram │─▶│ Claude │─▶│  Router  │─▶│ 10+    │
```

```
│ (msg)     │   │(intent)│   │(intent)   │   │ paths   │
└───────────┘   └────────┘   └───────────┘   └─────────┘
```

Claude receives the message, extracts intent (book, add task, search, remind), then Router directs to the right module:

- **Book meeting** → Calendar.
- **Add task** → Todoist.
- **Save note** → Notion.
- **Remind me** → Schedule + Telegram later.
- **Search my notes** → Notion search → Claude → Telegram.

System for understanding:

```
You are a personal assistant. You will receive a me
{
  "intent": "schedule_meeting | add_task | save_not
  "params": {
    "title": "...",
    "datetime": "...",
    "details": "..."
  }
```

```
}
Do not write anything outside the JSON.
```

> 🔘 ***Recipe: Conversational Personal Assistant Value**: Turns Telegram into a unified interface to all your tools (Calendar, Todoist, Notion). **Time saved**: 5–10 hrs/month for an organized freelancer. **Cost**: $2–$5 Claude + $9 Make = $14. **Suggested price**: $650 build + $90/month.*

8. Three Builds

Build 1 (Beginner — 20 min): Project Structure Generator

Scenario: Fill a simple form with "project name, client name," the scenario creates a folder in Drive with a specific name, 4 sub-folders inside, and sends you the link.

Diagram:

```
┌──────┐   ┌──────────┐   ┌──────────┐
│ Form │─▶│  Drive   │─▶│ Telegram │
│      │   │(folders) │   │ (link)   │
└──────┘   └──────────┘   └──────────┘
```

Success test: Filling the form produces an organized Drive folder in 10 seconds.

Build 2 (Intermediate — 45 min): Proposal Generator from Section 5

Success test: Pasting a real Upwork post produces a Doc with a custom proposal in 2 minutes.

Build 3 (Challenge — 90 min): Full Command Center

Scenario: One system combining: client intake (Section 4) + monthly invoice (Section 6) + personal assistant (Section 7).

Success test: 3 separate scenarios, each working independently, covering a phase of the project lifecycle.

Customization for a client: - Replace your Notion CRM with the client's. - Modify folder structure based on client's industry (lawyer ≠ designer ≠ translator). - Customize the welcome email tone.

> 🔘 ***Recipe: Full Freelancer Command Center Value***: *Replaces 3–4 monthly admin hours with 30 minutes of review.* ***Time saved***: *20–30 hrs/month.* ***Price***: *$1,500–$2,500 build + $250/month.*

9. Tips and Warnings

> 💡 ***Tip***: *Don't build the entire command center at once. Build a system, use it for a week, refine, then build the next. Rushed systems break fast.*
>
> ⚠️ ***Warning***: *When Notion CRM holds client personal data, ensure privacy settings. Don't share the database*

> *with colleagues or your spouse without verifying. Some clients require NDAs that forbid that.*

10. Self-Assessment

☐ I built at least one of the three. ☐ I have a Notion CRM or Airtable that auto-receives new clients. ☐ I know how to automate my monthly invoice. ☐ My Telegram personal assistant understands at least 3 intents.

Chapter 9: Automation With Claude Projects and Custom GPTs

> ﴿ وَفَوْقَ كُلِّ ذِي عِلْمٍ عَلِيمٌ ﴾ *"And above every possessor of knowledge is one [more] knowing" — Yusuf 12:76*

1. The Middle Layer Between Chat and Full Automation

Not every workflow deserves a Make scenario. Some tasks fit "a middle layer": a custom AI assistant trained on a specific context that you summon manually when needed.

This middle layer is: - **Claude Projects** (from Anthropic). - **Custom GPTs** (from OpenAI). - **Gems** (from Google Gemini).

Each does roughly the same thing: a custom assistant with stable context that you call up in a chat.

When to use a Claude Project instead of a Make scenario?

- The task recurs but isn't fully automatable.
- The context is stable (same tone, same file types).
- A human must touch the output before use.
- Low cost matters (within Claude Pro subscription only, no API).

When to use Make scenario instead of Claude Project?

- It must work without human intervention.
- It must coordinate multiple tools (Sheet + Email + Slack).
- Triggering is automatic based on an external event.
- Repetition is daily or more.

2. What Is a Claude Project

Claude Project = a Claude conversation, but customized: - Has fixed **system instructions** (role definition). - Has a **knowledge**

base (files you upload once, Claude reads in every chat). - Saved, you reopen it and continue work without re-explaining.

[Screenshot: Claude Project interface showing the side panel with system instructions, Knowledge section, and chat buttons]

In 2026, Claude Projects is available in the Pro plan ($20/month) and above.

3. Four Claude Projects for the Freelancer

Project 1: "My Content Reviewer"

System instructions:

```
You are an expert content editor. Your task is to r
- Look for: grammatical errors, repetition, long se
  excessive passive voice, weak words.
- Return: a list of problems prioritized, then a co
- Don't change the personal style, only technical i
- Tone: professional, terse, no compliments.
```

Knowledge base: - A file in your writing style (a previous polished article). - A glossary of your preferred terms. - Articles you consider excellent models.

Use: You write an article, paste it into the Project, get back review and corrections.

Project 2: "Upwork Proposal Writer"

System instructions:

```
You are a proposal writer. You will receive an Upwo
- Write a 250-word proposal in my style.
- Don't use clichés ("very excited," "I'd love to")
- Start with a question showing understanding, not
- Suggest a methodology (3 steps) based on the post
```

Knowledge base: - Your full bio. - 5 successful past proposals (that won client acceptance). - English and Arabic versions.

Project 3: "Client Data Analyst"

System instructions:

```
You are a data analyst. I'll give you client files
- Read, extract, summarize patterns.
- Suggest 3 questions answerable from this data.
- Write SQL or formula ready for each question.
```

Knowledge base: - Reference Excel docs (formula encyclopedia). - Examples of past reports.

Project 4: "Email Reply Writer"

System instructions:

```
You are an email reply writer. You will receive a c
- Write a 4-6 sentence reply.
- Tone: friendly-professional, no fluff, no ambigui
- If client asks for a discount, offer max 5%.
- If complaining, apologize in two words then focus
```

Knowledge base: - Your pricing guide and methodology. - Your terms (timeline, revisions, deposit).

> 💡 ***Tip**: Build one Claude Project per recurring production type. With 5–10, you'll use them daily and skip hours of "re-explaining context" in every fresh chat.*

4. Sharing a Claude Project With a Team or Client

In the Team plan ($30/month/user), you can share a Project with colleagues. This opens powerful use cases:

The "Private Workflow" Use Case: - You're a freelance writer; your client is a publisher. - You build a Claude Project named "Editorial Pipeline for [Client]." - System instructions contain the publisher's editing standards. - Knowledge base has all past articles, their tone, style. - You share the Project with the client. - The client can paste drafts themselves and use it for first-pass review.

You sold an ongoing service, not just an article. And the client is now bound to a system you own.

> ***Recipe: Shared Content Workshop Value**: Transforms the client from a service user to a partner in your system. **Cost**: $30 Claude Team per person. **Suggested price**: $1,500 build (Project + knowledge setup) + $250/month maintenance.*

5. Custom GPTs — Quick Comparison

OpenAI offers Custom GPTs in ChatGPT Plus ($20/month). Differences from Claude Projects:

Feature	Claude Projects	Custom GPTs
General intelligence	Better at long text	Better at tools (browsing, code)
Knowledge base	Excellent	Good
		Yes

Feature	Claude Projects	Custom GPTs
Actions (API call)	No (except via MCP)	
Sharing	Via Team	Via GPT Store
Arabic translation	Better	Good

In 2026, Custom GPTs do something elegant: "Actions" let the GPT call an external API. This makes the GPT do more than "reply with text" — it can change data in your apps.

6. When to Choose GPT Over Project

Choose Custom GPT if: - You need actions (the GPT must call an API to write to Notion, fetch a web page, search). - You want GPT Store discoverability. - Your audience uses ChatGPT primarily.

Choose Claude Project if: - Text quality is most important. - The client is Arab. - Knowledge base is large (Claude handles long documents better). - You don't need actions in the tool.

7. Example: Custom GPT for a Freelance Designer

GPT Name: "Brand Brief Assistant."

Instructions:

```
You are an assistant for a freelance designer. When
1. Brand name
2. Industry
3. Target audience
4. 3 words describing desired personality
5. Preferred colors (if any)

After collecting info, return:
- A suggested color palette (5 colors with HEX)
- Font suggestion (2 options)
- 3 logo concepts (text description, no image)
- Voice tone (3 words)
```

Actions: Calls Color Hunt API for palette suggestions, Google Fonts API for font suggestions.

The client fills the brief themselves via the GPT, gets the result, passes it to you to execute. You've shaved 30 minutes off the "first meeting."

8. Pattern: "Project + Make Scenario"

Sometimes the best solution combines: Claude Project for the creative part, Make scenario for the automated part.

Example: - **Make scenario**: Receives a new email from Gmail, saves to Notion as "inbound." - **Claude Project**: You open it daily, copy the last 10 inbounds from Notion, paste them, the Project writes suggested replies. - **Make scenario 2**: You copy approved replies from the Project, paste in a form, the scenario opens Gmail and sends them.

You stayed in the review loop, but writing is automatic, sending is automatic, archiving is automatic.

9. Three Builds

Build 1 (Beginner — 20 min): Project for Email Reply Writing

Scenario: Build a Claude Project called "My Email Replies." - System instructions as in Section 3. - Knowledge base: a file with 5 of your past replies (good examples). - Test with 3 different emails.

Success test: Paste an email; receive a reply that sounds like you, not a bot.

Build 2 (Intermediate — 40 min): Custom GPT for Brief Intake

Scenario: Build a GPT that interviews the client about their project, writes one organized brief, sends it to Notion via action.

Diagram: GPT chat lasting 5 minutes → Action creates a Notion page with title and fields.

Success test: Pretend to be a client, chat with the GPT for 5 minutes, find a complete brief in Notion when chat ends.

Build 3 (Challenge — 90 min): Full Sharing System for One Client

Scenario: Your client is a small publisher paying you $1,200/month for 4 articles in their voice. Build:

1. **Shared Claude Project** with knowledge base of 20 past articles, system instructions defining tone precisely.
2. **Make scenario** that pulls a draft from Notion, passes it to the Project (via API), publishes the edited version in Notion as "final draft."
3. **Make scenario 2** publishes the "final draft" to the blog via CMS.

Success test: Write a quick draft; within 5 minutes, a "final" appears in Notion; within 10 minutes, an article is published on the client's blog.

Customization for client: Customize knowledge with each client's articles, customize each client's tone.

> 🔘 ***Recipe: Editorial Pipeline With Client Value***: *Deliver higher-quality content in less time, and the client feels you're an "implicit employee."* ***Cost***: *Claude Team $30 + Make $9 + Notion $10 = $49/month.* ***Suggested price***: *$1,200–$2,000/month (retainer).*

10. Tips and Warnings

> 💡 ***Tip***: *In Claude Project, write system instructions as "You are [role], your task is [task], the knowledge in the next section contains [...]". Then state explicitly: "Read knowledge before each reply." This boosts knowledge-use accuracy by 30%.*
>
> ⚠️ ***Warning***: *Don't load a Claude Project with more than 30 files. Performance degrades. If you need more*

> *files, use RAG with Anthropic API instead (a topic for another book in the series).*

11. Self-Assessment

☐ I built at least one Claude Project. ☐ I know the difference between Claude Project and Custom GPT in 3 points. ☐ I know when to choose "Project + Make scenario" together. ☐ I built one of the three builds.

Chapter 10: Pricing and Selling — Automation as a Service

> ﴿ وَأَوْفُوا الْكَيْلَ إِذَا كِلْتُمْ وَزِنُوا بِالْقِسْطَاسِ الْمُسْتَقِيمِ ﴾ *"And give full measure when you measure, and weigh with an even balance" — Al-Isra' 17:35*

1. The Place of the Automation Consultant in 2026

The "automation consultant" market in 2026 is one of the most under-served and least competitive specialties. The reason: small and mid-size companies in the Arab region discovered ChatGPT writes for them, but they haven't yet discovered that Make runs their business for them. The gap between AI awareness and automation awareness is your opportunity.

A small client in the UAE doesn't know the difference between Zapier and Make. But they know they're losing hours coordinating orders between WhatsApp, Excel, and Gmail. When you walk in with a direct offer: "I solve this for AED 2,000, you reclaim 20 hours monthly," you're not really competing with anyone.

2. Diagnosing Client Pain — The 10-Question List

Use this list in every discovery meeting. It takes 30 minutes and gives you a complete brief:

1. "Walk me through your typical admin day, hour by hour."
2. "Which tasks do you hate most? Why?"
3. "Where do you copy-paste between two apps?"
4. "How many emails do you receive daily? How many do you reply to?"
5. "What tasks does your employee (or you) repeatedly do the same way?"

6. "When a new client enters, what are the steps until the project starts?"
7. "What's your current reply time to a potential client?"
8. "How do you follow up after delivery?"
9. "What apps do you use daily?"
10. "If I gave you 20 free hours every month, what would you do with them?"

Question 10 is the most important. The answer the client gives you (time with their kids, expanding their business, learning a language) is the pitch you re-sell with. You're not selling "Make automation," you're selling "20 hours with your kids monthly."

> 💡 ***Tip**: Record the call (with permission), transcribe with Whisper, pass it to Claude with system: "Extract 3 recurring pain points, suggest 3 automations that solve them." 15 minutes of work gives you a full proposal draft.*

3. The Three Pricing Models

Model 1: One-time Project (Project-Based)

You sell one build for a fixed price.

Build type	Price	Expected time
Simple scenario (2-4 modules)	$300-500	3-5 hrs
Medium scenario (5-10 modules + AI)	$700-1500	8-12 hrs
Complex scenario (multi-app + Router + error handling)	$1500-3000	15-25 hrs
Full system (3+ interlocking scenarios)	$3000-5000	30-50 hrs

Pros: Upfront payment, fast close, lower risk. **Cons**: Relationship ends after delivery, no recurring income.

Model 2: Monthly Retainer

You sell a monthly package: maintaining existing automations + a new build with limits + support.

Package	Monthly	Includes
Basic	$500-750	Maintenance only, 2 hrs/month for tweaks
Mid	$1000-2000	Maintenance + 5 dev hrs + consultation
Advanced	$2500-5000	Comprehensive maintenance + 15 dev hrs + priority support

Pros: Recurring income, long relationships, compound growth.
Cons: Requires a client who actually depends on you, higher expectations.

Model 3: Performance-Based

A percentage of saved hours converted to money.

How: You sign that automation saved them 20 hours monthly, the cost of those hours if paid to an employee is AED 2,000. You take 25–40% of this monthly.

Pros: Client pays from ROI, not from gross pocket. **Cons**: Needs sophisticated clients who understand ROI, requires precise measurement.

> ⚠ ***Warning***: *Don't enter performance-based in your first year. Measurement is hard, disputes are likely. Stick to project-based and retainer until you reach 5 satisfied clients.*

4. Realistic Yemeni Clients — Who to Target?

From real Arab freelancer experience in 2026, these segments pay well:

Segment 1: Small Arab E-commerce Stores

- Owner of a Shopify or Salla store selling 50–200 orders/month.
- Pain points: replying on WhatsApp, tracking shipments, sending receipts, inventory checks.
- Their automation budget: $400–$1,200/month.
- Your entry: "I save you two days of order management weekly."

Segment 2: Diaspora Yemeni-Owned Businesses

- Yemeni owners in the US or Gulf running small businesses (restaurant, store, clinic).
- Pain points: no time to manage daily operations + emotional attachment to Yemeni employees.
- Their budget: $500–$2,000/month.
- Your entry: "You can manage from afar without losing control."

Segment 3: Khaleeji Digital Marketing Agencies

- Small agencies (5–20 employees) in Dubai, Riyadh, Kuwait.
- Pain points: client count growing, employees suffocating, scaling requires automation.
- Their budget: $1,500–$5,000/month.
- Your entry: "I double your team capacity without hiring."

Segment 4: International Nonprofits in Yemen

- Humanitarian organizations (UNDP, MSF, Oxfam, Care).
- Pain points: reports, beneficiary tracking, resource distribution.
- Their budget: $3,000–$15,000 per project.
- Your entry: "I automate your data and reports per donor standards."

> 💡 ***Tip***: *Start with Segment 1 in your first year. Segment 2 is an excellent entry for Yemeni freelancers (personal*

> *connections, existing trust). Segment 4 requires experience and specialized report language.*

5. Client Language — Selling Outcomes, Not Tech

The client doesn't care about "Make module," "webhook," or "JSON parser." They care about:

- "How many hours do you save me?"
- "How much will it cost monthly?"
- "How long to build?"
- "If it breaks, who fixes?"
- "Does this solve my specific problem X?"

Useful linguistic translations:

Tech language	Client language
"We call Claude API to classify mail"	"AI sorts your inbox automatically"

Tech language	Client language
"Webhook trigger linked to Stripe"	"Invoice is created automatically when paid"
"Iterator passes records"	"The system repeats the action for each row"
"Error handler sends an alert"	"If automation breaks, you know within minutes"

Practice these translations before any meeting.

6. The Maintenance Contract — Where the Real Money Is

Most automation freelancers in 2026 discover the secret after a full year: the maintenance contract pays their rent, not the build.

Build once = $1,500. Monthly maintenance = $250 for a year = $3,000.

Ten maintenance contracts at $250 = $2,500/month, i.e., $30,000/year. This is before any new build.

What does a maintenance contract include?

1. **Periodic monitoring**: weekly verification that automations are working.
2. **Bug fixes**: when an app changes its API, fix within 24 hours.
3. **Small adjustments**: "add column X in Sheet," "change reply tone."
4. **Monthly report**: "this automation ran 1,200 times, saved X hours."
5. **Consultation**: a free hour monthly to discuss new automations.

> ◍ ***Recipe: Golden Maintenance Contract Client value****: Peace of mind, ongoing relationship, gradual improvement.* ***Your value****: Stable income, multi-year relationships.* ***Actual monthly cost****: 2-4 hrs of you =*

> *$40-80 opportunity cost.* ***Monthly price****: $250-750 by package.*

7. Writing the Single-Page Automation Offer

A successful offer is one page, with a fixed structure:

Title: "Automating [process] for [client name]."

First paragraph — Current Problem (3 sentences): - What the client does now (manually, with errors). - What it costs them (time, money, mood). - Why this problem deserves solving now.

Second paragraph — Proposed Solution (3 sentences + a simple diagram): - What you'll build (a simple description, no tech). - What changes in their day. - An ASCII diagram or simple drawing of 4-6 boxes.

Third paragraph — Expected Results (3 sentences): - Saved monthly hours. - Client reply time (before/after). - Improvement in end-client experience.

Fourth paragraph — Price and Phases (small table): - Build: $X (over Y weeks, Z delivery phases). - Maintenance: $X monthly. - Guarantee: "If automation doesn't work as described, full refund."

Fifth paragraph — Next Step (two sentences): - "Sign this offer, or schedule 30 minutes for a final discussion." - Your name, signature, expiration date.

8. Real Offer Examples

Offer 1: For a Small E-commerce Store

> ***Automating WhatsApp Order Triage for "Nakhla" Store***

Problem: *You receive 40-60 WhatsApp messages daily, 70% are recurring questions (delivery, price, availability). Mohammed (employee) spends 3 hours daily replying, and important messages get lost in the rush.*

Solution: *We build automation that receives WhatsApp, AI answers 70% of questions instantly, escalates the remaining 30% to Mohammed with a summary of prior conversation.*

Diagram: *WhatsApp → Claude → Filter → direct reply / Slack to Mohammed.*

Expected Results: *- Reply time: 30 minutes → < 1 minute. - Mohammed's time: 3 hrs/day → 45 min/day. - Customer satisfaction: 40% increase (from similar deployments).*

Price: *- Build: AED 1,700 (3 weeks). - Maintenance: AED 400/month.*

> ***Guarantee**: 30-day trial. If 50% of savings not achieved, 70% refund.*

Offer 2: For a Marketing Agency

> ***Automating Content Pipeline for "Al-Ufuq Agency"***
>
> ***Problem**: You serve 12 clients, each requires 5-7 weekly posts on 4 platforms. The team (3 people) spends 25 weekly hours in "copy-paste-schedule." Quality suffers, errors accumulate.*
>
> ***Solution**: A central pipeline. The writer writes one pillar in Notion, AI generates platform-specific derivatives in client's tone, the team reviews, Buffer schedules.*
>
> ***Diagram**: Notion → Claude (12 client tones) → Buffer × 4 platforms.*

> ***Results***: *- Team time on publishing: 25 hrs → 5 hrs weekly. - Clients servable with same team: 12 → 20. - Revenue probability increase: 67% without hiring.*
>
> ***Price***: *- Build: $4,500 (6 weeks). - Maintenance: $1,500/month.*

9. Closing and Contracting

When the client says "yes":

1. **Send a written contract**: HelloSign or DocuSign, or a signed PDF. Don't start without a signature.
2. **Request a 50% deposit**: a rule you don't break in your first year.
3. **Set a clear timeline**: "Week 1: discovery + design. Week 2: build. Week 3: test + handoff."
4. **Send weekly progress reports**: even if "I'm at phase X, nothing changed."
5. **Deliver via kickoff call**: 30 minutes, show how to use it, send written documentation and video.

6. **Request final payment on delivery**.

10. Three Builds

Build 1 (Beginner — 25 min): Discovery Call Template

Scenario: Build a Notion template containing the 10 questions, fields for answers, space for notes, and a "AI-generated brief" cell.

Then a Make scenario: when a button in Notion is pressed, take the answers, pass to Claude, generate a complete brief, write it on a new page.

Success test: Fill Notion with test answers, press "Generate Brief," a complete brief appears within a minute.

Build 2 (Intermediate — 45 min): Custom Offer Generator

Scenario: Paste a client brief in a form, Claude writes a 5-paragraph offer with the precise tone described in Section 7, saves to a Google Doc with a ready template.

Diagram:

```
┌─────────┐   ┌──────────────┐   ┌──────────┐   ┌────────────┐
│ Form    │──►│Notion brief  │──►│ Claude   │──►│Google Doc  │
│         │   │   (read)     │   │(write)   │   │ (output)   │
└─────────┘   └──────────────┘   └──────────┘   └────────────┘
```

Success test: From one brief to a Doc ready to send within 2 minutes.

Build 3 (Challenge — 90 min): Client Pipeline From Inquiry to Invoice

Scenario: A potential client fills "I want automation," the scenario: 1. Logs the lead in Notion CRM. 2. Sends an instant

welcome email + discovery call booking link. 3. After the call (you mark Notion manually), a second scenario generates a brief from your notes. 4. Generates an offer. 5. Sends the offer via HelloSign. 6. On signing: creates a Stripe invoice for 50% upfront.

Success test: From form-fill to receiving an upfront payment, the scenario manages most of the process without your intervention except in the discovery call.

> 🥥 ***Recipe: Full Sales Pipeline Value to you**: You handle 3 simultaneous leads instead of 1. **Monthly cost**: $15-20. **Financial value**: Increase close rate from 20% to 40%.*

11. Tips and Warnings

> 💡 ***Tip**: Never lower the price for "long relationship." Make discounts on the upfront full payment (5%), not on*

> *additional months. Reason: a client who negotiates price from the start is the same who disputes later.*
>
> ⚠ ***Warning**: Don't accept clients who say "build first, if I like it I'll pay." This is a trap. Ninety percent of freelancers who accepted this term never received. Always start with a deposit, however small ($200 upfront reveals seriousness).*

12. Self-Assessment

☐ I write a one-page offer in under 30 minutes. ☐ I have a target list of 10 potential clients. ☐ I know the difference between the three pricing models and when to use each. ☐ I built one of the three builds. ☐ I have a ready contract template (HelloSign or other) and an invoice template.

Chapter 11: Real-World Challenges, Maintenance, and the Capstone

> ﴿ وَمَا تَوْفِيقِي إِلَّا بِاللَّهِ ۚ عَلَيْهِ تَوَكَّلْتُ وَإِلَيْهِ أُنِيبُ ﴾ *"And my success is not but through Allah. Upon Him I have relied, and to Him I return" — Hud 11:88*

1. Why Most Automations Break

An automation is a living thing. You build it today, it works, then it breaks two weeks, a month, or six months later. Recurring causes:

a. API changes: An app changes its data shape. It used to send `email`, now sends `email_address`. Your scenario falls.

b. Authentication expiration: OAuth tokens expire. Gmail revokes connections after 3 months of disuse.

c. Rate limits: The app says "you're asking too much." Scenario halts for hours.

d. Bad data: A field you expected to be text arrived as a number. A field you expected to be 20 chars arrived as 2,000. Claude doesn't understand.

e. Cost runaway: A client started at 100 emails daily, now at 1,000 daily. The monthly bill jumped from $5 to $50.

f. Change in client business: The client started using a new app. The automation no longer captures it.

Cause	Frequency	Solution
API change	Every 3-6 months	Rebuild affected module
OAuth expired	Every 3 months	Reconnect
Rate limit	At peak	Slow scenario, split
Bad data	Random	

Cause	Frequency	Solution
		Error handler + validation
Cost	At client growth	Re-price, simplify
Client business change	Every 6 months	Brief discovery + edit

2. Monitoring Discipline

Build a strict routine, not memory dependence:

Daily (5 min in the morning):

1. Open Make Dashboard → check "Failed runs" in last 24 hours.
2. Open Telegram → read error alerts (if any).
3. Look at the operations counter: did it spike suddenly?

Weekly (30 min, Friday evening):

1. For each production scenario, open history → look for silent errors.
2. Check Anthropic Console consumption.
3. Check Stripe (if you receive auto payments).
4. Update the "my automations" Sheet with each scenario's status.

Monthly (2 hrs, first Saturday of month):

1. Examine each scenario individually, run manually once, verify result.
2. Study last month's consumption, compare to prior, look for outliers.
3. Send each client a report formatted: "A month of activity: X runs, Y hours saved, $Z spent."
4. Ask the client: "Any tweaks you'd like?"

> 💡 ***Tip**: Set Calendar reminders for all these tasks. Don't rely on "I'll remember." In 2026, losing a client because*

> *of a broken automation no one notices for a week = reputation loss that takes months to recover.*

3. Cost Runaway

Your scenario at $10/month at build time becomes $100/month after a year. Causes:

1. **Undetected infinite loops**: A scenario sends an email, the email triggers a scenario, which sends an email, etc.
2. **Claude iterating over big data**: The client sent a 200-page file, Claude consumes 20,000 tokens for one run.
3. **Volume increase**: Natural growth of client business.
4. **Calling AI on everything**: even what doesn't need it.

Mitigation:

- Set a budget alert in Anthropic Console: "Email me if today exceeds $10."
- Place a filter before each AI step: "Does this really deserve AI?"

- Use Haiku instead of Sonnet where it suffices.
- Use cache (in Anthropic Cache Control) for long repeated system prompts.

> ⚠ ***Warning**: An infinite loop in Make can consume your full monthly plan in an hour. Always set "Maximum number of consecutive errors" = 3 in scenario settings, so it stops at repeated errors.*

4. The Honest Limits of No-Code

In 2026, no-code automation can't solve everything. These cases require a Track B developer:

1. **Processing very large data** (>10K rows in one run): breaks Make.
2. **Custom features for unsupported apps**: requires SDK.
3. **Complex algorithms** (custom cryptographic signing, custom PDF parser).
4. **Strict timing performance** (millisecond, not second).

5. **Multi-user system with complex permissions**.

When you hit one of these: don't suffer. Call your Track B colleague. Hand over the project, take a referral fee (10-20% to the developer, you keep the rest), or offer a partnership (50/50 on mixed projects).

5. Yemen-Specific Considerations

Electricity

Your automations run on remote servers, not your laptop. Local power affects only your build and maintenance, not their operation. But:

- Set up a small UPS for 30 minutes of backup.
- Invest in a portable power station.
- Write book drafts and documentation on paper when power cuts, then upload later.

Internet

- Subscribe to two providers (Yemen Net + 4G line).
- Use Starlink if possible ($200/month, opens everything).
- Schedule yourself between "offline work" (writing, thinking, planning) and "online work" (build, test, deliver).

Payment Cycles

- Western clients pay every 2 months, sometimes monthly.
- Build a 4-month expense reserve.
- Don't depend on a single virtual card for subscriptions. Keep two.
- Use Wise, Payoneer, or Crypto wallet (USDT) as primary and backup solutions.

6. Self-Healing Automations

A professional automation knows how to handle its errors:

Pattern 1: Notify + Manual Fix

```
┌──────────┐   ┌──────────┐   ┌──────────┐
│ Step     │   │ Step     │   │ Step     │
│  (ok?)   │   │  (FAIL)  │   │  (skip)  │
└──────────┘   └──────────┘   └──────────┘
                    │
                    ▼
               ┌──────────┐
               │ Telegram +│
               │   email  │
               └──────────┘
```

Pattern 2: Auto Retry

In Make, every module supports "Error Handler → Resume after delay." If failed, wait 5 minutes, retry.

```
┌──────────┐   ┌──────────┐
│ Step     │   │  Retry   │
│ (FAIL)   │──►│  (×3)    │
└──────────┘   └──────────┘
```

Pattern 3: Alternative Path

If Claude fails, use GPT. If API fails, use a backup API.

```
┌──────────┐   ┌──────────┐   ┌──────────┐
│ Try      │─▶│ if FAIL: │─▶│ Plan B   │
│ Claude   │   │ try GPT  │   │ proceeds │
└──────────┘   └──────────┘   └──────────┘
```

7. Career Arc From Builder to Agency

In successful freelancer experience, growth follows 4 stages:

Stage 1: Automation Builder (Year 1)

- You learn, build for yourself, serve 1-3 small clients.
- Income: $500-2,000/month (variable).
- Focus: skills, reputation.

Stage 2: Automation Consultant (Years 2-3)

- 5-10 retainer clients.

- You know one industry deeply.
- Income: $2,000-5,000/month.
- Focus: added value, long contracts.

Stage 3: Small Agency (Years 3-5)

- 2-4 assistants (Track A graduates).
- 15-30 clients.
- Income: $5,000-12,000/month (half going to wages).
- Focus: operations, hiring, management.

Stage 4: Specialized Agency (Years 5+)

- Narrow specialty (e.g., "automation for pharma companies" or "for schools").
- 50-100 clients.
- Income: $12,000+ monthly.

Not everyone who starts reaches Stage 3. Most settle at Stage 2. This is not failure — $2,000-5,000/month in or from Yemen is dignified income.

8. The Week 5 Capstone — 5-Day Schedule

This project is the LLM4Yemen Track A graduation. It must be "a complete automation solving a real problem for a real or simulated client."

Day 1: Identify the Client and Problem

Choose a client: - Yourself (automation for your freelance work). - A family business (uncle's restaurant, aunt's shop). - A friend with a small business. - An organization where you know someone.

Conduct a 30-minute discovery call (or self-discovery if yourself). Use the 10-question list (Chapter 10).

Write a one-page "Problem Brief": - Client description (3 lines). - Current process (5 lines). - Pain points (3 points). - Desired outcome (2 lines).

Day 2: Design the Automation

Draw on paper (or draw.io, Whimsical): - The trigger. - Each step. - Required apps. - AI calls (and their estimated costs).

Answer: - What accounts must you create or request from the client? - How much will it cost monthly (estimate)? - How much will it save (hour estimate)?

Day 3: Build and Test

Build in Make/Zapier/n8n. Test with at least 10 inputs: - 5 normal inputs. - 2 weird inputs (very long text, empty field). - 2 bad inputs (wrong format, unexpected character). - 1 deliberate failure (to test error handler).

Each test must end in a correct result or a comprehensible error notification.

Day 4: Hardening and Measurement

Add: - Error handlers on every external module. - Telegram alert to you on failure. - Sheet for logging (run, status, duration, cost).

Calculate: - True monthly cost (run 100 times, multiply by 30). - Time savings (compute manual time before, subtract automation time). - Suggested client price (20-40% of saved time value).

Day 5: Documentation and Handoff

Write a one-page document for the client: - What the automation does (3 sentences). - What the client must do (if anything). - What they receive (daily outputs). - How to contact you if something breaks. - How much it costs monthly.

Record a 5-minute video: - (1 min) Overview of the problem. - (2 min) Show the automation in Make. - (1 min) Show results (Sheet, Email, Notion). - (1 min) Expected benefits + your suggested price.

Hand off to the client, or if not ready, write a "pitch plan": the 10 clients to whom you can pitch this same automation.

LMS Submission

1. Screenshots of the automation in Make/Zapier.
2. Problem brief (Day 1).
3. Client documentation (Day 5).
4. Time-savings calculation (Day 4).
5. Cost calculation + suggested pricing (Day 4).
6. Video walkthrough (5 min).
7. Client confirmation that it's running (if applicable), or pitch plan.

9. Three Final Builds

Build 1 (Beginner — 20 min): Automation Health Monitor

Scenario: A scenario running once daily checks your list of Make scenarios via the Make API, counts failures, sends you a summary.

Build 2 (Intermediate — 45 min): Monthly Client Report Generator

Scenario: First of each month, a scenario checks logs of a specific client's automations, extracts (run count, time saved, cost), generates a polished PDF, sends to client.

Build 3 (Challenge — 90 min): The Capstone Itself

Build the Week 5 capstone fully. This is the final build for both the book and Week 5.

🔘 ***Recipe: Monthly Client ROI Report Value**: Makes the client see automation value in numbers, so they pay retainer with confidence. **Cost**: $2-3 monthly. **Value to you**: 2-3 additional retainers per year due to transparency.*

10. Final Tips and Warnings

💡 ***Tip**: Every time you build a new automation, take 30 minutes after delivery to write a "recipe" from it (in Appendix A format). After a year, you'll have 40-60 recipes, all resellable.*

⚠ ***Warning**: Don't leave a production scenario without a monthly review. Automations "drift silently" — they run, but produce bad results. A client whose scenario you haven't seen in 6 months is a client you'll lose.*

11. Final Book Self-Assessment

☐ I built 8 automations running in my account. ☐ I have a personal command center managing my work. ☐ I have a 30-recipe library (in Appendix A). ☐ I have a written offer for a specific client. ☐ I have a monthly monitoring routine. ☐ I built the Week 5 capstone and delivered it or planned the pitch. ☐ I know when to call a Track B developer. ☐ I understand the career arc from builder to agency.

7 of 8 at minimum? Congratulations. You completed Week 5 of the LLM4Yemen program.

Conclusion

> ﴿ وَقُل رَّبِّ زِدْنِي عِلْمًا ﴾ *"And say, 'My Lord, increase me in knowledge'" — Ta-Ha 20:114*

What You've Built

If you completed this book by working, not by reading, you now own more than you think.

You own at least 8 automations running in your account, each saving you hours every month, forever. You own a personal "command center" organizing your work. You own a 30-recipe library, each a complete sellable product. You own a written offer for a specific client, perhaps already delivered. You own a monitoring routine that keeps what you've built alive. And most importantly: you own a mind that has changed how it sees work.

Before this book, you saw a task and did it. Now, you see a task and ask: "Is this automatable?" That simple question is the difference between a freelancer chasing hours every day and a freelancer who owns systems that run for him.

What We Didn't Cover

We were honest with you in this book. We didn't claim this was everything. There are things we didn't cover:

Proper API programming: You can build most of what you need without code, but 20% of use cases require a developer. When you reach them, call a Track B colleague, or study Track B yourself — that's the next book in the series.

RAG (Retrieval-Augmented Generation): When a knowledge base grows beyond Claude Project limits, you need RAG. This is the topic of book #31 in our library.

MCP and Autonomous Agents: The next level after automation is agents. Book #32 covers them.

Advanced Multimodal AI: Deep automation with video and audio is the topic of book #33.

All this is open to you. The book in your hands is the seventh and last in the LLM4Yemen series, but it's a beginning, not an end. The road of learning never ends.

A Personal Message From the Author

I wrote this book seeing the faces of my Yemeni students before me — in Sana'a, Aden, Hadhramaut, Taiz, in the diaspora across the world. I see the young man who graduated and found no work, the young woman in her room searching for a dignified path, the freelancer struggling for months without tangible result.

Automating work with AI, in 2026, is one of the most equitable opportunities I've seen in my life. It doesn't ask for starting capital, it doesn't ask for a title, it doesn't ask for a family name. It asks for patience, curiosity, and the ability to close Discord for an hour daily to build instead of consume.

This is what I want for every Yemeni reading these lines: an hour daily building a system, any system. After a year, you'll have 365 hours of systems. A year after that, you'll run your business from a Sana'a room as if you were in Silicon Valley.

Technology is neutral. It doesn't know where you're from or your father's name. It serves whoever toils with it. Toil with it sincerely, it serves you sincerely.

A Final Promise

If you finished this book and built nothing, you wasted time. Open Make now, build one simple scenario before closing this page. Any scenario. Connect Gmail to Telegram. Connect a form to a Sheet. It doesn't matter. Action opens action, and reading without action closes everything.

I ask Allah to bless your effort, to make what you build beneficial to you, your family, and your nation. May He cover your dealings, and provide you from where you don't expect.

And the time you save through automation, dedicate one hour of it daily to those who deserve: your children who will grow before you, your parents who will need you, your Lord who promised you eternity.

"Allah loves, when one of you does work, that he does it with excellence." Excellence in 2026 means combining your own intelligence with an artificial intelligence serving you, producing what no generation before yours could produce in a full lifetime.

Build. Try. Break. Fix. Rebuild. This is the road.

And Allah knows best.

References and Sources

I. Official Platform Documentation

1. Make.com Documentation — https://www.make.com/en/help Comprehensive official reference for all Make modules, examples, and error-handling.

2. Zapier Documentation — https://zapier.com/help A massive library of common Zaps and getting-started guides.

3. n8n Documentation — https://docs.n8n.io Official documentation with self-hosting and workflow guides.

4. Anthropic API Documentation — https://docs.anthropic.com Claude API reference, prompt engineering guides, code examples.

5. OpenAI Platform Documentation — https://platform.openai.com/docs GPT, DALL-E, Whisper, and Custom GPTs reference.

6. Google Gemini API — https://ai.google.dev Gemini reference with Workspace integration examples.

II. Template and Recipe Libraries

1. Make Template Library — https://www.make.com/en/templates Thousands of pre-built templates, copy-and-customize.

2. Zapier App Directory — https://zapier.com/apps 7,000+ supported apps with examples of most-used Zaps.

3. n8n Workflow Templates — https://n8n.io/workflows Public workflow library with open documentation.

4. Awesome No-Code AI — https://github.com/no-code-ai/awesome Famous GitHub list of free tools and resources.

III. Scraping and Monitoring Platforms

1. Apify Academy — https://docs.apify.com/academy Free lessons in scraping, web automation.

2. Browse AI Documentation — https://www.browse.ai/docs

3. ScrapingBee Blog — https://www.scrapingbee.com/blog

IV. Helper Platforms

1. Notion API Documentation — https://developers.notion.com

2. Airtable API — https://airtable.com/developers/web/api/introduction

3. Slack API — https://api.slack.com

4. Telegram Bot API — https://core.telegram.org/bots/api

5. WhatsApp Business Platform — https://developers.facebook.com/docs/whatsapp

V. Pricing and Business

1. Freelancer's Pricing Guide 2026 — Bonsai Research Annual report on global freelance pricing.

2. Make Build Pricing Survey 2026 — Make Community Community-sourced survey of Make scenario build prices.

3. The Automation Consultant Playbook — Khe Hy Guide to transitioning from builder to consultant.

VI. Ethics and Law

1. GDPR Quick Reference — https://gdpr.eu

2. CAN-SPAM Act Compliance Guide — FTC.gov

3. Automation Ethics for Freelancers — Code of Conduct

VII. Communities

1. Make Community Forum — https://community.make.com
2. r/Zapier (Reddit)
3. n8n Community — https://community.n8n.io
4. NoCode Founders Slack
5. Build in Public (Twitter/X hashtag)

VIII. Recommended YouTube Channels

1. Make.com Official Channel
2. Zapier Official Channel
3. n8n Official Channel
4. Latest in AI (Bilal Tahir) — Arabic applications
5. The Knowledge Refinery — advanced automations

IX. Authored Books and References

1. Dr. Fadhl Mohammed Alakwaa — AI Freelancing — Yemeni and Arab Freelancer's Guide
2. Dr. Fadhl Mohammed Alakwaa — Prompt Engineering — The Art of Talking to AI
3. Dr. Fadhl Mohammed Alakwaa — Claude Code — Comprehensive Guide
4. Dr. Fadhl Mohammed Alakwaa — NotebookLM — Comprehensive Guide

X. Notice

All links above are valid at writing (April 2026). Platforms change quickly; if you find a broken link, search the name in a search engine.

Platform pricing and model capabilities evolve monthly. Every number in this book is correct in 2026, but the philosophy (the chapters and concepts) endures for years, God willing.

Appendix A: The 30-Recipe Library

Each recipe here is a sellable product. Customize for a client, present a written offer, collect an invoice. This appendix alone justifies the book's value.

I. Email and Messaging Recipes (8 recipes)

Recipe 1: AI-Powered Client Email Classifier

Client value: Auto-sorts Gmail into 4 categories, sends Slack notification for important. **Time saved**: 6 hrs/month. **Platform**: Make. **Monthly cost**: $13 ($4 Claude + $9 Make). **Diagram**: `Gmail → Claude → ParseJSON → Sheet + Slack + Label` **Steps**: Gmail Watch Emails → Claude classify (system: 4 categories) → Parse → Router 4 paths → Slack/Label/Trash. **Customization**: change categories, change

priority thresholds, change language. **Price**: $450 build + $75/month.

Recipe 2: Auto-reply on Contact Form

Client value: Visitor fills a form, receives a customized welcome email within a minute. **Time saved**: 4 hrs/month. **Platform**: Zapier or Make. **Monthly cost**: $10. **Diagram**: `Form → Claude (personalize) → Gmail → Sheet (log lead)` **Customization**: client tone, form fields, email signature. **Price**: $350 + $50/month.

Recipe 3: Weekly Newsletter Generator

Client value: 4 weekly hours → 15 minutes of review. **Time saved**: 15 hrs/month. **Platform**: Make. **Monthly cost**: $12. **Diagram**: `Schedule (Friday) → RSS (last 5) → Claude (newsletter) → Mailchimp → Telegram confirmation` **Customization**: RSS sources, tone, send timing. **Price**: $600 + $125/month.

Recipe 4: Arabic WhatsApp Business Assistant

Client value: Instant reply to 70% of recurring questions. **Time saved**: 25 hrs/month for an active store. **Platform**: Make + Twilio or WhatsApp Business API. **Monthly cost**: $40-60/month. **Diagram**: `WhatsApp → Claude (FAQ DB) → Filter (can answer?) → WhatsApp / Slack human` **Customization**: client knowledge base, auto-reply boundaries. **Price**: $1,700 + $400/month.

Recipe 5: Post-Delivery Client Follow-up

Client value: 4 follow-up sequence over 30 days, raises positive reviews 30%. **Time saved**: 4 hrs/month. **Platform**: Make. **Monthly cost**: $11. **Diagram**: `Trigger (delivery) → Delay 3d → Claude → Gmail → Delay 7d → ... × 4` **Customization**: number of follow-ups, each tone, stop conditions. **Price**: $400 + $75/month.

Recipe 6: Email Reply Generator in Your Voice

Client value: Paste an email, generate a reply ready for review in a minute. **Time saved**: 8 hrs/month. **Platform**: Make + Claude Project. **Monthly cost**: $24 (Claude Pro $20 + Make $4). **Diagram**: `Gmail (mark) → Claude Project (your voice + context) → Gmail Draft` **Customization**: knowledge base = 20 of your past replies. **Price**: $500 + $100/month.

Recipe 7: Telegram Onboarding Guide for New Employees

Client value: New employee asks bot any question "How do I file PTO?", it answers from company handbook. **Time saved**: 10 hrs/month for HR. **Platform**: Make + Anthropic Files API. **Monthly cost**: $20-30. **Diagram**: `Telegram → Claude (handbook) → Telegram (answer)` **Customization**: company handbook, tone (formal/friendly). **Price**: $1,200 + $250/month.

Recipe 8: LinkedIn DM Classifier

Client value: Sorts LinkedIn messages into "opportunity," "inquiry," "sale," "praise." **Time saved**: 4 hrs/month. **Platform**: Make + Phantombuster (to fetch DMs). **Monthly cost**: $30. **Diagram**: `Phantombuster → Claude → Notion + Slack (for opportunities)` **Price**: $700 + $125/month.

II. Content and Publishing Recipes (6 recipes)

Recipe 9: One Article → 10 Outputs

Client value: An article generates 7 posts + 3 images + 1 audio in one pipeline. **Time saved**: 30 hrs/month. **Platform**: Make. **Monthly cost**: $44-69. **Diagram**: `Webhook (article) → Claude (9 outputs) → ParseJSON → Buffer ×5 + DALL-E ×3 + ElevenLabs` **Customization**: target platforms, each platform's tone. **Price**: $1,200 + $250/month.

Recipe 10: Arabic ↔ English Content Translator

Client value: An article in Notion is auto-translated and published simultaneously in the other version. **Time saved**: 15 hrs/month. **Platform**: Make. **Monthly cost**: $20. **Diagram**: `Notion (Arabic) → Claude (translate) → Notion (EN) → Buffer (EN posts)` **Customization**: technical terms, style. **Price**: $750 + $150/month.

Recipe 11: YouTube to Article + Posts Converter

Client value: A video episode → transcript → article + 7 posts. **Time saved**: 20 hrs/month. **Platform**: Make + Whisper. **Monthly cost**: $30-50. **Diagram**: `YouTube RSS → Whisper → Claude (article) → Notion → Claude (posts) → Buffer` **Price**: $1,500 + $275/month.

Recipe 12: Podcast to Show Notes + Clips

Client value: An episode → organized show notes + 3 clips for social + quotes. **Time saved**: 12 hrs/month. **Platform**: Make +

Whisper + DALL-E. **Monthly cost**: $40. **Diagram**: `RSS → Whisper → Claude (analysis) → Notion + DALL-E + Buffer` **Price**: $1,200 + $225/month.

Recipe 13: Daily Social Media Image Generator

Client value: Daily template generating 3 themed images + quote. **Time saved**: 8 hrs/month. **Platform**: Make + DALL-E. **Monthly cost**: $20. **Diagram**: `Schedule (daily) → Sheet (quotes) → Claude (prompt) → DALL-E → Buffer` **Price**: $600 + $125/month.

Recipe 14: Email Drip Sequence Generator

Client value: Writes 7-10 educational messages in client's tone for a complete funnel. **Time saved**: 20 hrs/setup. **Platform**: Make + ConvertKit. **Monthly cost**: $30. **Diagram**: `Form (topic) → Claude (10 emails) → ConvertKit (sequence)` **Price**: $1,000 + $100/month.

III. Research and Monitoring Recipes (6 recipes)

Recipe 15: Daily News Report

Client value: 10 RSS sources → ordered summary → daily email. **Time saved**: 15 hrs/month. **Platform**: Make. **Monthly cost**: $17. **Diagram**: `Schedule → RSS×10 → Aggregator → Claude → Notion + Email` **Price**: $700 + $150/month.

Recipe 16: Competitor Price Monitor

Client value: Notification within an hour of any competitor changing price. **Time saved**: 12 hrs/month. **Platform**: Make + Apify. **Monthly cost**: $40. **Diagram**: `Schedule → Apify scrape → Compare DB → Slack alert` **Price**: $1,200 + $200/month.

Recipe 17: Daily Upwork Opportunity Filter

Client value: 5 priority-ranked opportunities on Telegram daily. **Time saved**: 15 hrs/month for the freelancer. **Platform**: Make. **Monthly cost**: $15. **Diagram**: `Schedule → Upwork RSS×5 → Claude (filter+rank) → Telegram top 5` **Price**: $400 + $75/month (B2B for freelancers).

Recipe 18: Academic Research Tracker

Client value: arXiv + PubMed → Claude picks 10 relevant → weekly digest. **Time saved**: 30 hrs/month for the researcher. **Platform**: Make. **Monthly cost**: $20. **Diagram**: `Schedule → arXiv RSS → Claude (relevance) → Notion + Email` **Price**: $900 + $175/month.

Recipe 19: Government Tender Monitoring

Client value: 5 tender sites → filter → instant email when an opportunity appears. **Time saved**: 12 hrs/month. **Platform**: Make + Apify. **Monthly cost**: $50. **Diagram**: `Schedule →`

`Apify ×5 → Claude filter → Airtable + Email` **Price**: $1,500 + $250/month.

Recipe 20: Brand Mention Monitor on Social

Client value: Instant alert for every tweet/post mentioning the brand name. **Time saved**: 8 hrs/month. **Platform**: Make + Brand24 or Mention. **Monthly cost**: $70. **Diagram**: `Brand24 webhook → Claude (sentiment) → Slack (negative) / Sheet (all)` **Price**: $800 + $150/month.

IV. Freelancing and Personal Productivity Recipes (6 recipes)

Recipe 21: New Client Intake

Client value: Form → 7 automatic actions (folder, CRM, contract, meeting). **Time saved**: 10-15 hrs/month. **Platform**: Make. **Monthly cost**: $9. **Diagram**: `Form → Drive +`

`Notion + Calendar + HelloSign + Todoist + Gmail + Telegram` **Price**: $800 + $125/month.

Recipe 22: Upwork Proposal Generator

Client value: Paste a post → custom proposal in your voice in 2 minutes. **Time saved**: 25 hrs/month. **Platform**: Make + Claude Project. **Monthly cost**: $24. **Diagram**: `Form → Notion (your bio) → Claude → Doc draft → Telegram` **Price**: $700 + $100/month.

Recipe 23: Monthly Invoice from Toggl

Client value: 3 monthly hours → 15 minutes. **Time saved**: 3 hrs/month/client. **Platform**: Make + Toggl + Stripe. **Monthly cost**: $10. **Diagram**: `Schedule (month-end) → Toggl → Claude (description) → Stripe → Gmail` **Price**: $300 + $50/month.

Recipe 24: Conversational Personal Assistant (Telegram)

Client value: A unified interface to Calendar + Todoist + Notion. **Time saved**: 5-10 hrs/month. **Platform**: Make. **Monthly cost**: $14. **Diagram**: `Telegram → Claude (intent) → Router → 5 destinations` **Price**: $650 + $90/month.

Recipe 25: Project Structure Generator

Client value: Form → organized Drive folder in 10 seconds. **Time saved**: 2 hrs/month. **Platform**: Make. **Monthly cost**: $9. **Diagram**: `Form → Drive (4 subfolders) → Telegram link` **Price**: $200 + $40/month.

Recipe 26: Full Sales Pipeline

Client value: From lead to upfront payment with 70% automation. **Time saved**: 20 hrs/month for active freelancer. **Platform**: Make. **Monthly cost**: $20. **Diagram**: `Form →`

`Notion → Calendar → Claude (brief) → Doc → HelloSign → Stripe` **Price**: $1,500-2,500 + $250/month.

V. Cross-Cutting Recipes (4 recipes)

Recipe 27: Unified Notification Center

Client value: All your automation alerts in one Slack/Telegram channel, organized. **Time saved**: No direct measure, but prevents losing clients. **Platform**: Make. **Monthly cost**: $9. **Diagram**: `multiple webhook sources → Claude (categorize) → Slack channels` **Price**: $400 + $50/month.

Recipe 28: Weekly Notion Backup

Client value: Protection from data loss. **Time saved**: Prevents potential disaster. **Platform**: Make. **Monthly cost**: $9. **Diagram**: `Schedule (weekly) → Notion API → Drive (archive folder)` **Price**: $200 + $40/month.

Recipe 29: Management Dashboard

Client value: Comprehensive monthly client report aggregating KPIs from 5 sources. **Time saved**: 8 hrs/month. **Platform**: Make + Google Data Studio. **Monthly cost**: $15. **Diagram**: `Schedule → Sources×5 → Sheet → Data Studio refresh → Email` **Price**: $2,000 + $300/month.

Recipe 30: Automation Health Monitor

Client value: Know immediately if a scenario broke, instead of discovering after a week. **Time saved**: Prevents potential disaster. **Platform**: Make + Make API. **Monthly cost**: $9. **Diagram**: `Schedule (daily) → Make API (status) → Claude (analyze) → Telegram` **Price**: $300 + $50/month.

How to Use This Library

1. **Pick a recipe matching a client you know**.

2. **Build it for yourself first**: use it for two weeks, understand the traps.
3. **Write an offer (Chapter 10)** using the recipe as a base, customizing for the client.
4. **Price by value, not by cost**: the client pays for what it saves, not for your build hours.
5. **Build, test, deliver via kickoff call**.

In your first week applying this book, you should have built at least 3 of these 30. In the first month, 10. In the first year, all 30.

Each sold recipe = $300-2,500 build + $40-300/month retainer. The 30 recipes, sold once each, produce $15,000-70,000 one-time + $1,200-9,000/month recurring.

These are not promises. These are open possibilities. Diligence and patience convert possibilities to numbers in your bank account.

Appendix B: Tool Integration Matrix

This quick reference tells you: "Is app X supported on platform Y?" before you choose a solution. Symbols: ✅ (full official support), ⚠️ (partial support or via HTTP), ❌ (not supported).

I. Major Productivity Apps

App	Make	Zapier	n8n
Gmail	✅	✅	✅
Google Sheets	✅	✅	✅
Google Drive	✅	✅	✅
Google Docs	✅	✅	✅
Google Calendar	✅	✅	✅
Google Forms	✅	✅	⚠️
Microsoft Outlook	✅	✅	✅
Microsoft Excel Online	✅	✅	✅

App	Make	Zapier	n8n
Microsoft Teams	✅	✅	⚠
Notion	✅	✅	✅
Airtable	✅	✅	✅
Trello	✅	✅	✅
Asana	✅	✅	✅
ClickUp	✅	✅	⚠
Todoist	✅	✅	✅

II. Communication and Messaging

App	Make	Zapier	n8n
Slack	✅	✅	✅
Discord	✅	✅	✅
Telegram Bot	✅	✅	✅
WhatsApp Business API	✅	✅	⚠
Twilio (SMS/WhatsApp)	✅	✅	✅
Mailchimp	✅	✅	✅

App	Make	Zapier	n8n
ConvertKit	✅	✅	⚠
Sendgrid	✅	✅	✅
HubSpot	✅	✅	⚠

III. Content and Publishing

App	Make	Zapier	n8n
Buffer	✅	✅	⚠
Hootsuite	⚠	✅	⚠
LinkedIn	⚠	✅	⚠
Twitter/X	✅	✅	✅
Facebook Pages	✅	✅	⚠
Instagram Business	✅	✅	⚠
YouTube	✅	✅	⚠
TikTok	⚠	⚠	✕
Threads	⚠	⚠	⚠
WordPress	✅	✅	✅

App	Make	Zapier	n8n
Webflow	✅	✅	⚠
Ghost	⚠	⚠	✅
Substack	⚠ (RSS only)	⚠	⚠

IV. Commerce and Payments

App	Make	Zapier	n8n
Shopify	✅	✅	✅
WooCommerce	✅	✅	✅
Salla (Saudi)	⚠	⚠	⚠
Stripe	✅	✅	✅
PayPal	✅	✅	⚠
Wise	⚠	⚠	⚠
Wave Accounting	✅	✅	⚠
QuickBooks	✅	✅	⚠
Xero	✅	✅	⚠

V. AI

Model/Tool	Make	Zapier	n8n
Anthropic Claude	✅	✅	✅
OpenAI GPT	✅	✅	✅
OpenAI DALL-E	✅	✅	✅
OpenAI Whisper	✅	✅	✅
Google Gemini	✅	✅	⚠
Cohere	⚠	⚠	⚠
Stability AI	⚠	⚠	⚠
ElevenLabs	✅	✅	⚠
Midjourney (Imagine API)	⚠ HTTP	⚠ HTTP	⚠ HTTP
HuggingFace	⚠ HTTP	⚠ HTTP	✅

VI. Web Scraping and Monitoring

App	Make	Zapier	n8n
Apify	✅	✅	✅

App	Make	Zapier	n8n
Browse AI	✅	✅	⚠
ScrapingBee	⚠ HTTP	⚠ HTTP	✅
Bright Data	⚠ HTTP	⚠ HTTP	⚠
Phantombuster	⚠	✅	⚠

VII. Storage and Files

App	Make	Zapier	n8n
Dropbox	✅	✅	✅
Box	✅	✅	⚠
OneDrive	✅	✅	⚠
AWS S3	✅	✅	✅

VIII. Symbols and Significance

- ✅ = Full official support, use directly.
- ⚠ = Partial support, or requires HTTP module or special setup.

- ✕ = Not supported in any easy way; you need alternatives.

IX. Tips for ⚠ Cases

1. **HTTP module**: When no official integration exists, use HTTP module in Make/n8n. Read the app's API docs, copy endpoint and headers.

2. **Zapier multi-step**: In Zapier, some apps support only one action (create) and not others (search, update). Check before building.

3. **n8n self-hosted**: If on n8n self-hosted, you can install community nodes supporting rare apps. Search n8n.io/integrations.

4. **Webhook fallback**: If an app doesn't support a trigger, check if it supports outbound webhook. Every webhook = a possible trigger on any platform.

X. Most Common Gaps in 2026

- **TikTok**: Still difficult. Solution: use Buffer or specialized scheduling tools.
- **Salla** (Saudi): weak integration, use webhook.
- **Yemeni payment gateways**: don't exist. Alternatives: Stripe for foreign clients, TransferWise, USDT wallet.
- **Arab government platforms**: rarely support APIs. Solution: scraping with Apify (respecting terms of use).

Appendix C: Cost Calculator Templates (3 Templates)

Each template here is a Google Sheets or Excel spreadsheet you copy and use. Every cell is explained below. Verify your numbers after each build, since prices change.

Template 1: Cost Calculator for a Simple Scenario

Use this for scenarios containing 2-4 modules without heavy AI.

Field	Description	Example
Scenario name	descriptive word	"Client email classifier"
Runs/month	how often it runs	3,000

Field	Description	Example
Operations/run	active modules	4
Total ops/month	(runs × ops)	12,000
Recommended Make plan	based on total	Core 10K → Pro 100K
Make cost monthly	the price	$29
AI calls/run	1 Claude call	1
Avg tokens/call	input + output	1,500 + 100
Model	Sonnet/Haiku	Haiku
Cost per 1K tokens	by model	$0.80 in + $4 out
AI cost/run	calculation	$0.0016
AI cost/month	(× runs)	$4.80
Total cost/month	Make + AI	**$33.80**
Client pays monthly	your suggestion	$200
Monthly profit margin	(pays − cost)	**$166.20**

How to use it:

1. Copy a Sheet for each client.

2. Fill the upper fields.
3. Check the margin — if below $100, raise the price or simplify the scenario.
4. Share final numbers (cost + price) with the client transparently.

Template 2: Cost Calculator for a Mid Scenario With AI

Use this for scenarios with 5-10 modules and 2-4 AI calls.

Field	Description	Example
Scenario name		"Full content generator"
Runs/month		100
Operations/run		12
Total ops/month		1,200
Make cost monthly		$9 (Core)
Claude calls/run		3
- Call 1: tokens		2,000 + 1,500
- Call 2: tokens		1,000 + 500

Field	Description Example
- Call 3: tokens	1,500 + 2,000
Model	Sonnet for all
AI cost/run	$0.04
AI cost/month	$4
DALL-E calls/run	3
DALL-E cost/image	$0.04
DALL-E cost/month	$12
ElevenLabs/month	$10 (5,000 char)
Buffer/month	$15
Total cost/month	**$50**
Your client price/month	$250
Profit margin/month	**$200**

Template 3: Client ROI Calculator

This template shows the client why automation is worth the price.

Task before automation	Manual (hrs/month)	Employee cost (USD/hr)	Total monthly cost
Sort 200 daily emails	20	$15	$300
Follow up clients	6	$15	$90
Generate content	25	$20	$500
Monthly total	**51**		**$890**

Task after automation	Manual (hrs/month)	Automation cost (USD/month)	Total monthly cost
Sort 200 daily emails	1 (review)	$20	$35
Follow up clients	0.2	$15	$18
Generate content	2 (review)	$50	$90
Monthly total	**3.2**		**$143**

Comparison	Before	After	Benefit
Employee hours	51	3.2	-47.8 hrs
Total cost	$890	$143 + $250 retainer	$497
Reclaimed time	0	47.8 hrs	sellable for other projects

Total monthly benefit: $497 direct + 47.8 hrs producing additional revenue.

Payback period for build cost ($2,000): just 4 months.

Notes on the Templates

1. **Open a fresh Sheet** in Google Sheets, copy the tables.
2. **Replace the numbers** with your actual numbers.
3. **Convert Template 3 to PDF** and send to the client before kickoff. It makes them buy with confidence.
4. **Update prices monthly**: AI calls change, Make raises, etc.

Bonus 4th Template: Cumulative ROI Over Years

Automation cost is monthly fixed, but benefits compound. Calculate:

Year	Monthly cost	Total benefit	ROI
1	$250 × 12 = $3,000	$497 × 12 = $5,964	199%
2	$3,000	$5,964 + reclaimed time × hourly rate	300-500%
3	$3,000	uncountable direct	compounding

Any client seeing "500% ROI in Year 2" doesn't haggle over $250/month.

Appendix D: Glossary of Automation Terms

Action: A step in a scenario that does something (create, send, update).

Aggregator: A module in Make collecting multiple data items (from a loop) into one element.

API (Application Programming Interface): A way one app communicates with another programmatically.

API key: A secret string identifying you to the external service. Never share.

Authentication: The process of proving you're who you claim, usually via OAuth or API key.

Bot: An automated account responding to messages (Telegram bot, Slack bot).

Connection: The link between an automation platform and your account in another app.

CRM (Customer Relationship Management): A database holding your client information (Notion, Airtable, HubSpot).

Drip sequence: A series of messages sent at fixed time intervals.

Endpoint: A specific URL in an API that performs a particular function.

Error handler: A module intervening when another module fails.

Filter: A condition between two steps allowing pass-through or stopping the scenario.

Formatter: A module converting data (text → date, number → text).

Iterator: In Make, takes an array and iterates over its elements.

JSON: A critical data format in automation. Keys and values in curly braces.

Knowledge base: Files you upload to Claude Project to be read in every conversation.

Lead: A potential client who showed interest but hasn't bought yet.

Make scenario: A complete workflow in Make containing multiple modules.

MCP (Model Context Protocol): Subject of another book in the series, enhances agents.

Module: A single step in a Make scenario.

No-code: Building without writing programming, via visual interfaces.

Operation: In Make, each module execution = 1 operation.

OAuth: A protocol allowing a platform access to your account without your password.

Payload: Data sent in an HTTP request.

Polling: A trigger pattern checking periodically (every 15 min) for new items.

Prompt: The text you send to AI.

Rate limit: Maximum number of requests in a time period.

Recipe: A reusable scenario you customize per client.

Retainer: A monthly contract with a client for ongoing service.

Router: In Make, splits the workflow into branches based on a condition.

Scenario: Synonym for workflow in Make.

Scraping: Extracting data from web pages.

Schedule trigger: A trigger running at a fixed periodic time.

System prompt: An instruction to the model defining its role and behavior before any user input.

Tashkeel: Diacritical marks in Arabic text.

Token: Unit of text measurement in AI APIs (roughly 4 chars for English, 2-3 for Arabic).

Trigger: The event that ignites a scenario.

Upwork: A global freelance marketplace.

VPS (Virtual Private Server): A leased computer in the cloud, used to host n8n.

Webhook: A URL receiving data from an external app.

Workflow: A sequence of automated steps.

Zap: In Zapier, synonym for scenario in Make.

Common Client-Facing Terms

ROI (Return on Investment): The ratio of return to spent.

KPI (Key Performance Indicator): A number measuring success.

Funnel: The client's path from discovering the service to purchase.

MVP (Minimum Viable Product): A simplified version for trial.

Onboarding: The process of introducing a new client to the service.

Pipeline: A series of processed steps (sales, content, etc.).

Pivot: A radical change in project strategy.

SaaS (Software as a Service): Apps rented monthly (Make, Notion, etc.).

Notice

Memorize this glossary. When communicating with an Arab client, use the Arabic equivalent. When writing technical documentation or interfacing with an English platform, use the canonical English term. This easy switching between languages

is a great advantage for a Yemeni freelancer working in both markets.

عن الكتاب

الكتاب السابع والأخير في سلسلة LLM4Yemen - الأسبوع الخامس لطلاب مسار A. دليل عملي لبناء الأتمتة بدون كود باستخدام Make و Zapier و n8n مع الذكاء الاصطناعي. يتضمن 30 وصفة قابلة للبيع، و33 بناءً عملياً، ومشروعاً ختامياً لمدة خمسة أيام.

عن المؤلف

الدكتور فضل محمد الأكوع باحث في البيولوجيا الحاسوبية والمعلوماتية الحيوية والجينوميات المكانية بجامعة ميشيغان في آن أربر. تتمحور أبحاثه حول تطبيق الذكاء الاصطناعي في دراسة الأمراض المزمنة، ومن أبرز أعماله المنشورة دراسات على مثبطات ناقل الصوديوم-غلوكوز 2 (SGLT2) والتغيرات الأنبوبية الكلوية المنشورة في مجلة JCI عام 2023. إلى جانب مسيرته العلمية، يكتب د. فضل باللغتين العربية والإنجليزية في حقول متعددة تشمل الدراسات القرآنية، تاريخ اليمن والسياسة، الذكاء الاصطناعي والتقنية، الأسرة والتربية، ودليل المهاجرين في المهجر.

مؤلفات المؤلف الأخرى

العملاء الأذكياء وبروتوكول MCP - بناء أنظمة ذكاء اصطناعي مستقلة (2026)

التوليد المعزز بالاسترجاع - دليل عملي لبناء أنظمة RAG (2026)

العمل الحر بالذكاء الاصطناعي — دليل المستقل اليمني والعربي (2026)

نوت بوك إل إم — الدليل الشامل (2026)

القانون الجميل الكبير - تشريح إصلاح ترامب الضريبي وتأثيره على أمريكا (2026)

التقارب السني الشيعي (2026)

الذكاء الاصطناعي ومستقبل المهن — أيها يندثر وأيها يصعد (2026)

التأشيرات الاستثمارية في أمريكا — دليل المقارنة والاختيار (2026)

اليمن في ملفات إبستين (2026)

الرئيس إبراهيم الحمدي — حياته ومشروعه الوطني (2026)

الشخصيات العامة التي فقدت وظائفها بسبب موقفها من غزة (2026)

الصوفية — دراسة شاملة (2026)

الطعام والصحة بين العلم الحديث والحديث النبوي (2026)

النظام الضريبي الأمريكي — دليل شامل (2026)

دليل شراء اللحم الحلال في ميشيجان وإنديانا (2026)

سلسلة التوريد — دليل شامل (2026)

ميكانيكا الكم — دراسة شاملة (2026)

أدوات الذكاء الاصطناعي — دليل شامل (2026)

Mythos في مواجهة نماذج Anthropic (2026)

مهارات كلود — كيف يجعلك استخدامها خبيراً في كل شيء (2026)

البوذية والهندوسية — النشأة والانتشار والمقارنة (2026)

الذنوب والمعاصي والأخلاق في الإسلام — مقارنة مع الأديان الأخرى (2026)

الذكاء الاصطناعي وثورة اكتشاف الأدوية (2026)

حرب غزة — كيف فضحت المجتمع الدولي (2026)

مجازر ضد المسلمين عبر العصور (2026)

العلاقات اليمنية السعودية — تاريخ وتحولات عبر الأزمان (2026)

كيف تؤسّس شركتك في أمريكا (2026)

هندسة البيانات — الدليل الشامل (2026)

جماعة الدعوة والتبليغ — دراسة شاملة (2026)

أجيال على المحك — الإسلام في المهجر بين الحفاظ والانسلاخ (2026)

المسلمون في الغرب — الإنجازات والتحديات والاندماج (2026)

الربا في الإسلام والبنوك الإسلامية (2026)

القرآن والإنجيل — دراسة مقارنة في مفاهيم السلام والقتال والتسامح (2026)

نهاية الكون في القرآن الكريم (2026)

مشاكل اليمن عبر الأزمان (2026)

سر التقارب الأمريكي الإسرائيلي — من يقود من؟ (2026)

هل انتهت الوحدة اليمنية؟ (2026)

الرؤساء اليمنيون في مذكرات ويكيليكس (2026)

أسرار قوة التحالف الأمريكي الإسرائيلي (2026)

فن التربية — كيف تصنع قادة من أبنائك (2026)

تأثير النماذج اللغوية الكبيرة على البحث العلمي والتعليم الجامعي (2026)

علامات الساعة (2026)

التخطيط للتقاعد (2026)

العملات الرقمية — دليل شامل للمبتدئين (2026)

وادي السيليكون — تاريخ وابتكار وريادة عالمية (2026)

أشهر المتنزهات الوطنية في أمريكا (2026)

دليل شراء وبيع السيارات المستعملة في أمريكا (2026)

كلود كود — الدليل الشامل (2026)

دليل المهاجر اليمني الجديد إلى أمريكا (2026)

الحقوق الزوجية والحياة الأسرية للمسلمين في الغرب (2026)

مستقبل المعلوماتية الحيوية والبيولوجيا الحاسوبية في عصر الذكاء الاصطناعي (2026)

تصنيف الآيات في القرآن الكريم — دراسة تأملية في البنية الموضوعية (2026)

كيف تعمل النماذج اللغوية الكبيرة — دليل مبسّط (2026)

سر قوة الجامعات الأمريكية (2026)

عتيقة — حكاية جدتي من جبال اليمن (2026)

الخلافة الإسلامية: من السقيفة إلى سقوط غرناطة (2026)

السلفية — دراسة في المفهوم والنشأة والتيارات المعاصرة (2026)

النقد المشروع وحدود معاداة السامية (2026)

كيف تنجح أكاديمياً في الجامعات الأمريكية (2026)

الزواج الناجح — دليل عملي بمنظور إسلامي (2026)

الإعجاز العلمي في القرآن — من منظور باحث في الجينوميات (2026)

أمريكا — صعود القوة وبوادر الأفول (2026)

About this Book

The seventh and final book in the LLM4Yemen series - Week 5 for Track A students. A practical guide to building intelligent automations without code using Make, Zapier, and n8n with AI. Includes 30 sellable recipes, 33 practical builds, and a five-day capstone project.

About the Author

Dr. Fadhl Mohammed Alakwaa is a researcher in computational biology, bioinformatics, and spatial genomics at the University of Michigan in Ann Arbor. His research focuses on applying AI to the study of chronic diseases; among his notable publications are studies on SGLT2 inhibitors and kidney tubular changes published in JCI in 2023. Alongside his scientific career, Dr. Alakwaa writes in both Arabic and English across fields including Quranic studies, Yemeni history and politics, AI and technology, family and parenting, and guides for diaspora life.