

FAIRmat Tutorial 8:

Using NOMAD as an Electronic lab notebook (ELN) for FAIR data

Organized by FAIRmat Area A Synthesis

FAIRmat Area A: Synthesis

Structured Data

Why Structured Data?

- **shareable** (using a community agreed structure)
- the structure highlights relationships between data points (semantic **interoperability**)
- **machine-readable**
- ideal for classification, regression, and clustering with **AI**
- **searchable**
- leads to data-driven decisions



FAIRmat

Research Data Management

Raw Data

ELN

Data Analysis

Data Modelling

FAIRmat

Research Data Management

Raw Data

ELN

Data Analysis

- Log files from instruments
- Recipe files from process software
- Spreadsheet files



https://de.freepik.com/vektoren-kostenlos/illustration-des-bedienfeldkonzepts_13662974.htm

Data Modelling

FAIRmat

Research Data Management

Data Modelling

Raw Data

- Log files from instruments
- Recipe files from process software
- Spreadsheet files



https://de.freepik.com/vektoren-kostenlos/illustration-des-bedienfeldkonzepts_13662974.htm

ELN

- Manually entered data and metadata

https://de.freepik.com/vektoren-kostenlos/laptop-mit-bildungssymbol-isoliert_11691038.htm

Data Analysis

FAIRmat

Research Data Management

Data Modelling

Raw Data

- Log files from instruments
- Recipe files from process software
- Spreadsheet files



https://de.freepik.com/vektoren-kostenlos/illustration-des-bedienfeldkonzepts_13662974.htm

ELN

- Manually entered data and metadata

https://de.freepik.com/vektoren-kostenlos/laptop-mit-bildungssymbol-isoliert_11691038.htm

Data Analysis

- Post processing software
- User-tailored scripts



https://de.freepik.com/vektoren-kostenlos/site-statistik-konzeptillustration_7140739.htm

FAIRmat

Research Data Management



Data Modelling

FAIRmat

Data & Metadata

Data:
actual content of information



2 theta	intensity
20.0200	1224.0
20.0600	1261.0
20.1000	1257.0
20.1400	1194.0
...	...

Metadata

FAIRmat

Data & Metadata

Data:
actual content of information

Metadata:
data that provides information about other data

2 theta	intensity
20.0200	1224.0
20.0600	1261.0
20.1000	1257.0
20.1400	1194.0
...	...



Metadata

FAIRmat

Data & Metadata

Metadata

Data:
actual content of information

2 theta	intensity
20.0200	1224.0
20.0600	1261.0
20.1000	1257.0
20.1400	1194.0
...	...



Structural Metadata:
provides information about containers of data

```
XRD Measurement:
  2 theta:
    description: The 2-theta angle of the diffractogram.
    unit: °
    type: float
  intensity:
    description: The count at each 2-theta value.
    unit: dimensionless
    type: float
```

FAIRmat

Data & Metadata

Metadata

Data:
actual content of information

2 theta	intensity
20.0200	1224.0
20.0600	1261.0
20.1000	1257.0
20.1400	1194.0
...	...



Structural Metadata:
provides information about containers of data



FAIRmat

Data & Metadata

Metadata

Data:
actual content of information

2 theta	intensity
20.0200	1224.0
20.0600	1261.0
20.1000	1257.0
20.1400	1194.0
...	...



Descriptive Metadata:
provides important context about data

Date of the experiment?

Temperature?

Instrument specifications?

Specimen specifications?

Humidity in the room?

FAIRmat

Research Data Management

Raw Data

ELN

Data Analysis

Data Schema Design

Data & Metadata connected to Standardized Data Model



https://de.freepik.com/vektoren-kostenlos/illustration-der-netzwerkfreigabe_2808109.htm

Data Modelling

FAIRmat

Research Data Management

Data Modelling

Raw Data

ELN

Data Analysis

Data Schema Design

Data & Metadata connected to Standardized Data Model



https://de.freepik.com/vektoren-kostenlos/illustration-der-netzwerkfreigabe_2808109.htm



https://de.freepik.com/vektoren-kostenlos/laptop-mit-datenvisualisierungssoftware-und-entwicklern-arbeiten-big-data-visualisierung-big-data-analyse-konzept-der-visualisierungssoftware_11667704.htm

Search ▪ Visualization ▪ Analysis

Implementation

FAIRmat

Research Data Management

Data Modelling

Raw Data

ELN

Data Analysis

Data Schema Design

Data & Metadata connected to Standardized Data Model



https://de.freepik.com/vektoren-kostenlos/illustration-der-netzwerkfreigabe_2808109.htm



https://de.freepik.com/vektoren-kostenlos/laptop-mit-datenvisualisierungssoftware-und-entwicklern-arbeiten-big-data-visualisierung-big-data-analyse-konzept-der-visualisierungssoftware_11667704.htm

Search ▪ Visualization ▪ Analysis

Implementation

NOMAD

FAIRmat follows a **bottom-up approach** that is driven by the needs of scientists and already enjoys strong support from the community

FAIRmat

Schema and Template Concepts

Data Modelling

Schema:

A formal description of data, data types, and data file structures, such as XML files.



The blueprint of a toolbox

Template:

A physical object from which other objects are based or derived.

A toolbox made for a specific set of tools

FAIRmat

Schema and Template Concepts



Schema

Template



Data

Structured Archive File

Data Modelling

FAIRmat

Schema and Template Concepts



Schema

Template



Data

Structured Archive File

Data Modelling

FAIRmat

Hierarchical organization



Example of file formats: **XML, JSON, YAML, or HDF5**

Shared Metadata for Data-Centric Materials Science, Ghiringhelli et al. arXiv:2205.14774

Hierarchical organization



Example of file formats: **XML, JSON, YAML, or HDF5**

Shared Metadata for Data-Centric Materials Science, Ghiringhelli et al. arXiv:2205.14774

Structured Data

FAIRmat

Structured Data

Hierarchical organization



Example of file formats: **XML, JSON, YAML, or HDF5**

Shared Metadata for Data-Centric Materials Science, Ghiringhelli et al. arXiv:2205.14774

FAIRmat

Structured Data

Hierarchical organization



Example of file formats: **XML, JSON, YAML, or HDF5**

Shared Metadata for Data-Centric Materials Science, Ghiringhelli et al. arXiv:2205.14774

FAIRmat

Structured Data

Hierarchical organization



Example of file formats: **XML, JSON, YAML, or HDF5**

Shared Metadata for Data-Centric Materials Science, Ghiringhelli et al. arXiv:2205.14774

FAIRmat

Structured Data

YAML files to describe data structures

It is a Markup Language defining hierarchy with indentation

```yaml
definitions:
  name: My Custom Schemas
  sections:
    MyProcess:
      base_sections:
        - nomad.datamodel.metainfo.eln.BasicEln
      quantities:
        data_file:
          type: str
          m_annotations:
            browser:
              adaptor: RawFileAdaptor
            eln:
              component: FileEditQuantity
      sub_sections:
        MyProcessesCollection:
          section:
            quantities:
              sample_id:
                type: str
                m_annotations:
                  eln:
                    component: StringEditQuantity
```

- extensible
- structured
- plain text
- human readable

FAIRmat

Using Schemas in Nomad

Structured Data

```yaml
definitions:
  name: My Custom Schemas
  sections:
    MyProcess:
      base_sections:
        - nomad.datamodel.metainfo.
      quantities:
        data_file:
          type: str
          m_annotations:
            browser:
              adaptor: RawFileAdaptor
            eln:
              component: FileEditQuantit
      sub_sections:
        MyProcessesCollection:
          section:
            quantities:
              sample_id:
                type: str
                m_annotations:
                  eln:
                    component: StringEditQuantity
              roughness:
                type: np.float64
                unit: nm
                m_annotations:
                  eln:
                    component: NumberEditQuantity
                    defaultDisplayUnit: nm
```



Main elements:

- Quantities (data fields int, float, str, datetime)
- Attributes (type, shape, unit, annotations)
- Sections (or Classes, collections of Quantities)

FAIRmat

Using Schemas in Nomad

Structured Data

```yaml
definitions:
  name: My Custom Schemas
  sections:
    MyProcess:
      base_sections:
        - nomad.datamodel.metainfo.c
      quantities:
        data_file:
          type: str
          m_annotations:
            browser:
              adaptor: RawFileAdaptor
            eln:
              component: FileEditQuantit
      sub_sections:
        MyProcessesCollection:
          section:
            quantities:
              sample_id:
                type: str
                m_annotations:
                  eln:
                    component: StringEditQuantity
              roughness:
                type: np.float64
                unit: nm
                m_annotations:
                  eln:
                    component: NumberEditQuantity
                    defaultDisplayUnit: nm
```



Several examples are already public:

github.com/FAIRmat-NFDI/AreaA-data_modeling_and_schemas

FAIRmat

Towards a Standard / an Ontology



An iterative exchange among scientific communities

is necessary to acquire generality, consistency, usefulness

“Base Classes” approach

Boil down the data structure to elemental building blocks:

Each Base Class contains a set of properties (Quantities)

Allows for additional searchability and processing capabilities in Nomad!

Towards a Standard

Modularity and Flexibility

Combine base classes into complex structures, depending on single user needs



FAIRmat

Representing Hierarchy: Coding a Schema

Representing Hierarchy: Coding a Schema

Inheritance



"My Gaussmeter"
inherits
the properties of
"Instrument"

Representing Hierarchy: Coding a Schema

Inheritance



"My Gaussmeter"
inherits
the properties of
"Instrument"

&

Composition



"Experiment"
is composed by
an "Instrument"
(a "User", a "Sample", etc.)

How it looks like in Nomad YAML files:

```yaml
definitions:
  name: My Custom Schemas
  sections:
    MyProcess:
      quantities:
        data_file:
          type: str
        duration:
          type: np.float64
          unit: s
    MySpecifiedProcess:
      base_sections:
        - '#/MyProcess'
      quantities:
        carrier_gas:
          type: str
      sub_sections:
        MyProcessesCollection:
          section:
            quantities:
              sample_id:
                type: str
                m_annotations:
                  eln:
                    component: StringEditQuantity
```

Inheritance

Composition

"MySpecifiedProcess"
is a
"MyProcess"

"MySpecifiedProcess"
has
quantities
and
sub_sections

Experimental data model is under development



Our state-of-the-art

FAIRmat

Get Involved

sebastian.brueckner@physik.hu-berlin.de

github.com/FAIRmat-NFDI/AreaA-data_modeling_and_schemas

github.com/nomad-coe/nomad

Contacts

FAIRmat

Thank you!