Go to next item

| 1. | What are the three key components we should consider when serving an ML Model in a production environment? (Select all that apply) | 1/1 point |
|----|--|-----------|
|    | An orchestrator  |           |
|    | ✓ A model  |           |
|    | Correct  Correct! Providing the algorithm and training the ML model is the first step towards putting it into production.          |           |
|    | ✓ Input Data   |           |
|    | Correct You've got it! The model executed on-device makes predictions based on the input data.                                     |           |
|    | ✓ An interpreter   |           |
|    | Correct Right on track! An Interpreter encapsulates a pre-trained model in which operations are executed for inference.            |           |

| 2. | What happens after a while in operation to an offline-trained model dealing with new real-live data?   | 1/1 point |
|----|--|-----------|
|    | The model abruptly forgets all previously learned information.   |           |
|    | The model becomes stale.   |           |
|    | The model adapts to new patterns.  |           |
|    | Correct  Good job! The model performance deteriorates to the point of the model not being any longer fit for purpose. This phenomenon is called model decay and should be carefully monitored. |           |
| 3. | In applications that are not user-facing, is throughput more critical than latency for customer satisfaction?  | 1/1 point |
|    | Yes, in this case, we are concerned with maximizing throughput with the lowest CPU usage.  | 7 .       |
|    | No, because users might complain that the app is too slow.   |           |
|    | Correct! Latency is not a key concern for back-end services.   |           |

