




NDC 62584-266-01
Metoprolol Tartrate
Tablets, USP
50 mg
100 Tablets (10 x 10)
Rx Only
(01) 0 03 62584 266 01 3
NDC 62584-266-01
Metoprolol Tartrate
Tablets, USP
50 mg
100 Tablets (10 x 10)
Rx Only
Each Film-Coated Tablet Contains:
Metoprolol tartrate, USP ..... 50 mg
Usual Dosage: See full prescribing information.
Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].
Protect from light and moisture.
FOR YOUR PROTECTION: Do not use if blister is torn or broken.
The drug product contained in this package is from NDC # 65862-063, Aurobindo Pharma USA, Inc.
Distributed by: American Health Packaging, Columbus, Ohio 43217
Scan for current Prescribing Information
026601
0026601/0724
TEST SAMPLE
NOT ACTUAL MEDICATION


NDC 62584-267-01
Metoprolol Tartrate
Tablets, USP
100 mg
100 Tablets (10 x 10)
Rx Only
(01) 0 03 62584 267 01 0
NDC 62584-267-01
Metoprolol Tartrate
Tablets, USP
100 mg
100 Tablets (10 x 10)
Rx Only
Each Film-Coated Tablet Contains:
Metoprolol tartrate, USP.....100 mg
Usual Dosage: See full prescribing information.
Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].
Protect from light and moisture.
FOR YOUR PROTECTION: Do not use if blister is torn or broken.
The drug product contained in this package is from NDC # 65862-064, Aurobindo Pharma USA, Inc.
Distributed by: American Health Packaging, Columbus, Ohio 43217
Scan for current Prescribing Information
026701
0026701/0724
TEST SAMPLE
NOT ACTUAL MEDICATION


NDC 60687-972-01
Amlodipine Besylate
Tablets, USP
5 mg*
100 Tablets (10 x 10)
Rx Only
(01) 0 03 60687 972 01 5
NDC 60687-972-01
Amlodipine Besylate
Tablets, USP
5 mg*
100 Tablets (10 x 10)
Rx Only
*Each Tablet Contains:
Amlodipine besylate USP equivalent to 5 mg of amlodipine.
Usual Dosage: See full prescribing information.
IN CASE OF ACCIDENTAL OVERDOSE, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY.
Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].
FOR YOUR PROTECTION: Do not use if blister is torn or broken.
Distributed by: American Health Packaging, Columbus, Ohio 43217
Scan for current Prescribing Information
797201
0497201/0526
TEST SAMPLE
NOT ACTUAL MEDICATION


NDC 68084-099-01
Atorvastatin Calcium
Tablets, USP
40 mg*
100 Tablets (10 x 10)
Rx Only
(01) 0 03 68084 099 01 4
NDC 68084-099-01
Atorvastatin Calcium
Tablets, USP
40 mg*
100 Tablets (10 x 10)
Rx Only
PHARMACIST: Dispense with Patient Information to each patient.
*Each Film-Coated Tablet Contains:
Atorvastatin ..... 40 mg
(equivalent to 44 mg atorvastatin calcium)
Usual Dosage: See full prescribing information.
Store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F) [see USP Controlled Room Temperature].
FOR YOUR PROTECTION: Do not use if blister is torn or broken.
The drug product contained in this package is from NDC # 60505-2580, Apotex Corp.
Distributed by: American Health Packaging, Columbus, Ohio 43217
Scan for current Patient Information and Prescribing Information
009901
0209901/0525
TEST SAMPLE
NOT ACTUAL MEDICATION


NDC 68084-988-32
Antacid
Peppermint Flavor
Regular Strength
Calcium Carbonate 500 mg
20 Chewable Tablets (5 x 4)
(01) 0 03 68084 988 32 5
Drug Facts
Active Ingredient (in each tablet)
Purpose
Calcium carbonate 500 mg..... Antacid
Uses relieves: ■ acid indigestion ■ heartburn
NDC 68084-988-32
Antacid
Peppermint Flavor
Regular Strength
Calcium Carbonate 500 mg
20 Chewable Tablets (5 x 4)
Drug Facts (continued)
Warnings
Ask a doctor or pharmacist before use if you are
■ presently taking a prescription drug. Antacids may interact with certain prescription drugs.
When using this product do not take more than 15 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Drug Facts (continued)
Directions
■ adults and children 12 years of age and over: chew 2-4 tablets as symptoms occur, or as directed by a doctor.
Other Information
■ each tablet contains: elemental calcium 200 mg
■ store at room temperature.
■ FOR YOUR PROTECTION: Do not use if blister is torn or broken.
Inactive ingredients
corn starch, crospovidone, dextrose, flavor, magnesium stearate, maltodextrin, sucrose, talc.
The drug product contained in this package is from NDC # 24385-485, AmerisourceBergen distributed for Good Neighbor Pharmacy®.
Distributed by:
American Health Packaging
2550 John Glenn Avenue, Suite A
Columbus, OH 43217
098832
0298832/0322
TEST SAMPLE
NOT ACTUAL MEDICATION